

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



Digitized by Google

Sci 525.7




Parbard College Library

FROM

Treenwich observatory.

6 aug. 19.01...

SCIENCE CENTER LIBRARY



RESULTS

OF

MERIDIAN OBSERVATIONS,

MADE AT THE

ROYAL OBSERVATORY, CAPE OF GOOD HOPE,

DURING THE YEARS

1866 to 1870,

UNDER THE DIRECTION OF

SIR THOMAS MACLEAR, K.T., F.R.S., ETC., HER MAJESTY'S ASTRONOMER AT THE CAPE.

SIR DAVID GILL, K.C.B., L.L.D., F.R.S., Hon. F.R.S. Ed., Etc., Her majesty's astronomer at the cape.

PUBLISHED BY ORDER OF THE LORDS COMMISSIONERS OF THE ADMIRALTY IN OBEDIENCE TO HER MAJESTY'S COMMAND.




EDINBURGH:

PRINTED FOR HER MAJESTY'S STATIONERY OFFICE, BY NEILL AND COMPANY, LIMITED.

1900.

Digitized by Google



ERRATA.

CAPE MERIDIAN OBSERVATIONS, 1861 to 1865.

```
PACE
      Distance of webs h and f, for wires 2 and 3 read 4 and 7.
  x.
 89.
       58 Piscium. N.P.D., for 48' 7" 26 read 47'. 4" 95.
      63 Geminorum. N.P.D., for 32" 44 read 25" 55.
 95.
105. B.A.C. 5868. R.A., for 358.62 read 368.62.
      σ Octantis. R.A., for 52m 22s.46 read 49m 55s.93.
     Cygni. N.P.D., for 33" 44 read 32" 66.
      30 Aquarii. N.P.D., for 13"'97 read 33"'97
109.
      No. 10. Dec., for 11' 52" 74 read 12' 55" 05.
I14.
      No. 63. Dec., for 27" 56 read 34" 45.
116.
      No. 152. R.A., for 358.62 read 368.62.
IIQ.
119.
      No. 156. R.A., for 52m 228.46 read 49m 558.93.
      No. 184. Dec., for 26" 56 read 27" 34.
120.
120.
      No. 189. Dec., for 13"'97 read 33"'97.
      η<sup>2</sup> Pectoris. N.P.D., for 13" oo read 3" oo.
     B.A.C. 1890. R.A., for 48m 46°04 read 47m 468'04.
      31 Canis Majoris. R.A., for 388.44 read 388.19.
140.
      γ Argûs. N.P.D., for 47" '09, 44" '80, 45" '95 read 53" '96, 52" '45, 53" '21
141.
          respectively.
      No. 64. Dec., for 13" oo read 3" oo.
160.
      No. 85. R.A., for 48m 46s 04 read 47m 46s 04.
      No. 112. R.A., for 38"44 read 38"19.
161.
162. No. 135. Dec., for 45" 95 read 53" 21.
169. 61 Ceti. R.A., for 08.67 read 108.67.
195. A Ophiuchi (1st Star). N.P.D., for 56" 47 read 52 '05.
199. Lacaille 7845. N.P.D., for 21' 4" 58 read 16' 4" 48.
212. No. 12. R.A., for 08.67 read 108.67.
      No. 180. Dec., for 56" 47 read 52" 05.
217.
218.
      No. 204. Dec., for 21' 4".58 read 16' 4".48.
      a Cancri. R.A., for 38:08 read 28:79.
235.
258. No. 88. R.A., for 38.08 read 28.79.
     1 Sextantis. R.A., for 29m read 30m.
280.
      λ Virginis. R.A., Jan. 31, Feb. 3, 6, insert 488.76, 488.51, 488.59; Mean, for
         48*'65 read 48*'64.
      No. 91. R.A., for 29m read 30m.
305.
      No. 140. Fraction of Year, for 0'22 read 0'11; No. of Obs., for 5 read 8; R.A.,
306.
         for 48°.65 read 48°.64.
380. Mar. 18, a Cancri. R.A., for 58.52 read 58.23.
```

CAPE MERIDIAN OBSERVATIONS 1866-70.

146. Col. 2. For B.A.C. 959 read B.A.C. 952.
148. Col. 1. B.A.C. 1038, Mean R.A., for 9°29 read 9°34.
151. Col. 2. γ Hydri, ,, ,, for 19°92 read 19°97.
158. Col. 2. δ Doradûs, ,, ,, for 32°00 read 32°02.
172. Col. 2. For B.A.C. 3586 read B.A.C. 3599.

442. Dec. 23. Increase Observed Dec. and Correction to Tabular Dec. 1".

447. Apr. 7. Increase Observed R.A. 12; Correction to Tabular R.A., for —02.89 read +02.11.

TABLE OF CONTENTS.

									PAGE
Introduction		•							v
Transit-Circle, Description of .	•	•	•				•		v
Methods of determinations of Error	rs in (Collin	ation	ı, Lev	rel, a	nd A	zimutl	1	v
Authority for Right Ascensions of	Clock	k-Star	8						vi
Names and Designations of Observ	ers								vi
Value of I Revolution of Z.D. Mic	romet	ter-scr	e w						vii
Inclination of the Horizontal Web									vii
Division-Errors and Flexure .									vii
Method of determining Nadir-Poin	t								vii
Refractions									vii
Thermometer							•		vii
Latitude adopted in formation of N	I.P.D).							vii
Tabular Semidiameters of Sun, Mo-	on, a	nd Pla	nets	empl	oy ed				viii
Tabular Value of the Solar Paralla	K em	oloyed							viii
Adopted Longitude of the Transit-	Circle								viii
Comet-Comparison Stars									viii
TABLE I.—Collimation-Errors									2
TABLE IILevel-Errors and Add	pted	Azim	uth-E	Crrore					4
TABLE III.—Azimuth-Errors, Seps	rate	Resul	ts of						19
TABLE IV Rates of Transit-Cloc	k								36
TABLE V.—Runs									44
TABLE VI.—Nadir-Points .									57
TABLE VII.—R.—D. from Observa	tions	of N.	P.D						72
Separate Results of Observations, 1	866								75
Catalogue, 1866								,	121
Separate Results of Observations, 1	867								135
Catalogue, 1867									207
Separate Results of Observations, 1	868								231
Catalogue, 1868									321
Separate Results of Observations, 1	869								357
Catalogue, 1869									379
Separate Results of Observations, 1	870								389
Catalogue, 1870									407
Semidiameter of Sun, Moon, and P	lanet	8					٠.		415
R.A. and Dec. of Sun, Moon, and									428
Observations of Moon's Limb and l	Moon-	-Culm	inati	ng St	ars		•		471
Comet-Comparison Stars, 1861-66									541

INTRODUCTION

TO THE

MERIDIAN OBSERVATIONS, 1866 TO 1870.

DETAILS of the Meridian work of the Cape Observatory from 1834 to 1870 were given in the Introduction to the Meridian Observations, 1861 to 1865.

The present volume contains the results of Meridian Observations, 1866 to 1870, and completes the publication of all observations made with the Transit-Circle under the direction of Sir Thomas Maclear.

The Transit-Circle was constructed upon Sir George Airy's plans by Messrs Ransomes & Sims, as engineers, and Messrs Troughton & Simms, as opticians. It is similar in construction and power to the Transit-Circle of the Royal Observatory, Greenwich. An elaborate description, with plans, of the Greenwich instrument is given in the volumes of Greenwich Observations, 1852 and 1867; this renders any detailed description of the Cape instrument unnecessary. The only points of difference are—that the setting-circle and the handles for moving the instrument are removed from connection with the graduated circle to the opposite side of the instrument, and that the central cube is pierced to allow adjustment of the collimating telescopes upon each other, without obstruction, and without the necessity for raising the Transit-Circle.

The magnifying power used was 200 diameters.

The observations of Right Ascension were made by the "Chronographic" method.

The Errors of Collimation were determined by Gauss's method, with

two horizontal telescopes of 4 inches aperture—the results, including the correction for diurnal aberration, are given in Table I., pp. 2 and 3.

The Level-Errors were determined by observing, with a Bohnenberger eye-piece, the coincidence of the central wire with its image formed after reflection from a pool of mercury. The separate results, together with the Adopted Level and Azimuth-Errors, are given in Table II., pp. 4 to 18.

The results of the separate determinations of Azimuth are given in Table III., pp. 19 to 35.

The observations of Right Ascension were entered in the reduction forms, the means taken, and the corrections for Collimation, Level, and Azimuth applied until the end of 1867 under the direction of Sir Thomas Maclear.

The Clock-Stars employed and the corrections applied to reduce the places of the *Nautical Almanac* to Auwers' Fundamental Catalogue are given on pp. viii and ix of the *Meridian Observations*, 1861 to 1865.

The Right Ascensions of Clock-Stars have not been retained as determinations unless Clock-Error was obtained from at least five fundamental stars.

The various observers are denoted as follows:--

Den	oted	D	enoted
Observer.	by	Observer.	by
Observer. Sir Thomas Maclear	T.	Mr Chas. D. Fisher	C.F.
Mr Wm. Mann	W.	" J. Sinfield	J.S.
,, G. W. H. Maclear	G.	,, Isaac Freeman	I.F.
, Geo. Christie	C.	" C. Blore	В.

Sir Thomas Maclear and Mr G. Christie observed only the Comet-comparison Stars.

The Personal Equations of the observers have not been discussed. The Clock-Rates have been derived exclusively from successive time determinations by the same observer. The resulting Rates of the Clock Hardy are given in Table IV., pp. 36 to 43.

CIRCLE OBSERVATIONS.

The Circle is graduated from 5' to 5'. The pointer-reading is approximately 0° when the telescope is directed to the Zenith. The pointer-readings increase as the telescope is turned from the Zenith to the South. The pointer and microscopes for reading the Circle are mounted on the Western pier.

One Revolution of the Z.D. micrometer-screw = 28".548.

The Mean Run of the six microscopes for 5' of arc will be found in Table V., pp. 44 to 56. The correction for Runs is very large but very constant, and its change by temperature is insensible.

On 1862 July 28-30, two nearly parallel horizontal webs h and f were inserted; their measured distance apart was found to be

and their Inclination for one wire interval before the centre wire

On 1870 Dec. 7, wire f was removed. The Inclination for one wire interval, from observations of stars on Dec. 8 to 14, was

The Division-Errors of the Circle determined in 1855 December, are given on p. xi. of *Meridian Observations*, 1861-65.

The Flexure from observations on 1855 March 26 was $-o^{\prime\prime}$ 26 Sin z. A Table of corrections for Division-Error + Flexure is printed on pp. xii and xiii of the *Meridian Observations*, 1861-65, and was used throughout.

The Nadir-Points were determined exclusively by observations of the reflected image of the horizontal wire in a pool of mercury. The observed and adopted values are given in Table VI., pp. 57 to 71.

The Refractions were computed by Bessel's Tabulæ Regiomontanæ. The Thermometer employed was placed in a crib in the S.W. window of the Transit-Room; it was constructed by Dollond, had a large cylindrical bulb, and its graduations were engraved on an attached ivory scale. We have no certain knowledge of the calibration and index-errors of this thermometer.

The observations were all reduced to Apparent N.P.D. with an assumed Latitude

The observations of stars in 1866 were reduced to Apparent N.P.D., and those from 1867 to 1870 to "Circle-reading at observation," under the direction of Sir Thomas Maclear.

In the reductions to Mean Place, the small terms depending on 2 \mathfrak{d} were taken into account for \mathfrak{a} and β Centauri, and for all stars within 5° of the Pole.

The number of Southern Stars contained in the work is disappointing—indeed, after 1860, some of the best observers ceased to take part in the meridian observing, and the work was carried on with less system and vigour than it had been during the period 1856-60. Many observations

of the Sun, Moon, and Planets, and a great part of the Right Ascensions of the Clock-Stars, are rendered useless by want of sufficient determination of Clock-Error. Much time and patience were devoted to the scrutiny of doubtful results, and numerous errors have been detected in the observations by C.F. and B.

The observed Right Ascensions of the Sun, Moon, and Planets have been retained when two or more Clock-Stars were observed.

The semidiameters of the Nautical Almanac have been used in the reductions. The value 8".80 has been adopted for the mean horizontal equatorial parallax of the Sun.

The results of observations of the Sun, Moon, and Planets have in every case been compared with the Ephemerides of the *Nautical Almanac* for the year in which the observations were made.

The observations of the Moon's limbs and of Moon-culminating Stars are given in a special section.

The Longitude of the Transit-Circle adopted in the reductions depends on the series of Telegraphic differences of Longitude discussed in the *Annals of the Cape Observatory*, Vol. I. Part II., viz.:

The observations of Comet-comparison Stars, 1861 to 1866, are appended to this volume. A correction of — o*·18 has been applied to C.'s observations of R.A. of stars fainter than 7th magnitude.

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

TABLES

OF

INSTRUMENTAL CORRECTIONS,

1866-1870.

CAPE MERIDIAN OBSERVATIONS, 1866-1870.

TABLE I.

Collimation-Errors of the Transit-Circle.

[SET OF R.A. MIGROMETER-SCREW:—1866 Jan. 1 to 1869 Jan. 3, 30,000; 1869 Jan. 4 to 1870 Dec. 31, 30,200.]

Da	te.	Error of Collimation.	Date.	Error of Collimation.	Date.	Error of Collimation.
186	6.	я	1867—cont.		1868—cont.	•
Jan. 1	- 4	— o.o38	Jan. 25—Feb. 7	- 0.129		
5	18	- o·046	Feb. 8 — 21	— 0.155	19—Apr. 2	- 0.511
19-	-Feb. 1	0.021	22Mar. 7	0.126	Apr. 3 — 16	- 0.309
Feb. 2	- 15	- o.o36	Mar. 8 29	- 0'150,	17 29	0.503
16-	-Mar. 1	- 0.046				
Mar. 2	- 15	- 0.049	Apr. 11 — 25	- o.508	May 14 — 29	
16	- 29	— o'048	• •	_	_	
30-	-Apr. 12	- 0.023	May 10 - 22			
Apr. 13	26	— o.o46				
27-	-May 10	- 0.029	June 7 — 19			
May 11	-					
					Aug. 7 — 20	
		— o.o35		- 0.501		
					Sept. 4 — 15	
			15 - 28			
	-		29—Sept. 1 1			• •
Aug. 3			Sept. 12 — 25			
			26 - Oct. 9			
	-		Oct. 10 — 23			
Sept. 13	- 27	+ 0.002	24-Nov. 6	0'204	26—Dec. 9	
			Nov. 7 — 23			
			23—Dec. 4			— 0·227
Nov. 8	•	i	Dec. 5 — 31	- 0.332		
	•	- 0.113			. 1869.	
28-	-Dec. 12		1868.		Jan. 1 2	
Dec. 13	•	+ 0.053	Jan. 1 — 2 3 — 29	- o.552	6 — 20	- 0.035
26	— 31	- 0.165	3 29	- 0.226	21-Feb. 3	- 0.038
186	57.		30—Feb. 14	- 0.333		- 0.045
Jan. 1	10	— o·162	Feb. 16 — 21	- o.508		- 0.044
I .	— 24	- o·165	23-Mar. 4	- 0.534	Mar. 4 — 17	- 0.039
I			!		ving on stens, and	ree turned

1867 March 29^{d.} 22^{h.} Eye end of telescope struck a book lying on steps, and was turned in its collar and drawn out about \$\frac{2}{3}\$ inch. Focus and verticality of Centre wire readjusted.

1867 December 1^{d.} 22^{h.} Image of the cross in South Collimator found considerably our of focus, the wire tube having apparently been pushed inwards.

TABLE I.—continued.

Collimation-Errors of the Transit-Circle.

Date,	Error of Collimation.	Date,	Error of Collimation.	Date,	Error of Collimation.
1869 <i>—cont</i> .	8	1869 <i>—cont</i> ,		1870—cont.	
Mar. 18 - 31	- 0.039	Nov. 11 - 24	- 0.019	May 26-June \$	+ 0.004
Apr. 1 — 14	— o'034	25—Dec. 8	- 0.029	June 9 — 22	+ 0.006
15 — 28	- 0.029	Dec. 9 22	- 0.027	23—July 6	+ 0.002
29-May 21	0'023	23 — 31	- 0.053	July 7 — 20	+ 0.011
May 24 — 27	- 0.010			21—Aug. 3	+ 0.032
28-June 9	1			Aug. 4 - 17	, -
June 10 23	- 0,000	Jan. 1 — 5	- 0.053	18 — 31	+ 0.015
24—July 7				Sept. 1 — 14	- 1
	-	20-Feb. 2		-	
		Feb. 3 — 16		-	'
Aug. 5 18	0.008	17-Mar. 2	- 0.018	Oct. 13 — 26	— o.ooe
1 .		Mar. 3 — 16	•		
		17 — 30		•	1
		31—Apr. 13	-]
, ,		Apr. 14 — 27			
	- 1	28 - May 11		1	— o.os8
28—Nov. 10	- 0.051	May 12 25	+ 0.000		`
	' '			·	

1870 December 7d. oh. Z.D. wire-plate removed, and wire f taken off.

TABLE II.

			Level-	-Error.			İ	Level-Error.		ğ
Da	ate.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date,	Observer.	Observed.	Adopted.	Adopted Azimuth-Error
18	66.		В.			1866—cont.			8	
Jan.	d h 2 13	JS	o·699			Mar. 3 I	JS	-1.514	-1'221	
	4 15	JS	-0.723	-0.211	1	3 14	CF	_1·228		+0.92
•	5 22	G	-0·756	-0·756	+1.129	4 17	CF	-1.559		1
			1		·	10 3	JS	-1.520	-1.250	
•	7 22	JS G	-0.810	-0.803	+1.192	16 18	G	-1.364	-1:364	+1.02
	11 0	JS	-0.809			19 14	G	-1.449		
	15 22	G	-0.903		1 1	21 5	CF	-1.464	—ı·456	
	16 23	JS	-0.922	_0·936	+1.276	24 8	JS	-1.213	-1.213	+1.10
	18 23	G	-0.983				JS			•
	21 22	J8	-1.029			27 10 31 5	JS	-1.239	-1.576	
	22 22	G	-1.082	-1.085	+1.354	Apr. 1 14	JS	—1·628		1
	23 23	JS	-1.103	l!		5 17	G	-1.735	-1.681	+1.13
	24 22	G	-1.130			9 0	G	-1.857	-1.857	
	25 8 26 22	JS G	-1.146	—ı · 160						1
	28 22	JS	-1.1204	(12 3	G	-1.943	-1.943	<u> </u>
	29 22	G	-1·243		+1.329	- 16 4	JS	-1.971		+1.05
•	31 12	JS	-1 243	-1.302		18 20	G	-1.988	-1.980	
Feb.	1 23	CF	-1.322			21 6	JS	2.015		1
	2 23	G	—I · 343			22 18	G	-2.022		+0.96
	5 3	JS	-1.583	-1.303		23 23	JS	-2.022	-2.020	
	6 18	JS	-1.584			24 18	G	-2.019		
	10 6	JS	-1.591	-1.591	+1.039	27 4	JS	-1.984	-1.978	Ĺ.,
	18 23	G	_1·260			28 10	JS	-1.971		+0.80
	19 22	G	-1.246	-1.523	į ,	May 4 22	JS	-2.000	-2.000	
	22 7	JS	-1.514	1		7 23	CF	-2.034		
	24 8	JS	-1.502	-1.512		8 22	G	2.036	-2.029	+0.22
	25 19	G	-1.512		+0.943	10 22	G	-2.012		l
	26 22	JS	-1.513			12 3	JS	-2.033	-2.032	ĺ

TABLE II.—continued.

		Level	·Error.	ror.			Level	Error.	l rror.
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1866—cont.			8	8	1866—cont. d h			•	a
May 14 3	G	2.049			July 13 11	CF	-1.243	-1.242	·
15 22	G	-2.035		+0.748	14 11	JS	-1.525		
17 3	JS	-2.022			17 11	CF	-1.231		1
20 6	JS	-2.022	-2.030		18 22	G	-1.486	-1.498	+0.263
22 22	JS	-2.034			19 6	J8	-1.478		
25 10	JS	-2.071	-2.086	+0.229	21 3	JS	-1.390	1	
26 11	JS	-2.100			22 23	G	-1.377	-1.383	
29 23	J8	-2.132			23 9	JS	-1.375		
31 23	G	-2.150	-2.136		24 11	G	-1.388	<u> </u>	+0.487
June 4 22	G	-2.140			27 0	JS	-1.357		
5 18	JS	-2.135		i	31 4	JS	-1.354	-1.348	
7 14	JS	—2·136	-2.137	+0.698	Aug. 1 17		-1.334		+0.203
8 14	CF	-2.146		1	5 23	G	-1.317		
10 23	G	-2.173	-2.129		7 22	CF	-1.594	-1.300	+0.389
14 0	JS	-2.131		+0.229	10 0	JS	-1.289		
17 23	G	-2.111	-2.151		13 0	G	-1.251		
20 22	G	-2.094			14 23	CF	—1·228	-1.558	+0.311
22 0	JS	2.112	-2.100		18 0	JS	-1.204		
25 0	JS	-2.118		+0.420	19 23	G	-1.169		
27 23	G	-2.106			20 8	JS	-1.174	-1.172	
29 4	JS	-2.086	2.096		23 8	CF	-1.147	-1.138	+0.419
July 2 🍛	G	-2.016		1	25 12	JS	-1.139	_1 130	
3 3	CF	-1.913	-1.965	+0.564	29 3	G	—1·097		
4 13	J8	-1.826	0-4		Sept. 1 3	J8	-1.025	-1.098	+0:375
5 22	G	-1.785	1 .806		3 22	G	-1'124		
7 4	JS	1.748			7 1	JS	—1 ·097	1.022	+0.328
9 22	J8	1.646	— 1·697	10.506	10 23	CF	—1 ·056	. 9//	1~ 33°
11 3	CF	-1.601		+0.236	12 10	CF	-1.016		
11 11	JS	1.290	-1.296		16 22	G	-1.041	—1 ·026	
12 22	G	-1.229			17 6	JS	—I ·032		+0.306
			<u>'</u>				· · · · · · · · · · · · · · · ·	·	
[•		` .

6

TABLE II.—continued.

Level and Azimuth-Errors of the Transit-Circle.

		Level	Error.	Tor.			Level-Error.			
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	
1866—cont.		8			1866—cont.		В	н		
Sept. 19 23	G	0.982	_		d h Nov. 16 17	JS				
21 0	JS	-0.963	-0.974		18 13	IF	-0.219	 	+0.42	
24 12	JS	-0.959			19 13	G	-0.751 -0.752	-0.742	İ	
26 12	CF	-0.946	-0.942		20 22	G	-0·741		 -	
27 15	JS	-0.921	'.		22 13	JS	-0.43	i		
28 16	CF	-0.903			23 7	IF	-0.211	-0.731	+0.23	
30 22	G	-0·825	-0·864		24 15	G	-0.737	,,,		
Oct. 3 13	CF	-0.843	-0·842	+0.349	25 17	CF	-0.435		i	
4 18	JS	-0.841	-0 842		26 15	G	-0.744			
5 13	CF	0.8 ⁷⁷			28 15	G	-0.771			
7 13	CF	-0.892	o.888		29 2	JS	-0.760	-0·765	+0.2	
8 17	G	0.894			30 7	CF	-0.263	0 ,0,	0 3.	
12 17	JS	o·856	-•∙8 56		Dec. 4 14	JS	-0.42		+0.24	
16 15	CF	-0·8o7			5 11	IF		0.752	<u>-</u> -	
17 10	JS	-0·802			, "		-0.249			
18 23	G	-0·786	-0.794		9 23	G	-0.842		+0.81	
19 16	CF	-0.782		+0.410	10 13	JS	-0.832	-o·833		
21 14	CF	-o. ²²⁰	-0·757	TO 410	11 3	CF	-o.837			
22 15	G	-0.744		1	12 12	IF	-0'821			
23 15	JS	-0.451	-0.720		15 19	G CF	-0.859	-0·845	+0.92	
24 17	CF	-0.218			17 10	G	-0.830			
26 15	CF	-0.733			19 13 20 13	JS	-0.018 -0.050	-0.051		
29 14	CF	-o. ²³⁰	0.231		21 19	G	-0.018	gz1	+1.12	
30 13	J8	-0.729]	23 16	CF	-0·970			
Nov. 1 14	JS	-0.742	-0.142	+0.385	24 15	G	-0.957	-0.964	1	
4 14	JS	-0.752		, 0 ,05	27 13	G	-0.966			
5 12	G	-0.439	-0.744		28 4	CF	-0.990	-0.992		
6 16 8 16	CF	-0.748			30 23	JS	-1.036	"		
14 5	G CF	-0.48	-0·750						+1.25	

TABLE II.—continued.

			Level	-Error.	ror.			Level	Error.	Tor.
Ð	ate.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
18	867.		s			1867—cont.		8	8	8
Jan.	d h 2 2 3	CF	i			d h Feb. 23 18	CF	-1.869	_	
Jan.	4 7	CF	-1'134	-1.137		24 16	CF	-1.904	-1.882	
l	6 23	G	-1.132	1 -3/		25 14	JS	-1.928		}
1	8 13	G	-1,140	!			G	1	-1.938	
ĺ	10 13	G	-1.177			26 16		-1.948		+1.020
	11 18	JS	-1.194	-1.186		Mar. 1 18	JS	-1.998	-2.046	
	13 23	G	-1.254			3 22	G	-2.094		+1.000
	14 17	JS	-1.51	-1.52	+1.375	4 13	JS	-2.114	-2.122	, ,
	17 10	JS	-1.322	-1.353		5 22	G	-2.129		
	18 14	CF	-1.324	. ,.,		6 10	JS	-2.149	-2.161	
	20 6	J8	-1.401			7 12	G	-2.173		+0.857
l	23 14	G	-1.457	-1.451		I1 22	CF	-2.091		
ľ	24 16	JS	1.495			13 7	CF	-2.081		
	27 23	G	-1.241	-1.548		14 8	JS	-2.099	-2.092	+0.204
	28 14	JS CF	-1.556		+1.200	15 8	CF	-2.095	İ	' '
	J -	IF	-1·623	-1.627		17 11	G	-2.113		
Feb.	31 8	CF	-1.610	1 027		18 11	JS	-2.150	-2.112	
reo.	4 22	G	-1.638			19 12	CF	-2'134		
	5 11	J8	—ı·660	-1.657		21 14	JS	-2.127	-2.131	}
	6 14	G	-1.672	5/		22 11	CF	-2.123	-2'151	
	10 18	IF	-1.602			25 0	JS	-2.179		+0.676
	11 13	JS	-1.605		+1.141	26 5	CF	-2.552	-2.248	
	12 12	G	-1.617	-1.918		28 22	JS	-2.569		
	13 6	CF	-1.648			29 23	G	-2.297	-2.397	
	14 12	G	-1.684	-1.690		Apr. 1 22	CF	-2:396	-2'408	
	15 10	JS	-1.695	090		3 6	JS	-2'420	-2 400	
	16 21	G	-1.725	-1'742		4 22	G	-2.417		
	19 9	IF	-1.758			5 5	CF	-2.417	-2.419	
	21 14	ı	1	-1.812		7 22		-2.424		+0.647
	22 10	CF	-1.820		+1.081	8 14	CF	-2.435		
Fe	19 9 21 14	IF JS CF	-1·758 -1·804 -1·820	-1.742 -1.812 cury very	, •	5 5	1	-2·417	—2°419	+•

March 14^{d.} 8^h, 17^{d.} 11^{h.} Mercury very unsteady.

March 29^{d.} 22^{h.} Eye-end of telescope struck a book lying on steps, and was turned in its collar and drawn out about \$\frac{3}{2}\$ inch. Focus and verticality of Centre wire readjusted.

TABLE II.—continued.

			Level	-Error.	ror.			Level	Error.	70T.
Date.		Observer.	Observed.	Adopted.	Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1867—con	nt.		A	8	ы	1867—cont.		8	8	В.
Apr. 9	10	IF	-2·438	-2.432		May 24 17	CF	-2.323	-2.340	
10	- 1	JS CF	-2·405			26 23 27 9	G JS	-2·332		+0.161
13	7	JS	-2.482			28 10	CF	-2.323	-2·328	
14 15 :	- !	QF G	2·503	-2.492	+0.241	31 18	CF	-2.585	-2.568	-0.016
16	4	IF	-2.207			June 3 10	JS	2.54		-0.09
17 20	0	CF G	-2.238 -2.234	-2.536	+0.434	6 o	CF CF	-2·248	-2.539	
22	1	G J8	-2·543			10 9	G	-2,550	-2.512	o·o42
23	16 8	IF	-2.232 -2.232			12 6 . 14 22	CF CF	-2.183 -2.513		
25 26	5	JS JS	-2'546	-2.244	+0'220	16 22	G	-5.183	—2· 189	
28	l.	G	-2.233 -2.226			17 13 19 16	CF B	-2·197	,	-0.000
30 : May 2 :	23	CF JS	-2.211	-2·522		23 19	CF	-2.174	-2'144	_
3	- 1	CF	-2.460	-2·460	+0.192	24 18 25 22	JS G	-2·113		+0.003
6 : 8	9	G IF	-2·392	-2.401	T . 193	28 6	CF	-1.980	-2'024	+0.00
	18	JS	-2·368			30 10 July 2 11	CF IF	—1·863 —1·863	-1.825	
10	6	JS G	-2°370			3 3	G	-1.774	-1.440	+0.12
13	12	JS	-2.358	-2·337		4 16 6 3	CF G	-1.401 -1.400		+0.500
15 16	- 1	IF G	-2·312		+0.128	8 22	JS	—1 ·609	—1·655	
17	- 1	CF	-2.311	-2.311		9 11	IF	-1.291	—1·594	
•	16	CF IF	-2.315 -2.318			10 7 11 10	G JS	-1.221 -1.221		+0.52
22	8	CF G	-2.303		+0.518	14 23	G CF	-1.493	—1·532	
	•	<u></u>	-2.321			15 14	OF.	-1,491	-1.477	

TABLE II.—continued.

Level and Azimuth-Errors of the Transit-Circle.

		Level	Error.	ror.			Level	Error.	ror.
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Azimuth-Error.
1867—cont.	IF	8		S	1867—cont. d h	O.E.	4	8	8
July 16 18 17 23 18 10	G J8	-1.463 -1.458 -1.457	-1.458	+0.310	Sept. 1 18 3 10 4 18	CF IF CF	-1·191	1.189	
19 21 20 20	JS	-1·441 -1·443	-1.442		5 9 6 10	JS IF	-1.184		+0:340
21 17 23 18 26 6	JS JS CF	-1.447 -1.437 -1.417	—1·442 ———		7 8 11 10 12 7	G IF JS	-1·115	-1.118	
27 18 28 22 30 9	G G J8	-1·377 -1·381 -1·364	—1·392		13 18 15 14 16 6	CF G JS	-1,100 -1,111 -1,119	-1,111	
31 19 Aug. 2 8	CF IF	-1.334 -1.338	-1.321	+0.370	17 7	IF G	-1·114 -1·087	-1.028	
4 22 - 5 15 6 18	G B JS	-1·346 -1·332 -1·314	—1·337	, , ,	20 20 24 11 26 6	CF CF JS	0.966 0.966		
7 17 9 22	G JS	-1 · 268	-1.311		29 23 30 10	G J8	0°984 0°980	-0.979	
11 19 12 18 13 19	JS G B	-1·276 -1·287 -1·268			Oct. 3 5 4 10 6 7	CF CF G	-0.992 -0.960		
14 10 15 12	JS C	-1·277	-1:274	<u> </u>	7 7 8 7	JS IF	-0.952 -0.952	-o·957	1
17 18 18 16 21 16	G G CF	-1·268 -1·274 -1·251			9 15 10 22 13 22	JS G	-0.932 -0.932		+0.348
22 7 25 22	JS G CF	-1·235	-1.538		14 14 15 9	JS CF	-0.914 -0.914		
27 18 28 8 29 9	IF JS	-1.510 -1.510			16 13 18 9 20 15	B IF CF	-0.801 -0.001 -0.002	-o·899	+0.525
	1	-	<u> </u>	1		<u> </u>	<u> </u>		1

TABLE II.—continued.

		Level	-Error.	or.		1	Level	Error.	ror.
.				Adopted Azimuth-Error.	T				Adopted Azimuth-Error.
Date.	Observer.	Observed.	Adopted.	dop	Date.	Observer.	Observed.	Adopted	Ado
	3	[386]	dop	A miz		38) Be	lop	Azin
	0	0					0	~	. ————
1867— con t.			_		1867—cont.	1			
d h		8	,	. •	d h	G	21671	•	, • ;
Oct. 21 18	G IF	-0.881 -0.880	-o.881		Dec. 9 11	IF	-0.666 -0.666	-0.670	I
23 8 24 8	JS	-0.822		+0.252	16 22	JS	-0.680		
26 3	IF	-0.823	-0·854		17 11	JS	0.690	-0.692	I
20 3		!			18 8	IF	-0.404	0 092	+0.488
27 23	G	-0.831	-0·821		19 10	G	-0.728		
29 12	CF	-0.802	-0·804		22 23	CF	-0.725	-0.454	
Nov. 1 7	JS	0.802	-0 804	+0.526	24 10	JS	-0.755		
3 23	G	-0.821	-0·846		27 16	CF	-0.754	-o·758	+0.660
4 9	JS	-0.841			29 23	G	-0°765		1 0 .
8 17	CF	-0.486				İ			+0.82
9 10	G	-0.776					•		
10 22	G	-0.462			1868.	1			1
12 12	JS	-0.774	-0.480		Jan. 3 8	CF	-0·847	.00	+0.90
13 12	CF	-0.482			4 22	IF	-0·848	-0.848	+0.998
15 0 16 6	JS IF	-0.792		+0.248		JS	-o·886		
	IF	-0.782			7 10 8 11	ı G	-0.925		
17 5 18 9	JS	-0.762	-0.7 5 2		9 11	IF	-0.050	-0.910	+1.013
18 9 20 6	CF	-0.41 -0.41			10 10	CF	-0.921		
22 7	IF	1			12 15	G	-0.973	-0.962	
24 23	G	-0.433			14 9	CF	-0.985		+1.12
25 9	JS	-0.733			15 8	IF	-0.979	-0.980	
26 8	IF	-0.720		+0.322	16 9	JS	-0.989		
28 22	CF	-0.745	-0.430		17 23	JS	-0·998	-0.994	+1.19
Dec. 1 23	G	-0.430			20 22	IF	-1.076		
2 9	JS	-0.720			21 17	G	-1.103	-1.091	+1.279
3 17	CF	-0.727	•		22 7	IF	-1.093		
6 4	В	0.692		+0.329	23 22	JS	-1.155		
6 7	IF	-0.695	-0.691]	24 22	IF	-1.138	-1.130	+1.305
8 9	JS	0·685			26 23	G	-1.192	-1.192	
	l	<u> </u>	<u> </u>			<u> </u>	<u> </u>	l	l
							•		

TABLE II.—continued.

Date.		1				1			2
	Observer.	Observed.	Adopted.	Adopted Azimuth-Error. Date:		Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1868— <i>cont.</i> d h Jan. 28 9	JS	8 1 * 202	8	5	1868—cont.	IF	8	8	В
31 18 Feb. 1 6	CF JS JS	-1.532 -1.532	-1.550	+1.265	Mar. 15 17 18 7 20 5	IF CF	-1.824 -1.825 -1.828	-1.955	
3 9 4 17	G CF	-1.523 -1.534 -1.565	-1·272		22 23 23 19 25 18	G B IF	-2.014 -2.014	-2'017	'+o·90
5 22 7 18 9 15	JS JS	-1:349	-1,344	+1.50	26 5 27 18	JS JS	-2.061 -2.040	-2·058	+0.85
11 6 12 18 13 18	IF G JS	-1.330 -1.348 -1.328	-1.341	•	31 15 Apr. 1 12 2 6 3 16	IF B CF	-2.164 -2.164 -2.164	—2·196	+0.80
14 3 17 18 19 22	CF B JS	-1·352 -1·397 -1·433	-1'415		3 16 4 13 7 5	JS CF	-2·358	<u></u>	1
20 6 21 17 24 23	B IF CF	-1 ·447 -1 ·432 -1 ·488	-1.440	+1.550	8 14 11 19	JS G	-2·326	-2.348	+0.60
25 19 26 18 28 3	IF B B	-1.478 -1.482 -1.554	—1·483 ———		15 6 17 22 19 6	JS JS JS	-2·383 -2·343 -2·375	—2·367	+0.20
28 18 Mar. 2 18 3 18	JS IF CF	-1.570 -1.665 -1.670	-1.268	+1.020	22 7 23 23	IF CF CF	-2·287	-2.585	+0.40
5 ° 6 7	JS IF	—1·720 —1·765	-1.43		28 23 30 4	JS B	-2·302 -2·306		+0.332
8 13 10 4 11 7	G JS IF	-1.822 -1.822	—1·825		May 1 4 2 9 4 11	G JS	-2·265 -2·250 -2·212	-2.574	+0.396
12 16	G CF	-1·834 -1·848	-1.821		5 6 7 5	IF CF	-2·205	-2'214	

TABLE II.—continued.

		Level	Error.	Tor.			Level	-Error	ror.
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error,	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1868—cont.		8			1868—cont.		8	8	
May 10 16	IF	-2.301			July 1 18	CF	-2.254	-2.54	+0.12
13 6	IF	-2.518	-2.358	+0.390	2 10	JS	-2.523	54	
14 18	JS	-2.538			5 23	G	-2.190		•••
16 18	G	-2.526		+0.384	7 18	G	-2.072	-2.133	
18 18	J8	2.568	-2.274		8 10	JS	-2.049		+0.022
19 7	IF	-2.51		+0.410	9 16	G	-1.990	2°020	+0.162
22 18	CF	-2.538	—3·24 5	1.00.40	13 18	JS	1.889		<u> </u>
		_		+0.441	14 6	IF	—1 .888	-1.889	+0.401
26 16 27 6	CF	-2.274			19 23	G	-1.738		
28 18	JS	-2·285		+0.40	20 18	JS	-1.727	-1.733	+0.411
29 18	IF	2.593	-2.571		22 18	IF	-1.403		
June 2 23	CF	-2.258			24 18	CF	-1·671	-1.687	+0.40
36	IF	-2.275		+0.308	26 8	IF	-1.624		
6 18	G	-2.347			27 18	G	-1.631		+0.422
7 17	G	-2.347	. 2 °246	+0.257	28 18	CF	-1.610	-1.615	
8 22	IF	-2.332	- 34-	! !	29 8	JS	-1.596		
9 10 10 18	IF G	-2.359			31 11	IF	-1.22	-1.203	
11 18	JS	-2·386			Aug. 2 23	G	-1.479	. 503	+0.460
12 12	CF	-2.382	-2°379		4 22	JS	-1.459	-1.459	
14 18	G	-2.372		+0.516	9 18	G	-1.444		
15 6	IF	-2.360			10 6	JS	-1.435		40:45
17 19	CF	2.333	-2.347	+0.264	12 6	IF	-1.414	-1.431	+0.452
22 9	IF	-2.522	-2.255		14 18	CF	-1.431		
26 22	CF	ł	>>	+0.53	16 8	JS CF	-1.386	1 · 396	
28 7	G	-2°225			17 18 21 7	CF IF	-1.406		
29 19	В	-2'215	-2.518	+0.192	21 7	G	—1.348 —1.348		+0.430
30 9	G	-2.536			24 18	JS	-1.372	-1.361	
		<u> </u>						- 301	

TABLE II.—continued. Level and Azimuth-Errors of the Transit-Circle.

			Level-	Error.	10f.			Level	-Error.	į.
D	Date.		Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1868-			•	a		1868—cont.			В	
Aug.	25 22	G	-1.365			Oct. 14 7	IF	-1'240	-1.568	
	26 19	IF	1.326			15 17	G	-1.562		
	27 18	JS	-1.343			16 23	JS	-1.521		
	28 18	CF	-1.323	-1.342		21 17	J8	-1'247		
	29 18	G	-1.353		١.	22 8	IF	-1.528	-1.251	+0.31
G 4	31 18	CF	-1.330		+0.403	23,6	JS	-1.548		
Sept.		IF JS	-1,312	-1.315	1	26 23	CF	-1'211	-1.511	
	3 to 7 9	IF	—1·314 —1·314			30 22	JS	-1.160		
	8 10	JS	-1.316			Nov. 1 18	IF	-1'134	-1.138	İ
	10 22	G	-1,303	-1.301	+0.460	2 8	JS	-1.151		
	11 7	IF	-1.500			4 15	G	-1.115		
	14 18	JS	-1.302		+0.400	5 17	CF	-1.132	-1.125	+0.51
	15 18	CF	—ı · 305		+0.333	6 7	IF	-1.127		
	-	1		-1,311	1 9 333	10 22	IF	—I .007	-0.971	
	18 9	IF	-1.313			13 7	IF	-0.935		
	20 18	CF CF	-1,319			16 17 18 7	CF IF	-0.955		
	22 5 23 10	IF	-1.580			18 7	JS	-0.014	-0,934	
	24 18	G	-1.595	-1.583		20 18	CF	-0·8 ₇ 8	ļ	+0.30
	25 9	JS	-1.585	:		22 23	G	-0.849		
	27 18	G	-1.596			23 10	JS	-0.837	-0.850	
	30 10	JS	-1.582	-1.303		24 6	CF	-0.835	1	
Oct.	1 8	IF	-1.325		+0.312	25 6	IF	-0.809		
	5 9	JS	-1.599	··	1	26 10	G	-0.830	-0.818	
	6 16	CF	-1.312			27 6	IF	-0.812		
	7 10	IF	-1·297	-1.593	i	30 10	CF	0. 288		+0.31
	9 18	C F	—ı · 266			Dec. 1 18	JS	-0.797	-0.794	' ' '.
	11 23	G	-1.393]	4 10	CF	-0.796		
	12 11	J8	-1.584			7 19	JS	o.806		
	13 6	CF	-1.577			9 18	IF	-0.772	}	

TABLE II.—continued.

		Level	Error.	ror.			Level	Error.	ror.
Date,	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1868—cont.		4	s	s	1869—cont.		8	a	8
d h Dec. 10 12	CF	0.486	o·788	+0.369	d h 17 O	G	-1.693		+0.85
11 10 12 20	JS CF	-0.788		T-0 309	18 21	G G	-1 '702	-1.213	
16 19	1F	-0.786 -0.759		101100	22 0 24 22	G	-1·801	—1·813	+0.80
23 23	JS G	0.784	<u>_0.477</u>	+0'420	26 3 Mar. 1 4	G G	-1.824		1 - 1 - 1
28 23 30 19	IF	-0.482 -0.482	_o·778	+0.476	Mar. 1 4	JS	-1·868	-1.871	+0.40
					8 3	G	-1.970		+0.60
1869.		_			9 23 12 22	G	-2.122	-2.038	+0.20
Jan. 4 22 5 18	G IF	-0.833 -0.847	0.845		17 23	G	-2.262		1030
6 17	JS	-0.854		+0.750	20 6	JS	-2.297	-2.580	+0.40
8 18	CF G	-0.922 -0.922	-0.946		21 23 23 0	G IF	-2·318	-2.333	
14 18	JS	-0·984	-0.993	+0.832	24 23	JS	-2.357		+0.58
15 17 18 17	CF	—1.001 —1.024			29 22 Apr. 1 3	G IF	-2·503	-2.493	
19 18	JS	-1.065	-1.056		4 22	G	-2.462		+0.30
20 18 22 18	IF CF	-1.025		+0.00	9 22 12 22	G G	-2·365	-2:357	+0.186
23 16	G	-1.122	-1.139		15 22	G	-2·314	2 35/	+0.120
26 22 29 18	CF IF	-1.513	—1·283	+1.00	21 23	IF	-2.393		
30 18	G	-1,343	-1 203	+1.078	23 11	IF	-2.435		+0.152
Feb. 2 19	CF IF	-1.403		+1.00	27 23	G	-2.414	-2'420	+0.118
3 9 4 18	CF	-1.414 -1.444	-1'421		30 22	IF	-2.429		+0.162
7 22	G G	-1.205		+0.62	May 2 23	[JS	2 ' 428		+0.500
13 4 14 23	G	-1.622 -1.622	-1.572	+0.90	6 23	JS JS	-2·372	-2.329	+0.520
	1	1869 Ma	rch 2 ^{d.} 22	h Mercu	ry very unste	ady.	<u>I</u>	I	1

TABLE II.—continued.

		Level	Error.	ror.	,		Level-	Error.	ror.
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1869—cont. d h			8	8	1869—cont.			8	8
May 15 0	JS	-2.591			Aug. 8 22	G	-1.399	-1'413	
17 22	JS G	-2:320			11 23	G G	-1.412 -1.412		+0.282
24 22	JS	-2.500	-2.500	+0.300	15 23	G	-1.443		
28 0	IF	-2.049	-2.002	+0.321	18 23	IF	-1'434	-1'425	
June 1 2 2 23	G	-1,001 -1,001		+0.45	20 23 22 22	IF G	-1.330 -1.388	ļ	
5 3	G	-1.847	-1.874	+0.212	24 23	IF	-1.373		+0.222
6 22	G	-1.488			27 22	JS	-1.354	-1.353	1 9 337
9 18	G	-1.733	-1.760	+0.238	29 22 Sept. 2 22	G	-1.321 -1.326		
13 23	G	—1·669	-1.644		6 0	G	-1.353	-1,300	
16 23 18 22	IF JS	-1.618			8 22 13 22	JS G	-1.278		+0.200
20 23	G	-1.224 -1.224	-1.222	+0.645	14 23	IF	—1·238		
24 23	JS	-1.458			18 0	JS	-1.529	-1.542	+0.460
27 23	G JS	-1.468	-1.467		21 0 26 17	JS JS	-1.728		
30 23 July 4 23	G	-1.474 -1.424			30-21	G	-1·145	-1.120	
8 0	IF	-1.28	-1.230		Oct. 4 22	JS	-1.113		+0.400
11 22 15 0	G JS	-1.482 -1.482		+0.619	11 0	IF IF	-1.082	—1·084	
15 21	G	-1.498	-1.490		14 20	G	-1.064		1 0 -
18 23	JS	-1.28		+0.65	15 23	IF	-1.028		+0.381
19 23	G	-1.23	-1.213	+0.684	18 23 21 23	JS G	—1 ·064 —1 ·027	-1.024	
21 22	Js	-1 .489		+0.600	26 o	IF	-1.062	-1.003	
25 22	G	-1 .456		-Lo:cc	Nov. 8 o	G	-0.934		+0.333
28 0	IF	-1.456	-1.455	+0.22	10 6 12 23	JS IF	-0.828 -0.824	-0.952	
Aug. 1 23 6 22	G JS	—1 °452 —1 °424			14 23	G	-0.928		
	1	- 1-1	<u> </u>	,		<u> </u>	!		<u></u>
1		July 28d	oh, Octo	ber 21 ^{d.} 2	3h. Mercury	very	unsteady.		

Digitized by Google

TABLE II.—continued.

Level and Azimuth-Errors of the Transit-Circle.

		Level-	Error.	ror.			Level	Error.	Tor.
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Azimuth-Error.
1869—cont. d h Nov. 21 23	G	* 0.862	8	+0.333	1870—cont. d h Feb. 12 10	Js	* —1 · 328	•	
22 23 23 23	IF JS	-0.894	o·855		14 0	G IF	-1.342 -1.342	-1.344	+1.360
28 23 Dec. 3 0	G G	-0.862			21 I 26 4	JS JS	—1'442 —1'512	-1:477	
7 23 13 3 16 0	J 8 G J8	-0.803	-0·793	+0.400	Mar. 4 3 6 23 11 23	G IF IF	-1.645 -1.645	—1·627	+1.3
18 4 23 23	G IF	-0·847	-0.857	+0.463	13 23 18 23	G IF	—1·692 —1·855	-1.210	+1.582
27 23 29 23	G G	0.888 0.888	-o.883	+0.221	27 22 Apr. 1 3	JS G	-1·960	———— —1.908	+1.08
					4 ° 8 23	JS IF	-2.018 -2.028	2.046	+1.00
1870. Jan. 222	G	0:804		10:650	12 23	G	—2·086		+0.936
7 3	IF	-0.898 -0.895	-o·897	+0.650	19 22 21 0	JS IF	-2·162	-2·161	+0.00
10 23 13 2 14 23	G IF IF	-0.943 -0.954	-0.949	+0.800	24 23 May 1 23	G JS	-2·174	2.187	+0.763
16 23 21 3	G	-1.007	-0.999	+0.600	6 22 9 22	if js	-2·231	-2'234	+0.40
26 4 30 22	IF G	-1,190 -1,101	-1.091	+1.000	10 23	lF G	-2·253		+0.20
Feb. 3 23	JS	-1.512		+1,100	19 5	JS	-2.122	-2.167	+0.40
6 22	G JS	-1.583	-1.123	+1.300	20 23 24 22	IF G	-2·166	-2.123	+0.30

TABLE II.—continued.

		Level	-Error.	ror.			Level	-Error.	
Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
1870—cont. d h May 29 23	JS	-2.155	s	+0.5	1870—cont. d h Sept. 21 23	G		8	+0.218
June 6 23	G	-2.100		+0.30	22 23	IF	-1.538		
10 0	IF	-2.074	-2.092	+0.585	25 23	G	-1.512	-1.512	+0.465
15 23	G	-1.980	-1.990	+0.30	Oct. 2 23	JS IF	1·152	-1:147	+0.20
19 23 24 3	G IF	-1.466 -1.466	-1.466	+0.40	11 0	JS JS	-1·125	-1.158	
July 3 23	JS G	-1.212	-1.228	+0.60	14 23 17 0	IF G	—1°093. —1°065	-1.029	+0.40
14 0 17 23	IF JS	-1·564 -1·570	-1.220	+0.619	23 23 30 22	G JS	-0.987 -0.972	-0.987	
20 23 27 2	G IF	-1.602	-1.287	+0.62	Nov. 4 10	G	-0.943	-0.958	
28 22	JS	-1.262	 	+0.646	6 23	G	-1.003	-1.003	
Aug. 5 23 8 23	G IF	-1 ·470		+0.666	13 22	JS G	-0.905	-0.896	+0.20
10 23 12 23	JS IF	—1·499 —1·522	-1'494	+0.676	18 10 21 10	JS IF	-0.803		
21 23 25 0	G	-1 ·457	-1.440		22 II 23 II	G G	-0.191 -0.112	o·786	+9.445
27 5 30 23	JS G	—1:393 —1:347	-1.340	<u>.</u>	24 II 25 II	JS IF	-0·791 -0·768	-0.480	+0.462
Sept. 4 23 7 0	J8	-1.317	-1.309	+0.60	28 10 29 10	JS G	0.802 0.482	-0.792	+0.20
9 23 11 22	IF G J8	-1.505 -1.526	—1·252		Dec. 1 10	JS IF	-0.812		+0.624
15 23 20 3	IF	-1.541	-1.552		6 10	G	-o.883		
Nove	nber 4	1 ^d 23 ^h In	strument	raised fro	m its bearings	; piv	rots cleane	ed and oil	ed.

Digitized by GOOGLE

TABLE II.—concluded.

			Level-	Error.	I rror.			Level	Error.	1 L
Date.		Observer.	Observed.	Adopted.	Adopted Azimuth-Error.	Date.	Observer.	Observed.	Adopted.	Adopted Azimuth-Error.
-	nd. h 10	J8 G	-0.891 -0.878	o·884	+0.40	1870—cont. d h Dec. 14 22 16 7	G IF	-0'945 -0'968		+0.00
12		G IF	-0.909 -0.924	-0.909 -0.924	+0.80	19 9 27 8	G	-1 '028 -0 '994	-1.011	+1.000
			<u> </u>	1	1	I	1	<u> </u>	İ	1
			•							

TABLE III.

Asimuth-Errors of the Transit-Circle.

, Date.		Determining Stars or Object.	Error of Azimuth.
1866.			
January	{ }	Two Consecutive Transits of & Hydri	+ 1.120
	5	Meridian Mark	+ 1.011
	8	,,	+ 1,130
	8 }	Five Consecutive Transits of & Hydri	+ 1.192
	23]	Five Consecutive Transits of a Trianguli Australis	+ 1.354
	26	Two Consecutive Transits of a Trianguli Australis	+ 1.390
1	26	Meridian Mark	+ 1.385
	29 } 30 }	Three Consecutive Transits of a Trianguli Australis	+ 1.394
	29	Meridian Mark	+ 1.349
February	19	Two Consecutive Transits of a Trianguli Australis	+ 1.039
	23 }	Two Consecutive Transits of β Hydri	+ 0'943
•	24 J 26	Meridian Mark	+ 0.868
			,
March	² ₃ }	Three Consecutive Transits of β Hydri	+ 0.952
ł	14	Meridian Mark	+ 0.966
	16 }	Three Consecutive Transits of & Hydri	+ 1.027
	16	Meridian Mark	+ 0.970
	19	Two Consecutive Transits of \$\beta\$ Hydri	+ 1,103
İ	19	Meridian Mark	+ 1.012
ľ	20)	,,	+ 1,014
	21 }	Three Consecutive Transits of γ Hydri	+ 1.104
	28	Meridian Mark	+ 1.053
April	2	Meridian Mark	+ 1.124
	4))	+ 1.000
Į	6	,,	+ 1'112
ł	9	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 1.088
	7}	Eight Consecutive Transits of e Pavonis	+ 1.135
	15	Meridian Mark	+ 1.014
	19	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.906

TABLE III-continued.

Date	e.	Determining Stars or Object.	Error of Azimuth.
1866	cont.		
April	21	Meridian Mark	+ 0.869
	21 }	Three Consecutive Transits of A Octantis	+ 0.966
	28	Meridian Mark	+ 0.691
	30)	·	
May		Three Consecutive Transits of B Octantis	+ 0.803
	10}	Two Consecutive Transits of B Octantis	+ 0.441
	13}	Four Consecutive Transits of B Octantis	+ 0.748
	15	Meridian Mark	+ 0.685
	21 }	Three Consecutive Transits of C Octantis	+ 0.729
	26	Meridian Mark	+ 0.650
	29	,,	+ 0.638
June	4 15 21 24 22 23 24 27 29	Two Consecutive Transits of τ Octantis Meridian Mark Eight Consecutive Transits of o Octantis Three Consecutive Transits of Lacaille 5235 Four Consecutive Transits of Lacaille 5235 Meridian Mark O Octantis S. P. and Lacaille 5235	+ 0.351 + 0.427 + 0.302
July	3 4 5 9 11 16 16 23 24 26 28	• Octantis S.P. and Lacaille 5235 Meridian Mark Lacaille 5235 and Clock-Error Lacaille 5235 and Clock-Error Two Consecutive Transits of s Octantis. Two Consecutive Transits of s Octantis. Meridian Mark Six Consecutive Transits of s Octantis.	+ 0°383 + 0°459 + 0°534

TABLE III.—continued.

Date.		Determining Stars or Object.	Error of Azimuth.
1866—con			
August	**	!	
August	1 }	Three Consecutive Transits of z Octantis	+ 0.203
	1	Meridian Mark	+ 0.393
	3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.455
	5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.416
	6 }	Three Consecutive Transits of ρ Octantis	+ 0.389
	9}	Three Consecutive Transits of ρ Octantis	+ 0.311
1	15	Meridian Mark	+ 0.447
	16	,,	+ 0.449
	19 }	Three Consecutive Transits of B.A.C. 5412	+ 0.418
September	1 }	Four Consecutive Transits of B.A.C. 1454	+ 0.375
İ	4	Two Consecutive Transits of B.A.C. 1587	+ 0.374
	4	Two Consecutive Transits of B.A.C. 5794	+ 0.341
	5	Meridian Mark	+ 0.391
l	13	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	+ 0.312
İ	16	σ Octantis and μ Sagittarii	+ 0.306
	18	Meridian Mark	+ 0.379
	23	,,	+ 0.185
	26	,,	+ 0.54
October	2	Meridian Mark	+ 0.182
ĺ	2	σ Octantis S.P. and ε Canis Majoris	+ 0.591
i	5	σ Octantis S.P. and ε Canis Majoris	+ 0.406
	10	σ Octantis S.P. and α Tauri	+ 0.276
i	11	Meridian Mark	+ 0.322
į	24	σ Octantis S.P. and μ Geminorum	+ 0.435
[26	σ Octantis S.P. and μ Geminorum	+ 0.384
	27	Meridian Mark	+ 0.549
	29	σ Octantis S.P. and ε Orionis	+ 0.453
	30	σ Octantis S.P. and μ Geminorum	+ 0.385
November	1	σ Octantis S.P. and μ Geminorum	+ 0.381
	2	τ Octantis and Clock-Error	+ 0.349

TABLE III,—continued.

Date.		Determining Stars or Object.	Error of Azimuth.
1866— <i>00</i>	nt.		8
November	. 4	σ Octantis S.P. and α Orionis	+ 0.358
j	7	Meridian Mark	+ 0.591
•	16	σ Octantis S.P. and μ Geminorum	+ 0.451
l	22	σ Octantis S.P. and μ Geminorum	+ 0.537
1	28	σ Octantis S.P. and α Orionis	+ 0.492
	29	σ Octantis S.P. and μ Geminorum	+ 0.260
	30	Meridian Mark	+ 0.614
December	4	Meridian Mark	+ 0.718
i	4	σ Octantis S.P. and μ Geminorum	+ 0.744
	5	Meridian Mark	+ 0.282
	6	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0'743
	6 7}	Two Consecutive Transits of β Hydri	+ 0.481
	7	σ Octantis S.P. and μ Geminorum	+ 0.885
	20	σ Octantis S.P. and μ Geminorum	+ 1.098
	21	Two Consecutive Transits of & Hydri	+ 1.126
	21	Meridian Mark	+ 0.968
	28	13	+ 1.022
	29	,	+ 1.162
1867.		·	
January	16	Five Consecutive Transits of a Trianguli Australis	+ 1.375
	27 28 }	Three Consecutive Transits of a Trianguli Australis	+ 1.500
February	4 }	Two Consecutive Transits of a Trianguli Australia	+ 1.052
	21 }	Two Consecutive Transits of & Hydri	+ 1.081
March	4	Two Consecutive Transits of & Hydri	+ 1.008
	6	Two Consecutive Transits of & Hydri	+ 1.009
1	10	Meridian Mark	+ 0.673
	11	1)	+ 0.219
l	12	33	+ 0.218

${\bf TABLE\ III.--} continued.$

Date	9.	Determining Stars or Object.	Error of Azimuth.
1867	ont.		
March	13 [Three Consecutive Transits of \$ Hydri	+ 0.704
l	14 J 21	Meridian Mark	+ 0.221
		MOINTIME MAIL	T 0 5/1
April	3}	Three Consecutive Transits of & Pavonis	+ 0.676
	4 }	Four Consecutive Transits of e Pavonis	+ 0.597
	6	Meridian Mark	+ 0.464
1	10}	Four Consecutive Transits of ϵ Pavonis	+ 0.669
	11 J 21	Meridian Mark	+ 0.312
	25	23	+ 0.195
	26))	+ 0.501
	28	,,	+ 0.123
May	5 }	Four Consecutive Transits of B Octantis	+ 0.192
ł	6	Meridian Mark	+ 0.179
	10	Two Consecutive Transits of B Octantis	+ 0.014
	13	Meridian Mark	+ 0.134
	13	,,	+ 0.121
	14 }	Two Consecutive Transits of a Octantis	+ 0.172
	15	Meridian Mark	+ 0.030
	16	Four Consecutive Transits of & Octantis	+ 0.501
	17 }	Two Consecutive Transits of a Octantis	+ 0.157
	21	Meridian Mark	+ 0.093
	21 }	Three Consecutive Transits of & Hydri	+ 0.300
	22 }	Three Consecutive Transits of Coctantis	+ 0.344
	22 }	Three Consecutive Transits of a Octantis	+ 0.331
	22	Two Consecutive Transits of C Octantis	+ 0.511
	27	Meridian Mark	+ 0.123
	27 }	Three Consecutive Transits of C Octantis	+ 0.162
	3°}	Three Consecutive Transits of & Hydri	— o.o19

Date	•	Determining Stars or Object.	Error of Azimuth.
1867—0	ont.		
June	1	Two Consecutive Transits of & Hydri	— o'092
	3 }	Three Consecutive Transits of C Octantis	- 0.089
	5}	Three Consecutive Transits of \(\tau \) Octantis	— o·o36
	5 }	Four Consecutive Transits of \$\beta\$ Hydri	- 0.049
	10 }	Three Consecutive Transits of τ Octantis	- o·o75
1	11 }	Three Consecutive Transits of & Hydri	- 0.009
	13	Meridian Mark	
1	17	Two Consecutive Transits of τ Octantis	- 0.090
	19	Meridian Mark	- 0.258
	21	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- 0.216
July	30}	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.090
June July	30 1	Three Consecutive Transits of Lacaille 5235	+ 0.099
	4 }	Three Consecutive Transits of & Hydri	+ 0.512
	5	Two Consecutive Transits of Lacaille 5235	+ 0.303
	9}	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.524
	17	Meridian Mark	+ 0.553
	22		+ 0.516
	23		+ 0.541
]	25	,,	+ 0.397
}	26 27	Two Consecutive Transits of \$\beta\$ Hydri	+ 0.427
	26 27	Two Consecutive Transits of z Octantis	+.0.372
	27	Meridian Mark	+ 0.264
	28 30 }	Three Consecutive Transits of z Octantis	+ 0:344
August	1	Meridian Mark	+ 0.382
	2	Two Consecutive Transits of z Octantis	+ 0.304
	5	Two Consecutive Transits of z Octantis.	+ 0.403

Date.		Determining Stars or Object.	Error of Azimuth,
1867001	nt.		
August	10)	Three Consecutive Transits of ρ Octantis	1 01060
	11 ∫		+ 0.369
	11 21)	Meridian Mark	+ 0.303
	22	Two Consecutive Transits of γ Hydri	+ 0.278
	23	Meridian Mark	+ 0.174
·	29 } 30 }	Three Consecutive Transits of γ Hydri	+ 0.401
September	5}	Two Consecutive Transits of a Trianguli Australis	+ 0.539
l	11	Two Consecutive Transits of B.A.C. 5794	+ 0.303
1	12	Meridian Mark	+ 0.189
	17 }	Four Consecutive Transits of a Trianguli Australis	+ 0.468
	20	Two Consecutive Transits of a Trianguli Australis	+ 0.344
	26	Meridian Mark	+ 0.323
October	1	Meridian Mark	+ 0.518
	4	,,	+ 0.162
i	10	Three Consecutive Transits of a Trianguli Australis Meridian Mark	+ 0.348
	14	norman name	+ 0.120 + 0.089
	18	,,	+ 0.080
	21 }	Four Consecutive Transits of & Argûs	+ 0.522
	21 23	Six Consecutive Transits of a Trianguli Australis	+ 0.283
	24	Two Consecutive Transits of & Argûs	+ 0.505
	29 30 }	Three Consecutive Trausits of a Trianguli Australis	+ 0.536
November	1	Two Consecutive Transits of a Trianguli Australis	+ 0.597
	4	Two Consecutive Transits of a Trianguli Australis	+ 0.255
	15 16}	Two Consecutive Transits of α Trianguli Australis	+ 0.381
	20 22	Six Consecutive Transits of a Trianguli Australis	+ 0.331
	25 26}	Four Consecutive Transits of a Trianguli Australis	+ 0.322

Date.		Determining Stars or Object.	Error of Azimuth.
1867	ıt,		•
December	9	Two Consecutive Transits of & Hydri	+ 0.329
	18	Two Consecutive Transits of a Trianguli Australis	+ 0.290
	19 }	Five Consecutive Transits of & Hydri	+ 0.488
	23	Two Consecutive Transits of a Trianguli Australis	+ 0.657
1868.			
January	4 }	Three Consecutive Transits of a Trianguli Australis	+ 0.998
	7}	Seven Consecutive Transits of a Trianguli Australis	+ 1.031
	7 9}	Five Consecutive Transits of & Hydri	+ 1.003
	21 }	Three Consecutive Transits of & Hydri	+ 1.279
	²³ ₂₄ }	Three Consecutive Transits of a Trianguli Australis	+ 1.504
	23 25	Five Consecutive Transits of & Hydri	+ 1.302
	3° }	Three Consecutive Transits of & Hydri	+ 1.265
February	3	Two Consecutive Transits of β Hydri	+ 1.518
i	4	Meridian Mark	+ 1.108
	17 }	Two Consecutive Transits of & Hydri	+ 1.110
	20 }	Four Consecutive Transits of & Hydri	+ 1.252
	20 }	Two Consecutive Transits of γ Hydri	+ 1.195
	26 27 }	Two Consecutive Transits of & Hydri	+ 0.941
	26 28	Five Consecutive Transits of γ Hydri	+ 1.046
March	4 }	Two Consecutive Transits of γ Hydri	+ 1.075
	8	Four Consecutive Transits of & Hydri	+ 1.112
	9}	Four Consecutive Transits of γ Hydri	+ 1.063
	II	Two Consecutive Transits of & Hydri	+ 1.075

Date.		Determining Stars or Object.	Error of Azimuth.
1868	ont.		
March	12 }	Three Consecutive Transits of γ Hydri	+ 0.001
	13 } 16	Meridian Mark	+ 0.769
l	20	Two Consecutive Transits of γ Hydri	+ 0.878
	23 24	Three Consecutive Transits of γ Hydri	
	25 } 26 }	Two Consecutive Transits of γ Hydri	+ 0.893
ŀ	20)	Meridian Mark	+ 0.713
	31	Two Consecutive Transits of γ Hydri	+ 0.453
April	ː }	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.839
	4	Meridian Mark	+ 0.494
	٤}	Two Consecutive Transits of & Hydri	+ 0.761
	7}	Two Consecutive Transits of \$\beta\$ Hydri	+ 0.640
į	16	Meridian Mark	+ 0.364
	17	j,	+ 0.384
	18 }	Three Consecutive Transits of e Pavonis	+ 0.401
	22	Meridian Mark	+ 0.324
	23	Two Consecutive Transits of & Hydri	+ 0.368
	24	Two Consecutive Transits of ϵ Pavonis	+ 0.484
	28 29}	Two Consecutive Transits of A Octantis	+ 0.332
May	26	Ten Consecutive Transits of \$\beta\$ Hydri	+ 0.354
	3	Meridian Mark	+ 0.243
	5	Two Consecutive Transits of B Octantis	+ 0.396
	7	Meridian Mark	+ 0.500
	10	jj	+ 0.556
	15	. ,,	+ 0.366
	15}	Four Consecutive Transits of A Octantis	+ 0.384
l	18	Meridian Mark	+ 0.358
	22 }	Two Consecutive Transits of A Octantis	+ 0.441

Date.	,	Determining Stars or Object.	Error of Aximuth.
1868	mt.		•
June	3	Four Consecutive Transits of C Octantis	+ 0.328
	3}	Three Consecutive Transits of τ Octantis	+ 0.529
	5	Meridian Mark	+ 0.120
	6}	Right Consecutive Transits of τ Octantis	+ 0.52
İ	8	Two Consecutive Transits of C Octantis	+ 0.262
	9	Meridian Mark	+ 0.181
	10	Eleven Consecutive Transits of τ Octantis	+ 0.319
	16 }	Two Consecutive Transits of τ Octantis	+ 0.364
	24	Meridian Mark	+ 0:304
	28 29	Three Consecutive Transits of o Octantis	+ 0.558
	28 29	Three Consecutive Transits of Lacaille 5235	+ 0.124
l	30	Meridian Mark	+ 0.152
	²⁸ 30	Four Consecutive Transits of & Hydri	+ 0.112
July	2	Meridian Mark	0.008
	6	Two Consecutive Transits of o Octantis	- 0.056
1	7	Two Consecutive Transits of & Hydri	+ 0.092
	7 }	Three Consecutive Transits of Lacaille 5235	+ 0.075
	.9}	Three Consecutive Transits of & Hydri	+ 0.162
	13 14	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.461
	20 }	Eight Consecutive Transits of z Octantis	+ 0.411
l	31	Meridian Mark	
	26	Two Consecutive Transits of z Octantis	+ 0.374
	27 } 28 }	Three Consecutive Transits of a Octantis	+ 0.440
August	4	Meridian Mark	+ 0.311
	9}	Seven Consecutive Transits of ρ Octantis	+ 0.454
	13}	Four Consecutive Transits of p Octantis	+ 0.450

Date.		Determining Stars or Object.	Error of Azimuth.
186800	ni.		•
August	20	Meridian Mark	+ 0.329
	25	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.462
	27	,,	+ 0.399
	28 30	Five Consecutive Transits of γ Hydri	+ 0.402
September	r ₂ }	Three Cousecutive Transits of γ Apodis	+ 0.402
	3	Meridian Mark	+ 0.382
j	4	н	+ 0.554
[4	,,	+ 0.276
	5	,,	+ 0.390
	7	σ Octantis and α Ophiuchi	+ 0.460
	18	σ Octantis and α Aquarii	+ 0.303
October	2	Two Consecutive Transits of & Hydri	+ 0.320
	5 }	Four Consecutive Transits of a Trianguli Australis	+ 0.322
	9	Meridian Mark	+ 0.314
	14 }	Four Consecutive Transits of & Hydri	+ 0.319
	15	Two Consecutive Transits of β Argûs	+ 0.321
November	3 }	Three Consecutive Transits of \$\beta\$ Argûs	+ 0.270
•	4	Meridian Mark	+ 0.396
1	{ }	Three Consecutive Transits of β Argûs	+ 0.513
	26	Two Consecutive Transits of & Hydri	+ 0.379
December	٠.	Two Consecutive Transits of a Trianguli Australis	+ 0.353
	⁶ }	Three Consecutive Transits of a Trianguli Australis	+ 0.535
	.;}	Four Consecutive Transits of a Trianguli Australis	+ 0.369
	16	Two Consecutive Transits of \$ Hydri	+ 0.411
	18	Two Consecutive Transits of a Trianguli Australis	+ 0.421
	20 } 21 }	Three Consecutive Transits of a Trianguli Australis	+ 0.426
	27 } 30 }	Seven Consecutive Transits of a Trianguli Australia	+ 0.476

Date.		Determining Stars or Object.	Error of Azimuth,
1869.			
January	4 }	Three Consecutive Transits of a Trianguli Australis	+ 0.730
	6 8}	Five Consecutive Transits of a Trianguli Australis	+ 0.749
	7	Two Consecutive Transits of & Hydri	+ 0.684
	11	Two Consecutive Transits of & Hydri	+ 0.835
	23	Meridian Mark	+ 0.912
	30	Two Consecutive Transits of β Hydri	+ 1.028
February	10	Meridian Mark	+ 0.812
ļ	17 }	Three Consecutive Transits of a Trianguli Australis	+ 0.849
1	24	Meridian Mark	+ 0.114
March	{ }	Three Consecutive Transits of γ Hydri	+ 0.615
	9}	Three Consecutive Transits of γ Hydri	+ 0.592
i	10	Meridian Mark	+ 0.445
	24	Two Consecutive Transits of & Hydri	+ 0.272
	26	Meridian Mark	+ 0.253
	30 31	Three Consecutive Transits of \$ Hydri	+ 0.584
	30	Meridian Mark	+ 0.552
April	8	Meridian Mark	+ 0.141
	9	,,	+ 0.032
	11 }	Three Consecutive Transits of & Hydri	+ 0.14
	12	Three Consecutive Transits of e Pavonis	+ 0.192
	14	Meridian Mark	+ 0.072
	22 }	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.125
	22	Meridian Mark	+ 0.033
	26) 27)	Three Consecutive Transits of A Octantis	+ 0.118
	28	Meridian Mark	+ 0.016
·	28 30}	Five Consecutive Transits of β Hydri	+ 0.162
	30	Meridian Mark	+ 0.032

Date.		Determining Stars or Object.	Error of Azimuth.
1869-0	ont.		
May	4	Meridian Mark	+ 0.056
	5	,,	+ 0.061
	19	,,,	— 0.14 6
	19	99	— o.531
	19	,,	- 0.196
	20	19	— 0.148
	27 28	Four Consecutive Transits of A Octantis	•+ 0.357
	27 } 28 }	Four Consecutive Transits of C Octantis	+ 0.342
June	2	Meridian Mark	+ 0.361
	2	11	+ 0.312
	4 }	Three Consecutive Transits of τ Octantis	+ 0.215
	6 10	Nine Consecutive Transits of τ Octantis	+ 0.238
	7	Meridian Mark	+ 0.403
	12	J3	+ 0:497
	13 }	Two Consecutive Transits of τ Octantis	+ 0.646
	17 18}	Three Consecutive Transits of τ Octantis	+ 0.643
	23	Meridian Mark	+ 0.480
	28	jj 	+ 0.600
July	6	Meridian Mark	+ 0.230
	15 }	Five Consecutive Transits of z Octantis	+ 0.919
	19 20}	Three Consecutive Transits of z Octantis	+ 0.687
:	22 24	Four Consecutive Transits of s Octantis	+ 0.218
	30	Meridian Mark	+ 0.460
August		Meridian Mark	+ 0.459
	9	,,	+ 0.471
	10	Four Consecutive Transits of ρ Octantis	+ 0.289
	14	Two Consecutive Transits of ρ Octantis	+ 0.290

TABLE III.—continued. Azimuth-Errors of the Transit-Circle.

Date.		Determining Stars or Object.	Error of Azimuth.
1869-00	n.f.	•	
August	15 }	Four Consecutive Transits of p Octantis	+ 0.482
	•	•	
	25 27)	Meridian Mark	+ 0.430
	27 28	Three Consecutive Transits of B.A.C. 5412	+ 0.212
	27 28	Three Consecutive Transits of B.A.C. 1454	+ 0.548
	3°}	Three Consecutive Transits of B.A.C. 5510	+ 0.260
	30 }	Four Consecutive Transits of B.A.C. 1454	+ 0.604
Septem ber		Meridian Mark	+ 0.371
	16	Three Consecutive Transits of B.A.C. 5936	+ 0.482
	21	σ Octantis and α Lyræ	+ 0.435
	23	Meridian Mark	+ 0.323
	25	, .	+ 0,328
0.4.3			ì
October	14 }	Three Consecutive Transits of & Argûs	+ 0.381
	14	Meridian Mark	+ 0.332
November		Meridian Mark	+ 0.384
	13 .	Two Consecutive Transits of & Hydri	+ 0.300
	²³ ₂₄ }	Three Consecutive Transits of β Hydri	+ 0.364
December	17 }	Two Consecutive Transits of β Hydri	+ 0.463
	18	Meridian Mark	+ 0.377
	27 }	Five Consecutive Transits of a Trianguli Australis	+ 0.291
	29) 29	Meridian Mark	+ 0.477
1870.			
January	12	Two Consecutive Transits of a Trianguli Australis	+ 0.744
	19	Meridian Mark	+ 0.925
February	5	Two Consecutive Transits of & Hydri	+ 1.529

Date.		Determining Stars or Object.	Error of Azimuth.
1870-60	mt.		
February	·6 ··	Meridian Mark	+ 1.172
	8 }	Two Consecutive Transits of \$\beta\$ Hydri	+ 1.384
İ	11 }	Four Consecutive Transits of a Trianguli Australis	+ 1.372
	14	Two Consecutive Transits of a Trianguli Australis	+ 1.360
March	14	Meridian Mark	+ 1.197
	16 }	Three Consecutive Transits of \$\beta\$ Hydri	+ 1.585
	21	Two Consecutive Transits of γ Hydri	+ 1.034
	30 }	Three Consecutive Transits of & Hydri	+ 1.131
April	12 }	Two Consecutive Transits of β Hydri	+ 0.936
	13	Meridian Mark	+ 0.808
1	22	,,	+ 0.783
İ	23	,,	+ 0.737
	24 26}	Five Consecutive Transits of & Hydri	+ 0.763
Мау	9}	Three Consecutive Transits of & Hydri	+ 0.631
	16	Meridian Mark	+ 0.530
	21	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.12
	28	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ 0.164
1	29))	+ 0.108
	30	,,	+ 0.076
June	3	Meridian Mark	+ 0.184
	8 }	Four Consecutive Transits of τ Octantis	+ 0.585
	23	Meridian Mark	+ 0.246
	30	Three Consecutive Transits of o Octantis	+ 0.595
July	4	Meridian Mark	+ 0.416
	7	35	+ 0.475

Date.		Determining Stars or Object.	Error of Azimuth.
1870	et.		5
July	13	Meridian Mark	+ 0.469
	14 }	Three Consecutive Transits of & Hydri	+ 0.619
	16	Meridian Mark	+ 0.471
	18	Two Consecutive Transits of z Octantis	+ 0.602
	20	Meridian Mark	+ 0.479
	23	}}	+ 0.474
	28	jj	+ 0.470
	28 29	Two Consecutive Transits of z Octantis	+ 0.646
August	1	Two Consecutive Transits of s Octantis	+ 0.666
	I	Meridian Mark	+ 0.211
	9	33	+ 0.212
	10	Two Consecutive Transits of p Octantis	+ 0.676
	18	Meridian Mark	+ 0.426
September	-	Meridian Mark	+ 0.460
	20 }	Four Consecutive Transits of σ Octantis	+ 0.218
	21	Meridian Mark	+ 0.222
	23	33	+ 0.406
	²³ }	Three Consecutive Transits of σ Octantis	+ 0.462
October	5 }	Two Consecutive Transits of & Argûs	+ 0.218
	11 }	Three Consecutive Transits of \$\beta\$ Argûs	+ 0.406
November	4	Meridian Mark	+ 0.391
	11	. 33	+ 0.312
	12	29	+ 0.306
	22 }	Four Consecutive Transits of γ Trianguli Australis	+ 0.226
	24 25}	Three Consecutive Transits of γ Trianguli Australis	+ 0.392
	23 24	Three Consecutive Transits of \$\beta\$ Hydri	+ 0.445

TABLE III.—concluded.

Date,	Determining Stars or Object.	Error of of Azimuth.
1870—cont. November 24 } 25 } 29 December 1 } 2 }	Three Consecutive Transits of \$\beta\$ Hydri	
19 } 22 } 23 }	Three Consecutive Transits of a Trianguli Australis Three Consecutive Transits of a Trianguli Australis Two Consecutive Transits of a Trianguli Australis	+ 1.000

TABLE IV.

Rates of Transit-Clock.

Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
1866. d h Jan. 113 315 516 8 2 9 1 10 1 22 5 23 6 23 19 24 22 26 16 29 23 30 23 Feb. 517 718 1915 2315 2315 2314 Mar. 114 6 0 9 0 11 0 12 1 16 13 18 23 19 13 20 23 21 23 22 23 24 0 25 14 26 9 25 23 27 0	+0·17 +0·32 +0·32 +0·43 +0·32 +0·15 +0·20 +0·32 +0·14 +0·05 -0·34 -0·43 -0·43 -0·49 -0·36 -0·54 -0·60 -0·43 -0·32 -0·48 -0·32 -0·48 -0·32 -0·48 -0·35 -0·48 -0·35 -0·48	1866-cont. d h Mar. 28 o 29 o 36 12 Apr. 3 23 5 16 7 18 8 22 9 23 10 23 13 6 20 5 23 8 22 7 24 9 30 23 May 1 23 5 17 9 9 11 22 14 22 16 6 17 7 18 6 19 6 21 7 22 6 23 7 24 22 25 9 26 10 June 4 17 7 23 8 23 10 23	-0'29 -0'32 -0'37 -0'42 -0'47 -0'50 -0'50 -0'59 -0'60 -0'49 -0'46 -0'35 -0'47 -0'46 -0'58 -0'49 -0'49 -0'57 -0'47 -0'54 -0'57	1866-cont. d h June 15 12 17 23 18 23 19 23 21 7 21 23 22 23 24 9 26 23 27 23 28 23 July 3 22 6 23 8 22 9 22 10 22 11 22 12 22 13 23 16 11 17 22 18 22 19 22 21 8 22 28 23 22 25 23 24 9 26 23 27 23 Aug. 1 8 July 28 13	" -0'77 -0'70 -0'81 -0'75 -0'69 -0'82 -0'86 -0'84 -0'68 -0'80 -0'92 -0'84 -0'75 -0'76 -0'77 -0'75 -0'74 -0'49 -0'43 -0'59 -0'75 -0'79 -0'90 -0'83 -0'85 -0'97	1866-cont. dh Aug. 1 8 5 22 6 22 9 22 5 22 7 7 7 10 7 19 6 23 10 21 8 22 9 30 23 Sept. 1 18 3 23 4 23 6 22 9 23 13 22 14 22 16 6 15 5 16 22 17 22 19 8 21 10 23 22 22 10 23 11 26 13 24 22 26 22 27 22 28 22 Oct. 3 14	-0.75 -0.67 -0.78 -0.73 -0.72 -0.61 -0.67 -0.48 -0.50 -0.40 -0.58 -0.54 -0.54 -0.27 -0.19 -0.04 -0.02 -0.34 -0.02 -0.34 -0.02 -0.34

1866 September 13. Clock tripping; contact-piece lowered.

TABLE IV .- continued.

Rates of Transit-Clock.

Date.	Daily Losing Rate,	Date.	Daily Louing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
1867-cont.		1867-cont.		1867-cont.		1867-cont.	
4 h		dh		d h		dh	•
May 1 22	-0.72	July 122	-0.20	Sept. 10 23	-0.10	Nov. 6 23	
5 22	-0.11	2 23	- ,-	11 22	-0.35	9 1 1	-0·70
6 4	0.60	38	-0.45	12 22	٠ ,2	10 23	0 ∙56
8 22	-0.41	4 22	o·36	18 22	0:42	11 22	-0.45
9 2 3	-0.60	5 22	—o·37	19 17	0.43	I 2 22	-o.22
10 22	-0·72	7 23	-0.47	19 22	-o·17	1321	—o∙66
12 8	_ U / L	8 22	4/	22 21	•	14 22	
12 22	-o·76	9 22	-0.35	24 22	-0,10 -0,12	15 21	0.00
14 22	— 0 .77	10 7	-o.32	26 o	-0°25	17 21	+0.00
16 11	-0 //	29 5	-0.19	26 22	25	19 9	—0.00
16 22	-0.4	30 22	-0'34	27 0	-o·35	20 I	+0.01
17 22	—o ⋅66	Aug. 222	-0.48	29 18	-0 35	20 23	1001
19 22	-0 ·68	4 20	-0.30	30 1	0:17	21 0	-0.30
20 22	-0.24	5 22	-0.13	Oct. 121	-0:37	21 22	-0.12
23 8	-0·82	6 22	-0.40	2 I	—o.32 —o.33	22 23	-o·53
30 11		7 6	-0°22	3 1		24 23	-0.41
June 1 8	—0,65 —0,62	9 22	-0·30	6 6	0·52	26 22	-0'41
2 23	yz	12 10	-0.09	7 23	—o∶35	27 22	-0.13
3 1	-0.74	16 22	-0.10	8 23	_6 //	29 23	-0'22
4 20	· /4	17 14	-0.11	98	-0.55	Dec. 1 22	-0.41
4 2 3	 0∙97	18 15	-0·12	13 12	-0.21	6 22	— 0∶37
6 2 3	• 9/	20 22	-0°02	16 23	٠,.	8 22	-0.12
7 0	-0'95	21 22	0 02	18 0	-0·49	9 11	-0.31
8 0	- 75	27 21	0'21	21 6	0.10	11 22	o·36
10 23	-1'14	28 21	-0'17	22 22	• .,	18 22	0.53
12 0	-1.08	29 22	-0.12	23 21	-0.40	198	-0·28
14 23	-0.00	Sept. 123	-0. 0 2	24 22	-0·25	19 22	0'27
16 21	-1.05	2 23	+0.02	26 23	-0.41	20 22	-o·37
17 22	-1.02	3 23	0.5	28 22	-0.49	22 22	o.38
18 22	-1.00	4 23	-0.10	29 22	-0.60	23 22	-0.31
1923	-0.99	5 2 3	-0·17	31 22	0.60	26 22	-0.39
23 22	-0.85	6 2 3	- - /	Nov. 1 22	-0.67	29 23	-0.04
25 23	-0.49	7 8	-0.37	3 22	-0.61	30 22	-0'24
30 22	0.40	8 23	-0'21	5 22	0.67		,
	·	1		J			<u> </u>

1867 July 10-26. Hardy under adjustment; Molyneux used. July 15^{d.} 18^{h.}, 16^{d.} o^{h.} Pendulum adjusted. July 29^{d.} o^{h.} Seconds hand found loose.

TABLE IV .- continued.

Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
1868-cont. d h July 29 22 Aug. 2 9 2 22 4 22 7 22 9 6 9 16 11 14 13 2 25 6 27 23 28 23 29 9 30 10 30 23 31 23 Sept. 1 12 4 22 6 22 13 22 18 21 20 21 18 1 23 22 24 22 20 21 24 2 27 9 28 22 30 22 Oct. 2 0 5 0	a -0.89 -0.45 -0.92 -0.74 -0.82 -0.48 -0.57 -0.67 -0.65 -0.62 -0.72 -0.65 -0.62 -0.77 -0.69 -0.62 -0.64 -0.64 -0.70 -0.50 -0.54 -0.55 -0.56 -0.58 -0.51	1868-cont. d h Oct. 5 22 7 23 9 22 12 22 14 21 19 0 20 0 20 22 22 0 22 23 24 0 26 0 27 22 29 23 30 22 Nov. 1 22 2 22 3 23 4 16 5 23 6 23 10 22 12 23 13 22 15 23 16 22 17 21 18 21 22 21 24 22 26 9 30 21 Dec. 1 22 2 21	8 -0.48 -0.44 -0.59 -0.51 -0.50 -0.18 -0.45 -0.45 -0.45 -0.68 -0.68 -0.68 -0.68 -0.68 -0.68 -0.68 -0.69 -0.63 -0.68 -0.69 -0.63 -0.68 -0.79 -0.70	1868-cont. a h Dec. 3 22 4 22 7 22 9 22 10 22 11 22 14 22 15 22 16 22 17 22 18 21 20 21 21 21 22 21 23 21 28 8 28 21 29 21 1869. Jan. 3 21 4 22 6 22 7 22 8 23 12 0 12 21 14 23 15 23 17 23 21 21 22 22 23 8 24 9	-0'39 -0'46 -0'39 -0'45 -0'54 -0'41 -0'43 -0'54 -0'52 -0'40 -0'28 -0'50 -0'37 -0'35 -0'52 -0'40 -0'29 -0'13 -0'14 -0'18 -0'14 -0'18 -0'43 -0'19 -0'26	1869-cont. d h Jan. 24 23 26 23 29 23 30 15 31 16 Feb. 4 22 7 22 10 20 12 22 14 22 15 22 16 22 17 22 18 22 23 10 25 12 26 22 Mar. 1 16 1 23 3 23 4 23 5 23 9 23 12 23 14 22 15 22 16 22 17 22 18 22 21 22 23 10 25 12 26 22	-0 · 29 -0 · 51 -0 · 36 -0 · 24 -0 · 31 -0 · 26 -0 · 35 -0 · 30 -0 · 01 -0 · 19 -0 · 16 -0 · 06 -0 · 23 -0 · 28 -0 · 38 -0 · 38 -0 · 38 -0 · 38 -0 · 43 -0 · 38 -0 · 43 -0 · 38 -0 · 49 -0 · 41 -0 · 66 -0 · 29 -0 · 67 -1 · 09 -0 · 65 -0 · 75 -0 · 65

1869-cont. 1869-co	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
	d h Mar. 21 6 23 6 24 0 24 22 28 13 30 23 31 23 Apr. 1 22 4 22 5 22 6 23 8 22 9 22 11 22 15 21 18 21 20 7 21 23 22 26 22 27 22 28 22 29 22 28 22 29 22 30 22 30 22 May 2 21 10 22 17 23 20 8 24 23	-0'74 -0'72 -0'72 -0'83 -0'94 -0'87 -0'89 -0'93 -0'93 -0'93 -0'67 -0'69 -0'74 -1'07 -1'18 -1'09 -1'15 -1'08 -1'01 -0'82 -0'73 -1'22 -1'36	d h May 27 22 30 21 31 23 June 1 22 4 23 6 23 7 22 8 22 9 23 11 23 13 23 14 23 15 23 16 23 17 23 21 23 23 22 30 20 July 1 22 4 22 7 22 8 22 11 22 13 22 15 5 15 22 16 22 19 3 19 22 20 22 21 21	" " " " " " " " " " " " " " " " " " "	d h July 25 23 26 23 28 22 29 22 Aug. 2 22 4 21 6 21 8 22 10 21 11 21 13 21 14 6 14 21 15 21 17 8 18 22 19 22 22 22 23 22 24 21 25 14 26 22 27 22 29 21 30 22 29 21 30 22 31 22 Sept. 2 22 3 21 5 22 8 22 9 23 13 7 14 22	" -1'19 -0'91 -1'08 -0'99 -0'90 -0'83 -0'76 -0'79 -0'65 -0'79 -0'84 -0'63 -0'43 -0'25 -0'46 -0'48 -0'41 -0'47 -0'60 -0'62 -0'62 -0'60 -0'63 -0'66 -0'63 -0'66 -0'63 -0'66	d h Sept. 16 22 18 10 20 22 22 22 26 22 27 17 29 22 Oct. 1 23 3 23 4 23 7 23 10 23 11 23 14 9 15 0 16 9 18 0 20 0 21 0 24 18 25 23 27 21 Nov. 2 22 3 22 7 21 8 21 9 22 11 6 11 23 13 8	-0.62 -0.64 -0.53 -0.53 -0.55 -0.58 -0.62 -0.53 -0.61 -0.64 -0.61 -0.64 -0.61 -0.64 -0.65 -0.48 -0.66 -0.49 -0.66 -0.49 -0.66 -0.49 -0.66 -0.51 -0.55 -0.47 -0.48 -0.52 -0.48 -0.57 -0.48 -0.52 -0.48 -0.66 -0.63 -0.65

TABLE IV .- continued.

Rates of Transit-Clock.

Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
1869-cont. d h Nov. 15 21 18 21 19 21 21 22 22 22 23 22 26 22 28 22 29 22 Dec. 7 9 7 21 8 22 9 23 10 7 11 7 12 7 15 9 10 22 16 22 18 11 19 21 20 21 22 17 27 20 28 22 29 22 30 22 1870. Jan. 3 21	-0.61 -0.48 -0.40 -0.50 -0.38 -0.39 -0.51 -0.51 -0.49 -1.42 -1.62 +1.04	1870-cont. d h Jan. 8 o 10 o 3 21 11 7 12 o 13 6 13 23 14 22 15 11 16 23 17 22 25 23 26 21 27 23 Feb. 3 23 4 23 7 23 8 23 9 22 10 22 11 22 13 10 13 21 14 21 15 21 16 21 17 21 20 21 21 18 Mar. 11 7 14 10 12 8	-0·31 -0·28 -0·31 -0·35 -0·22 -0·38 -0·34 -0·41 -0·51 -0·58 -0·66 -0·63 -0·73 -0·62 -0·77 -0·82 -0·72 -0·71 -0·56 -0·64 -0·92 -0·77 -0·75 -0·79 -0·61 -0·78	1870-cont. d h Mar. 17 23 16 14 18 23 20 23 21 23 29 23 30 22 31 22 Apr. 3 23 4 22 9 4 10 22 11 22 12 12 22 14 3 15 23 19 23 20 23 22 23 24 23 26 23 27 22 May 9 22 11 0 11 21 15 21 18 22 19 22 24 22 June 1 22 7 6	-0.45 -0.49 -0.37 -0.47 -0.35 -0.39 -0.43 -0.31 -0.35 -0.34 -0.33 -0.36 -0.24 -0.52 -0.40 -0.56 -0.46 -0.50 -0.46 -0.51 -0.65 -0.65 -0.65 -0.65 -0.65 -0.65	1870-cont. d h June 9 23 11 8 16 22 26 22 27 22 28 22 29 22 30 22 July 11 22 13 22 14 21 17 22 21 23 22 23 25 23 Aug. 6 7 7 22 10 22 13 14 14 22 15 22 17 2 17 22 28 28 28 28 28 29 27 22 28 28 28 28 28 29 27 28 28 28 28 28 28 28 28 28 28 28 28 28	
5 23 6 23	-0.12 -0.12	15 11	-o·32	8 6 8 23 ;	-0.49	8 22 11 22	-0.41 -0.63

1869 November 30d. 1h. Weight-cord broke.
December 2-7, 10-12. Clock undergoing adjustment.

TABLE IV.—concluded.

Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.	Date.	Daily Losing Rate.
1870-cont.		1870-cont.		1870-cont.		1870-cont.	
d h Sept. 12 22 16 21 18 21 21 21 25 21 27 22 29 22 Oot. 3 22 6 7 10 12 10 22 12 23	-0·49 -0·59 -0·47 -0·48 -0·41 -0·55 -0·40 -0·44 -0·41 -0·27 -0·39 -0·55	d h Oct. 13 23 14 23 18 23 Nov. 2 22 4 18 17 23 18 22 23 10 23 22 25 22 28 23	-0.49 -0.54 -0.69 -0.76 -0.81 -1.02 -0.70 -1.02 -0.99 -1.15	d h Nov.29 9 Dec. 1 22 4 23 6 22 8 9 8 22 9 22 11 22 12 22 13 22 14 22 16 21	-0.93 -0.98 -0.95 -0.91 -1.18 -1.00 -0.90 -1.05 -0.96 -0.99 -1.08	d h Dec. 18 21 19 21 22 21 23 22 26 22 27 8 28 22 29 22 30 22	-1·12 -0·91 -0·96 -1·12 -0·66 -0·93 -1·11 -0·94

44

TABLE V. Mean Run of the Microscope-Micrometers of the Transit-Circle.

Dat	e.	•	Observer.	Pointer Reading.	Mean Run.	Date.			Pointer Reading.	Mean Run.
186	 6.					1866-	-cont.			i
_	d	h	_		r		đ	h .	o	r
January	2	22	G	, ,	4.823	March	11 :	22 , (,,,	4.828
				60	4.822				0	4.828
				70	4.821				10	4.829
	7	22	G		4.820		18 2	23 (3 20	4.824
				90	4.825				30	4.822
				100	4.823				40	4.824
	14	22	G	110	4.824		25	22	50	4.826
				120	4.833				60	4.827
	21	22	G	130	4.831	A		_ ,	70	4.826
	21	22	G	140	4.827	April	2 :	22 (G , 80	4.828
			1	150	4.827			'	, 90	4.829
•	28	22	G	1	4.831		8 :	,	100	4.829
	20	22	4	170	4 031		8 2	22 ' (G 110	4.830
					4 824				120	4.825
February			G	190	4 824				G 140	4.826
reblusty	5	23	G	210	4 825		15	22 (,	4.827
				220	4 825				150	4.823
	11	23	G	230	4 828				_	4.825
	••	~,	1	240	4 828		23	3	170 180	4.822
			İ	250	4 . 824				1	4 025
	18	23	G	260	4.826		29 :	22 (190 F 200	4 818
	••	-,	"	270	4.826		29	••	210	4 825
			!	280	4.822			1	220	4 826
	25	22	G	290	4.834	May	6 :	22 ' (- !	4 824
	-,		"	300	4 .828	and y	•	i `	-3-	4 .823
			:	310	4.829			- 1	240	4 824
	25	22	ı G	290	4.824		13 :	23	250 G 260	4 822
	~)			300	4.823		-,	٠ ١	270	4 825
				310	4.829			1	280	4 .820
March	4	22	G	320	4.825		21 :	23	3 290	4 824
	7			330	4.825		'	٠ ا د-	300	4.826
				340	4.823				310	4 820
			<u> </u>	1				<u> </u>	1 3-5	1 + -30

TABLE V.—continued. Mean Run of the Microscope-Micrometers of the Transit-Circle.

De	ste.		Observer.	Pointer Reading.	Mean Run.	Date	в.	Date,			Mean Run.
1866-	-cont.					1866—cont.					
	d	h	_	0	r		d	h		0	r
May	27	23	G	320	4.821	August	12	23	G	290	4.821
				330	4.825				1	300	4.822
7			G	340	4.824				_	310	4.826
June	4	3	G	350	4.824		19	22	G	320	4.824
				٥	4.824					330	4.828
				10	4.824					340	4.827
	10	23	G	20	4.823		26	23	G	350	4.822
•				30	4.824				! 	0	4.821
				40	4.827	0			_	10	4.829
	17	22	G	50	4.826	September	2	22	G	20	4.818
)	60	4.823					.30	4.825
			CITA	70	4.821					40	4.827
	25	22	CF	80	4.829		9	23	G	50	4.822
				90	4.827					60	4'828
				100	4.826				_	70	4.827
July	1	22	G	110	4.823		16	23	G	80	4.825
				120	4.824					90	4.827
			_	130	4.832				_	100	4.824
	8	22	G	140	4.827		23	23	G	110	4.826
				150	4.824					120	4.826
			_	160	4.819					130	4.825
	15	23	G	170	4.825		30	22	G	140	4.821
				180	4.827					150	4.824
			_	190	4.826				_	160	4.821
	22	22	G	200	4.823	October	7	22	G	170	4.830
				210	4.821					180	4.822
				220	4.827					190	4.824
	30	23	G	230	4.823		15	23	G	200	4.826
				240	4.821					210	4.825
			_	250	4.827				_	220	4.823
August	5	22	G	260	4.821	1	21	23	G	230	4.830
				270	4.823					240	4.822
				280	4.823					250	4 ' 824

TABLE V.—continued.

Mean Run of the Microscope-Micrometers of the Transit-Circle.

Dat	B.		Pointer Reading. Run.			Dat	Date.			Pointer Reading.	Mean Run.
1866-	cont.				1866—cont.				·		
	d	h o r			d 'b				0	r	
October	28	23	G	260	4.826	December	30	23	G	200	4.826
			1	270	4.824				!	210	4.830
				280	4.827					220	4.825
November	4	22	G	290	4.816	,			1		
				300	4.825	186	7•			-	
				310	4.825				_		•
	11	•	G	320	4.824	January	6	23	G	230	4.829
				330	4.825				1	240	4.829
			_	340	4.828				_	250	4.829
	19	٥	G	350	4.829		13	22	G	260	4.832
				0	4.829					270	4.825
			_	10	4.836				_	280	4 . 829
	19	3	G	350	4.827	1	20	22	G	290	4.829
				0	4.826					300	4.825
				10	4 828					310	4.829
	20	24	G	20	4'824		27	22	G.	320	4.834
			1	30.	4.830					330	4.820
			_	40	4 825				_	340	4.825
•	25	22	G	50	4 827	February	3	23	G	350	4.831
				60	4.826	1				•	4.823
_				70	4.825					10	4.828
December	2	22	G	80	4.826		10	23	G	20	4.826
				90	4.821					30	4.829
			_	100	4.830				_	40	4.825
	9	22	G	110	4.820		17	22	G	50	4.826
				120	4.824					60	4.823
				130	4.823					70	4.828
	16	22	G	140	4.826		24	22	G	80	4.819
				150	4.826	ı				90	4.827
				160	4.825					100	4.829
	23	23	G	170	4.827	March	3	22	G	110	4.828
				180	4.827					120	4.825
			ļ	190	4.826					130	4.827

TABLE V.—continued.

Di	ate.		Observer.	Pointer Reading.	Mean Run.	Ē	Pate.		Observer.	Pointer Reading.	Mean Run.
1867-	-cont.					1867	—cont.				
	đ	h	_	•	r		d	h		0	r
March	10	23.	G	140	4.828	May	19	23	G	80	4.821
				150	4.826	İ				90	4.825
			~	160	4.826					100	4.822
	18	22	G	170	4.827		26	22	G	110	4.825
				180	4.823					120	4.824
				1 190	4.831				_	130	4.819
	24	22	G	200	4.826	June	2	22	G	140	4.828
			İ	210	4.823				1	150	4.825
			_	220	4.830					160	4.827
	31	21	G	230	4.831		10	22	G	170	4.828
			1	240	4.833	ŀ				180	4.827
				250	4.829	1	_		_	190	4.830
	31.	21	G	230	4.831		16	22	G	200	4.826
				240	4.837				l	210	4.825
4 •7				250	4.825				_	220	4.827
April	7	23	G	260	4.832		23	22	G	230	4.828
				270	4.830					240	4.826
			_	280	4.828				_	250	4.831
	14	23	G	290	4.822		30	22	G	260	4.827
			-	300	4.823					270	4.828
	•		_	310	4.832					280	4.828
	23	3	G	320	4.824	July	7	22	G	290	4.824
				330	4.823					300	4.821
	_			340	4.827				_	310	4.823
	28	22	G	350	4.830		14	22	G	320	4.827
				1	4.829				İ	330	4.826
3.5			_	10	4.825				_	340	4.826
May	6	3	G	20	4.826		21	22	G	350	4.825
				30	4.827					٥	4.821
			_	40	4.825		_		j _	10	4.824
	12	23	G	50	4.830		28	22	G	20	4.829
				60	4.824					30	4.823
•				70	4.826			•		40	4.828

TABLE V.—continued.

Mean Run of the Microscope-Micrometers of the Transit-Circle.

Da	te.		Observer.	Pointer Reading.	Mean Run.	Date) .		Observer.	Pointer Reading.	Mean Run,
1867-	cont.					1867—6	ont.				
	d	h		•	r		d	h		•	r
August	4	22	G	50	4.822	October	20	22	G	20	4.826
			ĺ	60	4.822				ļ	30	4.824
			_	70	4.822					40	4.827
	11	22	G	80	4.821		27	21	G	50	4.828
			1	90	4.825					60	4.824
			_	100	4.820				_	70	4.823
	20	4	G	110	4.822	November	3	23	G	80	4.830
				120	4.821					90	4.828
				130	4.827					100	4 824
	25	22	G	140	4.825		10	22	G	110	4.826
				150	4.828				i	120	4.824
a			_	160	4.827					130	4.824
Septembe	r 2	3	G	170	4.826		17	23	G	140	4.823
				180	4.825					150	4.824
	_		_	190	4.831				_	160	4.828
	8	22	G	200	4.826		24	23	G	170	4.824
			ŀ	210	4.824					180	4.825
				220	4.822				_	190	4.829
	15	22	G	230	4.826	December	I	22	G	200	4.828
				240	4.827				1	210	4.825
				250	4.832					220	4.829
•	22	23	G	260	4.828		8	23	G	230	4.828
			İ	270	4.827				}	240	4.830
			۱.	280	4.826				_	250	4.830
	29	22	G	290	4.826		16	24	G	260	4.828
				300	4.829					270	4.823
				310	4.823					280	4.825
October	7	٥	G	320	4.827		22	22	G	290	4.828
				330	4.827					300	4.828
			_	340	4.827					310	4.825
	13	22	G	350	4.823		29	23	G	320	4.824
				•	4.822					330	4.823
				10	4.826					340	4.827

TABLE V.—continued.

Dat	te.	· :: :	Observer,	Pointer Reading.	Mean Run.	. D	ate.	Observer.	Pointer Reading.	Mean Run
186	8.	ter en 1				1868	-cont.			
	đ	h	1	•	r		.d. þ.	i i	•	r
January	. 5	23	G.	350	4.823	March	. 22 22 ,	G	320	4:82;
· . · .				0	4.823	2	-		330	4.826
			İ	10	4.858				340	4.82
	12	22	G	20	4.827	l	30 22	G.	350	4.82
				30	4.827	٠.			0	4.82
				40	4.827			1	10	4.82
	19	22	G.	. 50.	4.826	April	5 22	G.	. 20	4.82
. •				60	4.825	1		:	30	4.82
			1	70	4.826				40	4.82
	26	22	G	₿o	4.825		13 22	G.	50	4.83
				90	4.834	•		İ.	60	4.85
: •				100	4.830			ľ	70	4.82
February	. 2	22	G.	110	4.830		19 22	G.	, 8o	4.82
t . ·				120	4.827			1	90	4.83
-		;	İ	130	4.830		•	1	100	4.82
:	. 9	22	G	- 140	4.828		26 23	G.	110	4.82
		,		150	4.825			١,	120	4.82
				160	4.826			j	130	4.82
. :	. 17		G	170	4.833	May	3 22	G.	140	4.82
-		•		180	4.829	1 .		1.	150	4.82
	. :			190	4.830				160	4.82
•	25	23	w.	200	4.826		10 23	G.	170	4.82
•	:			210	4.823				180	4.82
	:	•		220	4.828			1:	190	4.83
March		23 .	w.	230	4.825	1	17 22	G	200	4.83
		_ ,		240	4.825	ĺ	•	l	210	4.82
•	•			250	4.827				220	4.83
•	8	22 ,	g.	260	4.824		25 22	G.	230	4.83
	•	,	_	270	4.827		- '		240	4.82
• • •	•			280	4.824				250	4.82
	15	23	G	290	4.833	June	1 23	G	260	4.82
	•>	-3	ا " ٰ	300	4.830				270	4.83
				310	4.830	•	•	l	280	4.82
•			l	310	7 030			<u> </u>	1	' '

TABLE V.—continued.

Mean Run of the Microscope-Micrometers of the Transit-Circle.

Da			Observer.	Pointer Reading.	Mean Run.	Date.	· · · · · · · · · · · · · · · · · · ·	Observer.	Pointer Reading.	Mean Run.
1868—	-cont.					1868—cont.				
	·d	h		•	r	·a	h		•	r
June	7	22	G	290	4.833	Angust 23	22	G	260	4.825
•	•			300	4.825				270	4.830
				310	4.828				280	4.827
•	- 14	23	G	320	4.828	- 30	22	G	290	4.826
	;			330	4.828	17.			300	4.827
				340	4.827	• •			310	4.828
	21	22	G	350	4.826	September 6	22	G	320	4.827
•				0	4.829	•		l	330	4.828
• •				10	4.825	•			340	4.826
: ::	28	22	G ·	20	4.825	13	23 `	G	350	4.823
	-			30	4.830	٠.		-	0	4.826
· ·.				40	4.826	:		1	10	4.824
July	5	22 -	G	50	4.830	20	23	G	20	4 820
	•			60	4.824	•		1	30	4.821
•				70	4.828	:		1	40	4.827
	12	22	G	80	4.822	. 27	22	G:	50	4.822
. •	•			90	4.825	•			60	4.823
•	•			100	4.829			1	70	4.830
	19	22	G.	110	4.827	October 4	23	G	80	4.829
•				120	4.822				90	4.827
				130	4.827				100	4.823
	26	22	G	140	4.823	11	23	G	110	4.827
				150	4.826			l	120	4.827
• •	;			160	4.817				130	4.826
August	: 2	22	G	170	4.822	18	22	G	140	4.819
		1		180	4.823				150	4.827
				190	4.830				160	4.825
	9	23	G	200	4.831	25	22	G	170	4.825
	-			210	4.829				180	4.824
. •				220	4.825				190	4.829
•	16	23	G	230	4.824	November 2	3	G	200	4.828
		-		240	4.822		-		210	4.827
				250	4.828				220	4.828

TABLE V.—continued.

Date	• .		Observer,	Pointer Reading.	Mean Run.	. Dai	tė.		Observer.	Pointer Reading.	Mean Run.
1868—	ont.		:			1869	cont.			.:	
	d	h	_	•	r		d	h		۰	r
November .	9	•	G	230	4.825	January	17	22 /	G	170	4.824
				240	4.822	•				180	4.826
			_	250	4.826		•			190	4.825
	15	23	G	260	4.823		24	22	G.	:100	4.817
•			l	270	4.827					210	4.824
•			l'	280	4.829		-		!	220	4-830
-	22	22	G	290	4.825		31	22	G	230	4.829
•			ľ	300	4.823					240	4.825
•			ŀ	310	4.826					250	4.827
	29	22	G	320	4.828	February	7	22	G	260	4.823
•			ł	330	4.825					270	4.827
•:			ľ	340	4.827					280	4.823
December	6	22	G	350	4.822		14	22	G-	- 29 0	4.829
		,	İ	•	4.822					300	4.830
-			ľ	10	4.823				Ì	310	4.832
	13	23	G	. 20	4.819		21	22	G	320	4.827
			ŀ	30	4.824					330	4.823
:				40	4.828					340	4.828
	20	12 ·	G	50	4.825		28	22	G	350	4.827
:				60	4.826					0	4.829
•			l	70	4.824					10	4.826
	27	22	G	80	4.828	March	7	23	G	20	4.826
*			l	90	4.822					30	4.825
- •				100	4.824					40	4.830
							14	22	G	50	4.824
1869										60	4.827
1009	•									70	4 . 828
January	3	23	G	110	4.823		21	22	G	80	4.824
• • •	-	-		120	4.830					90	4.828
				130	4.827					100	4.830
	10	22	G	140	4*820		29	22	G	110	4.831
•				150	4.828		•			120	4.824
				160	4.828					130	4.824

TABLE V.—continued. Mean Run of the Microscope-Micrometers of the Fransit-Circle.

D	ate.		Observer.	Pointer Reading.	Mean Run.	Date	· •		Observer.	Pointer Reading.	Mean Run.
1869-	-cont.					1869	ont,				
: A !?	. d	h	_	•	r		đ	þ		•	r
April	'4	22 :	G	140	4.826	June	27	23	G.	110	4.836
				150	4.822					120	4.829
			_	160	4.826					130	4.829
	2.21	23 .	G	-170	4.832	July	4	22	G	-140	4.820
				180	4.825					150	4.824
•			_	190	4.827					160	4.823
1.0	18	22 ·	Q.	-200	4.824		II	22 .	G ·	170	4.822
• •				210	4.828]	180	4.823
	. :			220	4.827				ļ	190	4.827
	45	23.	G.	230	4.825		18	22	G	200	4.823
				240	4.829					210	4.827
	:			250	4.830					220	4.827
May	. 2	221	G.:	: 360	4.823		25	22	G	230	4.824
-	• .	:		270	4.822				1	240	4.832
:				280	4.824		:			250	4.833
	17	23 1	G-	290	4.823	August	I	22	G	260	4.825
				300	4.828					270	4.826
				310	4.824					280	4.826
	24	23;	G ·	320	4.825		8	22	G.	290	4.823
	•			330	4.822					300	4.825
:				340	4.822					310	4.824
	30	22	G	350	4.818		15	22	Q.	320	4.823
	,			0	4.817					330	4.825
	٠.			10	4.825				}	340	4.825
June	6	23.	G.	20	4.825		22	22	G	350	4.830
٠				30	4.823					۰	4.825
				40	4.822					10	4.825
	.13	22	G:	. 50	4.818		29	22	G.	. 20	4.819
	:			60	4.820	,				30	4.822
<i>2</i> ,		1		70	4.827					40	4.826
L,	, 20	22.	G:	80	4.827	September	5	23	G	- 50	4.822
	. :			90	4.825		-	-		60	4.818
				100	4.828		:		l	70	4.825

TABLE V.—continued. Mean Run of the Microscope-Micrometers of the Transit-Circle.

Date		٠.	Observer.	Pointer Reading.	Mean Run.	Dat	:8.		Observer.	Pointer Reading.	Mean Run.
1869—6	ont.	***				1869—	cont.				
•	ď	h	1	,s •	r	,	đ	h	1		r
September	12	22	G	. 80	4.824	November	28	23	G.	50 .	4.825
•				90	4.823					60	4.821
: :				100	4.823	•	•		ŀ	70	4.825
•	1-9	32	G	110	4.819	December	5	23	G	80	4.828
•			Ì	120	4.821	'				90	4.825
÷			1	130	4.827				i	100	4.826
. :	26	23	G	140	4.826		12	22	G	110	4.825
			1	150	4.824	·			}	120	4.822
•			İ	160	4.830				ļ	130	4.830
October	. 3	22	G:		4.850		. 19	22	G	140	4.825
•				180	4.827				1	150	4.829
•	•		1	190	4.829				1	160	4.825
	11	•	G.	200	4.823		27	23	G	170	4.830
			ł	210	4.820		:		1	180	4.826
			1	220	4.858		•			190	4.834
	17	23	G	230	4.826					·	
• •	;		١.	240	4.829	187	o.		i		
•		•	1	250	4.823	•			1		
	24	23	G	260	4.821	January	3	23	G	200	4.819
	. •	•	'	270	4.827				1	210	4.827
÷			ł	280	4.820				1	220	4.829
	31	23	G,	290	4.819		9	23	G	230	4.821
	•		1	300	4.822					240	4.820
				310	4.823					250	4.828
November	7	23	G	320	4.827		16	23	G	260	4.827
			1	330	4.825				1	270	4.819
				340	4.828	,				280	4.825
	14	22	G	350	4.826	٠.	23	23	G	290	4.832
				0	4.823					300	4.825
				10	4.826		•			310	4.834
	21	22	G	20	4-827		30	22	G	-320	4.827
				30	4.825					330	4.823
•••				40	4.825	''			1	340	4.823

TABLE V.—continued.

Mean Run of the Microscope-Micrometers of the Transit-Circle.

Dat	e. 		Observer.	Pointer Reading.	Mean Run.	, r)ate. 		Observer.	Pointer Reading.	Mean Run.
1870	cont.					1870	-cont.				
 .	d	Þ	_	•	r		4	h		•	r
February	6	21	G	350	4.831	April	24	22	G	320	4.828
			l	•	4.823					330	4.825
			_	10	4.830				_	340	4.831
	13	21	G	20	4.826	May	1	22	G	350	4.826
				30	4.826					°	4.823
			_	40	4.828		_		_	10	4.824
•	20	22	G	50	4.825		8	22	G	20	4.821
•				60	4.827					30	4.825
•			_	70	4.827				_	40	4.831
•	27	22	G	80	4.825		15	21	G	50	4.827
•			İ	90	4.822		•			60	4.823
			_	100	4.828					70	4.828
March	6	22 '	G	110	4.827		22	22	G	80	4.825
				120	4.819					90	4.826
•			_	130	4.826					100	4.825
	13	23	G	140	4.829		29	22	G	110	4.824
•				150	4.825					120	4.824
				160	4.827	l <u>.</u>			_	130	4.830
	20	22	G	170	4.824	June	6	23	G	140	4.819
			l	180	4.824				ł	150	4.825
			_	190	4.830					160	4.822
	27	22	G	200	4.828		13	1	G	170	4.830
•				210	4.824					180	4.825
A ====11	_	•-	_	220	4.827	•			_	190	4.826
April	3	22	G	230	4'827	Ī	19	22	G	200	4.819
				240	4.820					210	4.823
			_	250	4.827				_	220	4.828
	10	22	G	260	4.827		26	23	G	230	4.823
				270	4.824					240	4.812
•			_	280	4.826	l			_	250	4.819
•	19	0	G	290	4.826	July	3	23	G	260	4.824
•				300	4.829					270	4.823
				310	4.828				l	280	4.830

TABLE V. -continued.

Da	ıte.	* ::	Observer.	Pointer Reading.	Mean Run.	Date.		Observer.	Pointer Reading.	Mean Run.
1870-	-cont	•				1870—cont	•			
	d	h		•	r	, a	h		•	r
July	. **	23.	G	290	4.827	September 25	22 .	G	26 0	4.822
	•			300	4.823			1	270	4.821
•			_	310	4.829				280	4.826
•	17	23	G	320	4.824	October 2	22	G	290	4.828
•	•			330	4.823	**			300	4.823
				340	4.825				310	4.827
	24	23	G	350	4.820	9	23	G	320	4.822
<i>,</i> .	-			•	4.818			-	. 330	4.826
• :				10	4.826			1	340	4.822
	31	23	G	20	4.823	• • 16	22	G	350	4.822
				30	4.832			1	•	4.822
l • . •	•			40	4.826	•		1 .	10	4.822
August	. 7	23	G	. 50	4.823	23	22	G	20	4.818
ŀ				60	4.819			1	30	4.821
				70	4.824	٠.		1	40	4.823
	15	22	G	80	4.819	30	22	G	50	4.828
			l	90	4.819				60	4.823
				100	4.826				70	4.826
	21	23	G	110	4.828	November 6	22	G	8o	4.821
				120	4.825			1	90	4.829
				130	4.830			ļ	100	4.824
	28	22	G	140	4.825	13	22	G	110	4.821
				150	4.825			1	120	4.824
				160	4.817				130	4.823
Septembe	F 4	23	G	170	4.820	17	11	G	86	4.834
				180	4.821	18	10	JS	180	4.830
				190	4.822	21	11	1F	180	4.837
	11	21	G	200	4.822	22	10	G	24	4.830
				210	4.822	23	9	1	44	4.830
				220	4-827	24	9	JS	70	4.831
	18	22	G	230	4.853	24	9		46	4.820
				240	4.822	24	23	G	34	4.832
				250	4.830	25	12	IF	75	4.822
				· 1	•	-	_	IF	• •	

TABLE V.—concluded. Mean Run of the Microscope-Micrometers of the Transit-Circle.

Date.		Observer.	Pointer Reading.	Mean Run.	Date.	Observer.	Pointer Reading.	Mean Run.
1870—oont	,				1870—cont.			
d	h		•	r	d h		•	r
November 25	12	IF	37	4.820	December 11 23	G.	29	4.825
. 28	9	JS	61	4.840	12 10	G	287	4.826
28	10		180	4.833	12 10	G	42	4.824
29	1	IF	34	4*827	13 10	IF	287	4.830
. 29	8	G	270	4.834	14 22	G	278	4.835
29	11		78	4.829	14 22		81	4.827
December 1	10	J8	180	4.831	16 7	IF	180	4.833
. 1	11		282	4.820	16 9	1	80	4.830
. 2	11	1F	41	4.832	19 10	G	280	4.828
6	ıi	G	340	4.820	19 10		50	4.829
6	11		34	4.829	22 22	G	29	4.823
7	10	JS	180	4.832	27 9	G	290	4.831
7	10		· 77	4.821	27 9]	43	4.828
8	10	G	78	4.819				
8	10		282	4.828				
					,	•		
-								
						;		
						;		
						ī		

TABLE VI.

Nadir-Points of the Transit-Circle.

			Second	s of Nadi	r-Point.	٠.		Second	s of Nadi	r-Point.
De	ata.	Observer.	Obse	rved.	Adopted.	Date.	Observer.	Obse	rved.	Adopted.
	;	0	h	f	λ		0	λ	f	λ
,18	366. a'h		n	,,	. "	1866—cont		γ	"	,,
Jan.	2 13	JS	15.99	30.30		Mar. 3 1	JS	16.81	31.09	:
	4 15	JS	16.45	30.40	16.55	3 14	CF	17.21	31.37	: 17.00
•	5 21	G	16.81	31.14		5 17	CF	17.06	31,30	
	7 11	JS	17.25	31.48	17.03	- 10 3	JS	17.77	32.04	17.77
_	9 22	G	18.02	32.51	18.30	16 18	G			
	11 0	JS	18.41	32.69		10 18		19.17	33.48	19,19
	15 22	G	19.13	33.49	19.36	19 14	G	20.18	34°39	20.52
	16 23	JS	19.25	33.83		21 5	CF	20.40	34.64	20 27
	18 23	G	19.77	34 '01	19.75	24 8	JS	20.86	35.35	20'92
	21 22	JS	20:67	34.95	20.78	27 10	JS	21.86	36.13	
	22 22	G	20.86	35.19	20 /0	31 5	JS	22.37	36.68	22.51
17.	23 23	JS	21.51	· 35 · 49		Apr. 1 14	JS	22.42	36.64	,
	24 22	G	21.51	35.24	21.31	5 17	G	23.02	27.25	23.06
-	25 8	JS	21.20	35.69					37. 35	23 00
٠.٠	26 22	JS	21'32	35.60		9 0	G	23.67	37 83	23.64
	28 22	G	21.98	36.58		12 3	G	23.66	37 °94	
	29 23 31 12	JS	22.34	36.61	22.30	16 4	JS	23.28	37.53	23.52
Feb.	•	CF	22.21 25.22	36·85 36·98		18 20	G	22.04	36:43	22'10
	2 23	G	22.16	36.32	22.42	21 6	JS	21'30	35.24	
-	3 3	JS	20'14	34.44		22 18	G	20.98	35.31	
	6 18.	JS	19.22	33.83	19.85	24 0	JS	20.54	34°78	20.91
	10 6.	JS	18.35	32.60	10:	24 18	G	20.80	35,13	}
	10 6	JS	18.48	32.73	18.40	27 4	JS	20.44	34.41	
	18 23	G	. 17*28	31.67	77.00	28 10	JS	20.43	34.81	20.46
	19 22	G	17.46	31.21	17.32	May 4 22	JS	19.58	33.82	70:25
1.7	22 7	JS	17.23	31.41		7 23	CF	19,01	33.29	19.59
	24 8	JS	16.65	. 30.89		8 22	G	19 20	33.21	19.14
	25 19.	G	- 16.23	31,15	16.45	10 22	G	19.04	33.37	
	26 22	JS	16.73	31.03	<u> </u>		JS	18.69	32.93	18.72
					<u>'</u>					

The adopted Nadir-Point for wire f is 14" 27 greater than that for wire h. April 16d 4h, 28d 10h Mercury unsteady.

Nadir-Points of the Transit-Circle.

Date.	Observer.								
	200	Obse	rved.	Adopted.	Date.	Observer.	Obser	rved.	Adopted
- Si	0	h	f	À		0	À	f	À
1866—cont.		4	/*	~	1866—cont.		*		"
May 14 3	G	18.67	32.97		July 13 11	CF	16.39	30.69	
. 15 22	G.	18.78	33.08	1	14 11	JS	15.97	30.52	
17 3	JS	18.28	32.82		17 11	CF	16.34	30.23	16.50
20 6	JS	18.22	32.82		18 22	G	16.51	30.21	} -
22 22	JS	18.22	32.92	18.22	19 6	JS	16.15	30.19	
25 10	JS	18.49	32.76		21 3	JS	15.2	29.77	
26 11	JS	18.43	33.01		22 23	G	15.71	30.01	
· 30 0	J8	18.63	32.90	18.40	23 9	JS	15.20	29.77	15.60
31 23	G	18.78	33.00		24 11	G	15.40	29.92	
June 4 22	G	17.80	32.07		27 0	JS	15.25	29.53	
5 19	JS	17.78	32.06	17.79	31 4	G	15.23	29.67	15.36
. 714	J8	17.48	31.75		Aug. 1 17	JS	15.06	29.31	
8 14	CF	17.31	31.28	17.27	5 23	G	14 94	29.18	14.97
11 0	G	16.98	31.34	' '	7 22	CF	14.97	29.18	"
14 0	JS	16.43	30.74		10 0	JS	14'54	28.78	
17 23	G	16.05	30°27	16.53	13 0	G	14.67	28.95	14.58
20 22	G	15.37	29.64		15 0	CF	14.56	28.80	' -
22 0	JS	15.74	30.04	15 56	18 0	JS	13,00	28.12	
25 0	JS	16.22	30*94	16.61	19 23 20 8	G JS	13.74	28°15 27°94	13.79
27 23	G	17.42	31.95			CF	-		
29 4	JS	17.57	31.82	17.22	23 3 25 12	JS	13.74	27.95	
July 2 0	G	18.99	33.59		29 3	G	13,30	27.63	13.33
3 3	CF	19.10	33'34	19.04	Sept, 1 3	JS	13.00	27.21	
4 13	J8	17.63	31.93		3 22	G	13.01	27.39	,
5 22	G	18.06	32.36	17.75	6 23	CF	13.01	27°34 26°95	12.94
7 4	JS	17.23	31.81		10 23	CF	12.12	26.43	
9 22	JS	16.82	31.04		10 23	CF	- 1		11.83
11 3	CF	16.94	31,30		16 22	G	11.46	25'74	
11 11	JS	16.21	30.43	16.44	17 6	JS	11'40	25.67	}
12 22	G	16.44	31,13		19 23	G	11,02	25°34 25°37	11.50

TABLE VI.—continued.

Nadir-Points of the Transit-Circle.

•			Second	s of Nad	ir-Point.			Second	s of Nadi	r-Point,
D	ate.	Observer.	· Obse	rved.	Adopted.	Date.	Observer.	Obse	rved.	Adopted
:		°	λ	f	À		0	λ	ſ	À
1866	—cont.		"	,,	,,	1866—cont.		"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,
Sept		J8	11.17	25.44		Nov. 19 13	G	10.83	25.19	
	24 12	JS	10.65	24 '93		20 22	G	11'04	25.43	
	26 12	CF	10.85	25.13		22 13	JS	1-1 *20	25.39	1.
	27 15.	JS	10.26	24.86	10.42	23 7	IF	11.43	25.23	
	28 16	CF	10.01	25 18		24 15	G	11.28	25.85	11.43
	30 22	G	10.21	25.07		25 17	CF	11.85	26.10	
Oct.	3 13	CF	10.92	25.52		26 15	G	11.21	25.84	ļ
	4 18	J8	10.22	24.78	10.44	28 15	G	13.82	28.24	
	5 13	CF	10'72	24.97		29 2	JS	14'22	28.46	14.0
	7 13	CF	10.64	25.13		30 7	CF	15.03	29.31	
	8 17	G	10.03	24.44		30 8	CF	14.91	29.24	l
	12 17	J 3	9.43	23.62	9.56	Dec. 4 14	JS	£5°07	29.37	15.1
	16 15	CF	9.64	23.85	9 30	5 11	IF	15.26	29.52	
	17 10	J8	9*14	23.45		9 23	G	16.56	30.22	16.3
•	18 23	G	9.2	23.77		10 13	JS .	16.49	30.44	10 3
	19 15	CF	9.81	24'12		11 3	CF	16.85	31.12	16.0
	21 0	CF	10.02	24.36	9.28	12 12]F	17.02	31.52	10 9
	22 15	G	9.38	23°57	9 30	15 19	G	18.00	32.36	18.30
	23 15	J8	9.32	23.62		17 10	CF	18.23	32.87	18 30
	24 17	CF	9.46	23.68		19 13	G	39.04	33°43	19'2
	26 15	CF	9°42	23.48		20 13	JS	39°47	33.66	19 2
	29 14	CF	9 49	23.65	1	21 19-	G	19.81	34.55	
	30 13	JS	9*33	23.22	9.40	23 16	CF	30.03	34*34	20.0
Nov.	1 14	J8	9*47	23.21	9 40	24 15	G	20.42	34.78	
	4 14]3	9.31	23.64		27 13	G	18.37	32.40	
	5 12.	G	9*34	23.79		28 4	CF	18.21	32.81	18.6
	6 16	CF	9.71	23.99		31 0	JS	19.14	33*44	
	8 16.	G	9.73	24.06		.06-				
	14 5	CF	.9.98	24.5	10.53	-18 67 .				
	16 17	JS	10.43	24.65	10 23	Jan. 2 23	CF	20.21	34.78	
	18 13	IF	10.41	24.81		4 7	CF	20.76	35.12	20.0

November 19d 22h Instrument raised from its bearings; pivots cleaned and oiled.

TABLE VI.—continued.

Nadir-Points of the Transit-Circle.

. • .		Seconda	of Nadi	r-Point.	٠.		Seconda	of Nadi	r-Point.
Date.	Observer.	Obser	rved.	Adopted.	Date.	Observer.	Obser	ved.	Adopted
		h	f	h			h	f	À
1867—cont.		' "	"	,,	1867—cont.		'"	"	- "
Jan. 6 23	G	21.46	35.79		Feb. 24 16	CF	25.25	39.85	
8 13	G	22.08	36.44		25 14	JS	25.20	40.01	25.80
10 13	G	22.88	37.15	1	26 16	G	26.13	40.42	
11 18	JS	22.92	37.22	23.01	Mar. 1 18	JS	25.69	39.93	
13 23	G	23.48	37.89		3 22	G	26.02	40.35	
14 17	JS	23.57	37.87		4 13	JS	25.86	40.11	25.92
17 10	JS	24 84	39.17		5 22	G	26.10	40.43	-5 5-
18 14	CF	25.18	39.21	25.26	6 10	JS	25.87	40.08	
20 6	JS	25.69	39.96	ł	7 12	G	25 99	40.31	l
21 11	IF	26.33	40'49	-			:		ļ
23 14	G	26.41	40.41		11 22	CF	23.60	37.82	}
24 16	JS	26.33	40.69	26.50	13.7	CF	23.08	37.36	22.95
27 23	G	25.86	40.16		14 8	J8	22.18	36.21	
28 14	JS	26.05	40.38		15 8	CF	21.21	35.82	ł
30 6	CF	27:36	41.57		17 11	G	21.69	36.06	21.62
31 8	IF	26.60	40.73	26.63	18 11	JS	21.21	35.43	
Feb. 1 4	CF	26.06	40'30		19 12	CF	21.4	36.01	
4 22	G	24.32	38.59		21 14	JS	21.29	35.86	
5 11	JS	24.36	38.63	24:37	22 13	CF	21.96	36.59	21.86
6 14	G	24.44	38.72		25 0	JS	21,66	36.59	
10 18	IF	23.42	37.66		26 5	CF	22.78	37.05	23.06
11 13	JS	23.41	37.71		28 22	JS	23.36	37.28	
12 12	G	23.64	37.80	23.45	, 29 23	G	21.46	35.80	21.49
13 6	CF	23.10	37 * 37		Apr. 1 22	CF	21.86	36.17	· ·
14 12	G	23.72	38.00		3 6	JS	22.30	36.44	
15 10	JS	24.38	38.63		4 22	G	Z1 · 84	36.30	21.99
16 21	G	24.74	39.16	24.84	5 5	CF	22.00	36.30	
19 9	IF	25.43	39.20		7 22	G	21.20	35.48	21.60
21 14	JS	25.35	39.63		8 14	CF	21.70	35.95	21-00
22 10	CF	25'94	40.27	25.79	9 10	IF	21.18	35.48	
23 18	CF	26.04	40.32	1	10 12	JS	20.29	34'90	21.08

February 23^d 18^h, March 14^d 8^h, 17^d 11^h Mercury very unsteady.

March 29^d 22^h Eye-end of tplescope struck a book lying on steps and was turned in its collar and drawn out about 2 inch. Focus and verticality of centre wire adjusted.

TABLE VI.—continued.

			Second	s of Nadi	r-Point.			Second	s of Nadi	r-Point.
Da	te.	Obsėrver.	Obse	rved.	Adopted.	Date.	Observer,	Obser	rved.	▲dopted
		,	λ	f	λ		,	h.	f	λ
1867-	-cont.	.		,, .	".	1867—cont.		~	,,	
Apr.	II 22	CF	21.44	35.74		May 24 17	CF	10.43	25.06	
	13 7	JS	21.07	35.32		26 23	G	10.00	25.29	10.83
	14 12	CF	21.69	35*94		27 9	JS	10.40	25.00	
	15.22	G	21.53	35.35	21.49	28 10	CF	10.18	24'46	10,10
	16 4	1F	21.32	35.26	79		CF			
	17 13	CF	21.82	36.02		31 18		8.49	22.80	8.21
	20 0	G	20.80	35.03	20.78	June 3 10	JS	7.77	22,10	7.80
-	23 16	JS	19.72	14.00		6 0	CF	7'14	21.41	
i	24 8	IF	19.24	33.72	19*37	7 6	CF	7.96	22.53	
	25 5	JS	18.97	33 7-	3/	10 9	G	7.53	21.88	7.57
•	26 18	JS	18.11			12 6	CF	7.60	21.88	
	20 18	120	18-11	32.41	18.13	14 22	CF	7:39	21.60	
,	28 23	G	,17°39	31.45	17.42	16 22	G	6.93	21.37	7:17
-	30 23	CF	16.29	30.82	16.60	17 13	CF	7.06	21.34	
May	2 22	JS	15*15	29.46	15.17	ığ 16	В	5*73	20.06	5.46
	3 11	CF	14.62	28.95	14.65	- 23 19	CF	7.13	21 35	7.11
	6 22	G	13'85	28.13		24 18	JS	8.10		8.18
	8 9	IF	13,23	27.86	13.41	Ĭ.			22.22	8 18
	9 18	JS	13:24	27.57		25 22	G	9.23	23.23	9.52
	10 6	JS	13.18	27.45	13.53	28 6	CF	10.01	25.51	10.92
	12 19	G	12.60	26.90		30 10	CF	11.78	26.05	
	13 12	JS	12.66	27.05	12.67	July 2 11	IF	11.81	26.05	11.49
	15 13	1F	11.60	25.90		3 3	G	11.30	25.66	
	16 11	G	11.64	25.94	11.29	4 18	CF	11'64	25.89	11.49
:	17 19	CF	11.47	25.77		6 3	G	11.09	25.23	
:	19 16	CF	11*24	25.57		8 22	JS	11.08	25.49	·
:	21 17	IF	11.58	25.81	11.52	9 11	IF	10.89	25.25	.11'14
. :	22 8	CF	11.14	25.38		10 7	G	11.08	25.55	
:	23 8	G	10177	25.30		11 10	JS	111.24	25.24	<u></u>
]						-		

•		Second	s of Nadi	r-Point.			Second	s of Nadi	r-Point.
. Date.	Observer.	Obser	rved.	Adopted	Date.	Observer.	Obec	rved.	Adopte
	0	À	f	À		0	À	f	À
1867—cont.			*	**	1867—cont.		м	.	"
July 15 14	CF	9.48	23.48		Aug. 23 6	IF	4.40	.18*80	١.
16 18	IF	9.10	23.22	9°34	25 22	G	4.38	18.88	
17 23	G	8:47	22.97		27 18	CF	4.72	19.08	
18 10	JS	8.57	22.93		28 8	IF	4*11	18.20	
- 19 21	В	8.60	23.16	8.59	29 9	JS	4'19	18.22	
20 20	JS	8.43	22.88		Sept. 1 18	CF	4.67	18 94	- 4'3
21 17	J8	8.39	22.87		3 10	IF	4.10	18.73	
23 18	JS	7.76	22.15	7.81		CF			
26 6	CF	• • •	21.04	6.48	4 18	JS	4°03	18°39. 18°37	
20 0		6.79	21-04		5 9 6 10	IF	4.06	18.48	
27 18	G	6.47	21.01	6.61	7 8	G	4.02	18.41	4.0
28 22	G	6.18	20.73	6.32	11 10	IF	4'03	18.45	<i>'</i>
. 30 0	JS	5-88	20.29	5.95	12 7	JS	3.81	18.14	
•					13 18	CF	3.22	17 99	
31 19	CF	5.20	19.77	5.20	15 14	G	3.23	18.13	-
Ang. 2 8	IF	5.24	19.68	5.33	16 6	JS	3.38	17.82	
4 22	G	5.00	19.48		17 7	IF	3.58	17.85	3.6
5 15	1B	4.93	19*21		19 17	G	3.22	17.88	
6 18	JS	4*97	19.36		20 20	CF	3.90	ĭ8·23	
- 7 17	G	4.99	19.32	5.02	24 11	CF	3.22	17'49	
9 22	JS	5.13	19.49		26 6	JS	3.14	17.20	
11 19	J8	4.94	19.33		29 23	G	3.30	17.63	3.5
12 18	G	4.82	19.35		30 10	JS	3.01	17*37	
13 19	В	4.96	19.56		Oct. 3 5	CF	2.89	17.23	
14 10	IF	4.67	19.11	4.85	. 4 10	CF	2.86	17.16	2.9
15 12	JS	4.73	19.09		7 7	JS	3.09	17.39	-,
17 18	G	4.19	19.15		6 8 7	IF	2.91	17.30	
18 16	G	4.61	19.06		9 15	G	2.89	17.18	
21 16	CF	4*57	18.96		10 22	J8	2.67	17.08	2.6
. 22 7	JS	4.31	18.64	4.29	13 22	G	2.45	16.92	

			-	Second	of Nadi	r-Point.				Second	of Nadi	r-Point.
מ	ate.	,	Observer.	Obse	rved.	Adopted.	Da	te.	Observer.	Obse	rved.	Adopted.
			0	h	f	h		.		h	ſ	λ
1867		í. Þ		••	"	"	1867-	-cont.	,	77	"	- "
Oct.	14 1		JS	2.86	17.08		Dec.	3 17	CF	2.31	16.68	2.71
	15	9	CF	2.71	16.98	2.77		6 3	В	2.97	16.40	
	16 1	13	В	2.78	17.23		•	6 7	IF	2.85	. 17*23	
	18	9	IF	2.45	16.75			8 9	JS	3.54	17.51	3.55
	20 1	16	CF	2.40	17.04	2.63		9 11	G	3.13	17.52	3 22
	21 1	8.	G	2.41	16.97			12 22	IF	3.22	17.87	3.29
	23	8	1F	2.47	16.83			16 21	JS	4.15	18.45	3 39
	24	8	JS	2.29	16.26			17 11	JS	4.14	18.20	4.17
	26	2	CF	2.55	16.28	2.30		18 8	IF	4.46	18.80	
		12	G	2.33	16.60	"		19 10	G	4.26	18.01	4:55
	•	12	CF	2.31	19.91			22 23	CF	5.89	20.78	
Nov.	-	7.	J8	1.94	16.54			24 10	JS	2.96	20.32	5.98
	-	١3 .	G	1.87	16.56							
	4	9.	JS	1.82	16.12		;	27 16	CF	6.64	20.97	6.67
	8 1		CF G	2.18	16.48		:	29 23	G	7.88	22.18	7.90
	•	0	G	1 .84	16.08	1.97						
	10 2	- 1	JS	1,66	16.10		186	8.				
			CF	1.97	16.31]	Jan.	3 8	CF	,,,,,,		
	.13 1	0	JS	2.04	16.12		Jul.	3 8	1 1	10.05	24 ° 35	10.02
	•	6	IF	1,20	16.5			4 22	IF	10.45	24.90	10.24
	17	5	IF	1.28	15.88	1.75		7 10	JS	11.10	25.40	
	•	9	JS	1.41	16.02	''		8 11	G	11.14	25.65	11.19
1	20	6	CF	2.50	16.20			9 11	IF	11.61	25.94	
		7	IF	1.81	16.55			0 10	CF	11.40	25.67	11.22
		3	G	2.22	16.75		,	12 15	G	12.68	27.13	12.77
	-	9	JS	1.84	16.35	2.05		_	CF			
	-	8	IF	1.99	16.06			14 9		13.70	27.97	13.40
	28 2	.2	CF	2.04	16.34			15 8	IF	14.11	28.55	14.08
Dec.	1 2	3	G	2.61	17.03		1	16 9	JS	13.92	28.58	
	,, 2	9	JS	2.93	17.17		1	7 - 23	JS	14.24	28.99	14.63
				<u> </u>					-	······································		÷

			, ·	Second	s of Nadi	r-Point.			Second	of Nadi	r-Point.
. ţ	ete.		Observer.	.Obse	rved.	Adopted.	Date,	Observer.	Obser	rved.	Adopted
				À	f	h		0	À	f	h
1868		mt. h		*	"·	,,	1868—cont.		4	<i>"</i>	· _{//} ·:
Jan:			IF	:16:30	·· 30·63	16.54	Feb. 26 18	В	20 01	•••	20:36
	21	17	G	16'03	30.23	10 24	28 3	В	20.61	35.53	
	22	7	IF	16.84	31.58	16.93	28 18	JS	20.7	34.69	
	23	22	JS	16.91	31.54	93	Mar. 2 18	IF	21.33	35.61	21.32
	24	10	IF	17.24	31.90	17.29	3 18	CF	21.35	35.65	
	26	23	G	18.19	32.61	18 27	5 0	IF	22 00	36.42	22.08
	28	9	JS	18.62	32.98		6 7	IF	22.91	37.33	
		. 0	CF	18.03		18.67	8 13	G	23.00	37.20	23.05
	•	18			32.43	18.12	10 4	JS	23.03	37°30	
Feb.	. 1	6	JS	18,18	32.21		11 7	IF	23.43	37.79	-
	2	18	JS	17 63	32.08	17.72	12 16	G	23.22	37.91	
	3	9	G	18.44	32.80	18.49	13 17	CF	23.91	38.54	
	•	-	CF				15 17	IF	23.40	37.74	23.49
•	4	17		18.03	32'42	18.09	18 7	IF CF	23.46	37.79	
·-· ·	5	22	JS	17.75	35.10	17.71	20 4	G	23.53	37.48	
	7	18	JS	17.62	31.92		22 23	В	23'49	37.68	
	9	15	JS	18.53	32.21	18.24	25 18	IF	23.63	37°41	·
	11	6	IF	18.57	32.08	18.64	26 5	CF	24.54	38.57	· · ·
						<u>_</u>	- 27 18	JS	23.97	38.51	24.17
	12	18	G	18.05	32.38	18.08	31 15	JS	24.31	38.20	-7 -/
	13	18	JS	17.88	32.16	17.89		IF			· ·
	14	3	CF	18.74	33.01	.0.66	Λpr. 1 12	В	24 ° 98	39.30	
	•	18	в	18-51	32.92	18.66	3 18	CF	24'54	39.20	
	7.0	22	JS	19'07	33.46		4 11	JS	25.12	30.39	
	20	6	B	18.80	33.65	19 13	7 4	CF	24'79	39.09	24.85
			-				8 14	JS	24.81	39 09	
	21	17	IF	19.23	33.65	19.31		G			
. '	24	23	CF	20.32	34.29		11 19		23.87	38.56	23.93
.	25	19.	IF	20.08	34.38	.	15 6	JS	23.20	37.81	23.22
••			1		<u> </u>	<u> </u>	1				l

			Second	s of Nadi	r-Point.			Seconda	s of Nadi	r-Point.
D	ate.	Observer.	Obse	rved.	Adopted.	Date.	Observer.	Obse	rved.	Adopted
	_	0	h	ſ	٨	•	°	λ	f	h
1868	—cont.		"	"	,,	1868—cont.		"	"	,,
Apr.	17 22	JS	21.08	35.44	21.13	June 9 10	IF	11.55	25.20	
	19 6	JS	20°14	34.20	20'19	10 18	1	10.90	25°04 24°93	10.69
	22 7	IF	18.88	33.13	18.87	12 12		10'44	24.24	
	 23 23	CF	17.82	32.09	17.82	14 18	G	10'41	24.80	
	25 18	CF	17.54	31.24	17.26	15 6 17 18		10.34	24·91 24·76	10.42
-	27 23	JS	16.35	30.62	16.53	22 9		10.54	24.40	
	30 4	В		30.28		26 22	1 -	9.48	23.75	9.35
May	2 9	G	15.57	29.96	15.65	28 7	_	9·15	23.22	
-	4 11	JS	15.69	29.91	., 0,	29 19 30 9		8.40	23.33 23.30	1
	5 6	IF	15.13	29.52	15.16	July 1 18		8.48	23'14	8.82
	7 5	CF	15.12	29.42	15 10	2 10		8.56	23.06	ļ
	10 16	IF	14.53	28.60	14.78	5 23	G	9.22	23.99	9.62
	13 6	IF	13.83	28.08	13.84	7 18	G	11.08	26.40	
	14 18	JS	13.87	28.11	-, ,	8 10	JS	12.58	26.22	12.17
	46 18	G	13.76	27.62	13.31	9 16	G	12.02	27.28	12.97
-	18 18	1	12.83	27.27	13.03	13 18	JS	13.29	27.81	
	19 7	IF	13.02	27.22		14 6	IF	13.04	27.43	
	26 16	CF	12.45	26.25	12.45	19 23	ŀ	13.49	27.97	13,25
•	27 6	IF	12.30	26.20		20 t8		13.88	28.16	
	28 18	JS	11.96	26.53	12.15	22 18 24 18	1	13.48	27.67	
	29 18	1	12'20	26.44		26 8	ł	12.00	27.13	12.00
June		1	11.28	25.97	11.82	27 18	1	12.84	27.25	40
	3 6 6 18		11.18	26.32		28 18		12.02	26.30	
	7 17	G	10.06	25.37		20 10		12.20	26.84	12.27
	8 22	1 -	11,00	25.36	11,15	31 11	1	13.09	26.26	,

		Seconde	of Nadi	r-Point.			Seconda	of Nadi	r-Point.
Date.	Observer.	Obser	rved.	Adopted.	Date.	Observer,	Obser	rved.	Adopted
	0	h	f	À		0	h	f	h
1868—cont.		n	"	,,	1868—cont.		"	"	"
Aug. 2 23	G	11.72	26.06	11.82	Sept. 25 9	JS	8 • 48	22.45	8.49
5 22	JS	11.85	26.18		27 18	G	8.34	22.81	
9 18	G	11'40	25.65	11.30	30 10	J8	8.64	22.94	
10 6	JS	1.36	25.69	37	Oct. 1 8	IF	8.35	22.62	
12 6	IF	10.08	25.40		5 9	JS	7.82	22.12	
14 18	CF	11.22	25.93	11.73	6 16	CF	8.05	22.47	
16 8	JS	10.95	25.58		7 10	IF	7.68	21.98	
17 18	CF	10.26	24.89		9 18	CF	8.03	22.38	7.87
21 7	IF	10.41	24.91	10.21	11 23	G	7.80	22.19	
23 22	G	10,39	24.78		12 11	JS	7.45	21.84	
24 18	JS	10.45	24.75		13 6	CF	7.96	22.29	
25 22	G	10.54	24.57		14 7	IF	7.70	22.06	
26 19	IF	10.14	24.20	10.55	15 17	G	7.37	22.04	
27 18	JS	10.12	24.49		16 23	JS	7.20	51.92	
28 18	CF	9.99	24.35		21 17	JS	7.80	22.19	7.68
29 18	G	9.81	24.11	9.87	22 8	IF	7.70	22.30	
31 18	CF	9.77	24.04	9 5/	23 6	JS	7.76	21.89	
Sept. 2 7	IF	9.81	24.14		26 23	CF	7.47	21.80	
3 0	JS	9.41	23.85		30 22	JS	8.52	22.74	8.50
7 0	IF	9.39	23.75	9.50		IF			
8 10	JS	9.24	23.85		Nov. 1 18	JS	8.19	22.22	
10 22	G	9.58	23.67			G	7*94	22.18	
11 7	IF	9.31	23.22	9.32	4 15	CF	7.80	22.10	7.96
14 18	JS	9.33	23.28		5 17		8.03	22.31	
15 18	CF	9.10	23.37	9.10	6 7 10 22	IF IF	7·83	22.04	
18 9	IF	8.79	23.09		13 7	IF	2,61	20.18	6.00
20 18	G	8.80	23.16	8.79	16 17	CF	5,45	19.67	
22 5	CF	8.71	22.99	"/9	18 7	IF	5.01	19.12	
27 10	IF	8.59	22,00		19 18	JS	5.42	19.28	5.52
24 18	G	8.33	22.75		20 18	CF	5 44	19.61	
		. ,,	/ 3	İ		`	7 7 7	19 01	

67

TABLE VI.—continued.

				Seconda	of Na di	r-Point.				Second	of Nadi	r-Point.
D	ste.		Observer.	Obas	rved.	Adopted.	Date.		Observer.	Obser	rved.	Adopted
:				λ	f	À			0	λ	ſ	λ
1868-		ıt.			"	,,	1869—con	t.		#	,,	,,
Nov.		- 1	G	5 7.04	19'40	4,04	Jan. 18 1		CF	13.17	27.47	13.19
	23	10	JS	5.00	19.58	3 03	19 1	18	JS	13.88	28.15	
	24	6	CF	4.34	18.26		20 1	. 8	IF	13.80	28.07	13.84
	25 26	6	IF G	4'94	19.16				CF		28.60	
••••		6	IF	4°93	19·26	4.72	22 1 23 1		G	14.41	29.30	14.61
	-	10	CF	4.76	10,01				1	• • •		
Dec.	2 I :		JS	4.73	19.00		26 2	22	CF	16.59	30.26	16.59
•	4	10	CF	5.16	19.43		29 1	- 1	IF	16.67	30.89	16.43
-	7	19	J8	4.69	18.94		30 1	- 1	G	16.84	31.06	
	-9	18	IF	4*95	19.20		Feb. 2 1	19	CF	17.41	31.69	17.42
	10		CF	4'95	19.53	4'92	3	9	IF	18.59	32.20	18.34
	11		JS CF	5.08	19.38		. 4 1	18	CF	18.41	32.24	
-	12 : 16	19	IF	4'5I 5'11	18.76		7 2	22	G	19.43	33°74	19.45
		. و.		,	19.33		14 2	23	G	20.84	35.06	20.82
	23	23	J8	5.45	19.83	5.64	22		G	21.18	35.42	21.12
	28	23	G	6.36	20.61	6.35	26	3	. G	21.47	35.88	21.24
	30	19	IF	6.75	20.96	6.72	Mar. 1	4	G		36.25	
٠.	-	-			-			.		22.39		22.32
18	69.						2 2	22	JS	22.63	36.46	22.26
Jan.	4	22	G	8.35	22.80	8.44	9 2	23	G	23.63	37 °94	23.65
<u> </u>	5	18	IF	8.68	22.79	8.60	12 2	22	G	24.40	38.40	24.42
	6		J8	8.89	23.16	8.89	17 2	23	G	24.78	38.97	24.24
	8	• .	CF	9.90	24'14	9.89	. 20	6	JS	25.04	39.29	25.03
Ì	10 :	22	G	10.60	24.96	10.65	. 21 2	22	G	23.76	38.06	
ł			JS				23	0	IF	23.42	37.66	23.22
	14			11.44	25.69	11.43	24 2	- 1	JS	23.46	37.65	-5 57
i	15	17	CF	12.09	26.36	12.09	29 2	22	G	23.66	37°93	

		Second	s of Nadi	r-Point.			Second	s of Nadi	r-Point.
Date.	Observer,	Obse	rved.	Adopted.	Date.	Observer.	• Obse	rved.	∆ dopted.
	°	h	f	h		0	À	ſ	h
1869—cont	r	r.	"	,,	1869—cont.		~	"	,,
	3 IF	22.01	37.18	22.91	July 11 22	G	7.15	21.37	,
4 2	2 G	20.88	35.13	20.87	15 0	JS	7.02	21.30	
i '				<u>_</u>	15 21	G	7.29	21.62	6.99
·-	2 G	15.22	29.73	15.22	18 23	JS	6.77	21.04	
21 2	3 IF	15.52	29.57	15.58	19 23	G	6.92	21.03	ŀ
23 1	ı IF	16.44	30.2	16.45	21 22	JS	6.69	21.04	6.43
~27 2	3 G	15.54	29*57	15.27	25 22	G	6.48	20.67	
30 2:	2 IF	15.4	29.99	15.43	28 0	IF	6.41	20.24	6.30
May 2 2	3 JS	16.91	31.19	16.90	Aug. 1 23	G	6.15	20.34	6.10
17 22	ı JS	9.60	23.82	9.28	6 22	JS	4.86	19'11	
24 2:	z G	11'94	26.24	11.06	8 22	G	5.00	19.78	4.93
28	JS	12.22	26.73	12.21	11 23	G	4*45	18.43	4.46
June r :	ı IF	12.86	27.25		14 13	G	4.19	18.49	
2 2	3 G	13.34	27.64		15 2/3	G	4.53	18.20	
· • • • • • • • • • • • • • • • • • • •				13.03	18 23	IF	4.14	18.19	4.12
	3 G	12.88	•••		20 23	IF	4.06	18.58	
· ·-6 2:	-	12.96	27.26		22 22	G	4.30	18.46	
9 1	1	12.97	27.22		24 23	IF	3.67	17.86	
13 2	,	12.26	26.89	12.28	27 22	G	3.60	18.01	3.69
10 2		12.48	26.92		29 22	JS	3.77	18.05	
20 2	1	12.83	27.05	12.87	Sept. 2 22	G	3.41	17.74	
24 2	JS	10.00	25'14	10.80	6 0	G	3.52	17.60	3.33
	,				8 22	JS	3.59	17.21	3 33
27 2	3 G	9.77	24.10	9.80	13 22	G	3.30	17.57	
30 2	3 JS	8.45	22.66	8 42	14 23 18 0	IF JS	3°06	17.25	2.93
July 4 2	3 G	. 7°59	21.75	7.54	21 0	JS		17.12	
8 (o IF	6.75	21.56		26 17	JS	5.32 5.35	16.21	2.41
	. !		July 28d	oh Merc	cury very unst	eady.			1

TABLE VI.—continued.

Nadir-Points of the Transit-Circle.

			Second	of Nadi	r-Point,			Second	of Nadi	r-Point.
D	ate.	Observer.	Obse	rved.	Adopted.	Date.	Observer.	Obser	rved.	Adopted.
		0	À	ſ	h				f	λ
1869	—cont.		"	,,	"	1870—cont.		"	"	· "
Sept.	30 21	G	2.43	16.46		Jan. 7 3	IF	8•68	22.67	
Oct.	4 22	JS	2.14	16.32		7 23	IF	8.97	23.13	8.92
	11 0	IF	2.55	16.32			G			10,10
	13 23	IF	2.04	16.19	2.08	10 23		10.08	24.38	10-16
	14 20	G	2.18	16.48		13 2	IF	11.02	25.59	11.04
	15 23	IF	2.01	16.11		14 23	IF	11.2	25.85	11.55
	18 23	JS	1.62	15.92	1.64	16 23	G	12.67	27.00	12.70
	21 23	G	2.38	16.26	2.39	21 3	G	13.77	28.04	13.77
	26 0	IF	1.69	15.80	1.61	26 4	IF	14.13	28.49	14'18
Nov.	-	G	3.10	16.35		30 22	G	16.59	30.26	16.39
	10 6	JS	2.08	16.38		Feb. 3 23	Js	17.63	32.02	17.69
	12 23 14 23	IF G	2°03	16.49	2.05	6 23	G	19.01	33.58	10.01
	21 23	G	2.00	16.52		_	JS	-		
	22 23	IF	2.04	16.12		10 0	ا مر ا	20.00	34°33	50.03
	23 23	JS	2.01	16.46		12 10	JS	21.37	35.48	21'44
	28 23	G	2.47	16.74		14 0	G	22.37	36.67	
Dec.	3 0	G	2.61	16.91	2.22	14 23	IF	22.30	36.46	22.32
	8 0	JS	3.36	17.63	3.36	2I I	JS	23.25	37.85	23.22
	13 3	G	5.46	19.73		26 4	JS	25.51	39.21	25.53
	16 o	JS	4.90	19.53	5.28	Mar. 4 3	G	26.11	40.38	26.11
	18 4	G	5.40	19.74	5 20					
	20 0	J8	5.55	19.61		6 23	IF	26.45	40.2	26.32
	23 23	1F	5.95	19.96		11 23	IF	26.98	41.11	26.96
	28 ¢	G	6.13	20.46	6.15	. 13 23	G	27.08	41.51	
	29 23	G	6.36	20.69		18 23	IF	27.80	41 84	27.57
18	370.					27 22	JS	27.39	41.78	
Jan.	3 23	G	7.81	22.16		Apr. 1 3	G	28.19	42.52	28.10

October 21d 23h. Mercury very unsteady.

			Second	of Nadi	r-Point.			Second	s of Na di	r-Point.
D	ate.	Observer.	Obse	rved.	Adopted.	Date.	Observer.	Obser	rved.	Adopted
		0	λ	f	h			λ	f	λ
1870-	-cont.		"	"	,,	1870—cont.		•	,,	,,
Apr.	4 •	JS IF	26.31	40.42	26.26	July 20 23	G	5.82	20.13	5.84
	8 23	G	26.20	39.10	24.76	27 2	IF	5.21	19.23	5.39
	19 22	JS	25.27	39.22		28 22	JS G	4.79	18.61	4.82
	21 0	IF	25.44	39.57	25.33	Aug. 5 23 8 23	G IF	4°45 3°73	18.00	4.40
	24 23	G	22.61	36.80	22.27	10 23	JS	3.88	18.18	3.44
May	1 23	JS	19.91	34.51	19.93	12 23	IF	3.85	17.81	
	6 22	IF	18.37	32.47	18.59	21 23	G	3.59	17.57	3.30
	9 22	JS IF	17.38	31.22	17.33	25 O 27 S	IF JS	2.62	16.86	
	10 23	G	17 30	31.22 31.22	13.03	30 23	G	2.72	17.08	2.71
	19 3	JS	10.86	25.14	10.87	Sept. 4 23	IF JS	2.22	16.88	
	20 23	IF	10.46	24.70	10.45	9 23	IF	2.58	16.44	
	24 22	G	9.41	23.93	9.65	II 22 I5 23	G JS	2·59	16.89	2.32
	29 23	JS	9.64	23.85		20 3	IF	2.42	16.76	- 3-
June	6 23	G	5.12	19.35	5.13	21 23 22 23	G IF	2.32	16.21	
	10 0	IF G	4.00	18.19	3.96	25 23	G	5.3 0	16.2	
	15 23 19 23	G	3.32 3.32	17.40	3*47	Oct. 2 23	JS IF	1 · 94	16.32	
	24 3	IF	7*45	21.62	7.40	11 0	JS	1.69	15.99	ļ
July	3 23	JS	8.85	23.04	8.8f	12 3 14 23	JS IF	1.98	16.13	1.89
	11 23	G	7.80	22.16	7.85	. 17 0	G	1.67	16.03	
	14 0	IF	7.11	21.35	7.10	23 23	G	1.88	16.24	
	17 23	JS	6.51	20.48	6.51	30 22	JS	1,13	15.22	1,19
				·						i.

TABLE VI.—concluded.

Nadir-Points of the Transit-Circle.

		Seconde	of Nadi	r-Point.	•		Second	of Nadi	r-Point.
Date.	Observer.	Obser	rved.	Adopted.	Date.	Observer.	Obser	rved.	Adopted.
	0	À	f	À		0	h	f	h
1870—cont. d h		"	"	,	1870—cont.		"	"	~
Nov. 4 10	G G	1.69	15.99		Dec. 1 10	JS	4.11	18.41	4.11
6 23 13 22	JS	1.83	16.14	1.79	2 9	IF	4.22	18.27	4.22
17 10	G	1.65	15.89	1.65	6 10	G	5.83	20.08	5.83
18 10	JS	1.24	15.90	1.24	7 10	JS	5.41		5.41
21 10	IF	1.89	16.08	1.89	8 10	G	6.21		6.21
22 11	G	1.94	16.53	1.04	12 10	IF	7.59		7.69
23 11	G	2.09	16.40	2.09	13 10 14 22	G	8.09		8.09
24 11	JS	2.31	16.21	2.23	16 7	IF	9.27		9.27
25 11	IF	2.61	16.86	2.61		G	10.43		10.43
28 10	JS	3.01	17*22	3.01	19 9 27 8	G	10.82		10.85
29 10	G	3.25	17.61	3.25	27 8	'	10-95		10.92
					l <u> </u>				<u> </u>

November 4^{d.} 23^{h.} Instrument raised from its bearings; pivots cleaned and oiled. December 7^{d.} ch. Z. D. wire-plate removed and wire f taken off.

TABLE VII.

Separate Results of Direct and Reflex observations of Stars.

Date.	Star.	Observer.	Direct.	Reflex.	R.—D.
1866.			• , ,,	"	"
Oct. 2	a Argûs,	G	142 37 24.60	26.08	+ 1.4
2	a Canis Majoris	G	106 32 7.29	4.26	— 2·7
3	β Orionis	C F	98 21 31.94	35.54	+ 3.3
5	β Orionis	CF	98 21 29.52	34.32	+ 4.8
5	a Argûs	CF	142 37 28.10	26.18	- 1.9
5	a Canis Majoris	CF	106 32 3.47	6.47	+ 3.0
8	a Argûs	G	142 37 23.58	.25.27	+ 1.6
8	a Canis Majoris	G	106 32 5.26	5.36	+ 0.1
10	β Orionis	C F	98 21 32.03	34.11	+ 2.0
10	a Argûs	C F	142 37 24.11	26.82	+ 2.7
10	a Canis Majoris	CF	106 32 4.52	8.68	+ 4'1
16	a Orionis	CF	82 37 12.30	17.74	+ 5.4
19	β Orionis	CF	98 21 30.60	34'53	+ 3.9
19	a Orionis	CF	82 37 14.67	17.32	+ 2.6
19	a Canis Majoris	CF	106 32 3.87	6.26	+ 2.3
21	β Orionis	*	98 21 31.25	35.41	+ 4.4
21	a Orionis	*	82 37 14.17	17.22	+ 3.3
21	a Argûs.	*	142 37 23.71	29.72	+ 6.0
21	a Canis Majoris		106 32 4.31	7:34	+ 3.0
22	β Orionis	G	98 21 29 82	31.47	+ 1.6
22	a Orionis	G	82 37 14.11	17.21	+ 3.4
22	a Argûs	G	142 37 23.99	27.21	+ 3.5
22	« Cauis Majoris	G	106 32 5.58	5.69	+ 0.4
23	a Argûs	JS	142 37 27 20	25.12	- 2'0
-3 23	α Canis Majoris	JS	106 32 3.22	5*44	+ 1.0
-3 24	a Orionis	CF	82 37 14.32	20'10	+ 5.2
24	a Canis Majoris	CF	106 32 2.97	7.27	+ 4.3
26	a Canis Majoris	*	106 35 2.99	6.24	+ 0.2
26	e Canis Majoris		118 47 28.80	32.28	+ 3*7
29	β Orionis	CF	98 21 35.58	34.10	— 1.0
•	a Orionis	CF	82 37 13.25	• •	+ 2.3
29	a Argûs	CF	142 37 13 55	26.02 12.90	+ 1'4
29		CF	1		
29	a Canis Majoris	JS	106 32 4.84	7:27	+ 2.4
30	a Orionis	าม	82 37 14.15	15.05	+ 0.9

866 October 8. Mercury unsteady.
October 21 and 26. Direct by JS. Reflex by CF.
October 24. a Orionis, very indifferent definition.

TABLE VII.—continued. Separate Results of Direct and Reflex observations of Stars.

Date	•	Star.	Observer.	Direct.	Reflex.	R.—D.
1866—c	ont.			。,,,,	,,	. "
Nov.	1	β Orionis	JS	98 21 31.69	. 32.28	+ 0.89
	I	a Orionis	JS	82 37 14.71	15.21	+ 0.80
	Ľ	a Argûs	J8	142 37. 24 53	23.96	 0.22
	1	a Canis Majoris	JB	106 32. 2.57	6.55	+ 3.98
	1	e Canis Majoris	J8.	118 47 27 91	32.24	+ 4.83
	2	a Orionis	CF	82 37 14.46	16.36	+ 1.90
	2	α Argûs	CF	142 37 23.04	25.21	+ 2.47
	2	a Canis Majoris	CF	106 32 4.79	6.65	+ 1.86
	2	e Canis Majoris	CF	118 47 29.09	35.46	+ 6.37
	5	a Orionis	G	82 37 14.75	14.03	- o·72
	5	a Argûs	G	142 37 23.39	26.03	+ 2.64
	5	a Canis Majoris	G	106 32 6.36	6.48	+ 0.15
	6	β Orionis	CF	98 21 30.40	31.75	+ 1.35
	6	a Orionis	CF	82 37 16.29	16.13	— o.19
	6	a Argûs	CF	142 37 23.77	25.81	+ 2.04
	6	a Canis Majoris	CF	106 32 4.97	8 · 84	+ 3.87
	6	e Cania Majoris	CF	118 47 28.69	33.63	+ 4'94
	8	a Canis Majoris	G	106 32 1.77	7.00	+ 5.23
	16	a Canis Majoris	JS	106 32 4.76	4.22	- 0·2I
	16	e Canis Majoris	JS	118 47 31.16	33.89	+ 2.73
	22	a Orionis	JS	82 37 14.14	16.27	+ 2.13
	22	a Canis Majoris	JS	106 32 4.29	5.48	+ 1.49
•	22	« Canis Majoris	JS	118 47 28.56	31.18	+ 2.62
	28	a Canis Majoris	G	106 32 4.80	6.09	+ 1.59
Dec.	19	a Canis Majoris	G	106 32 5.20	5.87	+ 0.37
1867. Mar.	14	a Canis Majoris	JS	106 72 9.48	10.64	+ 1.16
	30	α Canis Majoris	G	106 32 10.03	11.89	+ 1.87
Apr.	3	a Canis Majoris	JS	106 32 9.50	10.62	+ 1.47
	12	α Canis Majoris	IF	106 32 10.33	10.01	— o·32
	2 5	a Canis Majoris	JS	106 32 8.93	10.40	+ 1.47

1867 March 30. Mercury unsteady; direct observation hurried. April 3. Bad definition.

74 Separate Results of Direct and Reflex observations.

TABLE VII.—concluded. Separate Results of Direct and Reflex observations of Stars.

Date.	Star.	Observer.	Direct.	Reflex.	R.—D.	
1867—cont. May 10 10 17 18	a Argûs	CF CF CF IF	0 , , , , , , , , , , , , , , , , , , ,	28.04 11.29 28.43 9.87 9.42	" + 2.52 + 2.43 + 3.92 + 0.63 - 0.72	
1868. Jan. 22	a Canis Majoris	IF	106 32 14.91	20.90	+ 5.99	

ROYAL OBSERVATORY,

CAPE OF GOOD HOPE.

SEPARATE RESULTS

OF

MERIDIAN OBSERVATIONS OF STARS

MADE IN THE YEAR

1866

REDUCED TO MEAN PLACE FOR 1866.0.

Date.	Observer.	R.A.	N.P.D.	Date.	Орвет чег.	R. A.	N.P.D.
		Andromedæ.				d Piscium.	
Nov. 1	В	h m s	61° 38′ 59″26	Oct. 21	JS G	h m s 0 13 42°35 42°28	82° 33′ 13′′86 13°56
γ Pegasi.						0 13 42.32	82 33 13.71
Oct. 30	IF B	 o 6 20°34	75 33 39 29			44 Piscium.	
Dec. 4	CF	20.34	39.67	Sept. 23	(F JS	0 18 32·16	88 48 8·16 8·96
		0 6 20.30	75 33 39.48			0 18 32.12	88 48 8.26
		B. A. C. 45.				β Hydri.	
Nov. 16	CF JS	45.03	166 39 23·51 24·36	Jan. 6	G	0 18 39.63	
29	IF	0 9 45.30	166 39 23.60	9	G	39.19	
	•	o Octantis.		Feb. 24	JS	39.21	168 0 31.55
June 21	G	0 13 15.24	179 6 28 91	Mar. 3	CF G		29.86
22 23	G G	13.62	30·19	17	G	39.31	
24	G	0 13 13.36	179 6 30.21	Oct. 16	CF B	39.32	30.64
		Octantis S.P.		Nov. 1	B CF B		33.23 33.20
June 21	G	0 13 11.32	179 6 32.06	7	IF B	•••	35,10 30,81
22 23 24	G G	18·43 6·37 7·80	32°97 29°62	19 22	B		31.41
29	G		29.95	23 26 28	IF B B	39°61	31.40
July 3		0 13 10.08	31.32	Dec. 4	CF	39.16	

Date.	Observer,	.R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	βН	lydri –continu	æd.			β¹ Toucani.	
Dec. 5	IF CF	h m s	168° oʻ31"66	Dec. 12	IF	h m s	153 41 48 49
10	B B		32·81			β³ Toucani.	
12 18	IF JS		31.22	Dec. 7	CF	o 26 36·66	153 46 11.69
19	В	0 18 39.41	33.58	. 10	В	36.73	153 46 10.93
	<u> </u>	D 4 G					
		β Hydri S.P.	i			B. A. C. 143.	<u> </u>
Jan. 5	G	0 18 39.66		Nov. 30	CF	0 28 4.61	143 6 48.75
. 9	G	39°37 39°26				B. A. C. 176.	
Feb. 23	G G	39.33		Nov. 30	CF	0 34 8.19	150 12 25.04
Mar. 1	G	39°77 39°84		Dec. 4	CF IF	7°94 8°26	28.20
3 16	CF G	39.59				0 34 8.13	150 12 26.75
19	G	39.56				β Ceti.	
	! 	0 18 39 46		Oct. 5	CF	0 36 51.78	108 43 20:31
		12 Ceti.		10	CF CF	51.41	21.69
Oct. 16	CF		94 41 52.03	16 22	CF G	 51.72	20.65
2 I 2 2	JS G	 o 23 12·03	51°49 51°49	29 30	CF JS	51.24 51.80	20.29
Nov. 16	CF	12.11	 ·	Nov. 1	B G	21.81	21.82
Dec. 4	CF CF	15.10		4	CF B	51.69 21.68	-0.78
	1	0.53 15.10	94 41 52.15	9	CF	51.66	•••

	1	Ι				T	T
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	β Ceti—continued.					χ ² Toucani.	
Nov. 12	В	h m s	108 43 19:15	Nov. 30	CF	h m s	160 15 .5"93
. 19	G	0 36 51.61			CF		
22	В		19.48	Dec. 4	CF	59.15	7°95 8°93
23	IF	51.62	19.83	7	OF	59*49	
26	В	•••	18.64			0 49 59 37	160 15 7.60
Dec. 6	В		21.64		•		
7	CF	51.80				70 Piscium.	
20	IF	51.78	20.23				,
		0 36 51.71	108 43 20.40	Nov. 28	В	0 55 8.75	82 46 53.86
ð Piscium.				€ Piscium.			
		o i iscium.		Sept. 24	JS		82 49 54.47
Sept. 24	าย	0 41 44.01	83 8 40*27			•••	
_	'			Oct. 4	JS CB	•••	55.77
Oct. 21	JS	44.01	39.75	5	CF CF		(50.86)
22	G	43.98	40.12	7	JS	0 55 59.52	54·16
Nov. 18	CF	44 ° 07	39.81	10	CF	59.49	24.10
19	G	44.01	39.36	12	CF	29.21	. 53.42
		0 41 44.02	83 8 39.87	16	CF		23.21
		7. 77	-3 - 39 -7	19	CF	59*54	53.16
				22	G	59°47	•••
		λ Hydri.		Nov. 4	CF	59.22	52.72
				18	C F	·	54.01
Dec. 5	IF		165 39 10.70	19	G	59*44	55°47
11	В	0 43 55.83	103 39 10 /0	Dec. 27	IF	59.57	57.25
		0 43 55.83	162 39 11.09	·		0 22 29.21	82 49 54 10
l	ρ Phœnicis.				,	→ Phœnicis.	· · · · · · · · · · · · · · · · · · ·
1	1			Dec. 4	CF	0 56 21.37	147 43 28.68
Dec. 7	CF	0 44 34.63	141 43 6.14	7	CF	21'34	27.94
12	IF	34.71	5.28	10	В	21.48	28.10
		0 44 34.67	141 43 5.86			0 56 21.40	147 43 28.24

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	. В. А.	N.P.D.		
	د Toucani.					€¹ Ceti.			
Nov. 29	IF	h m s	152 29 28.66	Aug. 29	CF	h m s	0 / //		
30	C F	59.67	30.02	Oct. 4	CF		98 52 31.02		
Dec. 4	CF	59.62	29.97	7	CF	19.57	31.92		
		1 1 59.75	152 29 29.57	8	G	19.52			
		39 /3	-39 -9 37	10	CF	19.63	32.51		
			12	CF	19.70				
		¹ Piscium.		19	CF	19.63	29.61		
	,			22	G	19.63	•••		
Dec. 17	CF	1 6 44.07	83 8 2.47	Dec. 4	CF	19.57	31.65		
				7 12	CF	19.67	32.40		
1			17	CF	19.65	30.18 30.18			
<u> </u>				20	IF	19.49	32.24		
<u> </u>	l			27	IF	19.60	32.95		
Dec. 17	CF.	1 6 45.54	83 7 51.51			1 17 19.61	98 52 31.26		
		» Phœnicis.		B. A. C 422.					
Dec. 10	В	1 9 8.24	136 14 52.85	Dec. 6	В	1 17 19	157 5 9.77		
	,	« Toucani.				B. A. C. 426.			
Nov. 28	B IF	1 11 13.12	17.03	Nov. 29	IF	1 18 44.74	132 11 26.26		
Dec. 4	CF	13.08	17.90			η Piscium.			
	<u> </u>	1,	139 33 1/ 94	Aug. 29	CF	1 24 19 07	75 20 43.83		
		P A A			CF	19.02			
		B. A. C. 398.		Oct. 3	CF	19.08	45.47		
Dec. 5	12		157 6 18.72	19	CF	19.02	44'45		
6	В		19.93	Nov. 4	CF	19.05			
7	CF	1 12 24 19	19.43	19	G	19.04	44.97		
		1 12 24 19	157 6 19.46	Dec. 7	CF	19.07	••••		
	<u> </u>	<u>'</u>	1		<u>' </u>	·	· · · · · · · · · · · · · · · · · · ·		

Q	_
0	Ų

		 	,		1	 	
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	, R, A.	N.P.D.
•	η Piscium—continued.					scium— <i>contin</i>	ued.
Dec. 12	IF CF	h m s 1 24 19.00	75 20 42 92 75 20 44 33	Oct. 22 Nov. 4 Dec. 7	G CF	h m s 1 34 27 67 27 64 27 61	85° 11′ 30°81 28°42
		8 Phœnicis.		17 20 27	CF IF IF	27.63 27.77	28°54 28°51 30°46
Nov. 29 30	IF CF	1 25 40.19	139 46 9.55			1 34 27.68	85 11 29.25
Dec. 4	CF B	40.09	11.34			o Piscium.	
		1 25 40.18	139 46 11.02	Jan. 22	G G	1 38 19.31	81 31 3.54 3.63
<u> </u>		a Eridani.		Sept. 26	CF	19.12	4.33
Nov. 22 26 28	B B	1 32 43.08 43.44 43.08	147 55 4.70 5.11 6.40	Oct. 22 23 Nov. 19	G JS G	19.35	3°70 4°64 3°45
Dec. 5	CF IF B		5°28 4°53			1 38 19.27	81 31 3.83
10	B IF	43°10	5°80 5°16 4°24			e Sculptoris.	
19	В	1 32 43.20	5,32	Nov. 29 30	IF CF	1 39 22.11	22.61
		ν Piscium.				1 39 22~17	115 43 23.03
∆ ng. 29	CF	1 34 27.60	85 11 28.64			q ² Eridani.	
Oct. 5	CF CF G	27.74 27.73	28·70 28·57	Dec. 4	CF CF	1 40 59°45	144 11 44.69
то . 19	CF CF	27·71 27·61 27·64	31 · 21 29 · 20		В	59.91	45°93

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
		β Arietis.				B. A. C. 635.	
Oct. 2 8 19 Nov. 4	G G CF	h m s 1 47 14.56 14.58	69° 50′ 54″66 52°06	Dec. 4 7 10	CF CF B	1 56 10.33	156° 42' 58''79 60° 28 59° 41 59° 26
26	В	1 47 14 57	50.87		_	1 56 10.58	156 42 59.44
	B. A. C. 582.					a Arietis.	
Dec. 19	В	1 48 16.41	136 57 35.24	June 8	JS CF		67 10 20.00
	φ Phœnicis.		Oct. 2	G OF CF CF	 37·60 37·39	(23°37) 21°73	
Dec. 4	CF IF	1 48 48·36 48·29 1 48 48·33	133 9 20.62	7 8 18	G B CF	37°59 37°47 37°56 37°46	22.73
		B. A. C. 589.	133 9 10 90	Nov. 19 26 Dec. 27	G B IF	37°42 37°54	 19·72
Nov. 30	CF	1 49 11.93	158 36 18.30			1 59 37.49	67 10 21.13
Dec. 7	CF	1 49 11.67	128 39 18.18			ξ¹ Ceti.	
η ² Hydri.			Aug. 29	CF CF	2 5 54°03 54°03	81 46 57.76	
Dec. 10	B B IF	32.20 32.20 33.00	158 18 25·25 · 25·19 23·93	Nov. 19 Dec. 17 18	G CF IF	54.05 54.09	57°97 57°45
	<u> </u>	1 51 32.72	158 18 24.79			2 5 54.07	81 46 58.31

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
		67 Ceti.			ξ²	Ceti—conlinu	ed.
Aug. 29 Sept. 26	CF CF	h m s 2 10 18 09	97 2 27.81	Dec. 18	IF IF	h m s 2 21 2 33	82° 8′ 30°26 30°26
		18.15				2 21 2.29	82 8 30.10
Oct. 3	CF CF	18.17	25°45				
5	CF	18.17	•••				
7	G	18.15	•••				
19	CF	18.02	26.55			B. A. C. 787.	
24	CF	18.51	26.49	Dec. 10	В	2 27 17.29	136 27 46.80
Nov. 16	CF	18.01	•••				
Dec. 4	CF	18.15	•••				
7	CF	18.12	•••			η Horologii.	
14	CF	•••	27 '94			4 1101010B111	
20	IF	18.09	26.60	Dec. 2	JS		143 7 25.98
27	IF	17.97	25.59	14	CF	2 32 59.41	27.87
		2 10 18.10	97 2 26 54			2 32 59.41	143 7 26.93
		8 Hydri.				<u> </u>	<u> </u>
Dec. 10	В	2 19 22.33	159 16 11.74			γ Ceti.	
	•			Oct. 24	CF	2 36 21.61	
1				29	CF	21.67	87 19 50.01
		ξ ² Ceti.		30	JS	21.62	49.02
Aug. 29	CF	2 21 2.32	82 8 30.42	Nov. 5	G	21.66	
Oct. 3	CF	2.53		Dec. 7	CF	21.48	
7	CF	2.58		17	CF	21.23	
24	CF	2.33	29.15	20		21.20	49.64
29	CF	2.36	30.22	27	IF	21.27	50.80
No v. 9	ı	2.50			1	2 36 21.28	87 19 49.87
Dec. 2	1		30.63	i			
7		2.24	•••	I		. 171	
12		•••	30.51			e Hydri.	:
14	1		29.89	Dec re	В	2 22 23:5-	158 50 31.51
17	CF	2.30	29.22	Dec. 10	"	2 37 32.07	150 50 31 21

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R, A.	N.P.D.
		μ Ceti.		a Coti—continued.			
Jan. 23	G	h m s	80 27 11 20	Oct. 30	JS	h m s	o , , ,,
Sept. 27	JS	42.22	11.29	Nov. 5	G	16.66	
Oct. 23	JS	•••	13.14	6	CF	16.66	86 26 15.11
24	CF	42.17	10.86	21	G	16.22	•••
Nov. 21	G	42.17	11.96	Dec. 7	CF	16.22	
Dec. 17	CF	42.07	11.16	14	OF.		14.50
18	IF	42.59	•••			2 55 16.66	86 26 15.12
		2 37 42.17	80 27 11.65				
						В. Л. С. 956.	
	B. A. C. 864.				T		
Dec. 2	JS			Nov. 16	JS	2 56 16.27	154 36 18.16
19	В	2 40 30.79	133 24 3.80	Dec. 19	B	16.30	17.07
'		2 40 30.79	133 24 4'15	26	В	16.55	18.93
		- 40 30 /9	-33 -4 4 -3			2 56 16.36	154 36 18.05
		€ Hydri.				ø Hydri.	
Dec. 10	В	2 43 29	158 10 50.79		i		I
				Dec. 19	В	3 1 29.98	162 25 35.01
		σ Arietis.		26	В	59.96	36.03
		1				3 1 59.97	162 25 35.51
Nov. 21	G	2 44 6.01	75 28 18.07				
		λ Ceti.			1	8 Arietis.	
Sept. 27	Ja	2 52 32.29	81 37 42.36	Oct. 21	CF CF		70 46 55 09
		~ 5~ 5 ~ ~ 9	0. 3/ 42 30	24 No	1	3 3 58.25	54*77
				Nov. 2	G CF	58°25	 54°13
		a Ceti.		21	G	28.35	
Oct. 18	В	2 55 16.72		Dec. 18	IF	•••	54.91
29	CF	16.69	86 26 16 04			3 3 28.30	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	0				0			
		a Fornacis.		η Tauri—continue l.				
Nov. 16	Js	h m s 3 6 22.83	119° 30' 61"60	Oct. 29	CF	h m s	o / //	
Dec. 14	CF	22.66	58.25	Dec. 27	IF	31.32	66 18 43.57	
19	В	22.81	58.33			3 39 31.41	66 18 40.94	
		3 6 22.77	119 30 59.39			<u> </u>		
<u> </u>						e Tauri.	·	
	В. А. С. 1038.			Tou as	Js		79 16 16.76	
Dec. 19	В		169 29 48.70	Jan. 25		3 40 55.59		
26	В	3 12 11.36	20,33	Dec. 18	IF G	55.69	16.32	
		3 12 11.36	169 29 49.52			3 40 55.61	79 16 16.43	
1]	3 40 33 01	/9 10 10 43	
	4 Hydri.			В. А. С. 1197.				
Nov. 16	Js	3 19 21.76	167 52 34.45	Nov. 16	JS	3 42 31.87	155 13 42.66	
				Dec. 26	В	31.69	45.46	
		f Tauri.				3 42 31.78	155 13 44.06	
Oct. 24	CF IF	3 23 28.71	77 31 28.07			τ ⁸ Eridani.	·	
Dec. 16		3 23 28.79	77 31 27.65	Dec. 27	IF	3 48 0.44	115 0 39.36	
		B. A. C. 1109				ν³ Eridanį.		
Nov. 16	JS	3 29 11.51	122 19 25.96	Dec. 26	В	3 48 32.65	125 7 47.48	
Dec. 26	В	11.36			1	1	·	
		3 29 11,59	122 19 25.96			γ Hydri.		
		η Tauri.		Mar. 20	G G	3 49 20.23		
Oct. 12	CF	3 39 31.45	66 18 39.51	24	G	(21.35)	L .	
24	CF	1				3 49 20.23	164 38 55.83	

1		<u> </u>		Observer.		N.P.D.
	γ Hydri S.P.				ridani- <i>-contin</i>	ued.
Mar. 20 (h m s	0 , , ,,	Oct. 29	CF	h m s 4 5 19 53	97 11 21 07
25 (30.40	164 38 56.45	Nov. 2	CF	19.64	20.38
1	3 49 20.62	164 38 56.45	5	G	19.51	
		<u> </u>	6	CF	19.61	19.71
į			8	G	19.62	19.57
	γ¹ Eridani.		18	IF	19.26	21.40
		1	21	G	19.48	21.08
Oct. 18 I			Dec. 19	G	19.65	•••
19 C 21 C		103 53 27.67 27.08			4 5 19.55	97 11 19.76
29 C	F 46.71	29.15				`
30 J	S 46.76				γ Tauri.	
Nov. 2 C	F 46·68	28.60		,		
l ' .	8 46.74		Feb. 22	JS	4 12 10.34	74 41 52.85
1	46.66	29.45	Sept. 27	JS	10.16	53.70
6 0	F 3 46.72	28.72	28	CF	10.56	52.98
1	F 46.71	30.03			4 12 10.25	74 41 53.18
1	F 46.79	30.38		}	'	, , ,
21	46.72	28.84				
Dec. 18 I	r	30.52			v⁴ Eridani.	
	3 51 46.41	103 53 29.07	Nov. 16	JS	4 12 49.59	124 7 38.10
	λ Tauri.	,			ð¹ Tauri.	
Oct. 24 C	F 3 53 15.49	77 53 25 03	Sept. 28	CF	4 15 12.62	72 46 25 17
			Nov. 21	G	12.22	27.91
	o¹ Eridani.		22	JS	12.62	27.18
Sept. 28 (F 4 5 19.60				4 15 12.59	72 46 26.75
I - 1	' ' '	07 12 201-0				
1	F 19°44	1	Į.		6 Reticuli.	
	F 19.44	1				
	OF	17.58	Dec. 26	В	4 16 10.65	153 34 51.50

Date.		Observer.	R.A.	N.P.D.	Date.	Observer.	B. A.	N.P.D.
	η Reticuli.					a I	lauri—continu	ed.
Dec.	4	JS	h m s 4 20 26 95	153° 42′ 16"26	Mar. 22	CF	h m s	o , "
			•		June 8	G		73 45 45 22
1					10	G		44.75
1			« Tauri.		21	G		46.30
					22	G		46.37
Jan.	-	JB	•••	71 7 9'60	27	G	13,95	47.24
	26	G	4 20 47 68	9.53	28	G	14.09	
Feb.	22	JS		8.95	Sept. 28	CF	14.14	***
Sept.	27	JS		8.79	Oct. 10	CF	14.12	44.52
	28	CF	47.80	8.30	12	CF	13.98	
Oct.	10	CF	47.67	7.31	18	В	14.03	(43.30)
l	12	CF	47.71	6.40	19	CF	14.11	45*04
	19	CF	47.70	7.93	26	CF	14.56	44.86
	22	G	47.68	•••	Nov. 1	JS		46.40
	26	CF	48.04	9.04	2	CF	14.06	. 43.81
	29	CF	47.64	9.09	8	G	14'04	45.2
1	30	J8	47.72	10.12	9	IF	13.94	47*18
Nov.	1	JS		10.11	Dec. 19	G	14.16	46.58
l	2	CF	47'70	8.66	20	JS		45'74
	4	Ji	47.75	9.28				
i	5	G	47.64				4 28 14.07	73 45 45.63
	6	CF	47.73	•••				
	18	IF	47.74	9.20			.	
ł	21	G	47.68	9.08			a Doradûs.	
l	22	JS		9.28				
Dec.	19	G	47.80	•••	Nov. 16	JS	4 31 6.59	145 19 22.74
İ	20	JS		9.31	Dec. 4	JS	6.19	21.62
			4 20 47 73	71 7 8.95			4 31 6.54	145 19 22.18
	a Tauri.						B. A. C. 1454.	
Jap.	25	JS	•••	73 45 45 16	Sept. 1	G	4 32 57.70	
	_	G	4 28 14.08		2	G	58.29	171 52 46.59
Feb.	22	JS	···	45.71			4 32 58.00	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	B. A. C. 1454 S.P.					15 Orionis.	
Sept. 1	G G	h m s 4 32 57*98 57*81	171° 52′ 46″78	Sept. 28	CF	h m s	74° 34′ 34″ 30
_		4 32 57 90	171 52 46.78			•	
		λ Pictoris.				β Orionis.	
Nov. 16	JS	4 39 20.61	140 44 4'70	Jan. 26	G	5 8 5.89	98 21 32.44
Dec. 4	JS	20.21	5°34	Mar. 22 June 10	CF G	5.89	31*39
		4 39 20.66	140 44 5.02	19	G	•••	30.99
		11 Orionis.		24 25	CF CF		31.03 30.88
				27	G	5°97	•••
Sept. 28	CF	4 56 54.85	74 47 5°22	28	G	5*95	
		B. A. C. 1587.		July 12 Sept. 28	G CF	5°94 5°86	
Sept. 4	G	4 59 3.65	165 8 28.32	Oct. 3	CF CF		31°94
	В.	A. C. 1587 S.	P.	7	CF CF	5.83	30.64 32.03
				18	В	5.77	(25.21)
Sept. 4	G	4 59 3.48		19	CF		30.60
	٠			21	JS	·	31.52
		« Leporis.		22	G CF		29.82
	<u> </u>		1	26 29	CF	5·68 	29°45 35°28
Oct. 8	G	4 59 47 34	112 33	Nov. 1	JS	•••	31.69
				4	JS	5.97	31.43
		η ² Pictoris.		5	G	2.81	
				6	CF IF	 5°93	30°40 30°96
Nov. 16	JS	5 1 29.95	139 45 38.45		CF		(28.12)
27	CF JS	(30.95)		_	lF		31.80
Dec. 4	JS	30°17	39°77 39°30	Dec. 7	JS		31 80
		2 I 30.04				5 8 5.87	98 21 31.36

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	B. A.	N.P.D.
	₿ Oı	rionis (Reflexio	on).	β Tauri—continued.			
Oct. 3 5 10	CF CF CF	h m s	98° 21' 35' 24 34' 32 34' 11 34' 53	Nov. 2	CF CF	h m s 5 17 49 39 49 34 5 17 49 36	61 30 30.68
21 22 29 Nov. 1	CF G CF	 	35°71 31°47 34°19 32°58	Non	l ta	115 Tauri.	
2 6	CF CF		34·36 31·75 98 21 33·83	Nov. 22	JS	5 19 21°15 θ ² Pictoris.	72 9 23 17
		e Dora-lûs.	·	Nov. 29 Dec. 4	JS JS	5 21 43 96	3°05 142 26 4°06
Nov. 16 29 Dec. 4	JS JS JS IF	52°42 52°13	9°97 9°85			119 Tauri.	
•		\$ 13 52.23	157 20 9.78	Feb. 23	CF	5 24 21 57 8 Orionis.	71 30 30'05
Nov. 27	C F	5 16 5	140 45 (1:32)	Jan. 26 Mar. 22	G	5 25 9.72 9.78	•••
	1	β Tauri.		June 27	G	9·67 9·70	
Jan. 26 Feb. 23	G CF	5 17 49 41	61 30 31 59	July 12 Oct. 26	G CF	9°72	
Sept. 28 Oct. 7 26	CF CF	49°29 49°24 49°43	29.81	Nov. 2 5 6	CF G CF	9°71 9°89 9°75	
29	CF	49.45	30.62	18	IF	10,00	90 24 3'74

Date.	Observer.	R.A.	N.P.D.	Date,	Observer.	R.A.	N.P.D.
	8 Orionis—continued.					ζ Tauri.	
Nov. 26	G	h m s	0 . 11	Jan. 26	G	h m s	68° 56 (33° 26)
28	G	9.41		Feb. 22	JS		
				23 reb. 22	CF	38·43 38·34	30°82
		5 25 9.72	90 24 3 74	_			
	<u>'</u>			Oct. 26	CF	38.22	31.31
1			•	Nov. 22	.JS	38.11	30.92
		a Leporis.		Dec. 20	JS	38.32	31.28
	ĺ					5 29 38.32	68 56 30.95
Mar. 22	CF	5 26 49.18				 	
Oct. 26	CF	49°27	•••			a Columbee.	
Nov. 2	CF	49*25				a Columbie.	
6	CF	49.51	•••	Feb. 23	CF	5 34 47.84	
26	G	49.18					
28	G	49°27	•••	Mar. 22	CF	47.81	
İ		5 26 49.23	107 55	June 18	G	47.84	
				21	G	47.72	<i></i>
1				22	G CF	47.81	
	1	B. A. C. 1756.		24 25	CF	47.69	,
				26	G	47°72 47°72	•
Nov. 16	Js	5 28 20.02	128 36 30.73	27	G	47.81	
		3 33		28	G	47.88	
				July 3	G	47*93	
				4	G	47 95	
		e Orionis.		6	G	47*99	
Mar. 22	CF			8	G	47.77	
	ŀ	5 29 24.86	•••	9	G	47.80	
June 27	G	24.99	•••	10	G	47.70	
28	G	24.84		12	G	47.78	
July 12	G	24.88		13	G	47.80	
No v. 2	CF	. 24.91		17 18	G	47°73 47°75	
6	CF	24.78		19	G	47 75	
26	G	24.86			CF	47.87	
28	G	24.89		Oct. 7	JS	47 67	124 8 49°47 50°78
		5 29 24.88	91 17	18	В	(47 · 50)	(46.01)

_	_
n	`
ч	,
"	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	a Columbæ—continued.				В. А. С. 1890.			
Nov. 2	CF	h m s 5 34 47 81	124° 8′ 49"34	Dec. 7	IF	h m s	142° 8′ 25"39	
5	G CF	47°84 47°71	49°30 47°43					
18	IF	47 7 2	4/ 43 49°24			a Orionis.		
26	G	47.80	49.46	Mar22	CF			
27 28	CF G	47°85	. (46·69) 48·72			5 47 55'11	•••	
29	JS	47°92		June 27 28	1	22.02	•••	
Dec. 4	JS	47.98		July 12	G	55.05	•••	
7	IF	47.82	47.49			55.05	•••	
17	В	47 '92	49'40	Oct. 9	i		82 37 14.79	
20	JS	47.70	•••	16		•••	12.30	
				18	1	55.09	(10.61)	
		5 34 47.81	124 8 48.99	19	1	•••	14.67	
				21		•••	14*17	
						•••	14.11	
	E	3. A. C. 1855.		24		•••	14.32	
			ļ	29		•••	13.22	
Nov. 29	JS	5 42 44 92	136 38 52.19	30		•••	14.12	
Dec. 7	IF	44.81	51.43	Nov. 1			14.41	
10	JS		21.08	2		•••	14.46	
				4	1 _	54 °9 7	14*44	
1	,	5 42 44.87	136 38 51.97	5	- 1	•••	14.75	
				6			16.59	
				9 18	1	22,11	13.91	
		β Pictoris.		22		55.06	14'71	
		· · ·		26	1	55.02	14 14	
Nov. 27	CF	5 44 (6.73)	141 6 (54.42)	28	1	22,03		
				Dec. 17	"		4 12.49	
		χ^1 Orionis.		ĺ		5 47 55.06	82 37 14.25	
Oct. 26 Dec. 20	CF JS	5 46 27.11	69 45 6.55		a 0	rionis (Reflexi	on).	
21	CF	27.01	7.31	Oct. 16	CF		82 37 17.74	
		5 46 27.03	69 45 6.65	19			17.32	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
a Ori	a Orionis (Reflexion)—continued.					μ Geminorum.			
Oct. 21 22 24 29 30 Nov. 1 2 5 6	CF CF CF JS CF G CF JS	h m s	82 37 17.55 17.51 20.10 15.90 15.05 16.36 14.03 16.13	Feb. 23 Oct. 7 24 Nov. 9 24 Dec. 7 20	CF CF CF IF G IF JS	6 14 51 23 51 02 51 25 	13.88 15.53 15.53 13.96 14.03		
	A Columbie.	82 37 16.62		1	a Argûs.				
Dec. 14	IF	5 48 15	123 49 57.60	Oct. 2 5 7	G CF CF	 6 20 58·64	28°10 28°10 23°10		
		e Doradûs.		8	JS	 5 ⁸ *74	23°58 24°34		
Dec. 4	JS JS	2 50 2.23 	126 26 3.26 3.81 126 26 3.30	10 18 21 22 23	CF B JS G JS	 58·43 	24°11 (23°12) 23°99		
		γ Columbæ.		29 30	CF JS		27 · 20 24 · 62 22 · 83		
Nov. 27	CF	5 51 (47:27)	125 17 (55.44)		JS CF		24°53 23°04		
	≠ Orionis.			5 6	JS G CF	5 8*7 7	23.68 23.39 23.77		
Feb. 23 24 Nov. 6	CF JS CF G	55,30 	75 13 6.87 6.81 	18 23 26 28 29	IF CF G G JS	58°53 58°67 58°77 58°73 58°77	(23 · 89) 22 · 90 24 · 38 23 · 21 23 · 69		
		2 29 22.3I	75 13 6.84	Dec. 11	CF	58.47	23.34		

Digitized by Google

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	a A	Argûs— <i>continu</i>	ed.	a Canis Majoris.				
Dec. 14	IF	m s	142° 37′ 23″ 51	Jan. 23	l ls	h m s 6 39 14.50	o , , ,,	
17	В	6 20 58.83		May 12	G	14.45	•••	
		6 20 58.67	142 37 24.03	Oct. 2	G		106 32 7.29	
	-	·	<u> </u>	5	CF		3.47	
				7	CF	14.43	4.96	
				8	G		5.56	
	αΛ	rgûs (Reflexio	u).	9	JS	14.56	4.38	
0.4				10	CF		4.52	
Oct. 2	G	•••	142 37 26.08	18	В	-4 3-	(1.02)	
5	CF	•••	26.18	19	CF	· ···	3.87	
8	G	•••	25.27	21	JS		4.31	
10	CF	•••	26.82	22	G	!	5.58	
19	CF CF	•••	28.70	23	JS		3.2	
21	G	•••	29.72	24	CF	•••	2.97	
22	-	•••	27.51	26	JS	•••	5.99	
23	JS CF	•••	25'15	29	CF	•••	4.84	
29	CF	•••	26.02	30	JS	14.42	4.38	
Nov. 1	JS		23.96	Nov. 1	JS		2.57	
2	CF	•••	25.21	2	CF		4.79	
5	G	•••	26.03	4	JS	14'41	5.03	
6	CF		25.81	5	G		6.36	
		•••	142 37 26.37	6	CF		4 97	
	_	l .		8	G	•••	1.77	
				9	IF	•••	5.07	
				16	JS	•••	4.76	
		y Geminorum.		18	IF	14.70	5.30	
				21	G	14'49	4.48	
Feb. 24	JS		73 29 21.38	2.2	JS		4.59	
A	CF		20'89	23	CF	14.32	3.21	
Apr. 20	1		20 89	26	G	14'46	4.65	
Nov. 6	C F	6 29 58 08	···	28	G		4.80	
18	IF	58.07	22.67	Dec. 10	JS		5.20	
24	G	•••	24.03	11	CF		6.51	
Dec. 21	CF		22.47	14	IF		4.21	
22	CF		21.29	18	IF	14.36	4 5/ 2°51	
	1	6 29 58.08	73 29 22 17	19	G		5.20	
		2, 30 00	/3 -9/		-		3 30	

Date.	Observer.	R.A.	N,P.D.		Date.		Observer.	R. A.	N.P.D.
	a Canis Majoris—continued.					e Canis Majoris.			
Dec. 20	JS	h m 8	o , ,,	'	July	12	G	h m s	° ' ."
21	1	1.	106 32 4.	53	Oct.	2	G		118 47 30.93
2:	2 CI	14.27	2.	40		3	CF	21.21	25.04
		6 39 14.45	106 32 4.	62		5	CF	21.58	28.73
				\dashv		7	CF	21.61	28.87
				ı		8	G	21.61	•••
•	a Can	is Majoris (Refle	exion).			9	JS	•••	29.84
	1			-1		26	JS		28.80
Oct.	2 G	1	-	56		30	JS	21.46	29.10
	5 Cl		1	47	Nov.	I	J8	•••	27.91
	8 G	1		36		2	CF	•••	29.09
1	۱ ـ.			68		4	JS	21.29	29.66
I 2	´	r l	ļ	26		6	CK	***	28.69
2			i	· 69		9	IF	•••	28.67
2	- I .	1	1	.44		16	JS	•••	31.16
2	ے ا			.27		18	IF G	21.45	30*45
2	' I -		1	•54		2 I 22	JS	21.25	29°07
2	c و	F	1	.27		26	G	21.22	29.40
Nov.	, J	a	1	. 55		28	G	21.60	29 40
	2 C	1	1	.65		30	В		29.82
	5 0	l l	ţ	.48		-	IF		·
	6 C		1	.84	Dec.	14	IF	•••	29°55 25°83
	8 0		1	.00		19	G	21.22	25 %
1	6 J	8	1	. 55		- 7			
2	2 J	s	ł	.78				6 53 21.55	118 47 28.96
2	.8 (3	6	وه.		e	Cani	Majoris (Refl	exion).
Dec. 1	9 0		5	·87			1	1	
		•••	106 32 6	·43	Oct.	26	CF		118 47 32.58
		1	1	_		29	CF	•••	34.03
Į.		D A C			Nov.	1	JS		32.74
		B. A. C. 2252	•			2	CF	•••	35.46
NT	. .	9 6				6	CF		33.63
Nov. 2	1	1	124 12 39	-90		16	JS		33.89
Dec. 1	o J	8	38	•15		22	JS	•••	31.18
		6 45 59.93	124 12 39	.03				•••	118 47 33.36

9	4
,	-

							· · · · · · · · · · · · · · · · · · ·	
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
t Puppis.				I Puppis.				
Dec. 4	js js	h m s 6 53 30.90	123 55 53°36 54°08	Dec. 18	IF JS	h m s 7 8 44 48 44 46 7 8 44 47	136 32 9.88 11.78	
	0 33 30 90	, ,	27 Canis Majoris.					
	(Geninorum.	,	Nov. 22	JS	7 8 47.51	116 7 24.48		
Jan. 1	G	6 56 9.83	69 14 9:30	Dec. 4	JS IF	47°37 47°64	23·19 24·64	
Feb. 24 Mar. 24	JS JS	9.41 9.41	9.31 8.83			7 8 47.21	116 7 24.10	
Dec. 21	CF CF	9°77 9°48	11.01	λ Geminorum.				
		6 56 9.62	69 14 10.01	Jan. 29	G	7 10 23.46		
·				Mar. 24 Nov. 24	G	23.49 23.49	73 13 13.22	
γ Canis Majoris.				25	CF	7 10 23.50	73 13 13 74	
Oct. 7 Nov. 8	CF G	6 57 41.73	105 26 14.78	& Geminorum.				
9 18	IF IF	 41 • 68	12.26	Jan. 1	G		67 46 26.45	
21 26	G G	41°76 41°79	14°04 14°66	Feb. 24	JS		24.65	
28 Dec. 19	G G	41.80 41.23		No v . 9	IF	7 12 7.09	67 46 25.51	
		6 57 41 72	105 26 14.31	30 Canis Majoris.				
			Dec. 11	CF	7 13 9.13	114 42 41.04		
C Puppis.				18 20	IF JS	9.09	41°97 42°38	
Dec. 4	JS	6 59 48.10	132 8 25.08			7 13 9.15	114 42 41.80	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
8 Volantis.				g Puppis.				
Dec. 7	IF	h m s 7 16 53 26	157° 42′ 42″27	Dec. 18	IF JS	h m s 7 28 57.60 57.54	115°49′27″82 29°26	
6 Canis Minoris.						7 28 57 57	115 49 28.24	
Apr. 21	JS	7 22 20.27	77 43 8 04	f Geminorum.				
	B. A. C. 2478.		Apr. 21	JS	7 31 44'19	72 1 22.87		
Nov. 22	JS	7 23 54.58	121 10 52.80	α Canis Minoris.				
Dec. 4	JS IF	54°54 54°47	23.09 20.11	Jan. 1	G	7 32 17.34		
	<u> </u>	7 23 54 53	121 10 51.99	Mar. 24	JS	17.26	•••	
	B. A. C. 2484.				G G	17.19	•••	
Dec. 11	CF	7 25 30 14	120 40 54*54	6 9 Nov. 9	G	17.13		
	68 Geminorum.				CF B	17.120	84 26 2.09 3.54	
Jan. 29	G	7 25 57.48	73 53 16.00	Dec. 22	CF	7 32 17 19	84 26 2.82	
Nov. 24	G CF	57°49 57°63	14.67			I		
	7 25 57 53 73 53 15 45 B Geminorum.							
α ⁹ Geminorum.				Nov. 9	IF	7 37 6.74	61 39 6.07	
Nov. 18	IF B	7 26 2.38	57 49 15.61	3 Puppis.				
		7 26 2.42	57 49 16.18	Dec. 18	IF	7 38 25 79	118 38 9.55	

_	_
n	n
ч,	v

	ver.				Ver.		
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		W Puppis.				5 Cancri.	
Dec. 20	JS	h m s	130° 36′ 28′′39	Jan. 1	G	h m s 7 53 52.07	73° 10′ 39"75 39.65
				Dec. 22	CF CF	21.88	40.53
		P Puppis.		_		7 53 51.85	73 10 39.89
Dec. 18	IF J8	7 45 9.61 9.42	136 2 12.79		<u>'</u>	S Clamari	
		7 45 9.52	136 2 12.66			8 Cancri.	
				Mar. 24	JS CF	7 57 36·50	2, 21 26 30 2, 28
	ı Caneri.					7 57 36.2	76 30 6.65
Jan. 1	G	7 49 22.93	73 51 16.45				
2	JS	•••	13.87			μ¹ Cancri.	
Dec. 22	CF CF	22.23	15°50 -	Nov. 25	CF		66 59 1.85
_		7 49 22.87	73 51 15.19	26	G	7 58 21.99	2.48
				28 30	G B	•••	3°47 6°83
				Dec. 7	IF		4.32
		3 Cancri.		10	JS CF	 .	2.01
Mar. 24	JS	7 53 6.26	72 19 35'13	14	IF	•••	2.11 3.63
25	CF	6.22	34.96	18	IF		3 ' 54
		7 53 6.39	72 19 35.05			7 58 21.99	66 59 3.79
		∞² Cancri.				Cancri.	
Dec. 19	G		64 32 38.30	Feb. 26	JS	8 4 31.20	71 57 1.44
20	JS	7 53 38.68	41.24	Nov. 25	CF	31.25	1.80
2.1	CF		39.45	26	G	31.65	0.84
		7 53 38.68	64 32 39.76			8 4 31 56	71 57 1.36

Date.	Observer,	. R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	A Cancri.				η Caneri.		
Dec. 18	IF G	h m s	65 33 28 94	Feb. 26 Nov. 25 26	JS CF G	h m s 8 24 57 42	69° 6′ 20″34 19°47 20°63
	JS	d¹ Cancri.		28 Dec. 14	G IF	8 24 57 42	18.74
Feb. 26	8 15 41 A Octantis.	71 14 22.96		1	A¹ Cancri.		
Apr. 22	G	8 16 30.87	178 28 31-48	Jan. 29 30 Mar. 25	G CF	8 35 49 10 49 07 49 22	76 50 27°14 26°77 26°44
		Octantis S. P		26 Apr. 21	JS G	49°18 49°22 49°27	26°31 26°31
Apr. 21	G G	30.85	32.37			8 35 49 18	.76 50 26*20
<u> </u>		8 16 30.92	178 28 32.32			€ Hydræ.	
		v¹ Cancri.		Nov. 30	В	8 39 41	83 5 32.18
Dec. 7	if C f IF	••• •••	65 1 40°52 35°66 40°77			a Cancri.	
		8 18 41	65 1 38.98	Jan. 2	JS G	8 51 9·55 9·29	77 37 31.42
29 Canori.			Feb. 26 Mar. 25	J8 CF	9*40	31 °03 30 °48	
Jan. 29 Apr. 21	G JS	8 21 8·68 8·56	75 20 52.61 52.06	26 May 20	JS	9,30	31.47
22	G	8 21 8.60	75 20 51.73	Dec. 23	CF	8 51 . 9 39	77 37 31.30 77 37 31.30

.A. N.P.D.	Э.			
a Hydra—continued.				
1 0'25 98 4 45	5"25			
	5.14			
) - 4			
0-21 98 4 45	5-19			
	-			
onis.				
46:20 70 43 40	0.46			
	1.61			
46.45 41	1'56			
46.38 79 41 41				
79 42 42	.1-31			
10 30 79 41 41	.1-31			
sonis.				
eonis.				
eonis. 79 29 57	7.38			
900is 79 29 57 57 57	7.38			
59°78 57	7.38			
59°77 57°59°78 57°59°70 57°	7°38 7°48 7°16			
59°77 57 59°78 57 59°70 57 59°82 58	7°18			
59°77 57°59°78 57°59°70 57°59°82 58°59°85 59°	7°38 7°48 7°16 7°80 8°66			
59°77 57°59°78 57°59°82 58°59°85 59°60°04 57°	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57°59°78 57°59°70 57°59°82 58°59°85 59°	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57°59°78 57°59°82 58°59°85 59°60°04 57°	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57 59°78 57 59°70 57 59°82 58 59°85 59 60°04 57 59°83 79°29 57	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57°59°78 57°59°82 58°59°85 59°60°04 57°	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57 59°78 57 59°70 57 59°82 58 59°85 59 60°04 57 59°83 79°29 57	7°38 7°48 7°16 7°80 8°66 9°44			
59°77 57°59°78 57°59°79 57°59°82 58°59°85 59°60°04 57°59°83 79°29 57°59°83 59°59°57°59°83 59°57°59°83 59°57°59°83 59°57°59°83 59°57°59°83 59°57°59°83 59°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°59°58°57°57°57°57°57°57°57°57°57°57°57°57°57°	7'38'7'48'7'16'7'80'88'66'9'44'7'49			
	0.25 98 4 4 0.26 0.21 98 4 4 0.21 98 4 4 0.21 98 4 4			

Date,	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	18 Leonis.			a L	eonis— <i>continu</i>	ed.	
Mar. 26	G	h m s	77° 34′ 26″69	8ept. 14	a	h m s	77° 22′ 43"60
27	JS	10,01	25.95	17	G	•••	43.19
		9 39 10.09	77 34 26.32	Nov. 30	В		46*12
				Dec. 24	G		43.90
		* Leonis.				10 1 13.89	77 22 44*12
Jan. 3	G	9 53 7.90	81 18 51.78				
4	JS		49.52			γι Leonia.	
May 20	J8		50.28	Mar. 27	JS	10 12 34.81	
Dec. 24	G		50.22	Apr. 23	CF	34.96	•••
		9 53 7.90	- 81 18 50.61	May 11	G	34.89	
				21	G	34.87	
l		a Leonis.		June 30	JS		69 28 54.05
	,		·····	July 2	JS	•••	53.68
Jan. 3	G	10 1 13.89	77 22 45 72	Sept. 13	G	34.90	
4	JS		45*49	26	G	34.87	
May 14	G		43.65	Oct. 5	JS		53.22
16	CF	···	43*44			10 12 34.88	69 28 53.65
17 18	IF	•••	43°57 43°47		<u> </u>	<u> </u>	
19	IF		44 ' 28				
20	JS.		44.61			44 Leonis.	
21	G		44.62	\	1 ,,		
June 30	J8		44.03	Mar. 27	CF	11.00	80 32 5.43
July 7	JS		44.18		-	I —	
9	JS		44'12			10 18 11.17	80 32 3.62
10	JS JS	•••	43*31				
11	JS		44°70 44°21			45 Leonis.	
14	JS		43.80			1	,
17	JS		43.48	Apr. 23	CF	10 20 34.53	79 33 17.26
Sept. 9	G		44*45	24	G	34'29	18.12
12	CF		42.55			10 20 34.56	79 33 17'72

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	ρ Leonis.					8 ² Chamæleontis S.P.			
Mar. 27	JS CF	h m s	80° 0′ 15"59 16·76	Nov. 2	G	h m s 10 44 30	169° 50′ 2"02		
Apr. 23	CF G	 	16.66						
		10 25 45	80 0 16.34	Jan. 4	Js	d Leonis.	85 39 50.08		
34 S-xtantis.				5 May 21	G G	38.45	48°74 48°8 ₇		
Jan 4	JS G	10 35 42 37	85 43 2°71 2°24	22	CF	38.44	85 39 49 31		
	<u> </u>	10 35 42.34	85 43 2.48		-	c Leonis.			
		η Argûs.		Mar. 1	CF	10 53 48 03	83 10 44.76		
Jan. 4 May 14 16	J8 G CF	52°28	, ,		1	χ Leonis.			
17 18 19	CF IF IF	52°37 (52°66) 52°61	(52.52)	Mar. 1	CF G		81 56 22.14		
21 22	G G	52.42		22	CF.		24°70 23°44 81 56 23°43		
		10 39 52.34	148 58 49.42		1	· · ·			
		l Leonis.			1	7 Octantis S. P	•		
Jan. 5	G	10 42 12.76	78 44 46.95	Nov. 2 G 11 0 10 173 52 22.93					
8 ¹ Chamæleontis S.P.				p ⁵ Leonis.					
Nov. 2	G	10 43 58	169 45 45.79	Арг. 24	G	11 6 53'94	89 20 27 27		

Digitized by GOOGLE

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		8 Leonis.				*—continued.	
Jan. 5	G	h m s	68° 45' . "	Jan. 23	G G	h m s 11 24 27 43 27 49	131 11 13 81
		φ Leonis.				11 24 27 49	131 11 13.90
Mar. 28	CF JS	20.81 11 8 20.81	92 55 9 73			υ Leonis.	
-		11 9 50.01	92 55 9.49	Jan. 26 Mar. 1	G CF	11 30 5.36	90 5 2.23
		8 Hydræ.	-	Mar. 1 OF 90 5 2 JS 29 JS			
Jan. 5	G	11 12 38.50	104 3 13 92	May 22	CF G	5.5	2.83
June 4	G G JS	38.55	11,13			11 30 2.31	90 5 2.30
9	95	11 12 38.23	104 3 12.62			β Leonis.	1
	-	σ Leonis.		Jan. 5	G	11 42 13.40	74 40 43 49
Apr. 24	G	11 14 13.21	83 14 11.92		~	• •	:
		e Leonis.		Jan. 18	G G	15.04	132 44 37 37 36 72
Jan 5	G	11 23 28.16	92 15 51.56	23 26	G	14.98	35°87 35°97
May 22	CF G	28.11	51.26			11 42 14.99	132 44 36.48
		11 23 28.12	92 15 51'52			A Virginia	
		•		Mar. 1	CF	β Virginis.	87 28 46 80
Jan. 18	G G	11 24 27·68 27·34	131 11 14.03	2	JS	43.00	47 · 65 87 28 47 · 23

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
	•			y Virginis—continued.					
Jan. 18 23 26	G G	52°41	133 45 19 54 21 92 22 29	Mar. 1 2 3	G JS CF G	h m s 12 13 3'19	89 55 18·46 17·91 18·56		
Feb. 19	G	1	133 45 21.18	May 23 24 June 20	G CF	3.03	17.63 17.43		
<u> </u>		•				12 13 3.11	89 55 17.92		
Feb. 23 25 Mar. 1	G	.49°97 .49°74 49°95	12.69			. •	•		
19	G	49.78	-	Jan. 21 23 26	G G	12 18 16·36 16·40	134 52 54 96 54 54 55 47		
		« Corvi.		Feb. 19	G	16.19	55:30		
Jan. 26 Feb. 19	G G	12 3 14°37 14°19	111 52 28 58 			β Corvi.	<u> </u>		
Mar. 1 May 23	G	14.18 14.72 13.14.73		Jan. 16 Feb. 19	G G	21.31	 		
		13 Virginis.		Mar. 1 May 23	G G CF	21°17 21°17 			
May 16	C F	12 11 48.22	90 3	July 9	G	21.51			
•	η Virginis.					Lacaille 5235.			
Jau. 26. Feb. 19	G G G	3.09 3.19 15 13 3.09	••• · · · · · · · · · · · · · · · · · ·	June 21	G G	(4.13)	179 3 46-53		

Digitized by Google

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
,	Lacaille 5235—continued.				*—continued.			
June 23 24 29	G G	h m s 12 31 15'60 12'65	179° 3′ 47″38 46°62 47°39	Feb. 23	G G	h m s 38.68 12 36 38.83	135 43 2'94 3'95	
July 3	G	12 31 14.59	179 3 46.84			4 Octantis S.P.	•	
Lacaille 5235 S.P.				Nov. 2	G	12 41 13	174 23 41 80	
June 21	G G	12 31 16.92	179 3 49°99 47°29			•		
24	G	14.80	179 3 48.64	Jan. 23 26	G		136 14 49°33	
	7 V	irginis (1st St	ar).	Feb. 19 23 25	G G	50.64 50.60	47°58 50°06 48°46	
Mar, 2 16	JS G		90 42 46·51 	٠		12 53 50.63	136 14 48 90	
May 23	G CF	52°28	47°90 45°52			48 Virginia.		
Dec. 15	G	52.30	; 90 42 46·64	Mar. 30	CF	12 57 0°32 0°16	26.92	
	γ	Virginis (mean).	June 21	G	12 57 0 25	92 56 27.73	
Mar. 30	G	12 34 52.25	90 42 50.79			θ Virginis.		
•				Feb. 19	G G	13 3 0.84		
Jan. 21 23 26	G G G	12 36 38 96 38 86 38 88	 135 43 3°34 1°78	Mar. 1 30 31	G G CF	o·78	 94 49 20 ^{.8} 4 20 [.] 55	
Feb. 19	G	38.85	3.69	May 24	CF		20*43	

<u> </u>							
Date. ·	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	9 Virginis—continued.					*—continued.	
May 25	JS	h m s	94 49 20"56	Feb. 25	G	h m s	136° 50' 42": 59
June 21	G		22.68	Mar. 1	G	23.71	43.49
		13 3 0.84	94 49 21'01			13 25 23.66	136 50 42.68
		• • •			<u>'</u>	A Virginis.	<u></u>
Jan. 26	G	13 9 2.69	136 39 5.76			1	1
Feb. 19	G	2.65	4'43	Mar. 31	CF	13 25 54 79	
23	G	2.70	4.85	Apr. 1	JS	54.89	99 28 24 50
25	G	2.62	3.94	28	JS	54.80	21.66
		13 9 2.67	136 39 4.75	June 21	G	54.77	23.87
				22	CF	54*79	24.34
•		- 1 7111-		July 18	G	54.78	23'41
		a Virginis.		19	JS	54.46	22.53
Jan. 26	G	13 18 8.18				13 25 54.80	99 28 23.39
Feb. 5	CF	•••	100 27 37.46				
19	G	8.54					V
25	G	8.13	•••				
Mar. 1	G	8.24	 .	Mar. 16	G	13 26 52.12	136 54 48 10
Apr. 28	JS		39.58	19	G	52,11	51.26
May 24	CF		38.19	20	G		49.64
25	JS	•••	38.76	. 25	G	52.18	50.16
June 22	CF	8.25	37.96	27	G	52.59	47.80
July 18	G		38.13		1	13 26 52.18	136 54 49 45
19	JS		38.43			<u>'</u>	
		13 18 8.71	100 27 38.32				
		<u> </u>	L			(Virginia.	
,.		•	,	77.1			
		1		Feb. 5	CF		89 54 35.61
Feh. 19		13 25 23 67	136 50 41.96	June 22	CF	13 27 52.06	33.93
23	G	23.61	42.68			13 27.52 06	89 54 34.77

Date.	Observer,	R.A.	N.P.D.	Date.	Ормегуег.	R.A.	N.P.D.
	·	m Virginis.				*	
Apr. 1 June 21 22	JS G CF	h m a 13 34 35 03 34 87 34 89 13 34 34 93	98° 1′ 29″94 32°53 30°95 98 1 31°14	Feb. 19 23 25 Mar. 1	G G G	h m s 14 7 9 35 9 43 9 30 9 42 14 7 9 38	136° 48′ 34″ 67 35° 14 35° 28 35° 14
June 22	η Boötis. June 22 CF 13 48 18 22 70 55 44 56					•	
June 22	1	τ Virginis.	70 55 44°56	Mar. 16 19 20 27	G G G	14 8 8 02 8 02 8 15	136 55 29 70 32 43 32 64 33 00
	02	94 Virginis.		30	G	8.16	136 55 32 10
May 25 26	JS JS	13 20 15.30 13 20 15.30	98 15 2·37 98 15 2·37	June 22	CF	a Boötis.	70 7
		« Virginis.		λ Virginis.			
Feb. 5 6 Apr. 28 May 25 26	CF JS JS JS JS	14 5 45°14 44°95 45°00	99 38 54°17 52°94 53°75 53°16	Feb. 5 6 Mar. 5 Apr. 28	CF JS CF JS	51.4 51.83 51.4 51.83	102 45 9°35 8°17
July 19 20	JS CF	 14 5 45°01	52°26 54°05 52°88 99 38 53°32	Jul y 19 20	JS CF	51.68 14 11 51.77	9°39

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	2 Libræ.					tantis—contin	177 35 31 92 31 76 31 26 177 35 31 46 2. 177 35 31 29 33 61			
June 22 23	CF G	14 16 13.528 14 16 13.528	101 6 0.84 1.47	July 26 27 28	G G G	h m s 14 25 54 06 52 99 51 73	31.46			
		•		Aug. 1	G	52°39 51°95 14 25 53°02				
Feb. 19 23 25	G G	30.62 30.63	136 44 46·38 46·52 48·62		4	Octantis S.P.				
Mar. 1	G	14 19 30.60	136 44 47 15	July 16 23 26	G G G	14 25 53°74 54°31 52°76				
				27 28 Aug. 1	G G	52°16				
Feb. 19 23 25	G G G	21.32	136 47 9°80 7°98 8°39			14 25 52 90	177 35 32.45			
Mar. 1	G	21'39 14 20 21'31	7.89		 	5 Libræ.				
	<i>'</i>	•		Маг. 5 Арг. 1	JS	14 38 34·76 34·72	33.04			
Mar. 16 19 20 25	G G G	14 20 53 05 52 90 53 23	136 37 31.84 32.81 33.88 33.89 33.06	May 26 June 22 23	JS CF G	14 38 34.69 34.68 34.68	34.67 33.26 104 53 33.28			
27	G	14 20 53.07	136 37 33.10			α ² Libræ.				
		z Octantis.		F eb. 7	CF	•••	105 28 57.07			
July 16	G G	56·18 56·18		Mar. 5	cf js		57°77 59°08			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	α ²]	Libr æ-continu	ed.	√¹ Libræ.			
May 26 July 16	1	h m s	1	June 23	l	h m s 15 20 42 27	106 14 48 67
20	CF	14 43 28.19	105 28 57.84			15 20 42.27	106 14 48.48
	¹ Libræ.				γ Libræ.		
Feb. 7	ľ		109 16 53.70	June 23	G G	2.00	104 20 25 63 23 86
July 20 21	CF G	35.30	26.16			15 28 2.02	104 20 24 75
15 4 35.52 109 16 55.16				# Libræ.			
β Libræ.				May 1	JS		106 19 59.46
Feb. 6	JS		98 53 11.05	July 21	G	15 46 11.98	
July 9	G G	15 9 47 93				15 46 11.98	106 19 59.71
2.	u u	15 9 47 93	98 23 11.18			0) S	
		ρ Octantis.	-	Feb. 7	CF	β¹ Scorpii.	109 26 8'04
Aug. 6	G	15 12 52.51	174 0 30.02	May 1	Js	•••	9*60
7	G	54.01	31,00	June 24	G	·	8.47
9	G	51.40	•••	25	CF	•••	7*48
"	_	15 12 52.86		July 9	1	15 57 38.95	
		-5 12 52 80	1/4 0 30 50	21	G		9°38
<u> </u>	4	o Octantis S.P.	,	Oct. 6	JS	•••	8.31
An-					JS CF	•••	9.42
Aug. 6	G	15 12 53°17 52°54	174 0 (37°35)	Dec. 19	CF G	•••	10,30 6,64
		15 12 52.86		,		15 57 38.95	109 26 9.05

Date.	Observer.	R.A.	N,P,D.	Date.	Observer.	R.A.	N.P.D.			
	β ² Scorpii.					a Scorpii.				
July 9	G	h nı s	109 26 ".	June 24	G	h m s	116 7 52 79			
				Oct. 6	JS		52.25			
		•		9	IF		(59°48)			
		▶² Scorpii.		11.	IF	•••	52.33			
				20	B		51.84			
June 24	G	16 4 12.63	109 6 33.78	22	B	•••	53.21			
25	CF	12.63	34.46	24	IF		50.82			
Aug. 19	G	12.74	34.47	Dec. 21	JS		52.51			
1				23	G		52.79			
Sept. 15	Ģ	12.79		30	G		53.83			
'		16 4 12.70	109 6 34.54		i	16 21 12	116 7 52.49			
	8 Ophiuchi.					φ Ophiuchi.				
Dec. 30	G	16 7 19	93 20 49*30	July 22	G	16 23 28.39	106 19 3.05			
				Sept. 15	G	28.30				
		B. A. C. 5412.				16 23 28.35	106 19 3.05			
Aug. 15	G		176 5 46.84			B. A. C. 5579.				
19 20	G G	16 11 42·67 42·02	47*44 	May 1	JS	16 33 49.55	107 28 45.39			
		16 11 42.35	176 5 47.14	June 24	G	49.26	47 42			
				July 22	G	49.58	46.88			
				23	JS	49'52	46.38			
	В.	A. C. 5412 S.	P.			16 33 49.55	107 28 46 52			
Aug. 19	16 11 42.36	176 5 49*98		a T	rianguli Austra	alis.				
·	ψ Ophiuchi.		Jan. 23	G G	16 34 30.08 29.89					
		······································		26	G	30.04	158 46 33.17			
Ang. 19	G	16 16 15.91	109 43 14.35	29	G	29.95				

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	·R. A.	N.P.D.	
a Tri	iangu	li Australis—d	ontinued.	7 Ophiuchi—continued.				
Jan. 30 Feb. 19	G	h m s 16 34 30.01	158 46 33.17	Aug. 19 20 Sept. 15	G JS G	h m s 17 2 41 84 41 74 41 86	105 33 20*39 19*82 	
•	nguli Australi	s S. P.			17 2 41.78	105:33 20*56		
Jan. 22 23 25 26	G JS G		158 46 36.55 33.78 33.01 35.25	Sept. 4		B. A. C. 5794.	170 43 26.13	
158 46 34.65				B. A. C. 5794 S.P.				
B. A. C. 5695. May 1 JS 16 48 18 106 35 23.44				Sept. 4	G	17 6 27 43	170 43 27 18	
		« Ophiuchi.		July 24	G	a Herculis.		
June 25 July 26	l		80 24 50·08 50·32	26	В	17 8 32.31	75 27 12.32	
	l	16 51 19 76	80 24 50.30			ξ Ophiuchi.		
Apr. 5 June 25	G CF	1'07	6.51 6.43	Aug. 19 20	G JS	17 12 58·53 17 12 58·53	110 57 56.18 55.80	
	η Ophiuchi.				Js	θ Ophiuchi.	114 51 44.67	
Mar. 9	CF G	17 2 41'77	105 33 19·98 21·64	June 7 8 21 29	CF JS	17 13 46.98	43°19 42°72	

### Properties ### Pr									
July 23 JS	Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
July 23 JS		θÒ	phiuchi—conti	rued.	B. A. C. 6065.				
24 G 17 13 46 90 43 95		1	h m s					0 / //	
Sept. 17 JS 43'95 17 48 36'69 105 47 7	July 23	1		114 51 43 01	Sept. 16			1	
I7 13 46 94 114 51 43 51	24	G	17 13 46 90	•••	17	JS	36.69	7.11	
### Apr. 5 G 17 28 42 99 June 8	Sept. 17	JS		43 95			17 48 36.69	105 47 7.26	
## Apr. 5 G 17 51 36 59 113 48 2 Jan. 5 G 17 28 42 99 77 20 22 02 June 8			17 13 46.94	114 51 43.21		<u>' </u>			
## Apr. 5 G 17 51 36 59 113 48 2 Jan. 5 G 17 28 42 99 77 20 22 02 June 8		<u> </u>							
Apr. 5 G 17 28 42 99 June 8 OF 77 20 22 02 g OF 77 20 22 02 July 24 G 42 93 Sept. 16 G 17 59 4 179 16 44 E Serpentis. Sept. 16 G 17 59 4 179 16 44 July 23 JS 17 29 54 90	a Ophiuchi.						4 Sagittarii.		
June 8 CF 77 20 22 °02 July 24 G 42 °93 17 28 42 °92 77 20 22 °02 Example 29 JS 42 °85 17 28 42 °93 17 28 42 °92 77 20 22 °02 Sept. 16 G 17 59 4 179 16 44 Example 29 JS 39 °13 Sept. 16 G 54 °93 39 °13 Sept. 16 G 54 °93 38 °93 21 CF 45 17 JS 54 °99 39 °10 17 29 54 °95 105 18 39 °15 26 CF 45 17 JS 54 °99 39 °10 27 CF 45 28 Ophiuchi. July 23 JS 17 35 24 °02 111 36 52 °42 24 G 24 °19 52 °15 22 JS 46 July 23 JS 17 35 24 °02 111 36 52 °42 46 JS 46 July 23 JS 17 35 24 °02 111 36 52 °42 46 JS 46		,	-		Apr	G	17 61 26.50	113 48 2.49	
July 24 G 42.93 17 28 42.92 77 20 22.02 Sept. 16 G 17 59 4 179 16 44	Jan. 5	G	17 28 42 99	•••	Арт. 5	<u> </u>	1/ 51 30 59	113 40 2 49	
σ Octanus. July 24 G 42.93 Sept. 16 G 17 59 4 179 16 44 E Serpentis. σ Octantis S.P. July 23 JS 17 29 54.90 105 18 38.95 24 GF Oct. 2 G 179 16 46 24 G 54.96 39.63 39.13 10 CF 5 CF 45 Sept. 16 G 54.93 38.93 21 CF 45 17 JS 54.99 39.10 24 CF 45 17 29 54.95 105 18 39.15 26 CF 47 29 CF 43 30 JS 44 Nov. 1 JS 46 July 23 JS 17 35 24.02 24.02 24.19 52.15 22.15 22.15 22.15 22.15 16 JS 45	June 8	CF		77 20 22 02					
July 24 G 42.93 17 28 42.92 77 20 22.02 Sept. 16 G 17 59 4 179 16 44 ξ Serpentis. July 23 JS 17 29 54.90 105 18 38.95 Oct. 2 G 179 16 46 24 G 54.96 39.63 5 CF 45 26 JS 39.13 10 CF 45 Sept. 16 G 54.93 38.93 21 CF 45 17 JS 54.99 39.10 24 CF 45 17 29 54.95 105 18 39.15 26 CF 47 29 CF 43 30 JS 44 Nov. 1 JS 46 July 23 JS 17 35 24.02 111 36 52.42 16 JS 45 40 24 G 24 G 24.19 52.15 22 JS 45	29	JS	42.85				~ Octantia		
## Serpentis. July 23 JS 17 29 54 90	July 24	G	42.93	•••					
July 23 JS 17 29 54 90 105 18 38 95 Oct. 2 G 179 16 46 26 JS 39 13 10 CF 45 Sept. 16 G 54 93 38 93 21 CF 45 17 JS 54 99 39 10 24 CF 45 17 29 54 95 105 18 39 15 26 CF 45 18 Ophiuchi. Nov. 1 JS 46 July 23 JS 17 35 24 02 111 36 52 42 16 JS 46 July 23 G 24 19 52 15 22 JS 45			17 28 42 92	77 20 22 02	Sept. 16	G	17 59 4	179 16 44.15	
24 G 54'96 39'63 5 CF 179 16 46 26 JS 39'13 10 CF 45 Sept. 16 G 54'93 38'93 21 CF 45 17 JS 54'99 39'10 24 CF 45 17 29 54'95 105 18 39'15 26 CF 47 29 CF 43 30 JS 44 July 23 JS 17 35 24'02 111 36 52'42 16 JS 46 24 G 24'19 52'15 22 JS 45		ξ Serpentis.					o Octantis S. P		
24 G	July 23	l	17 29 54.90	102 18 38.95	Oct. 2	G		170 16 46.30	
Sept. 16 G 54.93 38.93 21 CF 45 17 JS 54.99 39.10 24 CF 45 17 29 54.95 105 18 39.15 26 CF 47 29 CF 47 29 CF 43 30 JS 44 July 23 JS 17 35 24.02 111 36 52.42 16 JS 46 24 G 24.19 52.15 22 JS 45	24	1	54.96	39.63				45'74	
Sept. 16 G 54.93 38.93 21 CF 45 17 JS 54.99 39.10 24 CF 45 17 29 54.95 105 18 39.15 26 CF 47 29 CF 43 30 JS 44 Nov. 1 JS 46 July 23 JS 17 35 24.02 111 36 52.42 16 JS 46 24 G 24.19 52.15 22 JS 45	26	JS		39 13	_	1	• •••	45.23	
17 JS 54.99 39.10 24 CF 45 17 29 54.95 105 18 39.15 26 CF 47 29 CF 43 30 JS 44 July 23 JS 17 35 24.02 111 36 52.42 16 JS 46 24 G 24.19 52.15 22 JS 45	Sept. 16	G	54.93	38.93		l	•	45.33	
17 29 54 95 105 18 39 15 26 CF 47 29 CF 43 30 JS 44 44 JS 46 July 23 JS 17 35 24 02 111 36 52 42 16 JS 46 24 G 24 19 52 15 22 JS 45 45 45 45 46 45 45 46 46	17	JS	54.99	39,10	24	CF	•••	45.58	
58 Ophiuchi. 29 CF 43 30 JS 44 Nov. 1 JS 46 July 23 JS 17 35 24 02 111 36 52 42 16 JS 46 24 G 24 19 52 15 22 JS 45			17 20 54 05	100 18 30,10	26	CF	•••	47.15	
July 23 JS 17 35 24 02 111 36 52 42 16 JS 46 24 G 24 19 52 15 22 JS 45			1	-5 35	29	CF	•••	43.89	
July 23 JS 17 35 24 02 111 36 52 42 16 JS 46 24 G 24 19 52 15 22 JS 46					30	JS	•••	44*43	
July 23 JS 17 35 24 02 111 36 52 42 4 JS 44 24 G 24 19 52 15 16 JS 46 22 JS 45			58 Ophiuchi.		Nov. 1	JS		46.48	
July 23 JS 17 35 24 02 111 30 52 12 16 JS 46	.,	1	İ		•	JS	•••	44 34	
24 G 24 19 52 15 22 JS 45		l .	1		16	JS		46.39	
			24'19	l - 1	22	JS	•••	45 18	
20 35 53 38 28 G 45	26	12		23.38	28	G	•••	45.16	
		17 35 24 11 111 36 52 65				JS	•••	44.46	
Dec. 4 JS 45						JS	•••	45.31	
• • • • • • • • • • • • • • • • • • • •		μ Herculis.			7	4	·	44.88	
1 1 70						JS	•••	44.43	
July 24 G 17 41 12.93 62 11 55.07 179 16 45	July 24	G	17 41 12.93	62 11 55.07			***	179 16 45.30	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		μ Sagittarii.		β² Lyræ.				
Apr. 5	G	h m s	111° 5′ 27"03	Sept. 18	CF	18 45 10.03	56° 48′ 3"05	
June 7	JS CF	 ,;;••	· 25°69			ξ ² Sagittarii.		
July 4 13	JS CF		25°77 26°62	Apr. 7	G	18 49 44.00	111 16 45.87	
16 17	G CF	45.01	25°84 25°54		1	9		
24 Āug. 21	G CF	45°09		Inc. co	CF	o Sagittarii.		
Sept. 16	G		25.81	June 28	CF	39.01	4.38	
		18 5 44.95	111 5 25.82			18 56 39.07	111 56 3.22	
21 Sagittarii.					(Aquilæ.			
July 24	G	18 17 22.27	110 36 36.10	July 9	G CF	18 59 15.09		
Aug. 21 Sept. 17	CF JS	22.29	37°42 36°04			18 59 15.07	76 20	
18	CF	18 17 22.28	35.64			π Sagittarii.		
			30 30 30	Apr. 7	G	19 1 47.59	•••	
		B. A. C. 6279.		Aug. 22	CF	47°59	111 13 59.78	
Sept. 17	J8 CF	18 21 33.68	104 38 52.14			d Sagittarii.	1	
	18 31 33.64 104 38 25.32				G	19 9 47 73	109 11 16.86	
				July 26	JS	47.59	18.34	
	β¹ Lyræ.			Sept. 18	CF G	47.61 47.65	17.62	
Sept. 18	CF	18 45. 8	56 47 27.68			19 9 47 65	109 11 17:53	

Date.	Observer.	R. A.	N,P.D.	Date.	Observer.	, R, A.	N.P.D.	
	:	 		μ² Sagittarii.				
June 29	JS	h m s	o , "	May 5	G	h m s	0 ' "	
July 13	CF	31.61		June 29	JS	33.09	 .	
16	G	31.66		July 4	JS	•••	115 10 33.97	
17	CF	31.68		9	G	33.00		
Aug. 22	CF		78 38 37 28	11	JS		34.31	
				13	CF	33.09	35.48	
		19 11 31.62	78 38 37 28	16	G	32.98	~ 34°54	
		1		. 17	C F	33.08	33.43	
				Aug. 22	CF	.•••	32.83	
		ρ¹ Sagittarii.		25	JS	•••	34.41	
		p bagronin.				19 28 33.02	115 10 34.18	
July 26	JS	19 13 53.95	108 5 46.92				1	
	·					62 Sagittarii.		
		u Sagittarii.		June 28	CF	19 34 51.38	106 26 5.92	
				29	JS	. 51.18	106 26 5.92	
May 5	G	19 14 3.78	106 12 11'71					
Sept. 18	CF	3.08	11.92	July 26	JS	21,13	2,39	
19	G	3.55	13.43			19 34 51.53	106 26 5.87	
		19 14 3.19	106 12 12.35			f Sagittarii.		
			• ,		1			
		8 Aquilæ.		Apr. 7	G	19 38 32.61		
				Aug. 22	CF	32°71	110 4 48.39	
May 5	G	19 18 44.63		23	G	32.47	48.99	
	JS		87 8 59.62			19 38 32.60	110 4 48.69	
June 21	JS	44.28						
29		1	•••					
July 9	G	44.62	•••			γ Aquilæ.		
13	CF G	44.61						
16 17	CF	44°53 44°56		July 13	CF	19 39 53 43		
l '7	OF.			17	C F	53.41		
		19 18 44.59	87 8 59.62			19 39 53.42	79 43	

Date.	Observer.	'Ř. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D	
		a Aquilæ.		g Sagittarii,				
July 9	G CF	h m s 19 44 14 73 14 67	· · · · · · · · · · · · · · · · · · ·	June 28	CF	h m s	105 50 38.07	
Nov. 1 6 29	B B CF	14°78 14°77	% 59°12			ξ¹ Capricorni.		
		19 44 14.74	81 28 57.74	Oct. 17	JS	20 4 32.32	102 47 15.08	
		57 Sagittarii.				a¹ Capricorni.		
Aug. 22	G G	19 44 24.65	109 22 53.58 55.39 109 22 54.49	July 4 11 26	JS JS	20 10 13.09 13.09	102 55 10.70	
e Pavonis.				Oct. 17 Nov. 6	JS B	13.19		
Apr. 7	G	19 45 2.09				20 10 13.11	102 55 10.95	
9 10	G G	2°01 2°04	 163 15 28·18			a ² Capricorni.		
		e Pavonis S. P.		May 5 6 July 11	G CF Js	20 10 36.98	26.21 27.36	
Apr. 4	G G	19 45 2'19	163 15 29.31	26 27	JS CF		26.61 56.62	
9 10	G	1.91		Sept. 19 20	JS		27°89 28°00	
11	G	19 45 2.12	163 15 29 31	Oct. 17	JS IF		27·88 25·42	
	β Aquilæ.				B IF CF	37.18 32.00 32.18	 27°12 26°39	
May 5	G	19 48 43.91	83 56	9		20 10 37:09	102 57 27.02	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		β Capricorni.		μ Aquarii.					
Nov. 13	G	h m s	105 12 "	Oct. 17	JS	h m 8 20 45 25 44	99° 29′ 0″66		
	a Pavonis.				B Octantis.				
		1		Apr. 30	G	20 48 38.33	179 27 34.16		
Oct. 30	IF	20 15 1.41	147 9 38.08	May 1	G	38.38			
Nov. 1	В	1.80	•••	10	G	37.21	31.30		
5	IF	1.24	37.91	13	G	39.03	•••		
6	В	1.75	38.11	14	G	35.52			
7	IF	1.73	38.03			20 48 37.70	179 27 32.73		
		20 15 1.65	147 9 38.03				<u> </u>		
				-	I	3 Octantis S. P			
		ρ Capricorni.		May 1	G	20 48 38.42			
				9	G		179 27 36.54		
May 5	G	20 21 12.88	108 15 14.30	11	G	37.54	•••		
6	CF	•••	14.13	13	G	37.65			
June 29	JS	12.93		14	G	38.53			
July 9	G	12'90	12,10			20 48 37.96	179 27 36.54		
11	JS		14.40		1	1			
26	JS		14.32			Wulmaanla			
27	CF		14.65			32 Vulpeculæ	·		
Aug. 9	JS	12.88	15.04	Oct. 17	JS	20 48 51.05	62 27		
Sept. 19	G		16.30						
		20 21 12'90	108 15 14'78			» Aquarii.			
				May 6	CF	21 2 17.46	101 54 45.12		
		e Aquarii.		July 27	CF	17.57	42.69		
		ſ		28	G	17.67	42.81		
Aug. 23	G	20 40 25.24	99 59 1.67	Sept. 20	JS	17.62	43.28		
Oct. 17	JS	25.27	2.46	21	G	17.22	43.38		
		20 40 25.26	99 59 2.07			21 2 17.57	101 54 43.22		

Pațe.	Observer.	. R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		€ Cygni.		€ Aquarii—continued.				
Oct. 24	В	h m s	0 / 1/	Sept. 20	JS	h m s	0 ' ",	
Nov. 1	В			21	G	37.02	11.86	
Nov. 1	В	14.26	60 19 15.44	Oct. 19	G	37.03	11.02	
		21 7 14.23	60 19 15.44	,	i	21 30 37 04	98 27 11.50	
						3 3, 1		
	18 Aquarii.				e Pegasi.	•		
May 6	CF	21 16 51.69	103 27 3.36	June 4	G	21 37 36.27	•••	
July 27	CF	51.87	3.30	Aug. 6	В	•••	80 44 16°32	
28	G	52.04	3.38	Nov. 1	В	36.12	•••	
		21 16 51.87	103 27 3.35	6	В	36.32	14.81	
	<u>-</u>			12	В		15.01	
		8 Agustii		22	В		15,29	
β Aquarii.						21 37 36.25	80 44 15.43	
June 4	G	21 24 30.16	•••					
∆ ug. 6	В		96 9(28.73)			λ Capricorni.		
25	JS		31.41	•	1 0		0	
Nov. 1	В	30,12	30.67	June 4	G	21 39 19.15	101 28 22.01	
5	IF	30,11	31.74			- C Do mont		
6	B IF	30,30	30·83			16 Pegasi.		
ĺ		21 24 30'19	69 8 31,18	Aug. 6	В	21 46 58	64 42 15.93	
	·	λ Octantis.			`	a Aquarii.		
Oct. 30	ıF	21 30 0	173 19 47 55	June 4	G	21 58 54.02	•••	
	L .	1	7,5 7, 77, 75	Sept. 14	CF	54.08		
				Nov. 5	IF	54.08	90 58 8.41	
€ Aquarii.			6	В	54.07	5'40		
,			•	7	IF	54.02	7.54	
June 4	l	21 30 37.01	98 27 11'40	16	OF	54.04	9.47	
Aug. 25	JS	37 03	11.66			21 58 54.05	90 58 7.71	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	e Gruis.				ρ Aquarii.				
Aug. 6 Oct. 30	B IF	h m s 21 59 46.38 46.43	° ', "	July 28 Nov. 9	G CF	9.05 9.05	98° 29′ 32″96 33°75		
Nov. 1 19 22 26	B B B	46°37 46°69 46°47 46°74	30·67 30·80 31·16 28·12		<u> </u>	22 13 8.93	98 29 33'36		
		21 59 46.21	137 36 30.32		<u>. </u>	σ Aquarii.	1		
		C Octantis.		Sept. 21	G CF	33.42	101 21 44.03 43.86		
May 21	G G	22 4 59°09 59°05	176 38 37·51 38·72	Nov. 16	CF	33,31	45°55		
		22 4 59.07	176 38 38 12						
		Octantis S.P	•		β	Piscis Austral	is.		
May 22	G	22 4 58 93	176 38 39:13	Nov. 9	C F	22 23 52.77	123 1 53.06		
		θ Aquarii.							
June 4	G	22 9 45.75			ī	7 Aquarii.	1		
July 28 Aug. 9 25	18 G	 45°62 	98 26 57°52 57°04	June 4 Aug. 9 Sept. 4	G J8 CF	28.70			
Sept. 14 21 22	G G OF	45°76	56°45 57°27 55°09	14 Nov. 2	CF G	28·14			
Nov. 5	IF B IF	45°79 45°64	55°34 56°01	5 6 7	IF B IF	28°33 28°30	90 48 23 09 21 36 24 69		
7 16 23	CF IF	45°7° 45°7°	55°64 57°38 57°29	9 16 23	CF CF IF	28.28 28.39	25°06 26°24		
		22 9 45.71	98 26 56.20			22 28 28.25	90 48 24 09		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N .P.D.
	# Aquarii.		78 Aquarii.				
June 4	JS	h m s 22 30 49 00 48 83	94° 55′ 6′.92 4.32 94 55 5.62	Oct. 20 Nov. 16	JS CF	h m 8 22 47 35°53 35°45 22 47 35°49	97° 54° 56"75 57° 36
Nov. 2	\$ Octantia.	172 4 54 43	α Piscis Australis.				
	• :	Piscis Australi	8.	Jan. 6 June 5 Aug. 9	JS JS	 14'49	
Nov. 9	22 33 14'30	117 44 27 12	Sept. 4	CF JS CF CF	14°34 14°31	50°09 53°01 	
		? Pegasi.		Oct. 30	IF		52.29
Sept. 4	CF	22 34 46·78 46·86 22 34 46·82	79 52 0.80	Nov. 1 2 5 6	G IF B	14°45 14°36 14°42 14°36	50°38 52°14 51°49
		67 Aquarii.		7 9 12 19	CF B B	14°28 14°35 	52°06 52°49 51°37 53°79
Aug. 25	JS	22 36 14.37	97 39 48.31	22 23 29	B IF IF	 14°45	52°92 52°02
		λ Aquarii.		-,			120 19 52.19
June 4 G 22 45 37 37 98 17 29 88 5 J8 37 34 29 01 Aug. 25 J8 37 38 29 44					,	81 Aquarii.	
Tr. 18. 2)		37°38 22 45.37°36	98 17 29*44	Nov. 17	JS	22 54 26	97 46 48 04

Date.	Observer.	· R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		a Pegasi.		γ Piscium.				
June 4	G	h m 8	° , "	Sept. 4	CF	p m 8	o , "	
Sept. 4	CF	5*24		13	JS		87 26 58.58	
Oct. 30	IF		75 30 53.64	14	OF	13.23		
Nov. 1	В	5.36	52.34	Nov. 5	IF B	13.25	56.40	
5	IF	5'24	53.72		IF	13.18	56.02	
6	В	5.19	51.69	7 16	CF	13.22	55.16	
7	IF	5.53	54.44	10		13.12		
9	CF	5.33	52.26			23 10 13.51	87 26 56.54	
12	В		53.22		•	•		
19	В		55.52					
22	В		54*97			γ Sculptoris.		
23	IF	5.33	54.58		l			
27	IF		(50.93)	Nov. 9		23 11 34.83	123 15 39,95	
28	В		52.39	27	IF	(35,00)	(38.04)	
· 2 9	IF		53'11	29	IF	34'91	42.60	
		22 58 5.28	75 30 53.49			23 11 34.87	123 15 41.28	
		τ Octantis.				96 Aquarii.		
June 4	G	23 6 23.18	178 12 56.41		1	1		
Nov. 2	G	·	58.29	Sept. 22		23 12 27 17	95 51 18.79	
	~			23	CF	27.05	21.82	
		23 6 23.18	178 12 57.35			23 12 27'11	95 51 20.31	
	,	octantis S.P.		" Piscium.				
June 4	G	23 6 23.37	178 12 61.15			# 4 LOCIUIII.		
9	JS		59°73	June 5	JS		89 28 38.01	
		23 6 23.37	178 13 0.44	Aug. 9	JS	23 20 3.83		
				Sept. 4	C F	3.90		
i		φ Aquarii.		14	CF.	3.84	•••	
<u> </u>	ī -	{		Nov. 2	G	3.87		
Sept. 22	CF		96 46 13.70	7	IF	3.85	37.61	
23	CF	22.90	13.61	16	CF	3.87		
		23 7 22.97	96 46 13.66	17	JS		39°44	

Data.	Observer.	R.A.	N.P.D.	Data.	Observer.	R. A.	N.P.D.				
	₽ Pi	isclum—contin	ued.	8 Sculptoris.							
27 29	IF IF	h m s	° (35°62) 38°96 89 28 38°51	Aug. 9 Nov. 9 16 23	i	h m s 23 41 56.57 56.51 56.47	° 118 52 14'94 15'56				
Nov. 9		B. A. C. 8186.	132 43 28 60			23 41 56·53	118 52 15.25				
Oct. 20	JS JS	λ Piscium. 23 35 12 81 12 66	88 57 24*75 25*88 88 57 25*32	Nov. 17 18	JS CF	23 42 35.81	89 40 3.32				
		B. A. C. 8254		γ¹ Octantis.							
Nov. 9 16	CF CF JS	23 36 50°31 49°96 50°02	135 49 36·44 35·14 35·99 135 49 35·86	Oct. 30 Nov. 2	G G	23 44 8	172 45 48.46				
		20 Piscium.		22 Piscium.							
June 5 Oct. 20 21	JS JS	23 41 3·16 3·37 3·26 23 41 3·26	93 30 21.48	Sept. 23 24	CF JS	23 45 6.39 6.34	87 48 50°15 51°04				

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.				
		γ Octantis.		27 Piscium.							
Nov. 2	G	h m s 23 50 6	172 54 53"41	Nov. 17		1 1	94 17 57 4 56·5				
						23 51 48.79	94 17 56'9				
	1	η Toucani.				e Piscium.					
Nov. 9	CF IF	(32,14)	155 2 32°54 (29°06)	Dec. 4	CF	23 52 25.82					
29	IF	31.92	29.96	5			83 52 41.5				
		23 50 32.08	155 2 31.52			23 52 25.82	83 52 41.5				

ROYAL OBSERVATORY,

CAPE OF GOOD HOPE.

CATALOGUE

OF

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS,

FOR

1866'0,

OF

STARS OBSERVED IN THE YEAR 1866.

122 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude. Fraction of Year.	1866.0	Annual Variation 1865.0.	Mean Dec. 1866.0.	Annual Variation 1865 °c.
1 2 3	α Andromedæ γ Pegasi Β. Α. C. 45	3.00.00	4	+3.081	0.00 1 +28°21°0.74 0.00 2 +14 26 20.52 0.89 3 -76 39 23.60	+19°.90 +20°03 +20°03
5	o Octantis o Octantis S.P		10.08		0.48 6 30.83	+20°00
6 7 8 9	44 Piscium 6 Hydri 6 Hydri S.P	2.8 0.00 10 7.8 0.00 10	0 18 39.41 0 18 39.41	+3.075 +3.284 	0.80 2 + 7 26 46.29 0.73 2 + 1 11 51.44 0.00 19 -78 0 31.86 	+19·99 +20·25
10 11 12 13	β¹ Toucani	4.20.04	0 25 23°45 0 26 36°70 0 28 4°61	+2.773	0.00 3 — 4 41 52.12 0.94 1 —63 41 48.49 0.91 1 —53 6 48.75	
14 15 16	B.A.C. 176 ß Ceti	2.1 0.00 1	0 34 8.13	+3.017	0.82 2 4 6 21 20.40	+19.82
17 18 19 20	λ Hydri	5.00.94	0 43 55.83 0 44 34.67 0 49 59.37 0 55 8.75	+2°745 +2°256	0'94 275 39 11'09 0'94 251 43 5'86 0'92 370 15 7'60 0'91 + 7 13 6'14	+19.22 +19.23 +19.69 +19.69
21 22 23	e Piscium • Phœnicis • Toucani	5.3 0.31 2.3 0.33	1 1 59.75	+2·560 +2·393	0°93 3—57 43 28°24 0°93 3—57 43 28°24	+19·45
24 25 26	ζ¹ Piscium	7.70.96	1 6 45.54	+3.130	0.96 1 + 6 51 57.53 0.96 1 + 6 52 8.49 0.94 1 -46 14 52.85	+19.12
27 28 29 30		6.5 0. 03	1 11 13.17	+2.085 +2.085 +2.086	0.91 3—69 35 17.94 0.93 3—67 6 19.46 0.00 10—8 52 31.56 0.93 1—67 5 9.77	
			1	l	1	

No.	Star.	Magnitude.	Zetic	No. of Obs.		n R. A. 56 o.	Annual Variation 1865 °C.	Fraction of Year.	No. of Obs.	Mean Dec. 1866'o.	Annual Variation 1865'o.
31	B. A. C. 426		0.01	,	h m	44'74	\$ ∔ 2:66¢			-42° 11′ 26′ 26	+18'.88
32	7 Piscium		1	1 1		19.02		1		+14 39 15.67	+18.71
33	8 Phœnicis		i	1 1		40,18	ı		1 1	-49 46 11.02	+18.85
34	a Eridani	_	l	1 1		43.50			ıı	—57 55 5°21	+18.43
35	Piscium		ı	1		27.68				+ 4 48 30.75	+18.33
"		7 /				,	13-5			1 + +- 3- /3	, ,,
36	o Piscium	4.4	0.26	6	1 .38	19.27	+3.161	0.26	6	+ 8 28 56.17	+18.25
37	e Sculptoris	5.3	0.91	2	1 39	22.17	1		il	-25 43 23.03	+18.13
38	q ² Eridani		l	1 1	1 40	59.62	+2.500	0.93	3	-54 II 44·80	+18.19
39	β Arietis	2.8	0.00	3	1 47	14.57				+20 9 7.47	+17.79
40	B.A.C. 582	4.° I	0.96	1	1 48	16.41	+2.406	0.96	1	-46 57 35°54	+17.72
41	φ Phœnicis	5.0	0.93	2	1 48	48.33	+2.499	0.63	2	—43 9 18·96	+17.84
42	B.A.C. 589	Var.	0.92	2	I 49	11.62				-68 36 18.18	+17.83
43	η ² Hydri	4.2	0.96	3		32.45				-68 18 24·79	+17.78
44	B.A.C. 635	1	0.63	4	1 56	10.78	1			66. 42 59°44	+17.23
45	a Arietis	2.0	0.00	9	1 59	37 49	十3.362	p.∞	6	+22 49 38.87	+17.54
46.	€¹ Ceti	I	0.84	1 1		54.07	1			+ 8 13 1:69	+17.07
47	67 Ce i		ı	1 1		18.10				- 7 .2 26·54	+16.44
48	8 Hydri		1							—69, 16 1.1°74	+16.46
49	E A C -8-		1	1 1						+ 7 51 29.90	+16.36
50	B.A.C. 787	7 3	0 94		2 27	17.59	T2 229	0.94	•	-46 27 46.80	+16.16
١,,	η Horologii	٠.,	0.00		2 22	50'AT	T1.021	٠	,	 53 7 26 93	1.0.01
51 52	γ Ceti	1	0.00	1 1		21.28	l .			+ 2 40 10'13	+15.36
53	• Hydri.		0.94	1 1	_	32.07	1		ı	-68 50 31.51	+12.20
54	μ Ceti	1	0.87	! .!		42.17				+ 9 32 48.35	+15.45
55	B.A.C. 864	1	0.94	: 1		30.79				—43.244°15	+15.34
,,		′	'		•	3 //	. ,	["	l	1344	1 -5 5
56	ζ Hydri	4.8			2 43	29	+0.893	0.94	1	-68 10 50.79	+15.12
57	σ Arietis		1	1 1		_	1		Į.	+14 31 41.93	
58	λ Ceti		1 1	1 1		32.29	+3.514	0.74		+ 8 22.17.64	+14.65
59	a Ceti					16.66				+ 3 33 44.88	
60	B.A.C. 956					16.56				-64 36 18.05	
<u> </u>	1		<u> </u>					<u> </u>			1
I											
I											
`											

124 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs	M		R.A. 6'0.	Var	nual iation 65°0.	Fraction o Year.	No. of Obs.		866	Dec.	Annual Variation 1865 °c.
	. II. l.:				h		-						- <i>!</i>	35"51	+14".05
61	θ Hydri	•	0.62	' 1	3		59.97	I	3.417						l .
62	& Arietis		0.00	: 1	3	_	58.30	1 ' '					-	5'27	+13.94
63	 	_	0,63	1 1	3			1	2.203	1				59°39	+13.40
64	B.A.C. 1038		0.62	i I	_		11.36		1.653		1	٠,	-	34.45	+13.40
65	4 Hydri	5.5	0.87	1	3	14	21 /0		. 053	۳ "	•	_//	5-	34 43	712 99
66	f Tauri	4.4	0.89	2	,	22	28.79		****	L.80	,	+12	28	32.35	+12.66
67	B.A.C. 1109		0.92	1 1		-	11.30	1 ' '		1 -		1 *		25.96	+12.52
68	η Tauri	l	0,00	1 1	-	•	31'41	1			i	ı		19.06	+11.48
69	s Tauri	1	0.66	1 1	_		52.61	1						43.57	+11.39
70	B. A. C. 1197	,	0.92	ا ۱		•	31.48	1		ı	1	, .		44.06	+11.37
/	212101119/111111	, ,			,	Ψ-	3 - /-	'	,	, ,		-,	- 3	**	
71	τ ⁸ Eridani	4.2	0.99	1	2	48	0.44	+:	2.220	6.00	1	25	0	39.36	+10.92
72	√ Eridani		0.08	1 1	-	-	32.65	1 .	2.585		l	i		47.48	+10.88
73	γ Hydri	1 -	0.55	1 1	1		30.23	, .		0.51				55.83	+10.65
74	γ Hydri S. P	•	0.35				20.62			0.53	. I			56.45	
75	γ¹ Eridani		0.00	1	3	ςı	46.71				!	13	53	29.07	+10.23
	•					•	•							•	
76	λ Tauri	Var.	0.81	1	3	53	15.49	+:	3 · 316	0.81	1	+12	6	34°97	+10.22
77	o¹ Eridani	4.1	0.00	12	4	5	19.55	1						19.76	+ 9.70
78	γ Tauri	3.9	0.24	3	4	12	10.25	+:	3 * 407	0.24	3	+15	18	6.82	+ 9.07
79	υ ⁴ Eridani	3.8	0.87	1	4	12	49.59	+	266	0.87	1	-34	7	38.10	+ 9.04
80	8 ¹ Tauri	4'0	0.84	3	4	15	12.29	+:	3 4 5 0	0.84	3	十17	13	33.52	+ 8.84
8 r	θ Reticuli	6.1	0.98	I	4	16	10.65	+	.652	0.98	1	63	34	51.20	+ 8.78
82	η Reticuli,	5.2	0.92	1	4	20	26.95	+	640	0.92	1	—63	42	16.56	+ 8.28
83	e Tauri	3.7	0.00	16	4	20	47.73	+:	3 * 492	0.00	18	+18	52	51.05	+ 8.38
84	a Tauri	1.0	0.00	14	4	28	14.07	+:	3 4 3 5	0.00	17	+16	14	14'37	+ 7.64
85	a Doradûs	3.2	0.89	2	4	31	6.54	+	1 287	0.89	2	55	19	22.18	+ 7.28
												l			
86	B.A.C. 1454	5.8	0.62	2	4	32	58.00	-	5.634	o·67	I	81	52	46.29	+ 7.26
87	B.A.C. 1454 S.P.		0.62	2			57.90		•••	0.62	1	1		46.48	
88	λ Pictoris	5.3	0.89	2	4	39	20.66	+	1 . 2 3 6	p.89	2	—50	44	5.03	+ 6.91
89	11 Orionis	4.7	0.4	1	4	56	54.85	+	3 * 424	0.4	I	+15	I 2	54.48	+ 5.43
90	B.A.C. 1587	5.2	0.67	1	4	59	3.65	-	1.791	0.67	1	-75	8	28.32	+ 5.27

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Meau R.A. 1866'o.	Annual Variation 1865 °o.	Fraction of Year.	No. of Obs.	Mean Dec. 1866 c.	Annual Variation 1865 o.
91 92 93 94 95 96 97 98	B. A. C. 1587 S. P • Leporis	3°3 4°9 4°8 0°3	o • 91 o • 90 	1 3 1 12 	4 59 47 34 5 1 30 04 5 2 1 85 5 8 5 87 5 13 52 23	+2·536 +1·543 +3·428 +2·880 	 o·90 o·74 o·00 o·90	3 1 20 10	-22 33 -49 45 39 17 +15 25 25 70 -8 21 31 36 33 83 -67 20 9 78	 + 5.14 + 5.06 + 5.03 + 4.49 + 4.05 + 3.47
99 100	115 Tauri	5°4 6°3 4°6	0.89	1	5 19 21°15 5 21 43°96 5 24 21°57	+3.494 +1.359	o·89 o·92 o·15	1 2 1	+17 50 36.83 -52 26 4.06 +18 29 29.95	+ 3.23 + 3.12
102 103 104 105	a Leporis	2°7 5°3 1°8	o • oo o • 87	6 1 8	5 26 49°23 5 28 20°93 5 29 24°88	+2.646 +2.012 +3.041	 o·87 	 1 	—38 36 30·73 — 1 17	+ 3.00 + 2.90 + 2.76 + 2.66
106 107 108 109 110	B.A.C. 1855	2°7 5°1 4°7	0 · 92 0 · 92 0 · 90	35 2 3	5 34 47.81 5 42 44.87 5 46 27.03	+2·178 +1·661 +3·552	0.83 0.83	3 3		+ 2.63 + 2.20 + 1.51 + 1.06
111 112 113 114 115	a Orionis	5.0 5.0	 0°92		 5 48 15 5 50 2.53	-0.065	o . 93 o . 92 o . oo	I 2 I 2	+ 7 22 45 75 43 38 -33 49 57 60 -66 56 3 56 +14 46 53 16	ì
117	l *	-1°0 2°0	o.oo 	1 I 2	6 20 58.67	+3.466 	o.oo o.oo o.oo	23 13 6		
		1		<u>.</u>		1	<u> </u>		1	I

No.	Star.	Magnitude.	Year. No. of Obs.	Mean R.A. 1866'o.	Annual Variation 1865°0.	Fraction of Year.	No. of Obs.	Mean Dec. 1866°o.	Annual Variation 1865 o.
122 123 124 125 126 127 128 129 130	t Puppis	4*90 1*50 5*20 Var. 0 4*10 5*30 4*50	'91 I '00 12 '93 I '46 5 '00 7 '92 I '96 2 '91 3	6 45 59 93 6 53 21 55 6 53 30 90 6 56 9 62 6 57 41 72 6 59 48 10 7 8 44 47 7 8 47 51	+2.645 +2.182 +2.358 +2.3566 +2.716 +1.709 +2.443	o co o ga o co o ga o ga o ga o ga o ga	20 —1 2 —3 20 —2 7 2 —3 5 +2 5 —1 1 —4 2 —4 3 —2	28.96 33.36 3 55 53.72 0 45 49.99 5 26 14.31 2 8 25.08 6 32 10.83 6 7 24.10	4.64 4.64 4.88 4.99 5.17 5.84 5.88
132 133 134 135 136 137 138 139	8 Volantis 6 Canis Minoris B.A.C. 2478 B.A.C. 2484	3'7 0 4'3 0 3'9 0 5'0 0 6'1 0 4'7 0 5'0 0	'00 I 96 3 I 1 30 I 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 10 23.50 7 12 7.09 7 13 9.15 7 16 53.26 7 22 20.27 7 23 54.53 7 25 30.14 7 25 57.53 7 26 2.42 7 28 57.57	+3'592 +2'492 -0'009 +3'347 +2'317 +2'334 +3'432 +3'843	o·oo o·96 o·93 o·91 o·94 o·63	3 +2 3 -2. 1 -6 1 +1 3 -3 1 -3 3 +1 2 +3	6 46 46 26 2 13 34 49 4 42 41 80 7 42 42 27 2 16 51 96 1 10 51 99 0 40 54 54 6 6 44 55 2 10 43 82 5 49 28 54	- 6.06 - 6.22 - 6.28 - 6.62 - 7.05 - 7.18 - 7.31 - 7.30 - 7.43
141 142 143 144 145 146 147	f Geminorum a Canis Minoris B Geminorum 3 Puppis W Puppis P Puppis 1 Caneri 3 Caneri	5.20 0.50 1.10 4.20 5.10 4.10 5.90 6.00	'30 I '00 II '96 I '97 I '97 2 '49 3	7 31 44 19 7 32 17 19 7 37 6 74 7 38 25 79 7 39 8 21 7 45 9 52 7 49 22 87 7 53 6 39	+3.476 +3.145 +3.682 +2.407 +2.032 +1.827 +3.418 +3.445	o * 30 o * 00 o * 06 o * 97 o * 49 o * 23	1 + 1 2 + 1 + 2 1 - 2 1 - 4 2 - 4 4 + 1 2 + 1	7 58 37 13 5 33 57 18 8 20 53 93 8 38 9 55 0 36 28 39 6 2 12 66 6 8 44 81 7 40 24 95	- 9'49
149				7 53 38 68 7 53 51 85				6 49 20°11	- 9.23 - 9.23

128 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		R.A. 6'o.	Annua Variatio 1865 o	n g s	No. of Obs.		n Dec. 66 o.	Annual Variation 1865 o.
241 242	γ Libræ	4.0	0.48	2	15 28	2.03	+ 3.34	6 0.48	2	-14 2	24.75	-12.33
243 244 245	 θ Librsa	2,0	0.00	1	15 57	38.95		7 0.00	10	-19 2	9.05	—10.53 —10.53
246 247 248 249	8 Ophiuchi B.A.O. 5412 B.A.C. 5412 S.P.	2·8	0.63 0.63	 2 1	16 7 11 11	19 42°35 42°36	+ 3°13 +20°51	6 0°00 4 0°6; 0°6;	1 2 3 1	— 3 ² —86 ·	10:49*30 5:47*14 49*98	 - 0.10 - 0.20
	φ Ophiuchi BA.C. 5579	1°1		2 4	16 21 16 23 16 33	12 28·35 49·55	+ 3.42 + 3.45	6 0.00 4 0.59	9 5 1 8 4	-26 -16 1	19 3.02 18 46.22	- 8·41 - 8·24 - 7·34
256	a Trianguli Australis a Trianguli Aus. 8.P. B.A.C. 5695	6.0			16 48		+ 3.45	o*0	3 1	—16 <u>:</u>		— 6·18
258 259		2.0	30·37	5	16 54 17 2	1.11 41.48	+ 3.43	0°3; 6 0°4;	7 2 8 5	-18 4 -15 3	33.30,26 31 6.32	- 5.69 - 4.86
262	ξ Ophiuchi	Var 4	0 °00 5 0 °6; 4 0 °00	3 1	17 8 17 12 17 13	32·31 58·53 46·94	+ 2.73 + 3.65	32 0.00 90 0.6 76 0.00	3 2	-20·	32 47°68 57 56°18 51 43°51	- 4'42 - 4'29 - 4'01
	§ Serpentis	3.	70.6	3 4	17 29 17 35	54°95 24°11	+ 3°4; + 3°5;	31 0·6	2 5	—15 —21	18 39°15 36 52°65	- 2·68
269	1	5.	9 0.2	1 2	17 48	36.69	+ 3.4	50 0.2	1 2	—15 ·	47 7:26	— 1.00

No.	Star.	agni Pettic	No. of Obs.	Mean R. A. 1866 o.	Annual Variation 1865 °c.	Mean Dec. 1866 o. Variation 1865 o.
331 332 333 334 335	78 Aquarii	6.3 0.83 1.3 0.00 6.8	2 11 8	22 54 26 22 58 5·28	+ 3°129 + 3°330 + 3°122 + 2°983 +13°130	0°50 3 — 8°17′29″44
337 338 339 340	φ Aquarii	4.3 0.88	6 2	23 7 22.97 23 10 13.21 23 11 34.87	+ 3°113 + 3°106 + 3°113	0·72 2 - 6 46 13·66 +19·37 + 2 33 3·46 +19·57
342 343 344 345	κ Piscium B.A.C. 8186 λ Piscium	5.0 0.80 6.7 0.85 4.7 0.00	6 1 2	23 20 3.86 23 23 20.01 23 20 3.74	+ 3°075 + 3°269 + 3°059	0.80 1 -45 49 32.86 +13.80 0.80 2 + 1 2 34.68 +13.80 0.80 3 -42 43 28.60 +13.80 0.80 4 + 0 31 21.49 +13.80 1.30 4 + 13.80 +13.80
346 347 348 349 350	1	6.10.88	4 2	23 41 56·53 23 42 35·81 23 44 8	+ 3.133 + 3.04 + 3.765	
351 352 353 354	γ ² Octantis η Toucani 27 Piscium	5.0 0.88 2.0 0.88	2	23 50 32.08 23 51 48.79	+ 3·207	0.84 1 —82 54 53.41 +20.03 0.88 2 — 4 17 56.99 +19.92 0.00 1 + 6 7 18.76 +19.92

ROYAL OBSERVATORY, CAPE OF GOOD HOPE:

SEPARATE RESULTS

OF

MERIDIAN OBSERVATIONS OF STARS

MADE IN THE YEAR

1867

REDUCED TO MEAN PLACE FOR 1867-0.

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R, A.	N.P.D.	
		B. A. C. 19.		B. A. C. 56—consinued.				
Aug. 1 5 Sept. 26	B B Js	h m s	172°57 ['] 48 ^{''} 47 48 ^{''} 87 47 ['] 45	Oct. 7	JS IF	h m s o 10 52.08 52.87	169 31 5°57	
Oct. 4	CF J8		50°23 47°77 172 57 48°56			o Octantis.		
	γ Pegasi.		June 23 30	CF CF	O 13 2.38	179 6 8·27 8·25		
Aug. 17 Nov. 21 Dec. 6	G B IF	23.46 23.48	 			Octantis S.P.		
	o 6 23 51 75 33 B. A. C. 33.				G Js	o 13 9.38	179 6 10·39 10·55	
Oct. 30 Nov. 1	B JS JS	0 7 52·83 52·91 52·92	109 40 10'74 11'25	Oct. 18	IF	B. A. C. 64.	155 39 21.08	
		B. A. C. 45.	109 40 11.30	Nov. 1	Js	7°31	20.97	
July 15	CF CF	 o 9 47·36	166 39 3.83		 I	d Piscium.		
Oct. 29	CF.	47°77 • 9 47°57	3°74 166 39 3°29	July 21	JS	0 13 45	82 32 54.09	
	B. A. C. 56.				IF	B. A. C. 70.	160 21 45.83	
Sept. 26 Oct. 4	JS CF	 o 10 50·86	6.44	Oct. 23	CF	0 14 27 65	160 21 47 42	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R . A.	N.P.D.
		B. A. C. 72.		β Hydri S.P.			
Oct. 16	В	h m s	119 42 61 16	Jan. 8		h m s	0 / //
22	В	49*97	59.57	J&II. 8	G JS	0 18 42 44	168 0 12.72
		0 14 49 95	119 43 0.32	Feb. 21	JS	42.40	13.39
				25	JS	43.07	14.53
		β Hydri.		Mar. 4	JS		
! 		,,		6	JS	43°35 42°56	
Jan. 4	CF	•••	168 0 12.76	7	G	41.82	
8	G		10.99	May 22	CF	42.99	12.82
Feb. 22	G	0 18 42 75	11.51	27	JS	42 99 42 43	12 02
Mar. 13	CF	42.55	•••	30	G	42'99	
Мау 30	G	42.71		31	JS	43.07	12.37
June 5	G	42.57	·	June 3	JS	42.64	•••
6	G	42°42		4	IF	'	13.88
11	В	42.35	10.01	5	G	43.13	***
16	G	42'19		6	В	42.34	14.61
24	J8		11.90	10	G	42.24	•••
30	CF	42.57		11	В	42.89	13.72
July 1	В	43*31	11:22	July 1	В	42.71	15.22
2	IF		11.03	5	J8	42.74	13.40
4	CF	43'01	11.31	8	В	42.89	13.48
5	J8	•••	11.20	9	IF	42.47	14.02
9	IF	42.66	13'44	10	G	42.72	
15	CF	•••	11.61	16	IF G	42.82	12.67
26	CF G	42°30	13.75	27		•	•••
29 31	OF	42 80	11,39	Aug. 7	G	42.40	•••
1				Nov. 24	G	43.14	•••
Aug. 5	В	42.98	11.76	Dec 9	G	42.67	• •••
Oct. 4	OF	42.33	12.60	19	G	42.73	
7	J8	42.32	10.53			0 18 42.74	168 0 13 56
Nov. 19	G	42°53					
21	В	42.73				D 4 0	
26	IF	42.32	•••			B. A. C. 93.	
Dec. 9	G	42.68	•••	Sept. 26	Js	0 19 39.16	134 25 0'96
. 19	G	42.43		_	ł	·	
		0 18 42.60	168 0 11.40	Oct. 18	IF	39.38	4.67

Digitized by Google

Date.	Observer.	R.A.	N.P.D.	Date.	Observer,	R.A.	N.P.D.
	В. А.	C. 93—contin	ued.	β¹ Toucani—continued.			
Oct. 22 23	B IF	o 19 39.31	3.85	Sept. 26 Oct. 29	JS CF	h m s o 25 25.83 26.07	153 41 27 23 27 81
	B. A. C. 94.		β² Toucani.				
Oct. 16 29 Nov. 1	B CF JS JS	0 19 42·27 42·13 42·32 42·32 0 19 42·26		July 15 Oct. 7 18 23	JS IF IF	0 25 26·57 26·53 26·57	153 41 53°14 55°32 54°09 53°78
	L	10 Ceti.		β ⁸ Toucani.			
July 21 Aug. 17 18 Dec. 6	J8 G G IF	0 19 48 41 48 24 48 34 0 19 48 33	10.43	July 31 Oct. 24 Nov. 1	JS JS JS	39°32 39°34 39°30	153 45 50°25 49°55 50°26 48°71 153 45 49°69
		12 Coti.			<u> </u>	B. A. C. 141.	
July 26 Aug. 17 Nov. 21	CF G B IF	0 23 15.08 15.27 15.16 15.24	94 41 33°01 	Oct. 30 Nov. 22	B	0 27 51.80 52.04 0 27 51.92	133 9 55.26 25.20
26 Dec. 6	IF IF	15.33	 94 41 33°01	Aug. 17	G	13 Ceti.	
	₿¹ Toucani.					0 28 24·35 24·22 24·27	31.60 31.80
July 15	CF		153 41 28.57	Dec. 6	IF	0 28 24 28	94 19 30.48

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		B. A. C. 183.		B. A. C. 202.					
July 31 Sept. 26 Oct. 18	CF JS IF JS JS	h m s 0 35 1.93 2.02 1.98	52°49 54°68	Oct. 7 16 22	JS B B	h m s 0 37 45 95 45 66 0 37 45 81	129° 9' 16''72 16'67 (12'97)		
Nov. 1	30	0 32 1.99	136 48 54.43			8 Piscium.			
	B. A. C. 188.		June 24 Sept. 15	J8 G	0 41 47°07 47°04	83 8 20:36			
July 15 Oct. 8	CF IF	o 35 42·13	147 14 0°99 13 59°44	Nov. 9	G	46.95	83 8 19.73		
30	30 B 41.83 13 59.92 0 35 41.98 147 14 0.15					λ Hydri.			
		В. Д. О. 192		Oct. 8	IF JS	0 43 57.40	165 38 50.25		
Oct. 7	Ј8 В	o 36 18.73	31.81	14 18 24 29	IF JS CF	57°41 57°40 57°58	50.92 51.60 51.60		
		β Ceti.				0 43 57.53	165 38 51.12		
Jan. 4	CF	•••	108 42 59.80		,	Phœnicis.			
Apr. 24 July 5	JS	 o 36 54·85	59°79	July 31 Oct. 7	CF JS	0 44 37 79 37 30	141 42 49°35 46°18		
Nov. 21	B IF	54°77 54°77	••• 	23 Nov. 1	IF J8	37°39 37°43	46°24 46°91		
Dec. 6	IF	54°77 0 36 54°77	108 42 59 80	,		0 44 37.48	141 42 47 17		
	η Phœnicis.				20 Oeti.				
Oct. 23	IF	0 37 21.93	148 11 33.15	Sept. 15	G	0 46 12.85	91 51 59.98		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N,P.D.	
		B. A. C. 265.		30 Oeti.				
Oct. 30	В	0 49 59.00	143°54′40"20	Nov. 20	CF	h m s	100°29′50″06	
		B. A. C. 271.				B. A. C. 340.		
Nov. 20	C F	0 52 4.46	102 5 52.85	July 8	B CF	1 2 47°03 47°53	145 57 25°33 24°56	
		e Piscium.		Oct. 14	Js IF	47°17 47°39	25.48 24.55	
June 24 JS 0 56 3 82 49 35.21						1 2 47.28	145 57 24 91	
Aug. 18	G G		34*43			B. A. C. 354.		
Nov. 9	u	o 56 3	34·30 82 49 34·65	Oct. 30	B	1 4 47.69	147 34 9°24 9°06	
				4	JS	47 . 84	8.79	
July 8	В	o 56 23.76	147 43 9'96			I 4 47°75	147 34 9 03	
31	CF	24.00	9.87		·	Ç Piscium.		
Oct. 23	IF JS	23·90 23·84	6·72 7 · 08	Aug. 18	G	1 6 47 17	83 7 43 12	
29	CF	23.80	6.92	Dec. 6	IF	47.13	41.83	
		0 56 23.86	147 43 8 11			1 6 47.15	83 7 42.48	
		<u>`</u>				41 Ceti.		
		B. A. C. 301.	:	Nov. 20	CF	1 11 1.49	98 21 42.44	
Nov. 1 4	J8 J8	96.44 36.44	.15.62			« Toucani.		
		0 57 36.40	156 10 16.13	July 31 Oct. 14	CF JS	1 11 15.11	159 34 57 79	
						14.92	57°56 56°04	
	B. A. O. 306.					12.30	57°61	
Nov. 22	IF	0 58 15.75	124 14 45°34			1 11 15.08	159 34 57°39	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
		B. A. C. 422.		η Piscium.			
Oct. 22	B	h m s 1 17 21'42 21'60	157° 4' 48''32 48:18	Oct. 13	G	h m s	75°20′′′′
29 Nov. 1	CF JS	22.00	48.03			49 Ceti.	
4	JS	21.60	48.69	Nov. 20	CF	1 28 8.04	106 21 30.83
<u> </u>		1 17 21.64	157 4 48.13			B. A. C. 478.	
	θ¹ Ceti.		Nov. 25	JS IF	1 28 42,46	136 22 34.09	
Oct. 13	G CF	1 17 22·58	98 52 13.45			1 28 42 39	136 22 35.00
Dec. 6	IF	22.60				B. A. C. 497.	
		1 17 22.59	98 52 13.45	Nov. 1	JS	1 31 52.13	148 56 59.16
		B. A. C. 428.		a Eridani.			
Oct. 30	В	1 18 22.10	135 13 18.12	Jan. 11	В	I 32 45'45	147 55
		D 4 0			_	B. A. C. 513.	
July 31	OF	B. A. O. 447.	133 59 60.27	Nov. 21	B IF	38.85 38.85	144 6 48°98 47°77
Oct. 24	JS CF	35.50	59.56			1 33 38.82	144 6 48.38
29 Nov. 4	JS	35.52 32.55	29°16			Piscium.	
		I 22 35.23	133 59 59*94	July 31 Sept. 15	CF G	•••	85 11 10.21
	μ Piscium.					1 34 30.00	11.24
Dec. 6	IF	1 23 13.25	84 32 32.69	Oct. 13	G CF	30.48	
7	JS	13.18	31°22 84 32 31°96	Nov. 20	CF	30.81	82 11 10.80

Date.	Observer.	R.A.	N.P.D.	Date,	Observer.	R. ∆ .	N.P.D.	
		o Piscium.		B. A. C. 382—continued.				
Sept. 15 16 Nov. 9	G JS G	h m s 1 38 22 45 22 37 22 45	81° 30′ 45′ 33 48° 54 43° 31 81 30 45° 73	Oct. 14 18 24 29	JS IF JS CF	18.43	136 57 16'63 16 56 16 16 11 136 57 16'89	
	B. A. C. 539.					♦ Phœnicis.		
Nov. 20	!	1 39 18 94	96 23 55.95	Aug. 20	В	1 48 51	133 9 1'40	
Oct. 30	В	B. A. C. 552.	132 25 35 90	η¹ Hydri.				
Nov. 25	JS IF	38·57 38·43	34°95 36°44	Oct. 22	В	1 49 12.99	158 35 58.23	
		1 41 38.43	132 25 35.76	B. A. C. 621.				
Nov. 20	CF	ζ Ceti.	100 59 33.23	Nov. 25 26	js If	1 54 9 85 9 73 1 54 9 79	132 40 21.82- 23.53	
		B. A. C. 571.		J		B. A. C. 635.	33	
Nov. 21	В	1 45 44.66	140 51 55'14	Aug. 20	В	1 56 12	156 42 41.53	
		β Arietis.				B. A. C. 638.		
July 26 Oct. 13	G G	1 47 17 81	69 50 35.80	Nov. 18	JS 1F	7:37	168 59 53.18	
·	B. A. C. 582.				B. A. C. 636.			
July 31 Sept. 16	CF JS	1 48 18:57	16.91 16.91	Nov. 20		1 56 34'40	105 56 51.88	

Digitized by Google

Date.	Орвегуег.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		a Arietis.		67 Ceti—continued.				
Oct. 13	G	h m s	0 / //	Oct. 29	CF	h m s	0 / //	
29	CF	40.88		Nov. 20	CF	21.12	97 2 9.05	
Dec. 19	G	40.87	67 10 3.99	22	IF	21,15		
ľ		1 59 40.88	67 10 3.99	25	JS	21.14		
				26	IF	21.11		
ł	B. A. C. 659.					21.14		
·				. 6	IF	21.08	•••	
Nov. 21	В	2 1 52.10	145 43 2.65			2 10 21 11	97 2 9.05	
	B. A. C. 664.					B. A. C. 726.		
Oct. 30	В	2 2 40 93	132 30 44'49	Oct. 30	В	2 14 6.30	132 27 43.25	
Nov. 25	JS	41.03	43.37	Nov. 18	JS	6'44	42.63	
26	IF	40.94	45.26	Dec. 2	JS	6.37	41.51	
		2 2 40.96	132 30 44 47			2 14 6.34	132 27 42.36	
		B. A. C. 671.		B. A. C. 730.				
Nov. 18	JS	2 3 40.32	156 34 38 40	Dec. 19	G	2 14 24 84	166 58 30.95	
22	IF	40.19	38.28				<u> </u>	
Dec. 13	J8		39.58			69 Ceti.		
		2 3 40.56	156 34 38.75	Nov. 22	IF	2 15 8.03	90 12 46.84	
		ξ¹ Ceti.			<u>!</u>	P A C C	'	
Oet. 13	G	2 5 57 20	81 46 42.89			B. A. C. 736.	-	
14	JS	57.13	42.10	Nov. 21	В	2 16 10.58	147 23 35.92	
Dec. 8	JS	57.26	41.48	Dec. 13	JS	10.29	36.81	
		2 5 57 20	81 46 42 16			2 16 10.29	147 23 36.37	
	67 Ceti.				B. A. C. 739.			
Sept. 16	JS	2 10 20.97	, .	Oct. 30	В	2 16 58.75	133 48 31.14	

Digitized by GOOGIC

						,	
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	В. А.	C. 739—conti	nued.	В. А. С. 767.			
Nov. 25 26	JS IF	h m s 2 16 58.79 58.64	133 48 31 12 31 19	Dec. 16	B G	h m s	164 14 53'29 52'63
		2 10 30 /3				2 22 3	104 14 52 90
B. A. C. 742.						B. A. C. 768.	
Dec. 6	IF	2 17 25.99	120 28 17.23	Dec. 6	1F	2 22 51.40	121 41 51.03
	71 Ceti.				B. A. C. 781.		
Nov. 20	CF	2 18 15.20	93 22 59.69	Nov. 20	CF	2 25 47.07	105 49 46.03
Dec. 3	CF.	2 18 15.33	93 22 58.72	Dec. 3	CF	46.94	46.36
	ļ.—					2 25 47 01	105 49 46.30
		B. A. C. 753.					
Nov. 21	В	2 19 13.67	147 25 6.83		1	B. A. C. 801.	
Dec. 2	JS	13.68	6.99	Nov. 18	JS	2 29 22.31	141 40 36.74
		2 19 13.68	147 25 6.91	21 22	B	22.78	36·58 35·24
	<u> </u>	L			••	<u></u> -	
<u> </u>		ξ ² Ceti.				2 29 22.62	141 40 36.19
Sept. 16	J8 IF	2 21 5·36 5·49	82 8 13·52 14·98			B. A. C. 799.	
Oct. 13	G JS	5*44	13.59	Dec. 6	IF	2 29 27.33	98 24 41.09
Nov. 22	1F	5.46					
26	IF	5.25				B. A. C. 815.	
Dec. 7	JS JS	•••	14.96	Nov. 20	CF	2 33 8.01	102 26 16.20
19	G	 5°47	13.60	Dec. 3	CF	7.87	17.08
		2 21 5.46	82 8 14.25			2 33 7 94	102 26 16.79
1)	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 824.		β Ceti—continued.				
Dec. 16	В	h m s 2 33 52	164°36′ 12"49	Sept. 16	JS IF	h m s 2 37 45°25 45°47	80°26′56′′04 56°30	
		B. A. C. 835.		-/		2 37 45 36	80 26 55.68	
Oct. 30	B JS	2 35 42.31	26·53			B. A. C. 856.		
13	JS	2 35 42 27	157 52 26.99	Nov. 20 Dec. 3	CF CF	2 38 53·78 53·61	12.60	
	γ Ceti.				2 38 53.70	109 8 11.76		
Jan. 15	CF IF	2 36 24.71	 87 19 35.75			B. A. C. 862.		
Sept. 4	CF	•••	. 33*96	Nov. 21	В	2 39 54.66	143 7 59 00	
Nov. 25 26	JS IF	24°77 24°57				B. A. C. 869.		
Dec. 19	G	24.4.69	87 19 34.86	Dec. 19	G	2 41 7.63	157 16 27.88	
		B. A. C. 839.		B. A. C. 873.				
Dec. 6	IF	2 36 31.58	145 7 12·54	Dec. 6	IF	2 42 10.09	126 6 22.83	
		B. A. C. 841.				σ Arietis.		
Nov. 18	JS IF	2 36 40.24	13.06	Aug. 21	CF	2 44 8.88	75 27 (55.97)	
		2 36 40.34	154 51 12.98			B. A. C. 884		
	μ Ceti.				JS	1 -		
Jan. 14	JS CF		80 26 54·99 (58·78)	Nov. 18 22 25	1F JS	8·38 8·38	136 54 3°13 3°45 1°89	
Aug. 21	OF	2 37 45 35	55.38			2 44 8.32	136 54 2.82	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 886.		B. A. C. 922.				
Nov. 26	IF	h m s	126° 23′ 44″11	Nov. 22	IF IF	h m s 2 51 28 97 28 85	114° 23' 48''48 47'86	
	B. A. C. 899.				2 51 28.91	114 23 48 17		
Dec. 19	G	2 47 26.21	147 44 23 99			B. A. C. 942.		
		B. A. C. 900.		Dec. 6	IF	2 53 45.18	145 32 54.45	
Dec. 6	IF	2 47 41.36	131 56 14.38			a Ceti.		
		B. A. C. 911.		Jan. 10	IF JS	2 55 19.78	86 26 1°92 2°89	
Aug. 20	В		153 27 14.70	14	CF	19.83	2.69	
Dec. 2	JS			30	CF	19 03	1.77	
1/20, 2	10	2 49 27.66	12.67	Nov. 22	IF	19*78	,	
		2 49 27.66	153 27 13.69	1101. 22	11			
]	2 55 19.80	86 26 2.19	
		B. A. C. 910.		В. А. С. 959.				
Nov. 20	CF	2 49 55.90	99 25 44°33		Ī	1 _		
Dec. 3	CF	55.90	42.77	Nov. 20	CF	2 56 10.75	98 12 36.30	
}		2 49 55.90	99 25 43 55	Dec. 3	CF	10.42	35.08	
		L	·			2 56 10.75	98 12 36 09	
		B. A. C. 919.				D 4 0 -4		
Oct. 30	В		155 59 48.61			B. A. C. 956.		
Nov. 18	JS.	2 50 34'48	48.17	Jan. 17	IF	2 56 17.43	154 36 1.31	
25	JS	34.29	47°57	19	JS	17.83	4.19	
Dec. 13	JS		48.46	Nov. 25	JS	17.30	2.67	
		2 50 34.24	155 59 48.30			2 56 17.52	154 36 2.72	
	B. A. C. 917.					B. A. C. 958.		
Dec. 18	IF	2 50 40.34	129 11 25.68	Nov. 26	IF	2 57 7.38	154 9 20.07	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		B. A. C. 970.	,	B. A. C. 994.					
Dec. 6	IF JS	h m s 3 0 23.29	141 50 32.38 33.76	Nov. 20 Dec. 3	CF CF	h m s 3 · 5 · 59 ° 43	91 41 42.41 41.20		
18	IF	3 0 23 34	32.42			3 5 59°37	91 41 41.96		
θ Hydri.						B. A. C. 1000.			
Aug. 20	B	 3 I 59°75	162 25 19°16	Oct. 30 Nov. 18	JS JS	3 6 48·11 48·14 48·15	159 46 18.32		
Sept. 4 Nov. 25	CF JS	59°57 60°00	17.63	-,		3 6 48 13	159 46 19.49		
	3 1 59.77 162 25 18.58				B. A. C. 1002.				
	1	B. A. C. 984.	1	Nov. 22 26	IF IF	3 7 19°94 19°57	148 18 44·89 43·38		
Nov. 26	IF	3 3 26.21	125 56 17:12			3 7 19.76	148 18 44.14		
		8 Arietis.				B. A. C. 1003	•		
Jan. 8	IF IF	 3 Å 1.69	70 46 40°20 39°41	Dec. 19	G	3 7 48.92	126 26 34.29		
14	JS CF	1.28	70 46 41.35			B. A. C. 1019.			
				Dec. 6	IF	3 10 42.31	121 19 10.20		
	<u> </u>	B. A. C. 992.	· 			B. A. C. 1022.	,		
Nov. 21 Dec. 13	JS JS	 16.18	30°53 31°35	Nov. 20 Dec. 3	CF CF	3 11 34.19	91 24 58·03 55°95		
		3 2 16.31	151 39 30.78	200, 3		3 11 34.51	91 24 56.99		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	B.A.	N.P.D.	
		B. A. C. 1038.		a Tauri—continued.				
Jan. 8 14 Aug. 27	IF B CF	h m s 3 12 10 14 9 3	169° 29′ 32"30 37°45 34°55	9 G 39.23				
Sept. 4	CF	8.85	34°78 169 29 34°77		1	B. A. C. 1060.		
B. A. C. 1036 (1st star).				Dec. 6	IF JS	3 18 24 21 24 35 3 18 24 28	123 10 49°73 50°32	
Nov. 18 21 22	JS B IF JS	3 13 4.52 4.37 4.74	154 55 54.74 55.13 54.14		<u> </u>	B. A. C. 1075.		
25	3 13 4·20 4·38	56.43	Nov. 21 22 26	B IF IF	39°26 39°26 39°8	141 31 57°43 57°66		
1	В. А.	C. 1036 (211d	star).			3 20 39.19	141 31 57.66	
Nov. 21	В	3 13 7	154 56 0.06			B. A. C. 1074.		
		B. A. C. 1037.	:	Oct. 30 Nov. 1	B JS		126 23 16·71 17·88	
Nov. 26	IF	3 13 36.03	112 14 35.65	18 25	JS JS	47 ° 39 47 ° 53	16.28	
		B. A. C. 1042.				3 20 47 43	126 23 17.48	
Dec. 19	G	3 14 4.11	125 29 14.18	Oct. 30	В	Lacaille 1103.	126 25 30.38	
B. A. C. 1048.					<u> </u>	3 20 51 B. A. C. 1082.		
Dec. 20	CF	3 14 53.67	153 5 6.82	•				
o Tauri.				19 23	G IF	24°27 24°39	41°12 40°43	
Oct. 14	JS	3 17 39 45	81 26 27.48			3 22 24 32	126 8 40.80	

Date.	Observer.	R. A.	N.P.D.	Daté.	Observer.	R.A.	N.P.D.			
	1	B. A. C. 1085.		B. A. C. 1104.						
Oct. 30	В	h m s 3 23 4	126° 18' 52"78	78 Nov. 26 IF h m s 3 27 54 74 112 4 50						
	В. А. С. 1091.					В. А. С. 1106.				
Dec. 16	В		160 5 30.27	Nov. 21	В	3 28 36.85	140 49 50.26			
20	CF	3 23 29.85	30.4	Dec. 17	JS	36.86	50.68			
ľ		3 23 29.85	160 5 30.21	18	IF	37.03	52.10			
	<u>'</u>			23	IF	36.80	21.10			
		f Tauri.				3 28 36.89	140 49 51.11			
Sept. 17	IF B	3 23 32.08	77 31 17.58			B. A. C. 1109.				
Oct. 14	JS	31.88	16.54	Jan. 9	JS	3 29 13.72	122 19 13.22			
Nov. 12	JS	32.02	16.05	Sept. 4	CF	13.67	13.94			
Dec. 8	JS	32.13	17.57			3 29 13.40	122 19 13.73			
9	G	32.00	15.04			l	J			
		3 23 32.03	77 31 16.33	B. A. O. 1113.						
	,	B. A. C. 1090		Dec. 20	CF	3 29 30.21	156 56 26.88			
Nov. 20	CF CF	3 24 1.57	95 31 58.20			B. A. C. 1110.				
Dec. 3	IF	1,51	58.13	Dec. 6	IF	3 29 57.90	89 50 52.71			
		3 24 1'23	95 31 57.65		1					
					10 Tauri.					
	B. A. C. 1103.				CF	3 30 5.25	90 1 19.58			
Nov. 18 22 25	JS IF JS	3 27 3.80 3.67 3.74	23.23 24.61 23.23	В. А. С. 1118.						
Í		3 27 3.74	153 24 23 73	Dec. 19	G	3 31 18.21	134 9 29.33			

Date.	Observer.	В.А.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
		B. A. C. 1124.	,	B. A. C. 1152.			
Dec. 27	CF	h m s 3 32 27 45	96° 3′ 15"23	Dec. 3 CF h m a 100 5			
	Brisbane 593.			-/		3 37 12.77	100 54 27 93
Nov. 1	JS JS	3 34 53°7° 53°88	168 47 43 80 43 23	7 20011			
22	IF	3 34 53.90	43°39 168 47 43°47	Jan. 8	IF	3 39 34.89	66 18 26·86 26·72
	-	R A C		15 30	CF CF	35°04 34°93 3 39 34°95	66 18 26 79
Dec. 18	IF	B. A. C. 1136.	130 47 3'08	· · · ·		3 39 34 95	00 10 20 /9
23	IF	0.52	2.58		:	B. A. C. 1183.	1
		3 35 0.52	130 47 2.68	Nov. 21	В	3 40 54.26	144 53 58.63
		B. A. C. 1141.		Dec. 13	JS	3 40 54.31	144 53 59'42
Dec. 16	В	3 35 30	150 12 38.57	·		e Tauri.	
·		B. A. C. 1145.		Aug. 21	CF	3 40 58.80	79 16 3*49
Nov. 25	JS IF	3 36 27.03	131 11 45°97 45°53	Sept. 17 18	IF B	58·92 58·85 3 40 58·86	3°51 3°93 79 16 3°64
Dec. 6	IF	3 36 26.95	45.86]	τ ⁷ Eridani.	
	17 Tauri.				IF	3 41 56·43	114 17 16.27
Jan. 11	ВВ	3 36 58·93				B. A. C. 1197	
l <u> </u>		3 36 58.95	66 18	Jan. 9	JS	3 42 32.98	155 13 31.81

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
·	3. A.	C. 1297—cont	inued.	γ Hydri.				
Nov. 25	JS	h mas	0 , ,,		h m s o /			
26	IF	3 42 32 32	155 13 32 43	Jan. 18	B		164° 38′ 45" 25	
-	**	32.10	31.22	22	В	3 49 19.86	46.39	
		3 42 32,20	155 13 31.94	Aug. 21	CF	20.09	(48.55)	
			<u>'</u>	27	OF	19.82	44.92	
		B. A. C. 1215.		29	JS	20.46	43 99	
<u> </u>						19.63	45°39	
Dec. 16	В		162 4 8.01			3 49 19 92	164 38 45.17	
20	CF	3 46 6.79	8.37		<u> </u>	<u> </u>		
		3 46 6.49	162 4 8.19			γ Hydri S.P.		
				A	10			
1		30 Eridani.		Aug. 22	JS 1F	3 49 20.10	164 38 48.24	
		l		23	1.5		46.5	
Dec. 3	CF	3 46 7.60	95 45 38 03			3 49 20.10	164 38 47 40	
27	CF	7.69	36.90					
		3 46 7.65	95 45 37 47			B. A. C. 1232.		
		B. A. C. 1216.		Oct. 30	В	3 50 28.74	136 48 26.95	
	Ī	i .	1	Nov. 1	J8	28.64	25.14	
Dec. 6	IF	3 47 36.75	93 20 59.60	25	JS	28.63	25.71	
18	IF	36.91	58.60			3 50 28.67	t36 48 25.93	
23	IF	36.48	59.75	·	'	l		
		3 47 36.81	93 20 59.32			B. A. C. 1231.		
		τ ⁸ Eridani.		Nov. 26	IF	3 50 29.08	129 8 56.60	
Jan. 23	3 48 3	115 0 29.20			γ^1 Eridani.			
	υ ⁸ Eridani.		Jan. 15	CF	3 51 49.24			
		<u> </u>		17	1F	•••	103 53 17.98	
Jan. 8	IF	3 48 35.02	125 7 35.68	30	CF	49.60	•••	
14	В	34 ' 97	36.41	Sept. 17	IF	49.53		
28	В	35.03	35.84	Nov. 20	CF			
		3 48 35.00	125 7 36.08	22	IF	49°49 49°48	•••	
<u> </u>			, ,			49 40	•••	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	γ ¹]	Eridani— <i>conti</i>	n ue d.	B. A. C. 1273.			
Dec. 3 6 27	CF IF CF	3 51 49°52 3 51 49°52	103 53 17 98	Dec. 18 23 27	IF IF OF	h m 8 4 o 8.52 8.60 8.57 4 o 8.56	118° 1′ 3′24 3°22 2°30
λ Tauri.						B. A. C. 1278	
Jan. 15	CF G	3 53 18·97	77 53 15·39 14·20	Dec. 16	В	4 1 32	161 32 5.72
Feb. 12	IF CF	18·89	16·49		•	B. A. C. 1277.	·
Nov. 12	JS	18.96	77 53 15·38	Nov. 18	JS IF	4 1 42.86	149 19 0'72
		35 Eridani.	// 33 13 30	Dec. 13	JS	42'93	0.16
Dec. 3	CF CF	3 54 47 74 47 96	91 55 27.12			37 Eridani.	
-		3 54 47 85	91 55 27 03	Jan. 30	C F	4 3 53 43	97 16
		γ Reticuli.				o¹ Eridani.	
Jan. 9 18 Nov. 25	JS B JS	3 58 59·26 58·59 3 58 58·93	152 31 49.86 51.67 53.19	Jan. 8 10 15 17	IF IF CF IF IF	 4 5 22 44 22 40 	97 11 7'94 10'82 9'92 10'62
		. Reticuli.		30 F eb. 11	CF B	22.21	9.88
Nov. 26	IF	3 59 8.93	151 27 6:12	Oct. 29	OF	22.45	
	C. G. A. 4564.			Nov. 20	CF B JS	22.53 22.53	
Dec. 6	IF	3 59 29 77	134 50 38.34	25 26	IF	22.47	

Date.	Observer.	R.A.	N.P.D.	Date,	Observer.	R.A.	N.P.D.	
	o¹ Eı	ridani— <i>contin</i>	ued.	B. A. C. 1334.				
Dec. 3 10 20 27	CF CF CF	,	 97 11 9*84	Dec. 18		56.22	113 17 47 29 45 73 113 17 46 51	
		B. A. C. 1319.		Nov. 1	1	B. A. C. 1340.	115 20 48*51	
Nov. 18 22 Dec. 13	IF	47 '44	168 59 13 83 12 77 13 51 168 59 13 37	Jan. 8 9	IF JS	B. A. C. 1344.	149 37 19·62 18·37 20·33	
Dec. 3	CF	o ² Eridani.	97 51 43.80	4 14 11·89 149 37 19·				
Dec. 6	1	B. A. C. 1327.		Nov. 26 Dec. 16	IF B		151 16 34°08 32°43 151 16 33°26	
	<u>'</u>	γ Tauri.	<u>' </u>	N 0	1	B. A. C. 1354.	1	
Jan. 15	CF G	13.69	74 41 46°91 44°95 74 41 45°93	Nov. 18 22 25	JS IF JS	4 15 23.30	143 II 2.95 4.03 3.68	
В. А. С. 1336.				1	8 Reticuli.			
Feb. 11 Sept. 4	B CF	4 12 42.98	152 48 25 35 25 78 152 48 25 57	Jan. 14 17 18	B IF B		153 34 44'38 42'29 42'63 153 34 43'10	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R, A.	N.P.D.	
		B. A. C. 1360.		45 Eridani.				
Dec. 3	CF CF	h m s 4 17 3.65 3.69 4 17 3.67	94 3 17"74	Dec. 3 6	CF IF CF	h m 8 4 25 4 22 4 40 (4 76)	90 19 55.01 51.83 (62.72) 90 19 53.42	
	η Reticuli.				a Tauri.			
Sept. 4	CF	4 20 27 41 • Tauri.	153 42 9.58	Jan. 14 30 Feb. 4	B CF	 4 28 17·36	73 45 38·71	
Jan. 10 15	IF CF CF	4 20 51°29 51°14	71 6 60·16 	12 13 Aug. 23	IF CF	17·52 	38·82 36·90 38·82	
Feb. 4 Sept. 18	OF B G	51.56 21.13	59°46 59°87 62°20	Sept. 5 18 19 Oct. 16	JS B G	17°51 17°44	 38°47 38°08 38°87	
Oct. 16 29 Nov. 12	B CF JS	 51°16	60·36 	29 Nov. 12	CF JS CF	 17°49 17°48	 38·87 36·53	
20 21 22 26	B IF IF	51°14 51°04 51°06 51°20	 	20 21 22 25	CF B IF JS	17°47 17°47		
Dec. 9 10 20	G CF CF	51.27 51.27	 60.33	26 Dec. 6 9	IF IF G	17°50	 38·57	
В.	B. A. C. 1387 (as one mass).				CF CF	17.42	36·91 73 45 38·14	
Dec. 18	IF IF	4 21 36.46	147 22 23·85 22°08		ţ	B. A. C. 1422.	,	
		4 21 36.46	147 22 22.97	Sept. 4	CF	4 28 17.39	120 2 17.57	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
F	B. A.	C. 1422— conti	inred.	B. A. C. 1489.			
Sept. 20 Dec. 13	CF J8	h m s 4 28 17.64 17.48 4 28 17.50	120° 2′ 13″25 14°91	Dec. 16	B CF		149 58 37.86 37.57 149 58 37.72
	B. A. C. 1427.					B. A. C. 1498.	
Dec. 18	IF IF	4 29 23 90	93 53 11*74	Dec. 27	CF	4 44 12'01	106 26 58.75
		4 29 23.90	93 53 11.07			B. A. C. 1503.	
Jan. 8	IF	B. A. O. 1433.	120 50 9.38	Dec. 18	IF IF	4 45 1°53 1°30	149 22 21 25 20 79
9	JS IF	4 30 22.82	90°95 9°72			o ² Orionis.	
		τ Tauri.		Jan. 16		4 48 53.81	76 41 53.28
Feb. 12	IF CF	4 34 15°97 15°92 4 34 15°95		Nov. 12	JS JS CF	53°75 53°68 53°78 4 48 53°76	53°70 53°39 52°62 76 41 53°25
	[β Cœli.				B. A. C. 1548.	
Sept. 4]	B. A. C. 1469.	127 24 19.65	Dec. 17	JS CF	18.74	156 53 16.14
Dec. 27	CF	4 38 51.25	93 30 0.46			4 53 18.82	156 53 15.16
	λ Pietoris.					63 Eridani.	
Jan. 7	В	4 39 22.08	140 43 56.68	Dec. 27	CF	4 53 32.84	100 27 35.25

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. ∆ .	N.P.D.	
		ψ Eridani.		β Mensæ,				
Dec. 18	IF IF	h m s 4 54 59 72 59 58	97°22′15"96	Dec. 20	CF	h m s	161° 29′ 48′ 46	
		4 54 59.65	97 22 15.98			B. A. C. 1618.		
		11 Orionis.		Feb. 4	CF	5 7 9.65		
Jan. 16	G G	4 56 58·32 58·29	74 47 °°33	Oct. 10	В	9.59	98 18 22 97	
		4 56 58.31	74 47 0.72		1	ß Orionis.		
		B. A. C. 1587.		·		B Orionis.		
Sept. 9	B JS		165 8 22·66	Jan. 25	IF IF		98 21 27·49 26·35	
Dec. 17	JS		22.84	Feh. 4	CF IF	5 8 8·77 9·04	26.08 28.18	
		4 59 1.66	165 8 22.66	11	В	8.84		
		e Leporis.		12	IF	8·79 8·74	25.76	
Jan. 7	В	***	112 33 5.57	25 Mar. 7	B	8.73	25.13	
Feb. 4	OF B	4 59 49.88		June 5	G	8.77		
12	IF	49.87	6.09	Sept. 19	G	8.79		
25 Nov. 12	JS	49.89	•	Dec. 10	CF CF	8·81		
25	JS	49.84	 	-7		2 8 8.81	98 21 26.28	
Dec. 10	CF CF	49.82				I		
27	49.98				B. A. C. 1652	•		
β Eridani.				Dec. 20	CF	5 12 34.95	142 19 48.55	
Dec. 18	IF IF	18·80	95 15 37 95 38 32			o Oriouis.		
3		5 1 18.83	95 15 38.14	Dec. 27	CF	5 14 58.36	90 30 55.55	

Date.	Observer.	В.А.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		¿ Pictoris.		ð Orionis.				
Oct. 10	В	h m s 5 16 6.46	140° 44′ 59"93	Jan. 25	IF	h m s	90 23 60 20	
Dec. 18	IF	6.41	59'71	29	IF	•••	61.13	
23	IF	6.50	59*48	Feb. 4	CF	5 25 12.70		
		5 16 6.39	140 44 59.71	6	IF	12.74	60.08	
<u> </u>		3 39	-40 44 39 7-	11	В	12.69		
	β Tauri.		12	IF	12.73	59.70		
	i	· [14	IF IF	12.4	59.51 59.51	
Feb. 19	IF	5 17 53.05	61 30 27.81	19 25	В	12.74		
25	В	23.13			В	12.69		
Mar. 7	IF		27.36	Mar. 4	IF	12.79	59.91	
Dec. 10	CF	53.13	•••	7	IF		60.65	
		5 17 53.10	61 30 27.59	Sept. 12	JS	12.71		
				Dec. 20	CF	12.21		
ì		B. A. C. 1697.		27	CF	12.78		
Dec. 16	В	5 18 53	150 54 37.15			5 25 12.73	90 24 0.18	
		B. A. C. 17	o8,	1				
Dec. 27	CF	5 20 53.14	102 0 53.20		1	B. A. C. 1756		
				Oct. 10	В	5 28 22.68	128 36 26.92	
		B. A. C. 1710.	1					
Dec. 17	JS	5 20 57.97	134 20 43.23			e Orionis.		
18	IF	58.14	40.80		1	1		
23	IF	57.89	42.79	Feb. 4	CF	5 29 27 90	•••	
		5 20 58.00	134 20 42.27	11	В	27.93		
	<u>/</u>			14	IF B	27.92		
		119 Tauri.		25	В	27.93	•••	
Oct. 16	В	5 24 25.23	71 30 26.71	Mar. 4	B	27.88	_	
						27.91	1	
Dec. 10	OF IF	24.89	26.63 25.03	Dec. 20	CF CF	28.03	i	
"	**			· *				
		5 24 25.07	71 30 26.12		1	5 29 27 94	91 17 22.06	

Date.	Observer.	B. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
					<u>'</u>	μ Columbæ.	<u> </u>
Mar. 13	CF	h m s	68° 56′ 27″93	Mar. 7	IF	h m s	122 21 31.06
Sept. 19	G	41.68	26.54			1 7 4- 3 33	
Oct. 16	В	41.81	29.22			κ Orionis.	
Nov. 13	CF	41.81	27.36		,	K OHOHE.	
14	1 F	41.74	28.50	Dec. 27	CF	5 41 26.96	99 43 8.86
Dec. 10	CF	41.95	28.62		'		
	1	5 29 41.80	68 56 27.98			β Pictoris.	
		COrionis.		Mar. 4	В	5 44 8.11	141 6 56.25
Dec. 27	CF	5 34 3.05	92 0 51.86			55 Orionis.	
		a Columbæ.		Dec. 20	CF	5 44 56.75	97 33 19.46
Jan. 18 25 29	B IF IF		124 8 46·88 48·45 46·70		'	ð Doradûs.	<u>'</u>
Feb. 4	CF	5 34 50.07		Feb. 4	CF	ļ	155 47 8.15
6	IF	49.89	48.75	11	В	5 45 31.84	6.44
11	B	49.81		Oct. 10	В	32.50	8.03
12	CF	49°90	47.96			5 45 32.00	155 47 7.65
14	IF	49.85	48.12		!	<u> </u>	J
Mar. 4	В	49.77				10-1	
5	IF	49.99	47.47			χ¹ Orionis.	
7	IF	50,12	47.59	Feb. 13	CF	5 46 30.60	69 45 3.89
13	CF	50.15		Sept. 19	G	30,51	5'24
Apr. 29	G	49*94		20	CF		4.42
Dec. 11	1F	20.00				5 46 30.41	69 45 4.22
		5 34 49 95	124 8 47.74		<u> </u>	<u> </u>	
	B. A. C. 1836.					B. A. C. 1890.	
Dec. 16	В	5 39 55	135 53 41 64	Feb. 4	CF	5 47 52.69	142 8 24.77

	ver.			,		701.		
Date.	Observer.	R.A.	N.P.D.	Date.		Observer.	R.A.	N.P.D.
	a Orionis.						ν Orionis.	
Jan. 31	IF	h m s	82° 37′ 12"74	Jan. 1	, [JS	hm s	75°13′ 5"11
Feb. 6	IF	5 47 58.16	13.24	3	١.	IF	•••	2,13
12	IF	28.35	12'44	Feb.	.	CF	•••	5.04
19	IF	58.34	12.03		٠.	IF	5 59 58.76	4.87
21	IF	58.29	10.68	1	3 0	cf		4'11
Mar. 5	IF	58.24	13.29	1.	• 1	IF	58.74	5.84
		5 47 58.28	82 37 12.50	10	1	IF	58.77	4.06
		3 4/ 30 20	02 3/ 12 30	2:		IF	58.78	4.31
				2	5	В	28.81	
	a Ori	onis Reflexion		Mar.	•	В	58.76	
					1.	IF	58.67	(1.22)
Мау 10	CF	•••	82 37 15.56	:	7 1	IF	•••	4.30
				Nov. 1	1	CF	•••	3'21
				I.	• []]	IF		4.89
		λ Columbæ.					5 59 58.76	75 13 4.61
Jan. 14	В	5 48 17.15	123 49 56.91					
Feb. 25	В	17*14	57.94			1	η Geminorum.	
27	В	17.17	54.24	Jan. 1	. [JS	6 6 50.89	67 27 25 95
Mar. 4	В	17.05	56.94	12		CF	50.06	25.60
		5 48 17'13	123 49 56.28	Apr. 10	,	JS	21.12	27.26
**						Į	6 6 51.00	67 27 26 27
		η Leporis.						
Dec. 20	CF]	B. A. C. 2013.	
27	CF	5 50 20.69	104 11 36.81		1.		_	
-/	02	<u>_</u>	38.49		′∣.	IF IF	6 7 42.31	144 56 23.80
		5 50 20.82	104 11 37.65	,	7 1	16	6 7 42:52	144 56 23.02
					j	ļ	- / 4~ 33	
	3 Monocerotis.						μ Geminorum.	
Dec. 20	CF	5 55 34.98	100 36 8.46	Jan. 1	,	JS	6 14 54.88	67 25 17 25
. 27	CF	35.12	12.38	1		CF	· 14 54 00	14.11
		5 55 35.07	100 36 10.42	2.	1.	IF	•••	12.02

Date.	Observer.	В. А.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
μ	μ Geminorum—continued.				γ Geminorum. IF		
Feb. 6	lF B	h m s 6 14 54 73	67 25 16"14	Feb 14	1	9 1.60 p. 1.60	1
11	IF	54·89	15.05	15 21	1	1.41	
18	B	 54.85	14.10	Mar. 4	i	1	
2 I 2 5	IF B	54.85 54.72	14.94	14	1		24.12
26 27	IF B		14·63 14·67	Apr. 11 Dec. 11	ĺ		23.42
Mar. 4	В 1 Г	54·87 54·95	13.91			6 30 1.68	73 29 23.69
14 Apr. 10	JS JS	•••	15.59			e Geminorum	
Sept. 21	IF		16.19	Feb. 6	IF	6 35 45.05	64 44 24 82
Dec. 11	IF	6 14 54.85	16·73 67 25 15·46	9	lF IF		(29°18)
			0/ 25 15 40	11 12	B		23°18
	O.F.	a Argûs.		13	CF JS		23.51
Mar. 26 Apr. 2	CF CF	0.13	142 37 23°94 26°53	18	В	45.08	25.00
17 May 10	B	0.06	25.52			6 35 45.00	64 44 24 76
17	CF	6 21 0.06	24.21			ξ Geminorum.	
	j	1	142 37 25'13	Feb. 14	IF JS	6 37 49.52	76 57 47 43 48 26
May 10		rgûs (Reflexion		Nov. 14	IF	49.57	47.16
May 10	CF		28.43			6 37 49.53	76 57 47.62
	142 37 28 24				o	. Canis Majoris	ı .
	<u> </u>	B. A. C. 2109.		Jan. 7	JS	6 39 17.11	106 32 8.89
Mar. 7	IF	6 23 14.40	122 29 50'36	9	В	16.93	7.73

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
a	a Canis Majoris—continued.			•	Canis	Majoris—con	tinued.	
Jan. 22	В	h m s	106 32 9.95	Aug. 4	G	h m s 6 39 17 26	0 1 11	
23	IF	39 ., 14	: 8'14	Aug. 4	CF		106 32 9.03	
24	В		10,32	9	CF		8.74	
	7.70		,	Sept. 20	CF	17.06	8.02	
Feb. 21	IF	17.12	9.80 9.64	_				
20 27	B	16.92	1	Dec. 11	IF	17.18		
-/	"		***		 	6 39 17.08	106 32 9.02	
Mar. 4	В	16.97	•••		<u> </u>		<u> </u>	
5	IF	17.05	7.60	_	Canio	Majoris (Refl	evion\	
13	CF	17.11	8.21			Trafforts (Teen		
· 14	JS	••	9*48	Mar. 14	JS	l	106 32 10.64	
.15	CF.	17.00	6.13	30	G		11.89	
: 23	G	•••	10.35		18		10.97	
25 26	CF		9.53	Apr. 3	IF		10,01	
27	IF		9.74	24	IF		10.06	
28	JS		9.93	25	JS		10.40	
30	G	***	10.03		CF		1	
	CF	17.12	- 8.74	May 10	IF		9'87	
Apr. 2	J8		9.20	20	IF		9'42	
3	G	•••	7°34	20				
5	CF	17.18	8 38			•••	106 32 10.21	
8	В	17.06	8.48		<u> </u>			
10	J8	17.01	9.79			x Puppis.		
11	CF	17.08	8.81					
. 12	IF	•••	10.33	Mar. 5	IF	6 42 48 26	127 47 2.72	
15	В	•••	8.12				1	
17	В	•••	9.62			A Carinæ.		
23	В	17.15	8.26			A Varine.		
25	J8	•••	8.93	Mar. 4	В	6 46 57.83	143 28 3.77	
29	G		8.41			- 4- 3/ -3	-43 3 //	
May 6	G	•••	, 9°75					
10	OF		8 ·86	37 Geminorum.				
17	CF	17*11	9.08					
. 18	IF		9*24	Feb. 4	CF	6 47 7.84	64 27 37 47	
20	IF	•••	10'14	5	JS		38.67	
July 28	G		9.51			6 47 7.84	64 27 38 07	

162 Mean R.A. and N.P.D. of Stars, observed at the

Date.	Observer.	. R.A.	N.P.D.	Date.	Observer.	. R. A.	N.P.D.
	39 Geminorum.				Gem	inorum <i>—sonti</i>	nued.
Jan. 24	Js	h m s	63 44 49.70	A	Js	h m s	69° 14′ 14"95
28	В		49'73	Apr. 10	CF	•••	16.10
29	IF		50.53				
30	CF	6 50 35.55	48.82	Nov. 14	IF	6 5613.33	16.42
31	IF		49.05	15	JS	13.18	14.96
Feb. 2	G		48.72			6 56 13.51	69 14 15.19
		6 50 35.55	63 44 49.38				
	!	!	<u> </u>		2	Canis Majoris	.
	•	Canis Majoris	•		- i	·	1
		1 .		Jan. 4	IF		105 26 18.23
Jan. 18	CF	6 53 24.05	•••	30	CF	6 57 44 50	•••
30	CF	23.93	•••	Feb. 21	IF	44.21	19.36
Feb. 21	IF	23.83	118 47 35.05	Apr. 2	CF		19.98
26	IF		33.28	3	JS	.::•	20'44
Mar. 28	JS		35.65	5	CF		18.69
. 30	G		34.18			6 57 44.51	105 26 19.34
Apr. 2	CF	•••	32.96		<u> </u>) 	
5	CF	•••	37.50			•••	
10	JS		34.69		4	7 Geminorum	
11	CF	23.82			1	··	
24 29	G		34 43	Jan. 16	G	7 3 8 14	62 55 38.90
_	1		33*97	18	CF	8.27	40.41
May 18	IF IF	•••	33'47	19	JS	8.08	40.78
20	1 1 5		34.19	22	B	8.25	40.50
	1	6 53 23.91	118 47 34.49	23	1F	·:	40.19
				Feb. 4	CF	8.05	40.45
		B. A. C. 2295.		5	JS		38.20
	T	1			IF IF	7.85	38.76
Mar. 5	IF	6 53 32.95	123 55 58.46	9	IF	•••	42°99 40°70
				11	В		39.10
€ Geminorum.				12	IF	•••	40.49
	1			13	CF		38.66
Jan , 18	CF		69 14 13.13	14	IF	8:30	40.01
19	JS	6 56 13.13	15.16	15	JS	8.03	39.13

## Commons	Date.	Observer.	R.∆.	N.P.D.	Date.	Observer.	R,A.	N.P.D.
Feb. 25 B	4	47 Geminorum—continued.					inorum—confí	nued.
R. A. C. 2392.	_	1	7 3 8.17		Mar. 15	CF		67 46 32 01
B. A. C. 2392. Dan. 7 JS 7 9 14 57 134 57 8 96 9 96	27	В			_			1
B. A. C. 2392. Jan. 7			7 3 0	02 33 39 01				
Jan. 7 JS 7 9 14*57 134 57 8*96 9 96 14*81 9 96 44 17*78 45 18 18 18 18 18 18 18 18 18 18 18 18 18					1101, 15		 -	
Feb. 5 JS 9.63 Apr. 3 JS 7 14 1 128 58 6.70 7 9 14.69 134 57 9.52 A Geminorum.			B. A. C. 2392.	,		<u> </u>	7 12 10 75	07 40 31 00
Feb. 5 J8 9.63 Apr. 3 J8 7 14 1 128 58 6.70 7 9 14.69 134 57 9.52 A Geminorum. Jan. 7 J8 21.89 45.58 Mar. 4 B 49.10 50.16 7 9 49.30 160 16 50.23 11 J8 21.83 46.81 7 9 49.30 160 16 50.23 11 J8 21.85 48.11 7 9 49.30 160 16 50.23 11 J8 21.85 48.11 7 9 Volantis. Feb. 27 B 7 9 51.80 160 16 56.21 17 J8 21.93 47.81 Apr. 23 B 48.88 Apr. 23 B 54.63 7 9 51.62 160 16 55.12 28 B 48.98 Apr. 23 B 54.63 7 9 51.62 160 16 55.12 Feb. 2 G 47.15 Tan. 4 IF 67 46 29.40 8 Geminorum. Feb. 25 B 7 12 10.80 32.32 8 B 7 25 0.76 0.52 Feb. 25 B 7 12 10.80 32.34 23 B 0.78 0.78 0.66	,			1			B. A. C. 2427.	
A Geminorum. γ² Volantia. Jan. 7 JS 64 41 47.78 Feb. 27 B 7 9 49.30 160 16 50.23 160 16 50.23 110 JS 21.85 46.81 γ² Volantia. 150 I6 16 50.23 14 JS 21.85 48.11 γ² Volantia. 17 JS 21.85 48.11 γ² Volantia. 17 JS 21.85 48.11 15 CF 47.40 17 JS 21.93 47.40 48.88 B 51.44 54.51 23 JF 48.88 Apr. 23 B 46.63 7 9 51.62 160 16 55.12 Feb. 2 G 7 15 21.89 64 41 47.50 Feb. 2 G Apr. 3 JS 133 2 0.41 7 15 21.89 64 41 47.50 Feb. 25 B 7 12 10.80 32.32 8 B 7 25 0.76 0.52 7 15 21.89 64 41 47.50	´	JS	1		A pr. 3	JS	7 14 1	128 58 6.70
Feb. 27 B 7 9 49 50 160 16 50 29 9 B 21 83 46 81 Mar. 4 B 49 10 50 16 50 23 14 JS 21 88 46 90 7 9 49 30 160 16 50 23 14 JS 21 85 48 11 72 Volantis. Feb. 27 B 7 9 51 80 160 16 56 21 24 JS 21 93 47 81 Mar. 4 B 51 44 54 51 28 B 48 66 3 7 9 51 62 160 16 55 12 Feb. 2 G 47 15 Feb. 27 B 67 46 29 40 18 CF 30 80 19 JS 67 46 29 40 19 JS 133 2 0 41 7 15 21 89 64 41 47 50 Feb. 25 B 7 12 10 80 32 32 47 23 B 0 0 78 0 0 60			7 9 14.69	134 57 9.52		•		
Feb. 27 B 7 9 49 50 160 16 50 29 9 B 21 83 46 81 Mar. 4 B 49 10 50 16 50 23 11 JS 21 83 46 90 7 9 49 30 160 16 50 23 11 JS 21 85 48 11 Feb. 27 B 7 9 51 80 160 16 56 21 23 IF 48 88 Mar. 4 B 51 44 54 51 23 IF 48 88 Apr. 23 B 54 63 30 CF 21 93 46 63 7 9 51 62 160 16 55 12 Feb. 2 G 47 15 Feb. 27 B 4							A Geminorum.	
Feb. 27 B 7 9 49 50 160 16 50 29 9 B 21 83 46 81 Mar. 4 B 49 10 50 16 16 50 23 11 JS 21 84 47 44 7 9 49 30 160 16 50 23 14 JS 21 85 48 11 15 CF 47 40 7 9 51 62 160 16 55 12 Feb. 2 G 47 15 3 Geminorum. 8 Geminorum. 8 Geminorum. 8 G 7 15 21 89 45 58 46 81 21 13 21 18 46 46 90 21 8 47 44 47 44 47 44			γ¹ Volantis.		Ian z	Ig		64 47 47:78
Feb. 27 B 7 9 49 50 160 16 50 29 9 B 21 83 46 81 Mar. 4 B 49 10 50 16 10 6 21 84 47 44 7 9 49 30 160 16 50 23 11 JS 21 85 48 11 CF 47 40 7 Volantis. 17 JS 21 93 47 81 15 CF 48 77 48 88 B 48 77 48 1F 54 51 24 JS 48 77 48 66 30 30 CF 21 98 46 63 40 48 98 46 80 CF 48 98 Apr. 23 B 47 15 7 15 21 89 64 41 47 50 8 Geminorum. σ Argta. Apr. 3 JS 133 2 0 41 19 JS 30 80 32 32 8 B 7 25 0 76 0 52 Feb. 25 B		1	<u>.</u>	l	· /	1		l .
7 9 49 30 160 16 50 23 11 JS 21 88 46 90	Feb. 27	В	7 9 49.50	160 16 50.29	9	В	21.83	1 1
7 9 49 30 160 16 30 23 14 JS 21 85 48 11	Mar. 4	В	49.10	50.16	10	G	21.84	47*44
14 JS 21.85 48.11 47.40 47.40 47.81 48.88 4			7 9 49 30	160 16 50.53	11	JS	31.88	46.90
γ² Volantis. 17 JS 21·93 47·81 Feb. 27 B 7 9 51·80 160 16 56·21 23 IF 48·88 Mar. 4 B 51·44 54·51 Apr. 23 B 54·63 30 CF 21·98 46·80 7 9 51·62 160 16 55·12 Feb. 2 G 47·15 Feb. 2 G 47·15 7 15 21·89 64 41 47·50 Feb. 2 G 47·15 7 15 21·89 64 41 47·50 Feb. 2 G 47·15 7 15 21·89 64 41 47·50 Feb. 2 G 47·15 7 15 21·89 64 41 47·50 Apr. 3 JS 133 2 0·41 19 JS 32·32 Apr. 3 JS 133 2 0·41 Feb. 25 B 7 12 10·80 32·47 23 B 0·78 0·76					•		21.85	1 .
## Peb. 27 B 7 9 51 80 160 16 56 21 24					•		l .	
Feb. 27 B 7 9 51 80 160 16 56 21 28 B 46 63 Mar. 4 B 51 44 54 51 29 IF 48 98 Apr. 23 B 54 63 7 9 51 62 160 16 55 12 Feb. 2 G 47 15 Feb. 27 B 7 12 10 80 32 32 Feb. 25 B 7 12 10 80 32 47 23 B 0 7 8 0 66			γ^2 Volantis.		•		,	
Mar. 4 B 51'44 54'51 29 IF 48'98 Apr. 23 B 54'63 30 CF 21'98 46'80 7 9 51'62 160 16 55'12 Feb, 2 G 47'15 Jan. 4 IF		T_	l		_			1 .
Mar. 4 B 51'44 54'51 29 IF 48'98 Apr. 23 B 54'63 30 CF 21'98 46'80 7 9 51'62 160 16 55'12 Feb. 2 G 47'15 7 15 21'89 64 41 47'50 30'80 Apr. 3 JS 133 2 0'41 19 JS 32'32 8 B 7 25 0'76 0'52 Feb. 25 B 7 12 10'80 32'47 23 B 0'78 0'60	Feb. 27	B		100 10 50-21	•			
7 9 51 62 160 16 55 12 Feb. 2 G 47 15 7 15 21 89 64 41 47 50	Mar. 4	В	51.44	54.21		IF		1
7 15 21'89 64 41 47'50	Apr. 23	В		54.63	30	CF	21.98	46.80
Feb. 25 B 7 12 10 80 32 47 23 B 0 78 0 66			7 9 51.62	160 16 55.13	Feb, 2	G		47*15
Jan. 4 IF 67 46 29 40 σ Argûs. 18 CF 30 80 Apr. 3 JS 133 2 0 41 19 JS 32 32 8 B 7 25 0 76 0 52 Feb. 25 B 7 12 10 80 32 47 23 B 0 7 8 0 78 0 60		•	<u> </u>				7 15 21.89	64 41 47.50
Jan. 4 IF 67 46 29'40 18 CF 30'80 19 JS 32'32 Feb. 25 B 7 12 10'80 32'47 23 B 0'78 23 B 0'78 0'60			& Geminorum.	,		·		
19 JS 32.32 8 B 7 25 0.76 0.52 Feb. 25 B 7 12 10.80 32.47 23 B 0.78 0.60	Jan. 4	IF	***	67 46 29 40	σ Argûs.			
19 JS 32.32 8 B 7 25 0.76 0.52 Feb. 25 B 7 12 10.80 32.47 23 B 0.78 0.60	18	CF		30.80	Apr. 2	JS		133 2 0'41
Feb. 25 B 7 12 10 80 32 47 23 B 0 78 0 60	19	J8		32.32		1	7 25 0.76	1
Mar. 14 J8 32.89 7 25 0.77 133 2 0.51	Feb. 25	В	7 12 10.80	32.47	23	В	1	ł .
	Mar. 14	JS		32.89			7 25 0.77	133 2 0.21

Date.	Observer.	R. ≜ .	. N .P.D.	Date	Observer.	R.A.	N.P.D.
	В. А. С. 2484.					s Minoris – con	tinued.
Jan. 30	В	h m s 7 25 32 26	120° 41′ 2″32	May 2	C F	h m s	84° 26′ 11" 16
	a ² Geminorum.					7 32 20.38	
Apr. 11 May 2	CF	7 26 6.54	57 49 21'18			7 32 20.37	84 26 11.16
May 2	OF.	7 26 6.54	57 49 21.55			B. A. C. 2528.	•
υ Geminorum.				Apr. 8	B JS	7.33 2.88	127 42 45 95
Jan. 16	G JS	7 27 43 38	62 48 44 15			7 33 2.85	127 42 46.32
18	CF	43°44 43°51	44·21			B. A. C. 2530	
19 22	JS B	43°38 43°56	41·38 42·85	· · · · · · · · · · · · · · · · · · ·		D. A. O. 2530	·
		7 27 43 45		Jan. 30	В	***	116 30 0'47
				Feb. 27 Mar. 4	В	7 33 22.28	2.39
	:	B. A. C. 2514.		6	JS	22.12 23.10	3.10 2.6 ²
Jan. 4	IF.	7 31 9	65 28 43.56	Apr. 3	JS B	22.38	3°37 2°09
						7 33 22.25	116 30 2.83
Mar. 14		Geminorum.		B. A. C. 2531.			
15	CF	.7 31 47 63 47 65	30.30	Jan. 30	В		116 30 8.33
		7 31 47 64	72 1 30.13	Feb. 27	В	7 33 22 75	1
				Mar. 4	В	***	12.58
« Canis Minoris.			6	JS		. 10.80	
Jan. 16	G	7 32 20.31		Apr. 3	JS B	22.83	11.02
Feb. 16	Ġ	20.31	•••	-3	_		9.97
		· · · · · · · · · · · · · · · · · · ·				1	1

Date.	Observer.	` В. А.	N .P.D.	Date,	Observer.	R.A.	N.P.D.	
	ø Geminorum.				B. A. C. 2644.			
Jan. 10	G JS	h m s 7 35 60 01 59 98	63°54′ 5″78 5°17	Mar. 6	JS	h m s 7 49 23.63	137° 45′ 26″16	
14	JS CF	60.06	7.13 2.11			ı Cancri.		
		7 36 0.03	63 54 6:30	Feb. 15	JS	7 49 26.24	73 51 24.64	
		₿ Geminorum.		16	G	7 49 25.20	25.11	
Mar. 15	CF	7 37 10.45			<u> </u>	/ 49 25 26	73 51 24.88	
May 2	CF	7 37 10.45	61 39 18.32 61 39 18.32			Lacaille 3088.	•	
	L	B. A. C. 2575		Jan. 11	JS JS	7 51 52.84	142 33 4.89	
Apr. 10	Js	7 39 49'99	127 37 25.35			7 51 52 97	142 33 . 5 . 66	
		B. A. C. 2607				B. A. C. 2655		
Jan. 14 ` 16	JS B	7 43 26·45 26·44	162 17 9°35 7°19	Apr. 23	В	7 52 22.01		
Feb. 27	В	26·17 7 43 26·35	9.08		L		•	
	<u> </u>					B. A. C. 2670	:	
	<u> </u>	B. A. C. 2602.		Feb. 5	JS B	 7 54 25°02	138 53 5.28 6.61	
Feb. 25 Mar. 6	B JS	7 43 42'02 41'79	114 31 38°12 39°75	Mar. 6	JS	24.84	.5.38	
		7 43 41.91				7 54 24 93	138 53 5.86	
	φ Geminorum.					6 Cancri.		
Jan. 7	JS G	7 45 21 15	62 53 32·10	Mar. 15	CF			
9	В	7 45 21 20	62 53 32.23	Apr. 11	CF	7 55 20.81	61 50	
	_	1		<u> </u>			<u> </u>	

Digitized by Google

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	8 Canori.					B. A. C. 2754.	
Feb. 15	Js G	h m s 7 57 39 87 39 85 7 57 39 86 μ ² Cancri.	76 30 17"90 18*68 76 30 18*29	Jan. 7 11 14 30 31	JS JS JS B JS	8 5 23.53 23.60 8 5 23.60	136 57 13.50 16.11 16.93 16.44 16.07
Nov. 15	Nov. 15 JS 7 59 56.14 68 2 5.94				JS B	B. A. C. 2755. 8 5 25 94 26 14	136 56 41.63 45.14 45.39
Apr. 11	l	8 1 16'40	75 58			B. A. C. 2769.	136 56 44.05
Mar. 15	CF JS	8 1 52.72	113 55 21.36	Арт. 23	В	8 7 13.35 B. A. C. 2773.	105 23 20-18
		ψ² Cancri.		Jan. 16 Feb. 5	B	8 7 29.33	158 13 34.85
Jan. 4	IF	8 2 26	64 5 31 10	15	Ј8 В	28. 66	32°93 35°79
	√ ¹ Canori,			Apr. 10	JS	8 7 29.23	33.64
Jan. 19 Apr. 11 Nov. 15	J8 CF JS	8 4 34 94 35 00 34 95 8 4 34 96	71 57 11.86	Mar. 6	t	B. A. C. 2774.	1
	<u> </u>	7 34 90	71 57 11.88	DIEF. 0	,,,	8 8 28.15	125 29 56.85

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	B. A.	N. P. D.		
	A Octantis.					B. A. C. 2870,			
Apr. 23	В	hm s	178° 28′ 42″ 94	Jan. 14	Js	h m s 8 24 35.21	167° 3′ 14″06		
29	G	•••	40.60	16	В	34.53	13.28		
May 5	JS		41.24			8 24 34 72	167 3 13.82		
		8 15 50	178 28 41.69			η Cancri.			
	1	Octantis S. P		Jan. 4	IF		69 6(30.26)		
A	TO		9 -9	15	IF	•…	32.85		
Apr. 23	JS OF	•••	178 28 44.11	19	JB		32.35		
24	_		44 ' 37	20	CF	8 25 0.98	33*42		
May 2	JS		43*47	Mar. 15	CF	0,81	35.86		
			178 28 43 98			8 25 0.95	69 6 33.62		
		B. A. C. 2823.		B. A. C. 2947.					
Jan. 31	JS	8 18 26.42	138 3 51.41	Jan. 4	IF		136 10 35'91		
Feb. 5	JS		51.83	7	J8	8 36 12.99	34.88		
15	J8	26.59	50.94	11	JS	12.97	35*73		
27	В	26.19	52.91	14	JS	12.91	36.43		
		8 18 26.29	138 3 51.77			8 36 12.96	136 10 35.81		
		B. A. O. 2832.				B. A. C. 2950.			
Apr. 9	IF		149 4 56.13	Jan. 15	IF	8 36 28.93	142 27 2.17		
16	J8	8 19.47 03	55.09	16	В	29.09	0'20		
·		8 19 47.03	149 4 55.61	31	J8	29.14	2.02		
	!	.		Mar. 6	J8	28.81	1.49		
В. А. С. 2849.						8 36 28.99	142 27 1 47		
Jan. 7	J8 B	8 21 55·17 55°23	166 29 50·85 53·68	o Cancii.					
11	J8	. 55.13	21.62	Feb. 16	G	8 37 7.43	71 21 30.80		
Mar. 6	JS	54.76	52.95	Mar. 15	CIF	7.40	33.35		
		8 21 55.07	166 29 52.58	16	G	7.56	31.66		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	В.А.	N.P.D.	
	8 C	ancri—continu	ed.	B. A. C. 3023—continued.				
May 9 10 Nov. 16	CF JS IF IF	h m s 8 37 7°33 7°39 	71 21 31"25 31'04 33'60 32'87 71 21 32'08	Jan. 11	168 28 44 80			
	B. A. C. 2962.		Feb. 16 17 Apr. 12	CF IF	12.80	46°23 44°08		
Apr. 9	IF 	8 37 40 • Hydræ.	149 17 14.06	13 Nov. 16	JS IF	8 51 12.68	45 63 47 50 77 37 45 70	
Jan. 20	CF	8 39 43 79	83 6	В. А. С. 3110.				
		B. A. C. 2979.		Jan. 7]8]8	8 59 34°21 34°20 34°34	136 34 7°44 8°25 9°76	
Jan. 16 Mar. 6	B JS	8 41 2.03 E.73	144 13 17.57	31	JS	34°32 8 59 34°27	7.88	
			144 15 10 41	•]	B. A. C. 3114.		
Feb. 27	В	B. A. C. 2981.	135 33 22.72	Jan. 16 28 Feb. 11	JS JS	20°18	455 51 54*98 54*75 54*65	
Apr. 16	JS 	8 41 31.12	135 33 22.63	13	В	9 0 20 26	155 51 55.35	
B. A. C. 3023.				к Cancri,				
Jan. : 4 7 · 9	JS B	 8 45 46·87 46·42	168 28(39·49) 42·97	Apr. 12	IF JS	9 0 32 64 32 49	78 47 53*44 54*36 78 47 53*90	

Date. Date.	R.A.	N.P.D.	Date.	Observer.	. R. A .	N.P.D.	
В	. A. Ċ. 3126.		B. A. C. 3163—continued.				
Mar. 6 JS	h m s	132 53 47.66	Mar. 6	JS	h m s	128 0 60 50	
Apr. 9 -IF	•••	48.03	Apr. 9	IF	•••	59.64	
16 JS	6.43	49.02			9 10 22 12	128 0 59.16	
	9 3 6.32	132 53 48.24		<u> </u>	i		
В	. A. C. 3130.	J		1	83 Cancri.		
Apr. 24 IF	9 4 18.39	119 49 25.42	Jan. 20	CF G	9 11 33'34	71 43 58 15	
В	. A. C. 3136.		:		9 11 33'34	71 43 58*15	
Jan. 16 B	9 4 46.39	162 4 3.03			β Argûs.		
. 28 J8	. 	1*47	Feb. 13	В	9 11 43.81	159 10 9:04	
Apr. 13 JS	46.67	3.04	∆ pr. 24	IF	44.01	11.74	
	9 4 46.23	162 4 2.21	Nov. 5	G	•••	9.12	
		í	15	JS	43°75	9*96	
В	. A. C. 3149.	·	16	IF	· •••	9'75	
Jan. 30 B	9 7 27 99	148 25 22 90	17	JS	43.26	9.24	
31 JS	28.54	22'45			9 11 43.78	159 10 9.86	
Feb. 4 IF	27.90	21.37		<u> </u>			
	9 7 28.04	148 25 22.24	-		3 Argûs S.P.		
В	. A. C, 3152.		Oct. 24	JS OF	•••	159 10 (15.88)	
Feb. 27 B	0 8 18:30	151 46 18.21	1	JS		10.79	
Apr. 16 JS	12.09	18.08		~~	<u> </u>	159 10 10.03	
	9 8 12,50	151 46 18.60			1	,, == == 3 ,	
					. Argûs,		
B	A. O. 3163.	-	Jan. 15	IF	9 13 31.85	148 43 6.34	
Jan. 16 B	9 10 22 18	128 0 57 35	Feb. 27	В	31.45	4.02	

Date.	Observer.	R.A.	N.P.D.	Date.	Орвегчег.	R.A.	N.P.D.
		Argûs—continu	ed.	B. A. C. 3195—continued,			
Apr. 13	J8 J8	9 13 31.83 9 13 31.83	148 43 5°52 5°67	Jan. 28 31	JS JS	9 12 36.38 	115 24 2'74 1'20
	В. А. С. 3187.					a Hydræ.	
Jan. 30 Feb. 4	B IF JS	9 13 40'49 40'53 40'48	140 29 34.47 32.52 32.62	Jan. 8 20 23 Feb. 4 Apr. 12	G G IF	9 21 3 07 3 19 	98 4 60°04 59°81 60°71
	1	€ Octantis.		24 May 17 22	if js cf		60°67 60°49
May 17 20 22 23	JS JS CF G	 9 15 25 07 24 82	175 7 30.67 32.67 30.50	Sept. 19	G	3.06	98 5 0.34
		9 15 24 95	175 7 31.58			λ Leonis.	
May 14	G G	9 15 25 38	175 7 34°66 36°54	Jan. 20 Mar. 16	CIF G G	9 24 49'79 49'78 49'72 9 24 49'76	79 41 56.48 58.02 56.60
17	CF CF	24°95 24°56 9 15 24°96	33°49 175 7 34°90	Feb. 11	Js	B. A. C. 3257.	129 53 . 7.31
Jan. 7	,	B. A. C. 3195.			1	В. А. О. 3269.	1
Jan. 7 8 10	G G	36.34 36.30	0'21 0'21 1'85	Jan. 8	G G	9 27 11.26	146 26 52°00 54°23

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
E	B. A.	C. 3269—cons	inued.	τ Leonia.				
Jan. 11	J8	h m s	146 26 54"44	Jan. 15	IF	h m s	81° 19′ 6″38	
17	JS	11.01	53.08	20	CF	9 53 11.05		
•		9 27 11'01	146 26 53.44	22	CF	11.04		
				Feb. 4	IF	•••	7.93	
	1	B. A. C. 3289.		15	CF	11,15	,	
2. 2. 3239.				A pr. 13	JS CF		9.87	
Jan. 15	IF	9 30 35.25	148 38 14.66	14 24	IF	11.02	7.60 8.28	
16	В	35.32	14.47	May 10	JS		6.29	
31	JS	35°49	14.16	22	CF	11.07		
Feb. 11	J8	32.01	13.38			9 53 11.07	81 19 7.77	
13	В	35.16	14.08		1	9 33 11 0/	01 19 / //	
		9 30 35.55	148 38 14-15	,		a Leonis.	•	
	٠.,	D 4 6			1	I	<u> </u>	
		B. A. C. 3300.		Jan. 15	IF		77 12 60.30	
Jan. 8	G	9 32 4.38	138 45 35.65	-20	OF	10 1 17.13	61.60	
10	G	4.10	35.32	Feb. 4	CF	17.14	60.22	
11	JS	4.30	35,37	.Feb. 4	CF	17.27	59°07	
17	JS	4.28	36.2	Mar. 17	G		60.77	
Mar. 6	JS	3.08		18	JS	"	61.86	
, mai.		ļ	32,00	Apr. 13	JS		62.91	
		9 32 4.19	138 45 35.75	14	CF	17.00	61.48	
				24	IF		61.32	
		• Leonis.		May 10	J8		61.10	
Jan. 20	CF	9 34 3.06	79 30 14.80	Sept. 19	G.	17.10	•••	
Mar. 16	G	2.95	14.33	Nov. 17	IF	•••	61.66	
17	G	2.96	13.36			10 1 17.13	77 23 1.14	
		9 34 2.99	79 30 14.16					
e Leonis.						C. G. A. 13822	•	
	<u> </u>			Jan. 8	G	10 2 39'34	120 27 5.89	
Jan. 20	OF	9 38 17.81		10	G	39.32	6.74	
22	CF	17.82		17	JS	. 39.56	6.13	
		9 38 17.82	65 37			10 2 39'41	120 27 6.52	

						······································		
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 3516.		B. A. C. 3552.				
Feb. 15	CF	h m s	159° 22′ 39"93	Jan. 16	В	h m s	130 58 51.72	
Mar. 6	JS	34.49	40'17	Feb. 4	IF	1	52.84	
			159 22 40.05	11	JS		52.41	
-		10 10 34 31	159 22 40 05			10 16 37.60	130 58 52.42	
			•		1			
	γ¹ Leonis.				B. A. C. 3578.			
Jan. 15	IF	10 12 38 14	69 29 12.33	Mar. 6	JS	10 21 4.01	120 23 28.37	
18 20	CF OF	38°14 38°17						
22	CF	38.12				B. A. C. 3585.		
Feb. 6	G	38.32	•••					
11	JS	38.78		Feb. 15	1	10 21 44.84	163 21 17.21	
Mar. 5	G	38.13		May 27	JS	44.96	17.42	
6	JS	38.33	•••	June 3	JS		17.80	
Apr. 14	OF	38.35	•••	6	В	44.45	17.90	
		10 13 38.51	69 29 12.33			10 21 44.80	163 21 17 . 58	
				B. A. C. 3586.				
		B. A. C. 3526.		Jan. 16	В	10 23 13.96	155 1 36.57	
Apr. 24	IF	10 12 39.03	150 40 4.97	18	OF.		35.32	
		1		20	CF		37.54	
•••		·		Feb. 11	JS	13.87	36·7 <u>9</u>	
· · · ·		B. A. C. 3536.				10 23 13.91	155 1 36.57	
June 3	JS	10 14 37 32	144 21 43.36	-		ρ Leonis.		
-	1	B. A. O. 3546.		Jan. 15	IF		80 0 34.85	
	l _	_	1 .	22	OF	10 25 48 39		
Jan. 8	G	10 12 28.32	i	Feb. 15	OF	48.21		
	ď	58.03		Mar. 17	G	•••	34*95	
		10 12 28.19	145 22 25.78	18	JS		36.14	

Date	Observer.	R.A.	N.P.D.	Date.	Observer.	.R.A.	N.P.D.	
	ρL	eonis— <i>contin</i> u	ed.	η Argûs—continued.				
Apr. 24	IF	h m s	80° 0′ 35° 08	Apr. 26	В	h m s	148 59 10.06	
May 12	G		35.40	29	G	10 39 54.28	: 8.21	
22	OF	10 25 48.47	***	May 8	IF	54*45	8.01	
1		10 25 48.46	80 0 35.14	12	G JS	54.26	*** 8·15	
	<u> </u>	<u> </u>		13	CF	54°52 54°68	9.81	
:	B. A. C. 3655.		27	JB	54.28	7.88		
- <u>-</u>	1		31	J8	54.49			
Jan. 18	OF	10 33 41 12		June 3	ˈ J8	54.61	8.12	
20	O.F	41.28	28.32	. 4	1F	54.26	7.81	
		10 33 41.35	148 29 27.31			10 39 54.55	148 59 8.41	
		B. A. C. 3660.		B. A. C. 3702.				
Jan. 16	В	10 33 52.14	167 55 5.04	Mar. 6	JS	10 41 3'25	138 43 4.05	
Feb. 15	CF	52.05	4'14		!	I		
. 21	J8	52.19	3.46			l Leonis.		
Mar. 6	JS	25, 52, 16	167 55 4.30	May 12	G	10 42 16	78 45 5.77	
·	<u> </u>	n Argûs,	10, 33, 4 30			B. A. C. 3723.		
Jan. 8				Feb. 15	1	10 43 57.76	169 46 1.72	
Jan. 8	G	10 39 54.31 54.31	148 59 6°74 7°95	21	JS	28.11	1.06	
16	В	54.23	10.07	25	J8	57.97	1.4	
. 20	CF	54.42	9.01	Mar. 4	J8	58.37	1.08	
28	J8		8.21			10 43 58.05	169 46 1.40	
Feb. 11	J8	54*44	7.12			:		
Mar. 30	G		8.66			B. A. C. 3724.		
∆ pr. 6	. G		8.42	May 13	JB	10 44 30'27	169 50 19.25	
10	JS CF		8-29	31	JS	30.58	18.60	
14 17	CF B	54°54 (54°02)	•••	June 3	JS	30.55	19.02	
24	IF	54.22	8°34			10 44 30.56	169 20 18.96	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	-	d Leonia.		& Leonia.				
Apr. 14	G G	h m s 10 53 41 64 41 47	85 40 7'42 7'90 85 40 7'66	Jan. 23 May 8	G IF J8	h m s	68 44 51°72	
	1	χ Leonis.	,			8 Hydræ.	68 44 51.72	
Jan. 22	G	9.36	43*72	May 8	IF G		104 3 31'90	
Feb. 15 Mar. 18	JS OF	9'30	 43.61 41.27	12 13 June 3	1	41.66	32.55 	
Apr. 14 15 May 8	G	9°54 	41 · 99			11 12 41.64	104 3 32.23	
13 15	JS I P	9.33	 45.66	Jan. 22	CF	✓ Leonis.	83 14 31.80	
June 17	OF	9.39	81 56 43.43	23 Mar. 18	G J\$	16.28	32°10	
		B. A. C. 3815.		19	CF		30°63 83 14 31°74	
Feb. 11 Mar. 4	JS	18.02	35.89			e Leonis.		
6 May 13	J8 J8	18.00	32,00	May 12	G JS	30.05	92 i6 11.95	
	<u> </u>	B. A. C. 3822.	117 21 35'54		1	B. A. C. 3927.	92 16 12.16	
Apr. 8	ВВ		121 38 42°37 43°24	Mar. 4	1	11 26 20.04	129 42 14'49	
May 27	js js	30.05	42*60 43*85		1	B. A. C. 3928.		
		11 3 29 99	121 38 43'02	May 8	IF	11 26 27 90	121 7 16.55	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
F	B. A.	C. 3928—sont	inued.	β Virginis.			
June 3	J8 IF	h m s 11 26 27 '94 27 '85	1	Apr. 15	G JS	h m s	87° 29′ 9′ 09 7°71
		11 26 27 90	121 7 17.86			11 43 46.23	87 29 8.40
B. A. C. 3929.						π Virginis.	
Feb. 11	JS	11 27 8·70 8·64	11.49	Jan. 23	G	11 54 3'45	82 38 38.39
25 	J8	8.61	10,23		1	B . A . O. 4067.	
	;	B. A. C. 3941.		Feb. 15	OF J8	29'54	152 25 29.78
Feb. 15	CF	11 29 39.49	152 17 2.51	25	JS	29.38	29.76
May 27	JS	39*79	1 ' 52	Mar. 4	J8	29.23	29.70
		11 29 39.64	152 17 2'02			11 57 29'47	152 25 29.68
	,	v Leonis.		В. А. С. 4078.			
Apr. 14 15 16	CF G J8	11 30 8.45	 90 5 21°69 22°05	May 27 June 3	JS JS IF	58.55 58.55 57.85	153 52 16·74 17·50 16·89
May 12	G J8	 8'40	23°13	7		11 29 28.02	
		11 30 8.43	90 5 22'10		'		
		β Leonis.				B. A. C. 4087.	
	T _	ī	1	May 22	CF	12 1 28.52	139 58 52.63
Jan. 23 Feb. 15	G CF	16.48	•••				
Apr. 14	CF	16.24	•••			10 Virginis.	
		11 42 16.36	74 41	June 10	G	12 2 52.36	87 21
				2			Caadla

Date	Observer.	R. A.	N.P.D.	Date.	Observer.	B. . .	N.P.D.
		e Corvi.		B. A. O. 4197.			
Jan. 23	G	h m s	·	Feb. 15 CF 12 20 51 60 139 29			
Feb. 15 June 5	OF G	17.19		-		B. A. C. 4215.	
		12 3 17.24	111 53	Mar. 4	Js	12 23 48.33	146 22 4.16
		B. A. C. 4120.		June 3	JS	48.43	4.59
Feb. 15	CF	12 8 5.71	148 0 30.94			12 23 48.38	146 22 4.23
25	JS	5.84	32.59			β Corvi.	
Mar. 4	JS	6.03	31.99	A pr. 17	CF	12 27 24.47	
	ļ	12 0 5 00	148 0 31.74	June 5	G	24'31	
		B. A. C. 4133.		July 3	J8	24°39 24°31	•••
May 22	OF	12 11 15.37	153 15 49.99			12 27 24 37	112 40
June 3	JS IF	15.29	47.80 49.32]	B. A. C. 4245.	
5	G	14.96	49.08	Feb. 15	CF	12 29 16.75	158 24 7.30
		12 11 15.15	153 15 49.05	. 21	JS	17.41	6.13
		η Virginis.		25 Mar. 4	JS JS	17 '07	7.19
Jan. 23	G	12 13 6.18	89 55 39.03	·		12 29 17 11	158 24 7'20
*24	JS JS	 '	38.08		<u>'</u>	R A C .o.c.	
Feb. 21 Apr. 16	JS	•••	38.44	·		B. A. C. 4251.	
May 13	JS ·	6.12	38.94	June 4	G	12 30 26 61	137 48 30*42
June 10	G		38.21			Lacaille 5235.	
		12 13 6.14	89 55 38.67	July 1	В	12 31 27 13	179 4 6.64
	1	B. A. C. 4158.		3 G 5 JS 26'34			
Feb. 15	OF	12 14 11.91	149 39 56.46			12 31 26.4	179 4 6.69

Date.	Observer.	R. A.	N.P. D.	Date.	Observer.	R.A.	N.P.D.	
	L	scaille 5235 S.	Р.	38 Virginia.				
June 23	CF	h m s	179° 4′ 8′′89	Apr. 17	CF	h m s	92 49 45 84	
30		12 31 27 13	7.96	July 8	В	22.65	46.93	
July 5	JS	27.62		oury o		12 46 22.43	92 49 46.39	
		12 31 27.38	179 4 8.43		<u>'</u>		9- 49 40 39	
	<u> </u>	<u> </u>				D 4 ()		
	1	B. A. C. 4264.			·	B. A. C. 4325.	<u> </u>	
		<u> </u>	l .	Feb. 15		12 46 47 77	146 27 16.30	
July 2	IR	12 34 11 74	138 13 42.33	25	J8	47.81	18.37	
				Mar. 4	J8	47.80	16.48	
	y Vir	ginis (as one n	1888).	May 22	CF	47.66	16.59	
Feb. 15	CF	12 34 55.30				12 46 47.76	146 27 16.91	
21	J8	55.36	90 43 9.93		·	<u></u>		
25	J8	55.58	***			ψ Virginis.		
May 13	JS	55°25	9.64	.	100		<u> </u>	
June 4	IF	55*47	9.33	Jan. 25	CF	12 47 26.16	98 49	
July 8	В	55°28	9*08					
		12 34 55.32	90 43 9.50			k Virginis.		
		B. A. C. 4280.		June 10	G	12 52 48.49	93 5 38.75	
Feb. 15		12 38 8.99	157 22 44'97			B. A. C. 4379.		
25	JS	9*48	44.80	Feb. 15	CP	12 59 9.65	139 11 32.98	
Mar. 4	JS	9°34	44*39	25 25	JS	9.70	34.98	
		12 38 9.27	157 22 44 72	Mar. 4	JS	9 ·6 6	33.68	
				•		12 59 9.67		
	1	B. A. C. 4289.		-				
Feb. 21	JS	12 39 58.49	148 57 38.52			θ Virginis.		
May 22	CF	58.18	36.39	Jan. 25	CF	13 3 3.84		
June 3	JS	58.37	38.92	Feb. 15	CF	3.4		
		12 39 58.35	148 57 37.91	21	JS		94 49 41.19	

Date.	Observer.	R. ≜ .	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	θ Vi	rginis—contine	ued.	a Virginis.				
Apr. 17	CF	h m s	o , "	Feb. 15	CF	13 18 11.33 h m s	0 / //	
June 10	G		94 49 40 34	21	JS		100 27 57.86	
		13 3 3.90	94 49 40 77	22 26	G		58.18	
				1	_	•••	57*44	
	D A Ø		Apr. 17	CF		54*43		
	B. A. C. 4409.		May 15	IF	•••	56.20		
June 4	IF	13 3 47 70	132 39 29.60	June 3	JS G	11.39		
July 2	IF	47.75	31.40	5	-	11.35		
9	IF	47.77	32.13	July 8	B IF	11.45	56·86 55·62	
16	IF		31.19]		13 18 11.38		
		13 3 47 74	132 39 31.07			13 10 11 30	100 27 56.70	
	<u></u>		<u> </u>	 B. A. C. 4483.				
		Brisbane 4367.			,	<u> </u>	<u> </u>	
		1 .		Apr. 26	JS	13 19 59	175 6 4.80	
Feb. 26	G	13 6 11	157 10 25.50			B. A. C. 4507.		
}		B. A. C. 4426.						
<u> </u>		(Apr. 8	İ	13 23 20.20	128 43 8.81	
Feb. 15	i	13 6 15.99	157 11 19:20	May 13	JS	20.43	8.30	
25	JS	16.31	18.91	June 3	JS IF	20.29	9.07	
26 27	G	16.19	19.30	⁴	1.5	20.24	7.03	
Mar. 4	JS	16.28	18.29			13 23 20.22	128 43 8.28	
		13 6 16.27	157 11 18.75			B. A. C. 4517.		
			ı	July 2	IF	13 25 8.88	118 52 46.02	
		B. A. C. 4458.			'	<u>'</u>	J	
Feb. 15	OF	13 13 7.83	126 0 34.74			A Virginis.		
26	G	7.46	37.96	Apr. 17	CF	13 25 58.16	99 28 42 34	
Mar. 4	JS	7*54	35.56	July 8	В	28.00	41.96	
May 13	JS	7.81	36.11	, , ,	IF	58.04	41.22	
	-	13 13 7.66	126 0 36.02			13 25 58.07	99 28 41 95	
L			J		<u> </u>	·		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N,P.D.
		(Virginis.		B. A. C. 4629.			
Feb. 22	G	h m a	89° 54′ 53″46	June 5	G	h m s	121 16 8"56
	B. A. O. 4548.					B. A. C. 4638.	
Apr. 26 May 13 June 3 July 18	JS JS JS	14.04 14.04 14.11	118 52 47°45 46°15 47°91 49°26	July 2 18	IF Js	13 47 15°32 15°34 13 47 15°33	136 37 54.51
j		13 31 14.10				B. A. C. 4653.	
		B . A. C. 4549.		Apr. 17	CF JS	13 50 11.95	131 26 57 06 57 99
Feb. 26 Mar. 4 Apr. 8	G JS CF	28·82 28·84	18.40	May 27 June 3 4	JS JS IF	13 20 11.82	55.89 57.50 56.27
]	B. A. O. 4580.	142 47 19'09			B. A. C. 4654.	
Feb. 26	G	13 38 15.19	140 45 49.89	June 5	G	13 50 28.48	134 9 8.56
Apr. 26 May 27	JS JS	15.24	50°35	.		β Centauri	•
June 4 	IF	12 38 12,33	49.63	Apr. 10 May 13	B JS IF	13 54 27·58 27·96 27·76	149 43 43 °03 42 °28 45 °59
	1	B. A. C. 4601.		July 2	IF	27.83	•••
May 13 June 5 July 18	JS G JS	13.41_32°37 32°14 32°34	.131125*14 23*96 23*06			13 54 27 78	149 43 43 63
		13 41 32.58	131 1 24.05	Mar. 21	JS	13 54 53	87 48 36.82

Date.	Observer.	R. A.	N . P. D .	Date.	Observer.	R.A.	N.P.D.	
	.,	B. A. C. 4681.		« Virginie,				
Feb. 27	CF	h m s	130° 32′ 26″69	Feb. 22	G	h m s	99° 39′ 10"76	
Apr. 17	CF	56.54	25.12	Mar. 21	JS	48.18	11.28	
June 3	JS	56.54	25.35	22	CF	48.37	11.41	
		13 57 56.21	130 32 25.74	July 9	IF.	48'42	9.22	
	<u> </u>			10	G	48.32	10,12	
	I	B. A. C. 4685.		Aug. 6	JS	48.18	9.36	
	_					14 5 48.29	99 39 10.47	
June 5	G	13 58 48.17	116 2 23.57			•		
July 3	G	48.29	23.22			B. A. C. 4712.		
		13 58 48.23	116 2 23.56	June 3	Js	14 6 28.15	169 29 27 43	
		B. A. C. 4686.						
		i		B. A. C. 4719.				
Apr. 12	CF	13 58 51-96	125 42 52.59	June 5	G			
May 27	JS	51.83	50.40	1		14 7 19.63	118 39 29 49	
		13 28 21.90	125 42 51.50	July 3	G	19.66	30.55	
						14 7 19.65	118 39 29.86	
		94 Virginis.				a Boötis.		
Mar. 21	JS	13 59 15.41	98 15 19.88			l	1	
22	CF	15.45	19.23	Apr. 10	B CF	14 9 35.63	70 7 24.82	
	٠.	13 59 15.43	98 15 19.71	24	CF	35.68		
		37:!!		May 13	JS	35.72		
		95 Virginis.		June 7	OF	35.85	0+4	
May 16	G	13 59 40.91	98 40 38.34			14 9 35 72	70 7 24.82	
η Apodis.						B. A. C. 4734.		
May 17	CF	14 1 43.25	170 22 49.49	June 6	В	14 10 54.15	135 26 31.20	
July 3	G	43.92	49.12	July 3	G	54.27	31'24	
		14 1 43.59	170 22 49'31			14 10 54.51	135 26 31.52	
						· · · · · · · · · · · · · · · · · · ·		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	'	λ Virginis.	1	B. A. O. 4770—continual.				
Feb. 22	G	h m s	102° 45′ 25″ 59	June 7 CF 14 17 38 57 134 46 34 4				
	IF	14 11 54.99		Í				
July 9	G	55.18	24.81	July 23	J8	38.37	32.04	
Aug. 6	JS	55.05	25.52	·		14 17 38 37	134 46 33.07	
		14 11 55.09	102 45 25'41		:	B. A. C. 4784.		
		B. A. C. 4745.		Apr. 17	CF	14 20 23 32	118 53 29.04	
Fob as	CF	14 12 28 67		July 3	G	23.48	30.48	
Feb. 27		28.63	127 16 (24.46)			14 20 23 40	118 53 29.92	
Apr. 12	CF JS	28.93	17°37		<u> </u>		<u> </u>	
May 27	JS	28.22	17 57			B. A. C. 4801.		
		14 12 28 70		· · · · · · ·		1	1	
		12 20 /0	127 10 17 80	Feb. 27	CF	14 23 40 39	139 51 53.26	
		B. A. C. 4759.		Apr. 23	JS	40.23	55.50	
j			·	26	J8	40.67	54.57	
May 17	CF	14 14 51.26	128 54 6.76	May 17	CF	40.67	54.03	
June 3	JS	21.10	7.21			14 23 40.27	139 51 54.27	
4	IF	51.03	7:35	-	<u></u>		·	
5	G	21.18	7.92	1		Lacaille 5985.	•	
		14 14 51.14	128 54 7.31		i .	1	<u> </u>	
				June 5	l	14 25 28.63	122 43 38 96	
		B. A. C. 4768.		July 2	IF G	28.57	38.00	
Apr. 26	JS	14 17 37 09	134 37 3*23	3	u u	28·66 14 25 28·62	38.56	
July 2	IF	36.86	0.33			' ' ' ' ' '	1, 1, 1, 1, 1,	
9	IF	36.80	2.48			m Oote-4-		
		14 17 36.92	134 37 2.11			z Octantis.		
	•	- '	1	July #8 JS 177 35 48.9				
	1	B. A. C. 4770.		23 JS 46°				
Pok of	C			27	G	14 26 14 97	46,72	
Feb. 26	G CF	38·16	134 46 32·50 33·26	29 30	JS	14.96	47°17 47°43	
-/	-	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,, 20	,,,		•••	7/ 73	

Date.	Observer.	R. A.	N.P.D.	Date.	Орвегуег.	B. A.	N.P.D.	
	z Oc	tantis— <i>contin</i>	u e d.	a² Centauri.				
Aug. 1 2 5	B IF B	14 26 14.39 14 26 14.39	177 35 48 65 47 91 46 82	Apr. 10 May 10 17 27	B CF CF JS	h m s 14 30 34.88 34.99	150°17′ 6″73 11°14 7°58 8°33	
	z Octantis S.P.				JS IF IF		7°59 7°43 7°15	
July 26 28 29 Aug. 2	G G IF	14 26 14'08 15'06 16'63	177 35 50°02 		l	B. A. C. 4833.	150 17 7'99	
5	В	13.01	49°99 177 35 49°59	July 3 18 Aug. 6	G JS J8	29°28 28°87 29°38	168 28 32 48 32 50 33 19	
Apr. 17		B. A. C. 4811.	131 34 17*41		1	14 31 29 15	<u> </u>	
	<u> </u>	В. А. С. 4821.		Apr. 23	1	B. A. C. 4839.	136 48 51.92	
Feb. 26	1	14 28 57.20	138 50 37.52		1	B. A. C. 4842.		
Apr. 23 26 June 7	J8 J8 OF	57.66 57.32	38.66 38.35 38.05	Apr. 17 26	CF J8	14 33 42 36	127 13 11.81	
	1	al Centauri.	<u> </u>	B. A. C. 4852.				
▲pr. 10 May 27	B JS		150 16 57°53 57°95	June 7 July 23 30	JS JS		124 35 56·06 55·13 55·61	

Date.	Observer.	B.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	5 Libræ.					B. A. C. 4928.				
Mar. 22	CF	h m s	104 53 47 41	May 27 JS 14 50 31 20 131 34						
		B. A. C. 4892.	•	June 7 July 3	CF G	31°40	3·52			
Apr. 23	JS	14 42 58.43	133 1 20.41	18	JS	31.04	3.69			
	'	a² Libræ.			l	Lacaille 6198.				
Mar. 22	CF		105 29 12'14	July 9	IF	14 54 51.26	122 6 58.33			
May 16	G CF	•••	(8·49)	Aug. 2	IF JS	51.45	59°47 57°70			
June 5	G OF	14 43 31 62 31 46	•••			14 54 51°35	122 6 58.50			
July 3	G IF	31.22	· ·			B. A. C. 4948.				
30 Aug. 6	JS JS	31.20		Apr. 26	JS CF	14 56 4.82	136 31 40.12			
7	G		12.43	May 3	JS		40.38			
	<u> </u>				<u> </u>	14 56 4.82	136 31 40.38			
	1	B. A. C. 4916.			7	Lacaille 6229.				
July 2	G G	14 47 35°17 35°43	123 18 46°19 47°45	July 3	18 G	3°26	122 23 34'94 34'50			
		14 47 35.30	123 18 46.82			14 59 3.38	122 23 34.72			
	,	B. A. C. 4924.		ν¹ Libræ.						
Apr. 23	JS JS	14 49 50°16	132 35 45°53 43°80	May 16	G CF	14 59 12.69	105 44 18.88			
May 3	OF CF	•••	44°48 43°61	Aug. 6	JS G	12.41	19.23			
		14 49 50.53				14 59 12.78	105 44 18.76			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer,	R. A.	N.P.D.			
	B. A. C. 4973.					β Libræ—continued.				
May 27 June 7	CF	h m s 14 59 54*00 53*95	134° 45′ 53″66 55° 57	July 3 9	G IF G	h m s 15 9 51.20	98 53 23·66			
July 2	IF	53°77 14 59 53°91	134 45 54.75	11 30 Dec. 11	JS JS G	 51°27 51°18	23°72 			
В, А. С. 4986.						15 9 51.52	98 53 23.41			
Aug. 13	В	15 2 42	138 13 43.53		1	3. A. C. 5046.				
	1	B. A. C. 4988.	,	July 3	G	15 12 39.08	130 9 47 99			
Aug. 13	В	15 2 44	138 14 6'31	··· p Octantis						
]	B. A. C. 4987.		Aug. 6	JS JS	 15 13 5'78 5'48	174 0 44°72 44°19 44°40			
Apr. 26	J8	15 2 45.09	141 35 24.68	13	B IF		45°26 43°66			
		^I Libræ.		15	JS		42°78			
Feb. 23	C F	15 4 38.63	109 17 9.05		ρ	Octantis S.P.				
	1	B. A. C. 5005.		Aug. 10	JS JS	15 13 5.62	174 0 44 37			
May 9 July 2	J8 IF		2.23 158 11 3.03	15		15 13 5.62	174 0 44'49			
23 JS 32.02 3.96						B. A. C. 5060.				
	12 6 31.33 128 11 3.02					15 14 40'20	126 22 43.72			
	₿ Libræ,			June 17 July 23	CF JS	40°02	42°34 43°35			
Feb. 23 May 22	CF CF		98 53 22·84 	30	JS	40.10	126 22 43.07			

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		⟨¹ Libræ.		B. A. C. 5139—continued.				
July 10	G JS	h m s 15 20 45 59	106 15 1°17	July 4 23	CF JS	15 29 6·12 6·15 6·15	132 7 40°16 39.86	
В. А. С. 5118.					1	B. A. C. 5151.		
Apr. 16 June 7 July 2	CF IF	15 26 17·33 17·36 17·30	130 42 59°02 59°18 57°50	Aug. 6	JS B	15 30 29.62	119 20 14.68	
9	IF	17.14	130 42 58.61		1	B. A. C. 5165.		
May 17	CF G	γ Libræ. 15 28 5'59 5'37	104 20 36·07 36·54	Apr. 16 July 3 9 30	G IF JS	15 32 3.65 3.54 3.39 3.57 15 32 3.54	3°56 2°64 3°38	
	•	Coronæ Boreal	104 20 36·31	11		a Serpentis.		
July 3 Dec. 11 18 19	G G G G	3°50 3°56 3°44 3°49	 62 50	June 17 July 3 Dec. 11 18 19	CF G G G G	43 ° 09 43 ° 12 43 ° 19 43 ° 15 43 ° 15 43 ° 15 43 ° 09	 	
B. A. C. 5139.						I5 37 43'13 B. A. C. 5224.	83 9	
May 9 10 27	JS CF JS	 15 29 6·10	37°59 37°65	July 3	G IF	23.38	158 12 5.23	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer		R. A.	N. P.D.	
P	B. A.	C. 5224—cont	inued.	48 Libræ.					
July 23	JS	h m s	158 12 6.63	Feb. 2	5 J	3 1	h m s	103° 53′ 35″61	
30	J8	23'45	6.46		Ш.				
		15 42 23.39	158 12 6.30			В	. A. C. 5289.		
	Apr. 1	6 II	, ₁	5 50 48.69	115 43 39'43				
	June	1	- :	48.69	41.12				
Apr. 16	IF	15 42 30.90	123 13 9.65	1	9 E		48.57	42.30	
Aug. 2	IF	30.68	0,15	July		- 1	48.55		
Aug. 2	IF	30.08	9°12 8°24	2	3 J	3	48.64	41.61	
"		15 42 30.84			,	, 1	5 50 48.63	115 43 41.18	
	i 	15 42 30 64	123 13 9 00						
**					B. A. C. 5292.				
·	1	B. A. C. 5232.		July 3	o J8	3 1	5 51 19.06	128 0 47.07	
June 17	CF	15 42 59.19	115 20 38.05	Aug. 1	4 II	7	19.10	48.53	
July 4	CF	59.03	41.38			1	5 51 19.08	128 0 47.80	
		15 42 59.11	115 20 39.72						
	<u> </u>					В	. A. O. 5323.		
	в Т	rianguli Austra	alia.	Aug.	5 E		5 57 6.16	134 48 32.18	
	,				3 P	- 1		30.83	
May 9	J8	 .	153 0 56.27			1	5 57 6.16	134 48 31.21	
Aug. 13	В		57.15						
,		15 43 27	153 0 56.41		·		β¹ Scor pii.		
		θ Libræ.		Feb. 2	5 J	3	•••	109 26 19.63	
	Apr. 1	7 0	F	5 57 42.40	•••				
Aug. 7	G	16 46 16.55	106 20 10.23	June	3 J	3	42.45	•••	
] ,5		7 C	- 1	42.42	•••	
	1	7 C	E,	42.46	•••				
B. A. C. 5272.				July	3 G	- 1	42.47		
Aug. 2	IF	15 48 40.42	118 49 23.62		9 II 1 J:		42°28 	19.89	
	J	1	}						

Dațe.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N. P. D.
1	β¹ S	Scorpii—contin	ued.	» Scorpii.			
Aug. 14	IF IF	h m s 15 57 42.58 42.50	·	July 11	Js	h m s 16 4 16	109° 6′ 44″78
Dec. 18	G	42°36 42°47				8 Ophiuchi.	
22	G	42.48	109 26 19.76	A pr. 17	CF		
	l 	1		June 7	CF CF	22.23	
		β ² Scorpii.		July 3	G	22.72	
July 11	Js	15 57 43	109 26 6.48	Aug. 28 Sept. 3	IF IF	22.22	
		1 .	1	Dec. 11	G	22.65	•••
		B. A. C. 5332.		18 19	G	22°73	·
June 6		15 57 52.00	126 26 13.48	22	G	22.67	·
3416 0	ь	15 57 52 00	120 20 13 48			16 7 22.71	93 21
	.1	B. A. C. 5347.				B. A. C. 5435	•
July 3	G	16 0 1.60	115 58 2.49	Apr. 16	IF	16 11 8.31	120 34 50.76
23	OF JS	1°38.	3.83 2.12	June 6	B CF	8·28 8·20	50°28 - 48°78
30	J8	1,20	2.39	17	JS	8.25	49*93
		16 0 1.48	115 58 2.69	July 9	IF	8.53	49.04
						16 11 8.53	120 34 49.76
	1	B. A. C. 5374.				P. A. C	••
June 30	CF	16 2 46 37	119 3 45.10			B. A. C. 5439	
Aug. 2	IF	. 46*58	43*93	May 31	l	16 13 8.68	168 35 26.87
6 14	J8 IF	46°60 46°74	42.01	July 1	B J8	9°30 8°87	27°06 29°55
22	JS	46.26	42°55	30	J8	9.39	25.43
		16 2 46.57	119 3 43.55			16 13 9.06	168 35 27 32

Date,	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	B. A. O. 5454.					B. A. C. 5510—continued.				
July 3	G	h m s	153 45 2"12	July 1	В	h m s	167 13 54 99			
5	JS	37.42		4	CF	9.32	54.43			
Δug. 2	IF	37.35	2.85	23	JS	9.38	54'13			
5	В	37.29	3,20			16 24 9.61	167 13 54.2			
		16 15 37.38	153 45 2.72		!	1	<u> </u>			
						B. A. C. 5538.				
		a Scorpii.		Aug. 23	IF	16 27 37.68	124 58 40.36			
∆ pr. 17	CF	16 21 15.58	•••		<u> </u>	<u> </u>	<u> </u>			
June7	CF	15.40				B. A. C. 5536.				
7	CF	15.42				1				
July3	G	15.39	<i>.</i>	June 17	CF	16 27 41.26	158 1 32.97			
5	JS	15*42		24	JS	41,*15	33.79			
30	JS	15.39	··· ·	July 5	JS	41.64	32 38			
Aug. 28	IF	15.44		9	IF		31.93			
Sept. 3	IF	15.38		30	JS	41.66	33,21			
Oct. 3	CF	•••	116 7 59.74			16 27 41 50	158 1 32.92			
Dec. 11	G	15.31								
18	G	15.30			a T	rianguli Austr	alis.			
19	G	15.34	•••		1		 			
22	G	15.38		Jan. 15	G	16 34 35 92	158 46 42.79			
	•	16 21 15.37	116 7 59.74	17	G	36.12	•••			
		·		May 31	CF	36.47	40.07			
•	1	B. A. C. 5508.		Aug. 13	В		41'44			
		1		Sept. 6	IF	36.62	41.75			
1		1	124 24 39.75	11	IF	36.64	39.63			
23	IF	41.85	38.00	16 18	JS B	36·46 36·44	40.69 39.98			
l '		16 22 41.84	124 24 38.88	20	IF		39 98			
					IF		39.49			
	B. A. C. 5510.				В	·	39.99			
 	ī	1		Oct. 8 B 9 G 36.27						
May 31	CF	16 24 9.83		10	IF		39.92			

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
a Tr	i a ngul	i Australis—co	ontinued.	B. A. C. 5632—continued.				
Oct. 17	G	h m s	0 / //	June 30 CF 16 41 33 12 124 2 53				
21	G	36,41	•••	July 4	OF	33.02	52.01	
Nov. 20	CF	36.22	•••	5	J8	33.12	54.02	
25	JS	36.29		9	IF	•••	52.31	
26	IF	36.22				16 41 33.11	124 2 53*37	
		16 34 36.41	158 46 40.49					
			`		1	B. A. C. 5638.		
	a Tria	nguli Australi	s S. P.	V	CE	.6		
Jan. 16	G		158 46 42.32	May 31	Ì	16 42 51.97	127 48 57.87	
22	1 _		39.85	June 6	B	51.62		
24	_		43.40	17 24	JS	51.80	55.37	
25	IF		42.63	·	ĺ		55.79	
30	CF		43.08	July 23	JS JS	52'05	55.12	
Feb. 5	JS	,,,	41.11	30		21,00	55'92	
6	IF		43.89	Aug. 2	IF D	51.85	55.20	
Sept. 5	JS		40.84	5	B	21.08	55.68	
17			41.74	23	I.F	52.09		
18	В	•••	42.00			16 42 51.91	127 48 55.63	
20	CF		41.70					
Oct. 10	В	.;;	45.70	l		B. A. C. 5640.	•	
29	CF	***	40.45	Ana	В	16 43 20.13		
		16 34 36	158 46 42.51	Aug. 5	JS	19.94	127 47 15.24	
	ــــــــــــــــــــــــــــــــــــــ			ľ	"			
ł		B. A. C. 5588.	,			16 43 20.04	127 47 14 72	
Aug. 2	IF	16 35 5.84	121 51 0.16	B. A. C. 5651.				
		B. A. C. 5609.		Jul y 1	_	16 44 37 16		
	 -	1	1	Aug. 13 B 13*c				
Apr. 10	В	16 38 18.73	148 47 55.74	14	IF JS	37.12	11,26	
		1	<u></u>	22 28	IF	1	13.40	
		B. A. C. 5632.						
A pr. 16	i F	16 41 33.10	124 2 54.13	Sept. 3	IF	16 44 37.10	132 8 12.67	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
]	B. A. C. 5661.		B. A. C. 5778.				
Aug. 13	В	h m s 16 45 14	132° 7′ 47″82	June 6 B 17 2 37 94 133				
	1	B. A. C. 5697.		Aug. 23 Sept. 3	IF IF	37°90 37°79	34·6 ₇	
Apr. 16	IF	16 48 59.67	142 57 5'13			17 2 37.88	133 3 34 48	
June 24 July 5	JS JS	59°32`	5·82 5·78			η Ophiuchi.		
23	JS	29,49	5'40	Sept. 5	JS IF	17 2 45 05	1	
			142 57 5*53	ľ		17 2 45.12		
	 	« Ophiuchi.	•	В. А. С. 5794.				
July 9	IF IF	22.20	•••	Sept. 7	G		170 43 32.36	
28 Sept. 3	IF IF	22.49		11	IF	17 6 39.24		
5	JS IF	22.48	•••		B	. A. C. 5794 S	1 P	
16	JS	22.20	80 25	Sept. 9	В		170 43 32.42	
		l .		11 12	1	17 6 39 61		
		B. A. C. 5713.				17 6 39.61		
Aug. 23	11	10 52 31.05	143 1 58.16		1	B. A. C. 5810	•	
	:	B. A. C. 5735.	······	May 31	1	17 8 6.29	157 37 34.60	
June 17	JS	16 56 4°50 4° 5 4	123 55 55°37 55°56	June 17	CF J8	6.09	33.51	
July 4	CF CF	4·62 4·45	22.91 22.23	30 July 1	CF B	6.44	1	
5	JS	4.28	123 55 55.65	9	IF	6.41	33.16	
		30 4 34	3 33 33 33	<u> </u>		-/ 30	23/ 3/ 33 00	

Date.	Observer.	R.A.	N.P.D.	Date.	Орвегчег.	R. A.	N.P.D.	
,		a Herculis.		В. А. С. 5859.				
Sept. 5	JS	h m s	75° 27′ ″	Aug. 23	IF	n m s	140° 30′ 26″89	
	ξ Ophiuchi.					3. A. C. 5877.		
Sept. 5	IF	17 13 2.08 2.10 17 13 3.08	110 58 0.35	May 31 June 17 July 5 23	CF CF JS JS	5°93 5°99 6°04 5°93	3.67 3.67 3.67	
		θ Ophiuchi.				17 19 5.98	150 34 4°18	
July 5	JS	17 13 50.59				B. A. C. 5899.		
9 Aug. 10	IF Js	 20.21		June 24 30	JS CF	17 21 33·69 33·93	139 45 59°49 59°78	
		17 13 50.22	114 51 47.89	July 30	JS	33.98	58.03	
	1	B. A. C. 5850.		Aug. 2 14 22	IF IF JS	33.89 33.85 33.99	59°72 59°26 58°31	
Aug. 14 28	IF IF	17 14 12'14	146 14 51°17 50°52 51°23		<u> </u>	17 21 33.89 B. A. C. 5935	139 45 59'10	
Sept. 3 12 16	JS JS	12.37	50.45	June 30	ī	17 27 45 87	132 54 31'94	
		17 14 12'20	146 14 50.81	July 1	JS	45°93 45°96	30.89	
		B. A. C. 5852.		23	JS	17 27 45 92	33°17 132 54 31°84	
July 1	B JS	17 14 15*11	145 23 57°19 57°52			α Ophiuchi.		
Aug. 2 5 22	IF B JS	14.86 14.87 15.06	57°84 57°66 57°27	Sept. 5 11	JS IF JS	17 28 45°70 46°03 45°70		
		17 14 15.00	145 23 57 50			17 28 45 81	77 20	

			 			,		
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		ξ Serpentis.		B. A. O. 5970—continued.				
Aug. 10	JS	h m s 17 29 58 40	105 18 42"02	Sept. 5 JS h m s 17 33 17 32 128 57				
	1	B. A. C. 5954.				17 33 17 30	128 57 26.04	
Apr. 23	JS	17 30 45.66	111 49 51.29			58 Ophiuchi.		
		B. A. C. 5960.		Apr. 23	Js	17 35 27.83	111 36 56.69	
June 24	Js	17 31 21'03	122 7 17*90		1	B. A. C. 6004.		
July 26 Aug. 2	CF IF	21.14	22.23	Aug. 2	IF J8	17 38 17:10	130 4 16.76	
14	IF JS	21.16	20.72	22	JS	17.17	17.30	
"		17 31 21'15	19'99	Sept. 3	IF JS	16.81	16.42	
	<u> </u>	1		Ĭ		17 38 17.02	130 4 16.81	
		B. A. C. 5964.	1	B. A. C. 6008.				
Sept. 3	IF	17 32 18.42	122 8 19.75	June 24	Ī	1	1	
]	B. A. C. 5963.		July 1	В	11.32	.35*65	
				26	CF	1i.39	35.87	
Aug. 5	В		154 39 17.36	30	JS	11.38	34.78	
28	i	17 32 40 93	15.78			17 39 11.38	117 46 35.29	
Sept. 12	JS JS	41'19	14.16					
16		40.83	15,13		1	B. A. C. 6016.		
Oct. 1	IF	17 32 40'98	154 39 15.61	June 30	CF	17 40 32.52	121 39 13'01	
		, J= 4- 3°	JT 37 -3 3.	July 5	JS	32.12	13.18	
]		B A C		Aug. 14	IF	35,11	12.15	
		B. A. C. 5970.		28	IF	32*15	13.34	
June 30	CF	17 33 17.31	128 57 26.18	Sept. 12	JS	32.18	9,90	
Jul y 23	JS	17.28	25.59			17 40 32.16	121 39 12.31	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N . P. D.	
]	B. A. C. 6018.		B. A. C. 6107—continued.				
Aug. 23 30 Sept. 11	IF B IF	h m s 17 40 48.14 48.35	126° 59 [°] 48 ^{°°} 80 47° 36 49° 39	July 26 30	119 34 56"77 55°43			
16	JS	48·44 17 40 48·31	47°45 126 59 48°25		1	B. A. C. 6115.		
	B. A. C. 6065.		Aug. 28 Sept. 3	IF IF	15.43	120 25 19.05		
June 17	CF	17 48 39 98 4 Sagittarii.	105 47 7'16	5 11	JS IF	15.86	18.20	
Sept. 7	G	17 51 40'42	113 48 1.12		<u> </u>	17 57 15.84 B. A. C. 6140.	120 25 18.85	
]	B. A. C. 6100.		Aug. 30	В		135 58 25.59	
May 31 June 24	cf js	17 55 46.48	153 40 5.98 8.77	Sept. 12 16	JS JS	21.43	21·97	
July 5	JS JS	46·64 46·45	5°73 5°50			18 1 21·47 B. A. C. 6148.	135 58 23.54	
		17 55 46.44	153 40 6.20	May 31	CF	18 3 2.80	153 5 4.70	
		B. A. C. 6105.		Aug. 6	JS IF	2·76 2·96	3°49 3°44	
Aug. 2 6	JS IF	16.46 16.46	140 5 43°93 44°06	22 Sept. 5	JS JS	2.82	2°46 3°45	
22	JS IF	16.4	44'13 46'05			18 3 2·84 μ¹ Sagittarii.	153 5 3.21	
В. А. С. 6107.				June 17	CF	18 5 48.50	111 5 25'44	
June 17 30	CF CF	31.49 31.45	119 34 55.65 56.14	July 5 26 30	JS ČF JS	48·56 48·58 48·54	 	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	μ ¹ 8	agittarli—cont	inued.	21 Sagittárii.				
Aug. 10	JS	h m s	111° 5′ 25"72	Apr. 23	Js	h m 8	110° 36′ 36″63	
11	JS		24.83			, , , , ,	, , , , , , , , , , , , , , , , , , ,	
Sept. 3	IF	18 5 48.50		[D A G (
6	IF	48.53	24.03			B. A. C. 6250.		
7	G		24.33	Sept. 11	IF	18 18 35.08	139 8 16.89	
11	IF	48.73				33	3,	
16	JS	48.24						
		18 5 48.56	111 5 24.87			B. A. C. 6253.		
				May 31	C F	18 18 (56.22)	152 21 29 33	
	1	B. A. C. 6186.		July 5	JS	56.99	27.39	
				23	JS	56.82	27.09	
July 26	CF	18 8 37 64	126 47 51.45	30	JS	56.89	26.95	
Aug. 6	JS	37.57	50.63	Aug. 6	JS	56.87	26.70	
22	JS	37.65	50.83			18 18 56.89	152 21 27 49	
28	IF	37.21	53.17					
		18 8 37.59	126 47 51.52]	B. A. C. 6275.		
	1	B. A. C. 6233.		Aug. 2	IF	18 21 17.61	123 7 49 31	
		(Sept. 6	IF	17.71	48.19	
Aug. 2		18 15 20.55	124 26 38.58			18 21 17.66	123 7 48.75	
22	JS	20.64	35.62					
		18 15 20.60	124 26 37.10]	B. A. C. 6279.		
				Aug. 10	Ta	18 21 37 02	104 38 51.50	
	1	B. A. C. 6240.		Aug. 10	JS	37.08	50.47	
Inle of	CF	18 17 6.20		· · ·			104 38 50.99	
•	I	· ·			<u> </u>	23 21 37 05	104 50 50 99	
Aug. 14	IF	6.67	14.64	1				
28 30	IF B	6.64	15.51 14.60			B. A. C. 6278.		
_	ľ				1	1	1 .	
Sept. 3	IF JS	6.41	13.01	Aug. 23	1	18 21 54.17	135 59 61.59	
12	0.3	6.40	13.20	30	В		59.93	
		18 17 6.58	136 2 14.35			18 21 54.17	136 0 0.76	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		B. A. C. 6282.		B. A. C. 6360.				
Apr. 24 Sept. 3	CF IF JS	 11.67 18 23 11.88	38·50 38·50	Sept. 3	IF	18 35 32.24 18 32 32.24	155 12 34.52 155 12 34.52	
	ļ , 	18 22 11.78	135 50 38.92		<u>. </u>	B. A. C. 6371.		
	B. A. C. 6285.		Aug. 23		18 37 20.69	117 7 25.55		
July 26 Aug. 22 Sept. 16	CF JS JS	18 22 21 40 21 30 21 40			<u> </u>	28 Sagittarii.	ı	
26	JS		23.44	Apr. 23	JS CF	18 38 19.32	112 31 (45·85) 41·15	
		B. A. C. 6296.		July 15	CF		39.88	
Aug. 14 28	IF IF	18 24 0°20 0°13	132 24 14·26 13·73		:	B. A. C. 6405.	1	
		B. A. C. 6305.		Sept. 6	IF	18 43 13.50	157 23 38 53	
Sept. 11	IF	18 25 14.21	123 6 42.02		1	B. A. C. 6414.	1	
		B. A. C. 6315.		Apr. 24 July 26	CF	9.38	19.01	
May 31	J 8	18 27 28·89 29·09	161 32 8·83 8·38	Aug. 30	В	18 44 9:30	17.08	
23 26 Aug. 6	JS CF JS	28·98 28·93	8°57 8°67 8°40			, Sagittarii.		
		18 27 28 94	161 32 8·57	July 15	CF	18 46 8.40	112 54 21'27	

Date.	Observer.	. R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	1	B. A. C. 6440.		(Aquil e .						
	IF IF	h m a 18 47 0.95	31°37 31°37	Apr. 24	CF	18 59 17 84	·			
		18 47 0.96	116 27 30.83	28 Sept. 6	IF IF	17.79				
	<u></u>	ξ ² Sagittarii.		11	IF	18 59 17.85	76 20			
Sept. 7	G	18 49 47 71	111 16 41.21		1	B. A. C. 6541.	1			
A		B. A. C. 6489.		Aug. 30	 I	19 0 53	129 32 52.35			
Aug. 23	Aug. 23 IF 18 54 8 84 120 3 58 90					₩ Sagittarii.				
May 22	1	18 56 42·80	111 55 59.02	May 22 June 17	CF CF	19 1 51.06	111 13 53.09			
June 17 Sept. 7	CF G	42°75	59.54	Aug. 11	JS G	51·14 51·14	54°33 54°92			
		18 56 42.77	111 55 59.14	Oct. 6	G		54.78			
Sept. 5	1	B. A. C. 6523.	130 41 54.99							
12 26	J8 J8	5.12	55·82 55·36	Apr. 24 May 22	CF CF	19 11 34.40	•••			
		18 59 2.18	130 41 55.39	July 26	CF	34.41	78 38 29.68			
	Γ—	B. A. C. 6525.		Aug. 12	G	34.47	78 38 29.68			
July 26 Aug. 2 6	CF IF JS	8·25 8·25 8·28	17.40]	B. A. C. 6610.				
22	JS	8.30	17.29	Aug. 2	IF IF	19 13 36·16 35·97	135 2 46·13 45·48			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
I	3. A.	C. 6610—cont	inued.	8 Aquilæ—continued.			
	Γ	h m s	0 , ,,	Sont	JS	h m s	0 / //
Sept. 3	IF	19 13 36.26	135 2 45 07	Sept. 12	IF	47.23	•••
5	35		45.02	Oct. 15	CF		
1		19 13 36.13	135 2 45.43	00% 15	OF.	47.44	0- 0
					ļ	19 18 47.56	87 8 50.17
		ρ¹ Sagittarii.				*	
Apr. 24	CF	19 13 57.47	108 5 (29.36)		Ī		
July 15	CF	57.49	40.00	Sept. 3	IF IF	19 22 43 95 43 88	
Ang. 11	JS	57.46	40*74	11	11		0.72
12	G	57.48	41.10			19 22 43.92	119 46 1.42
Oct. 6	G		40.58			λ ² Sagittarii.	
		19 13 57:48	108 5 40.23	Apr. 24	OF	19 28 36.68	
				July 26	CF	36.68	115 10 22 94
		B. A. C. 6622.		Aug. 28	IF	36.21	
July 1	В	19 14 40.01	130 51 45.93	Sept. 5	JS	36.67	•••
Ang. 30	В		44.66	6	IF	36.63	
	ıF	40.08	45*03	11	IF	36.41	
Sept. 6	IF	40.06	43.67	12	JS	36.63	•••
			130 51 44.82	17	IF	36.24	
		19 14 40.05	130 31 44 52		{	19 28 36.64	115 10 22.94
		50 Sagittarii.				e ⁸ Sagittarii.	
July 15	CF	19 18 23.08	112 2 12.82	Apr. 24	OF	19 34 54.65	106 25 58.14
				June 19	В	54.48	(81.48)
		8 Aquilæ.				19 34 54 57	106 25 58.14
Apr. 24	CF	19 18 47.54	•••]	B. A. C. 6753.	
May 22	CF	47.54		Sept. 3	TP	19 36 58.59	121 13 8.23
July 26	CF	47.64	87 8 50-17	11	IF	58.43	6.11
Aug. 12	G	47.59				19 36 58.66	121 13 7.17

Dațe.	Observer.	В. А.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		γ Aquilæ.		e Pavonis—continued.				
May 22	CF	h m s	o / //	Oct. 17 G h m s				
Aug. 12	G	56.51	•••	21	G	9.01		
Sept. 6	IF	56.54				19 45 9.21	163 15 19.88	
Oct15	CF	56.34		-		e Pavonis S.P.		
		19 39 56.52	79 43		i	1		
		·		Apr. 3	JS		163 15 20.92	
		a Aquilæ.		5 8	CF B	9.37	23.69	
	l			10	JS	9.33	22.00	
May 22	CF	19 44 17 57		11	CF	9.13	21.18	
Aug. 12	G	17.58		12	IF	10.09	21.39	
Sept. 3	IF	17.60		15 23	B B	8.08	21.68 55.55	
6	IF IF	17.61	•••	23	"			
11	IF	17.20		-		19 45 9.42	163 15 21.64	
-/		19 44 17.60	81 29			β Aquilæ.		
		57 Sagittarii.		Aug. 12	G	19 48 46 84	83 55	
June 19	В	19 44 28 15	109 22 47.46			63 Sagittarii.		
	·	e Pavonis.		Aug. 12	G B		104 0 10,43	
			.4			19 54 31.48	104 0 10.41	
Apr. 2	G B	19 45 9'35	18.53			D 4 C 10		
11	G	6.08				B. A. C. 6877.		
July 26	CF	9.34	20.46	Sept. 6	IF	19 55 53.12	122 25 33.98	
Aug. 11	JS	9.33	19.96	11	IF	53.17	32.96	
22	JS	9.38	19.46			19 55 53.15	122 25 33.47	
28	IF	9.11	19.66			·	1	
Oct. 9	G	8.85	19.47			64 Sagittarii.		
13	B	8.79	20.68	May 22	CF	19 57 44 59	101 58 22.46	

Date.	Observer.	R. ▲ .	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B, A. C. 6948.		B. A. C. 7011—continued.				
May 10 July 26 Aug. 28	CF CF	h m s 20 7 34 49 34 59	120° 24' 27' 04 27' 02 27' 59	Sept. 5	JS JS	20 16 32.30 32.36	119 30 8:14 9:17	
29 Sept. 5	JS JS	34.65	29°57	Aug. 29		B. A. C. 7026.		
	20 7 34.58 120 24 27.76 a ¹ Capricorni.				JS JS JS B	20 18 22·94 22·93 22·93	13.36 13.43 13.14	
Aug. 13	В	20 10 16	102 54 59'10			20 18 22.92	119 30 12.30	
		a ² Capricorni.		ρ Capricorni.				
May 22 Aug. 12 Oct. 7	G JS	20 10 40·42 20 10 40·42	102 57 15 49 16 49 16 32	June 19 Aug. 14 28 Oct. 7	IF IF JS	20 21 16.53 16.30 	2.31	
		β Capricorni.				B. A. C. 7057.	•	
June 19	В	20 13 32 25 a Pavonis.	104 11 56.13	Aug. 30 Sept. 5	B JS JS	20 22 47 ·83 47 ·78 20 22 47 ·81	119 33 17·61 18·44 18·98	
Sept. 11	20 15 6.61	147 9 28.69			*			
May 10 Aug. 28		B. A. C. 7011.	119 30 8.66	Sept. 3 17 18 Oct. 8	IF IF B IF	20 25 40·23 40·16 40·34 40·44	31.84 32.47 33.58 119 44 32.97	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N. P. D.	
		τº Capricorni.		B. A. C. 7250—continued.				
Aug. 13	B IF	h m s	105°25′ 7″03 6·82	Sept. 3	IF JS	h m s	167° 31′ 34″ 57 33° 33	
Oct. 9	G B	20.01 20.11	7°02			20 48 28.83	167 31 33.65	
		20 31 50.05	105 25 6.86		1	B Octantis.		
Oct. 9	G	Lalande 39819.	105 26 24.88	May 5 7 10	JS G CF G		179 27 16°51 16°50 16°45	
]	B. A. C. 7129.				20 50 23	179 27 17.72	
May 10		20 32 56.03	156 40 36.61			B Octantis S. l	P.	
Aug. 28	IF JS	22.80 22.89	37°44 34°60	Apr. 29	G	•••	179 27 22.00	
Sept. 5	J8 JS	55·98	35°10	May 5	JS G		21.81	
		20 32 56.01	156 40 35.73	9	CF JS		21.86	
	:	B. A. C. 7207.		13	JS	20 50 23	20.12	
Sept. 6	lF	20 41 39.13	124 16 7.75		1	6 Capricorni.	l	
		B. A. C. 7208.		Aug. 13	В		107 45 31.59	
Aug. 28	IF	1	142 5 59 97	14	IF	20 58 27.99	33'42	
29 Sept. 3	JS IF	52·10	59·13	Oct. 7	JS IF	28.09	34'24	
5	JS	52.10	142 6 0.40	<u> </u>		20 28 28.11	107 45 32.67	
				» Aquarii.				
Aug co	1	B. A. C. 7250.	I	Oct. 7	JS IF	(23.21) 21 2 50.80	101 54 27°55 28°53	
Aug. 28	JS	20 48 28·56 29:01	167 31 32·46			21 2 20.90	101 54 28.04	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	<u> </u>	Lacaille 8787.		Lacaille 8849.				
Sept. 20	CF	h m s	119°43′ 39″38	Sept. 20	CF JS	h m s 21 27 1.95 1.85	120° 17′ 4"70 5°08	
		¿ Capricorni.		Oct. 7	JS	2.01	5'74	
Sept. 11	IF	21 14 50.25	107 23 55.51			21 27 1'94	120 17 5.17	
Nov. 4	JS	50.34	56.00			λ Octantis.		
		21 14 50.30	107 23 55.76			I	<u> </u>	
	<u>'</u>			May 14	G	 21 30 10°05	173 19 29·58 29·96	
		B. A. C. 7423.		17	CF	10.52	30.02	
July 19	В		145 13 55.05	22	CF	10.62	31.46	
Aug. 29	JS	21 16 45.18	55*54	July 19	В		31.43	
Sept. 3	1 F	45.08	26.01	Aug. 29	JS		32.01	
5	JS	45.01	56.69	Sept. 5	JS	! ! •••	31,25	
		21 16 45.09	145 13 55.82	12	JS	! 	32.61	
	<u> </u>			13	CF	•••	33.24	
		B. A. C. 7471.		16	JS IF	 	31.81	
		<u></u>		18	В		30.42	
Sept. 12	JS CF	21 23 40.18	131 45 46.43		<u> </u>	21 30 10.32	173 19 31.40	
13	JS	40.09	44°20 45°57				l .	
17	IF	40.16	45.42		,	Octantis S.P.	_	
		21 23 40.30	131 45 45 48		-	1	<u> </u>	
	<u> </u>			May 22	ı	21 30 10'44	173 19 32.55	
		β Aquarii.		23	G OF	10.63	•••	
,,	02			28	OF.		35'79	
May 22	ĺ	21 24 33.28	•••			21 30 10.24	173 19 34.17	
Ang. 14	IF	33.33				····		
Sept. 3	IF	33.22	•••			γ Capricorni.		
6 11	IF IF	33.34		Sept. 11	IF	21 32 43.12	107 15 38.93	
Oct. 29	CF	33'37		Nov. 4	J8	43.17	41.52	
		21 24 33.36	96 9		-		107 15 40.10	
		55 50	y y			5~ 45 *5	.0/ 15 40 10	

Data.	Observer.	R.A.	N.P.D.	Date.	Observer.	B.A.	N.P.D.	
		e Pegasi.		B. A. O. 7684.				
Oct. 15	CF CF	39.26 h m s	80° 43′ 59″00 	Aug. 5 Sept. 6	B	h m s	130 10 59 71	
	ļ ļ	21 37 39.23	80 43 59.00	12 13	JS CF	5°42 5°45	57·62 58·89	
	λ Capricorni.					5°26 5°47	59°93 59°28 (53°80)	
Oct. 8	IF G	21 39 22.49	101 58 38.24	20	CF	21 58 5.41	130 10 20,31	
		21 39 22.48	101 58 38.78			a Aquarii.		
	8 Capricorni.				IF	21 58 57.13		
Aug. 14	IF JS	21 39 41.63	106 43 44·22 44·69	Sept. 11	IF CF	56.92	 9 6 57 50 93	
		21 39 41.75	106 43 44 46	Oot. 4	CF CF	57°16 57°28	•••	
		μ Capricorni.		29		21 58 57.12	90 57 50.93	
Aug. 14	JS	21 46 2.67	104 10 34.58 34.53			، Aquarii.		
Oct. 8	G.	2.46 2.65	34°96 34°45	Dec. 2	JS CF	15.12	104 30 48.74	
44	1	P. A. C				21 59 15.10	104 30 48.44	
∆ ug. 29	1	B. A. C. 7634.	149 38 38:00			C Octantis.		
Sept. 5	JS IF	4°25 4°34	38.11	May 22	CF JS	12.67	176 38 21.15	
12	JS	4'39	37.75 149 38 38.21	June 3	JS	12.87	21.49	

Date.	Observer.	B. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	(Octantis 8. P	•	η Aquarii—continued.			
May 22	CF	h m s	176 38 21"77	Sept. 11	IF	h m 8	0 / //
27	JS	12.20	22.24	17	IF	31.50	
28	CF		22.23				
31	JS		21.19	Nov. 12	JS	31.31	•••
June 3	JS	12.07	22.90			55 58 31.59	90°48
4	IF	13.82	22.86	-			
		22 5 12.77	176 38 22.30			n Aquarii.	
				Aug. 15	JS	22 30 52.11	94 54 45.60
June 3	JS	# Aquarii.				β Octantis.	
Sept. 5	JS	48*90	•••	May 27	JS	22 32 16.19	172 4 36 18
6	IF	48.83		Sept. 13	CF		34.61
11	IF	48.88	98 26 40.62	18	В		35.29
12	JS	48.84	38.66	20	CF		36.61
Oct. 4	CF	48.74	38.79			22 32 16.19	172 4 35.75
15	CF	48.78	38.29		<u> </u>		
Nov. 12	JS JS	48.83				Octantis S. P	,
Dec. 2	CIP	 48·91	39.00	May 27	J.S	22 32 15.51	172 4 37 01
,					0.5	30 ., 2.	1/2 4 3/ 51
		22 9 48.83	98 26 39.13			(Pegasi.	
		σ Aquarii.		Dec. 3	CF	22 34 49 77	79 52
Aug. 15	ı	22 23 36.35				6. Agnorii	·
Sept. 11	IF	36.22	101 21 27.54			67 Aquarii.	
Oct. 9	JS G	36·45	27.05	July 20	JS	22 36 17.47	97 39 28.97
10	В	36.46	(24.30)			•	<u> </u>
		22 23 36.43				B. A. C. 7965.	
		η Aquarii.	<u> </u>	Oct. 30	В	22 45 21.26	160 46 57.26
		7 1	1	Nov. 1	JS	21.63	56.43
June 3	JS	22 28 31.30				22 45 21.45	160 46 56.85

						,				
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	·	λ Aquarii.		B. A. C. 8040.						
July 20	JS	h m s	98 17 10"71	Oct. 30	В	22 59 16.31	164 18 (18.84)			
Oct. 9	G	40.66	10.42	Nov. 1	JS	16.24	13.51			
10	В	40'73	10.04	4	JS	16.68	15.28			
		22 45 40.61	98 17 10.20	!		22 59 16.21	164 18 14.40			
	•	Piscis Australi	ia.			τ Octantis.				
Wan an	CF	[1	1				
Mar. 13	G	•••	33.62	June 5	G	23 6 35.84				
22	G		33.67	7	CF		178 12 41.61			
June 7	CF	22 50 17.72		10	G CF	35.31	•••			
July 30	JS	17.72	32.50	17 24	J8	34.42	39.35			
Sept. 12	JS	, ,	•			23 6 35.16	178 12 40.48			
		17.69	•••			2, 0,5,10	170 12 40 40			
Oct. 4	CF	17.96	33.60							
		22 50 17.77	120 19 33'07	τ Octantis S. P.						
]	B. A. C. 8002.		June 5	G		178 12 40'11			
	·			6	G	23 6 36.14	40.56			
May 27	JS	22 52 18.99	120 10 26.70	10	G	37.68				
				11	B	35.88	41.30			
]	B. A. C. 8006.		17	CF	34'42	40°74 39°75			
		1) ·	24	JS		39'73			
Nov. 1	JS JS	22 52 51 43	149 8 58.69			23 6 36.03	178 12 40.32			
1	۵۵ ا	51.45	58.98			3 3 3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
.		22 52 51.44	149 8 58.84							
						φ Aquarii.				
		a Pegasi.				1 _				
June 17	CF	22 58 8.32		June 23	i	23 7 26.23	96 45 54 38			
Sept. 12	JS	8.31		Aug. 17	G	26.09	54.40			
Nov. 21	В	8.33		Sept. 12	JS CF	25.99	55.24			
*******	~			13	•	·	53.03			
		22 58 8.3	75 31		!	123 7 26.11	96 45 54.41			

Date.	Observer.	B.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	1	B. A. C. 8090.		B. A. C. 8190.						
Nov. 1	JS JS	h m s 23 9 I	170° 11' 55°83 54°81	Nov. 1	JS JS	23 24 39 35 39 91	168° 7′ 9″°03 8°66 168 7 8°85			
		ψ² A quarii.			<u> </u>	¿ Piscium.				
June 23 Sept. 12	CF JS	23 10 59'42	99 54 27.67 28.03 99 54 27.85	Aug. 17 Oct. 4	G CF	23 33 6.68	 85 6			
		γ Sculptoris.	,	λ Piscium.						
Aug. 1	B		123 15 20.81	July 20 21 Oct. 10	JS JS B	 15.62	88 57 5°00 4°12 5°40			
7	JS	38.17	20.31			23 35.15.62	88 57 4.84			
	,	P A C %			1	B. A. C. 8251				
Nov. 1		23 15 47°54 47°58	146 16 54.05	Nov. 1	JS JS	23 36 46.66 46.92 23 36 46.79	161 13 48.45 48.38			
		23 15 47.56	146 16 54.23			8 Sculptoris.				
		κ Piscium.		Oct. 4	CF	23 41 59.51	118 52			
July 20	JS JS		89 28 18·90			21 Piscium.				
Aug. 17 Oct. 10	G B	23 20 6.86	18·74 17·41 89 28 18·67	June 23	CF JS	23 42 39·10 39·08	42.64			

Date.	Орветчег.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		B. A. C. 8290.		E	B. A.	C. 8319—dond	inued.
Aug. 1 5 Sept. 26	B B JS	23 44 11.80	172 45 28 89 27 87 26 97 172 45 27 91	Oct. 4 7 8	CF JS IF	h m s 23 50 9°27	172 54 33°50 32°77 33°38 172 54 33°24
						27 Piscium.	
	:	B. A. C. 8319.		June 24	JS	23 51 51.90	94 17 36.73
Aug. 1	B		172 54 33°72 33°77			• Piscium.	
Sept. 26	JS	***	32.54	Aug. 17	G	23 52 28.93	83 52
·		-					

ROYAL OBSERVATORY,

CATALOGUE

OF

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS,

FOR

1867'0,

OF

STARS OBSERVED IN THE YEAR 1867.

No.	Star.		Fraction of Year.	No. of Obs.	Mean R.A. 1867'o.	Annual Variation 1865 o.	Mean Dec. 1867. of Obs.	Annual Variation 1865 °c.
47 48 49	20 Ceti	5.00 6.90 5.80 4.5 5.90 6.70 6.80 5.20 7.00 6.30 6	75 75 76 83 84 89 88 67 78 83 76 78 83 76 78 78 78 78 78 78 78 78 78 78	0N 4 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	h m s 2 44 37 48 3 46 12 85 3 49 59 00 3 56 23 86 3 56 23 86 3 56 23 86 3 7 36 70 3 8 15 75 1 5 07 2 47 28 4 47 75 6 47 15 11 1 49 11 15 08 17 22 59 18 55 10 22 35 23 23 13 22 24 22 27	+2·745 +3·063 +2·675 +3·007 +3·106 +2·560 +2·320 +2·843 +3·007 +2·538 +2·486 +3·130 +3·012 +2·053 +2·026 +2·617 +2·617 +3·138 +3·198	0.75	+19.69 +19.69 +19.58 +19.54 +19.49 +19.45 +19.35 +19.31 +19.10 +19.17 +18.93 +18.71 +18.88 +18.77
52 53 54 55	B.A.C. 478 B.A.C. 497 a Eridani B.A.C. 513	7.00 6.00 7.00	.89 .83	2 II II II II II II II II II II II II II	28 42°39 31 52°13 32 45°45 33 38°82	+2·542 +2·206 +2·236 +2·338	0'99 2 —46 22 35'00 0'83 1 —58 56 59'16 —57 55 0'89 2 —54 6 48'38	+18.59 +18.57 +18.47 +18.43 +18.39
56 57 58 59 60	Piscium σ Piscium Β. Α. C. 539 Σ Ceti	4.4 o	·75 ·88	3 I 1 I 3 I	38 22.42	+3.009 +3.161	0.42 25 35.76	+18·33 +18·25 +18·21 +18·12 +17·88
			<u> </u>					

No.	Star.	Magnitude. Fraction of	No. of Obs.	Mean R.A. 1867 °c.	Annual Variation 1865'o.	Fraction of Year. No. of Obs.	Mean Dec. 1867 o.	Annual Variation 1865 o.
61 62 63 64 65 66 67 68	B.A.C. 571 β Arietis φ Phœnicis η¹ Hydri B.A.C. 621 B.A.C. 635 B.A.C. 638	2.80.00 4.10.7 5.0 Var. 0.30 5.40.90 6.3 6.30.80	2 6 6	1 47 17.81 1 48 18.70 1 48 51 1 49 12.99 1 54 9.79 1 56 12 1 56 7.37	+3'295 +2'406 +2'499 +1'507 +2'484 +1'565 -0'269	0.00 I 0.75 6 0.63 I 0.80 I 0.90 2 0.63 I	+20 9 24.20 -46 57 16.89 -43 9 1.40 -68 35 58.23	+17".96 +17'.79 +17'.72 +17'.83 +17'.62 +17'.53 +17'.54 +17'.52
70 71 72 73 74 75	a Arietis B. A. C. 659 B. A. C. 664 B. A. C. 671 ξ ¹ Ceti	7*40*86 6*50*86 6*90*86 4*50*86	3 3 3 2 8	1 59 40.88 2 1 52.10 2 2 40.96 2 3 40.26 2 5 57.20 2 10 21.11	+3·367 +2·078 +2·447 +1·486 +3·169 +2·986	0.83 3 0.83 3 0.88 3 0.88 1	+22 49 56.01 -55 43 2.65 -42 30 44.47 -66 34 38.75 + 8 13 17.84 - 7 2 9.05	+17.24 +17.29 +17.25 +17.07 +16.77
76 77 78 79 80	B.A.C. 726 B.A.C. 730 69 Ceti B.A.C. 736 B.A.C. 739 B.A.C. 742	6.6 o.96 5.8 o.86 7.3 o.96 6.5 o.86	5 I I 2 2 B 3 I	2 14 24 84 2 15 8 03 2 16 10 59 2 16 58 73 2 17 25 99	-0'129 +3'069 +1'903 +2'350	0.96 I 0.89 I 0.92 2 0.88 3	-76 58 30 95 - 0 12 46 84 -57 23 36 37 -43 48 31 12 -30 28 17 23	
82 83 84 85 86 87 88	71 Ceti	6.9 0.9 4.4 0.0 6.0 5.9 0.9 4.7 0.9	3 1	2 25 47 01	+1.877 +3.180 +0.316 +2.591 +2.847	0'91 2 0'00 6 0'96 2 0'93 1	-15 49 46.30	+16.12
89 90	B.A.C. 815	5.8 0.9	3 1	2 29 27 33	+2.952	0.93 1	- 8 24 41 09	+15.4

No.	Star.		Fraction of Year.	No. of Obs.	Mean 186		Annual Variation 1865°0.	Fraction of Year.	No. of Obs.	feau 1867	•0	Annual Variation 1865 o.
121 122 123 124 125		6.8 6.0	o·90 o·96 o·96	3 2 I	3 6 3 3 7 3 7	8 59°37 48°13 19°76 48°92 42°31	** +3.043 +0.430 +1.491 +2.351 +2.470	o·87 o·96	3 6 2 5 1 3	9 46 8 18 6 26	19.49 44.14 34.59	+13.69
126 127 128 129	B.A.C. 1022 B.A.C. 1038 B.A.C. 1036(1st Star) B.A.C. 1036(2nd Star) B.A.C. 1037	5.7 5.7	0.32	4	3 11 3 12 3 13 3 13	34°21 9°34	+3.047 -2.293 +0.938 +0.937	o.89 o.32 o.30	2 — 4 — 7 4 — 6 1 — 6	1 24 9 29 4 55 4 56	56.99 34.77 55.11 0.06	
131 132 133 134 135	B.A.C. 1042 B.A.C. 1048 o Tauri B.A.C. 1060 B.A.C. 1075	6·9 6·7	0°96 0°97 0°88 0°94	3	3 14 3 14 3 17 3 18	4°11 53°67 39°50 24°28	+2.358 +1.092 +3.225 +2.406 +1.779	o·96 o·97 o·88	1 -3 1 -6 3 + 2 -3	5 ·29 3 5 8 33 3 10	14.18 6.82 31.80 50.03	+13.50 +13.60 +13.00
136 137 138 139	B.A.C. 1074 Lacaille 1103 B.A.C. 1082 B.A.C. 1085 B.A.C. 1091	7°0	 0°96	3	3 20 3 22 3 23	24.35	+2·316 +2·314 +2·318 +2·311 +0·208	o.83 o.89	1 —3 3 —3 1 —3	6 25 6 8 6 18	30°38 40°80 52°78	+12.84 +12.84 +12.73 +12.69 +12.66
	f Tauri	4°3 4°8 4°8 4°8	0.80	3	3 ² 3 3 ² 4 3 ² 7 3 ² 7	32.03 1.23 3.74 54.74	+3·306 +2·971 +0·973 +2·644 +1·775	o.86 o.86 o.81	3 - 3 - 6	2 28 5 3 ¹ 3 24 2 4	43.67 57.65 23.73 50.12	+12.66 +12.63 +12.36 +12.36
146 147 148 149	B.A.C. 1109 B.A.C. 1113 B.A.C. 1110 10 Tauri	6·7 6·4	0.3	5 2 7 1 3 1 2 1	3 29 3 29 3 29 3 30	13.70 30.51 57.90 5.25	+3.029 +3.023 +3.023	o'3; o'9; o'9;	1 -6	2 19 6 56 0 9	13.73 26.88 7.29 19.28	+12.27 +12.24 +12.22
150	5.4.0. 1110	1/			3 31		72 039	<u>r</u> 9'		H 9	-9 33	+12.12

No.	Star.	Magnitude. Fraction of	No. of Obs.	Mean R.A. 1867 o.	Annual Variation 1865'o.	Moan Dec.	Annual Variation 1865 o.
182 183 184 185 186 187 188 189 190 191 192 193 194 195	37 Eridani	4·10·0 6·80·8 4·50·9 7·30·9 3·90·0 3·40·3 6·10·9 6·90·8 4·40·0 6·40·9 5·90·8 6·10·0 5·30·9 5·20·6	0 1 3 9 2 2 1 3 1 4 2 9 2 7 2 3 1 9 3 4 2 7 1 1 0 1 3	4 5 22.48 4 8 47.59 4 9 8.98 4 11 49.36 4 12 13.60 4 12 42.98 4 12 56.53 4 14 8.77 4 14 11.89 4 14 20.54 4 15 23.30 4 16 11.36 4 17 3.67 4 20 27.41 4 20 51.18	** 12.921	7 16 " o'oo. 5 - 7 11 9.84 o'91 3 - 78 59 13.37 o'92 1 - 7 51 43.80 o'93 1 - 39 12 46.90 o'o4 2 + 15 18 14.07 o'39 2 - 62 48 25.57 o'97 2 - 23 17 46.51 o'08 3 1 - 25 20 48.51 o'02 3 - 59 37 19.44 o'93 2 - 61 16 33.26 o'89 3 - 53 11 3.55 o'04 3 - 63 34 43.10 o'96 2 - 4 3 16.58 o'067 1 - 63 42 9.58 o'00 7 + 18 52 59.42	+ 8.84 + 8.78 + 8.72 + 8.58 + 8.38
198 199 200 201	45 Eridaniα Tauri	4.90.9 1.00.0 4.60.7	3 2 0 15 8 3	4 25 4.31 4 28 17.46 4 28 17.50 4 29 23.90	+3.065 +3.435 +2.360 +2.987	0°97 2 —57 22 22°97 0°93 2 — 0 19 53°42 0°00 11 +16 14 21°86 0°78 3 —30 2 15°24 0°97 2 — 3 53 11°07	+ 8.08 + 7.64 + 7.82 + 7.73
203 204 205	τ Tauri	4.4°0.8 4.4°0.1	2 2 7 I 9 I	4 34 15.95 4 37 21.23 4 38 51.25	+3.291 +2.116 +3.291	0 0 2 3 -30 50 10 0 2 0 12 2 +22 41 58 00 0 67 1 -37 24 19 65 0 99 1 -3 30 0 46	+ 7.65 + 7.33 + 7.08 + 6.96
207	B.A.C. 1489 B.A.C. 1498 B.A.C. 1503	5.4 0.9 5.2 0.9 6.8 0.9	7 1 9 1 7 2	4 42 21.10 4 44 12.01 + 45 1.42 4 48 53.76	+0.890 +2.699 +0.890	0'97 2 59 58 37'72 0'99 1 16 26 58'75 0'97 2 59 22 21'02 0'45 4 +- 13 18 6'75	+ 6.67 + 6.52

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean R. Λ. 1867'ο.	Annual Variation 1865 o.	Fraction of Year.	No. of Obs.	Mean Dec. 1867 o.	Annual Variation 1865'o.
241 242 243 244 245	χ ¹ Orionis B. A. C. 1890 α Orionis R. λ Columbee η Leporis	4.8 Var. 5.0	o • 09 o • 00 o • 13	5	5 47 52.69 5 47 58.28 5 48 17.13	+1·355 +3·246 +2·177	o.13 o.00 o.00	6	+ 7 22 47 50 44 + 4 -33 49 56 58	
247 248 249 250		4'4 Var. 4'8	0°18	7 3 2	6 7 42.23 6 6 21.00 5 29 28.76	+3.426 +3.624 +1.168	o · 12 o · 18	1 I 3 2	-10 36 10.42 +14 46 55.39 +22 32 33.73 -54 56 23.02	+ 0.39 - 0.60 - 0.62
251 252 253 254 255	a ArgûsR. B. A.C. 2109	-1 °0	o.18 o.oo	3	6 23 14·40	+1·330 	o.18 o.00	4 2	+22 34 44.54 -52 37 25.13 28.24 -32 29 50.36 +16 30 36.31	- 1.83
256 257 258 259 260	e Geminorum ξ Geminorum α Canis Majoris α Canis Majoris R <i>x</i> Puppis	3°4 -1°4	o•37	3 21	6 37 49.53 6 39 17.08 	+3·369 +2·645	o.oo o.oo o.34	3 39 9	+25 15 35 24 +13 2 12 38 -16 32 9 02 10 51 -37 47 2 72	- 3·48 - 4·64
261 262 263 264 265	A Carinæ	6·5	o . oo o . oo	1. 1	6 47 7.84 6 50 35.55 6 53 23.91	+3.694 +3.702 +2.358	o.oo o.o8 o.1o	2 6 11	-53 28 3.77 +25 32 21.93 +26 15 10.62 -28 47 34.49 -33 55 58.46	- 4.30
	Geminorum Canis Majoris Geminorum B.A.C. 2392 γ Volantis	Var. 4'1 5'5 5'1	0.00	3 2 10 2	6 56 13°21 6 57 44°51 7 3 8°12 7 9 14°69	+2.716	0,02 0,10 0,00	5 17 3	—15 26 19 34 +27 4 20 19 —44 57 9 52	
			1	! ;			<u> </u>			

271 γ² Volantis
298 \(\mu^2 \) Cancri 5.30.87 \(\begin{array}{cccccccccccccccccccccccccccccccccccc

N o.	• Star.	e sti	T .	R.A.	Annual Variation 1865 o.	Fraction of Year. No. of Obs.	Mean Dec. 1867'o.	Annual Variation 1865 o.
331	B.A.C. 3152	4.50.53	h m	8 15°20	+1.326	0.53 5	-61° 46′ 18″ 60	—14 ["] .68
332	B.A.C. 3163	4.80.11		22.12			-38 o 59·16	-14.80
333	83 Cancri			33'34	+3.356	0.00 1,	+18 16 1.85	-15.04
334	β Argûs			43.76	+0.689	0.65 6	—69 to 9·86	-14.29
335	β Argûs S.P		·			0.83 5	10.03	•••
336	، Argûs							-14.92
337	B.A.C. 3187							15.00
338	Coctantis		1 1					-15.15
339	Coctantia S.P		1 -1			0.37 3		
340	B.A.C. 3195	4.90.04	4 9 15	36.51	+2.655	0.04 2	25 24 1'44	-15.11
341	a Hydræ	2.00.00	4 9 21	3.13	+2'949	0.00 2	8 5 0.34	-15.39
	& Leonis							
343								-15.29
344	B.A.C. 3269							
	B.A.C. 3289							-15.94
	B.A.C. 3300				+2.124	0.06 2	-48 45 35 75	-16.03
	o Leonis					0,12 3	+10 29 45.84	-16.17
	« Leonis	3.10.00	2 9 38	17.82	十3.420	,	+24 23	-16.36
		2.00.00	5 9 53	11.02	+3.177	0.00 6	+ 8 40 52.23	-17.09
350	a Leonis	1.40.00	5 10 1	17.13	+3.503	0.00 11	+12 36 58.86	-17.41
351	C.G.A. 13822						30 27 6.25	
	B.A.C. 3516						-69 22 40.05	
	γ¹ Leonia						+20 30 47.67	
	B. A. C. 3526						6 0 40 4·97	
355	B.A.C. 3536	4.20.42	1 10 14	37.32	+2.542	0'42 1	—54 21 43·36	-17.97
	B. A. C. 9546							
	B.A.C. 3552							
	B.A.C. 3578							
359	B.A.C. 3585	4.00.34	4 10 21	44.80	+1*214	0.34 4	73 21 17·58	-18.54
360	B. A. C. 3599	6.10.02	2 10 23	13.91	+1.896	0.06 4	65 1 36.57	-18.59

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		R.A.	Annual Variation 1865 o.	Fraction of Year. No. of Obs.	: 100, 0.	Annual Variation 1865 o.
362	ρ Leouis B.A.C. 3655	4.7	0.02	2	10 33	48.46	+2.270	0.02	-58 29 27.31	-18.65
364	B.A.C. 3660 n Argûs B.A.C. 3702	Var.	0.00	16	10 39	54.55	+2.308	0.00!18	-58 59 8·41	-18·66 -18·75 -18·87
366 367 368 369 370	l Leonis	5°5	0.15	3 2	10 43 10 44 10 53	58·05 30·26 41·56	+0.663 +0.641	0°15 4 0°40 3 0°28 2	-79 46 1 40 -79 50 18 96 + 4 19 52 34	
371 372 373 374 375		5°4 3°9	0°21 0°37 0°00	4 3 2 1	11 2 11 3 11 7	18.00 29.99 1.82 41.64	+2.900 +2.871 +3.203 +2.995	0'21 4 0'34 4 0'00 1 0'00 2	27 21 35 54 31 38 43 02 +-21 15 8 28 14 3 32 23	
376 377 378 379 380	B.A.C. 3927 B.A.C. 3928 B.A.C. 3928 B.A.C. 3929	5°7 3°7 5°6	o'36 o'17 o'40	2 1 3 3	11 23 11 26 11 26 11 27	31.05 20.04 27.90 8.65	+3.063 +2.909 +2.953 +2.953	0.36 3 0.14 3 0.13 3	— 2 16 12·16 —39 42 14·49 —3 51 11·86	—19·84 —19·84
381 382 383 384 385	υ Leonis	4°5 2°2 3°7 4°4	0.00	2 3	11 30 11 42 11 43 11 54	8 · 43 16 · 36 46 · 23 3 · 45	+3.069 +3.065 +3.128 +3.074	0.00 4 0.00 1	- 0 5 22.10 +15 19 + 2 30 51.60 + 7 21 21.61	-19.86 -20.10 -20.29
386 387 388 389	B.A.C. 4078 B.A.C. 4087 to Virginis	3°1 2°8 6°1	0.41	3 1 1 3	11 59 12. 1 12 2 12 3	58.05 28.52 52.36	+3.071 +3.081 +3.072 +3.075	o'41 3	-63 52 17.04 -49 58 52.63 + 2 39 -21 53	-20°24
390	B.A.C. 4120	3.1	0.12	3	12 8	5.86	+3.147	0.12 3	58 o 31·74	-20.04

No.	Star.	Magnitude.	2	No. of Obs.		R.A. 7 °0.	Annual Variation 1865'0.	Fraction of Year.	Mean Dec. 1867 o.	Annual Variation 1865 o.
421 422 423 424 425 426 427 428 429 430 431 432 433	B. A. C. 4681 B. A. C. 4681 B. A. C. 4653 B. A. C. 4654 B. C. 4654 B. C. 4681 B. A. C. 4685 B. A. C. 4686	2.6 4.6 3.5 4.9 2.8 4.0 4.1 0.8 4.4 4.6 3.5 2.2	0°20 0°32 0°44 0°42 0°52 0°37 0°42 0°46 0°34	3 4 3 1 2 5 1 4	13 31 13 38 13 41 13 45 13 47 13 50 13 50 13 54 13 57 13 58 13 58 13 58	28·84 15·33 32·28 33·65 15·33 11·97 28·48 27·78 53 56·21 48·23 51·90	+ 3.754 + 3.751 + 3.570 + 3.432 + 3.709 + 3.617 + 3.673 + 4.158 + 3.047 + 3.634 + 3.395 + 3.549	0°20 0°32 0°44 0°54 0°54 0°60 0°60 0°60	3 —52 47 19°09 4 —50 45 49°86 3 —41 1 24°05 1 —31 16 8°56 1 —46 37 54°21 5 —41 26 56°94 1 —44 9 8°56 3 —59 43 43°63 1 + 2 11 23°18 3 —40 32 25°74 2 —26 2 23°56 2 —35 42 51°50	-18·48 -18·25 -18·12 -17·90 -17·79 -17·78 -17·68 -17·66
434 435 436 437 438 439	1	5°7 5°0 4°3 5°3 6°1	0°37 0°44 0°37 0°42	2 6 1 2	13 59 14 1 14 5 14 6 14 7	43.59 48.29 28.15 19.65	+ 3.161 + 7.056 + 3.197 + 6.840 + 3.455	0°44 0°37 0°42 0°46	2 — 8 15 19.71 1 — 8 40 38.34 2 — 80 22 49.31 6 — 9 39 10.47 1 — 79 29 27.43 2 — 28 39 29.86 1 — 19 52 35.18	-17°38 -17°38 -17°39 -17°04 -18°92
442 443 444 445 446 447	B.A.C. 4734 B.A.C. 4745 B.A.C. 4759 B.A.C. 4768 B.A.C. 4784	4.6 4.6 4.6 4.4 5.0	0.45	4 4 3 4 2	14 11 14 12 14 14 14 17 14 20	55.09 28.70 51.14 36.92 38.37 23.40	+ 3.239 + 3.628 + 3.669 + 3.817 + 3.821 + 3.494	o 45 o 33 o 41 o 44 o 33	4—12 45 25 41 3—37 16 17 80 4—38 54 7 31 3—44 37 2 11 4—44 46 33 07 2—28 53 29 92	-16.42
448 449 450	Lacaille 5985	7.0	0.47	3	14 25	28.62	+ 3.281	0.47	3 -32 43 38'51	

No.	Star.	Magnitude.			n R.A. 57 °c.	Annual Variation 1865 o.	Fraction of Year.	Mean Dec. 1867 o.	Annual Variation 1865 o.
452 453 454 455 456 457 458 459	B.A.C. 4833 B.A.C. 4839 B.A.C. 4842 B.A.C. 4852	2.50 4.00 2.8 0.30 3.80 2.50 4.20 3.80	*29 I 30 3 3 *40 5 3 1 1 29 1 1 52 3	14 27 14 28 14 30 14 30 14 31 14 33 14 33	4'22 57'39 34 34'83 29'15 6'11 42'36 31'85	+ 3.780 + 3.997 + 4.032 + 4.032 + 7.088 + 3.953 + 3.702 + 3.650	0°39 ; 0°34 ; 0°39 ; 0°54 ; 0°30 ;	1 — 41 34 17 41 4 — 48 50 38 15 2 — 60 16 57 74 7 — 60 17 7 99 3 — 78 28 32 72 1 — 46 48 51 92 2 — 37 13 12 38 3 — 34 35 55 60	-15.75 -15.72
461 462 463 464 465	a ² Libræ	4 · 4 · 0 3 · 0 · 0 5 · 3 · 0 2 · 7 · 0 3 · 4 · 0	*31 1 *00 5 *50 2 *31 2	14 42 14 43 14 47 14 49 14 50	58.43 31.53 50.23 31.23	+ 3.885 + 3.305 + 3.658 + 3.900 + 3.874	0°00 0°50 0°33 0°47	1 —43 1 20°41 4 —15 29 12°43 2 — 33 18 46°82 4 —42 35 44°36 4 —41 34 3°68	-15.23 -14.80 -14.26
467 468 469 470	Lacaille 6198 B.A.C. 4948 Lacaille 6229	3.8 o 7.4 o 5.4 o 4.3 o	*31 1 *54 2 *48 4 *44 3	14 56 14 59 14 59 14 59	4.82 3.38 12.78 53.91	+ 4.049 + 3.667 + 3.332 + 4.008	o*33 o*54 o*48 o*44	3 46 31 40°38 2,32 23 34°72 415 44 18°76 3,44 45 54°75	-14.43 -14.25 -14.27
472 473 474 475	B.A.C. 4988 B.A.C. 4987	5.9 3.50 4.90	31 1 15 1 53 2	15 2 15 2 15 4 15 6	44 45.09 38.63	+ 4.142 + 4.276 + 3.409 + 5.480	0.61 0.31 0.12	1 —48 14 6·31 1 —51 35 24·68 1 —68 11 3·07	-14.02 -13.81
477 478 479	B.A.C. 5046 ρ Octantis S.P B.A.C. 5060	3.40 5.70 0	·50 1 ·61 2 ·61 1	15 12 15 13	39.08 5.63 5.62	+ 3.912 +12.634 	o·61 o·62	1 —40 9 47 99 6,—84 0 44 17 2 ₁ 44 49	-13.35 -13.39

No.	Star.	Magnitude. Fraction of Year. No. of Obs.	Mean R.A. 1867'o.	Annual Variation 1865 o.	Mean Dec. 1867 o.	Annual Variation 1865 o.
481 482 483	ζ¹ Libræ	6.50.25 I	15 26 17.28	+3.973	0·52 2—16°15′ 1°17 0·44 4—40 42 58·61 0·49 2—14 20 36·31	-12.33
484 485	a Coronæ Borealis	2.40.00 5	15 29 3.45	+2.238	0.43 5 -42 7 38.95	-12.32 -13.32
	B. A. C. 5165 a Serpentis B. A. C. 5224	4.5°.47 4 2.7°.00 7 5.3°.54 4	15 32 3'54 15 37 43'13 15 42 23'39	+4'110 +2'949 +5'828	0.60 2 - 29 20 14.68 0.47 4 - 44 13 3.10 + 6 51 0.54 4 - 68 12 6.30 0.50 3 - 33 13 9.00	-11.32 -11.62 -15.08
491 492 493 494	B. A. C. 5232 ### Trianguli Australis ### Libræ B. A. C. 5272	4·8·0·48 2 3·1 4·3·0·60 1 4·0·0·58 1	15 42 59.11 15 43 27 15 46 15.32 15 48 40.72	+3.595 +5.216 +3.414 +3.690	0'48 225 20 39'72 0'48 263 0 56'71 0'60 116 20 10'53 0'58 128 49 23'62	-10.83 -11.40
497 498	B.A.C. 5289 B.A.C. 5292 B.A.C. 5323	3.1 0.45 5 3.8 0.60 2 4.8 0.59 1	15 50 48·63 15 50 6·16	+3.616 +3.955 +4.212	0.15 1—13 53 35.61 0.45 5—25 43 41.18 0.60 2—38 0 47.80 0.60 2—44 48 31.51	-10.43 -10.43 -10.56
500	β¹ Scorpii	7'9	15 57 43 15 57 52 00	+3.477	0.00 2 —19 26 19.76 0.52 1 —19 26 6.48 0.43 1 —36 26 13.48	-10.53
502 503 504 505	l	5.10.28 2	16 0 1.48 16 2 46.57 16 4 16 16 7 22.71	+3·720 +3·480	0.54 4—25 58 2.69 0.58 5—29 3 43.25 0.52 1—19.6 44.78 — 3 21	- 6.28 - 6.83 - 6.83
508 509	B. A.C. 5439 B. A.C. 5454	3.90.21 4 1.10.00 12	16 13 9.06 16 15 37.38 16 11 15.37	+8·983 +5·506 +3·666	0 44 5 — 30 34 49 76 0 51 4 — 78 35 27 32 0 55 4 — 63 45 2 72 0 00 1 — 26 7 59 74 0 63 2 — 34 24 38 88	- 9.04 - 8.84
		- 1	i			<u> </u>

×.	Str.	Magnitudes Fraction of Year, No. of Obs.	Mesn R.A.	Anntal Variation 1865 to.	Mean Dec.	Annual Variation 1865 o.
\$41 \$42 \$43 \$44 \$45 \$47 \$49 \$50 \$51 \$52 \$53 \$54 \$55 \$55 \$55 \$55 \$55 \$55 \$55 \$55 \$55	a Ophinchi	2.20.00 3 3.70.61 1 6.00.31 1 7 0.58 5 6.80.69 3 2.60.58 3 5.00.31 1 3.10.63 5 4.90.53 4 5.00.59 5 3.20.68 3 5.00.46 1 4.60.68 1	# m s	#2*-\$1 +3*431 +3*604 +3*905 +5*875 +4*146 +3*592 +4*191 +3*773 +3*894 +4*075 +3*661 +5*774 +4*671 +3*831 +3*857 +4*671 +3*831 +3*857 +4*55 +5*704	+12 4c 0.61 115 18 42.02 0.51 121 49 51.29 0.58 532 7 20.34 0.6- 132 8 19.75 0.66 464 39 15.61 0.62 438 5 26.04 0.31 121 36 56.69 0.63 540 4 16.81 0.53 427 46 35.29 0.59 531 39 12.31 0.68 436 59 48.25 0.46 115 47 7.16 0.68 123 48 1.15 0.49 463 40 6.50 0.61 550 5 44.44 0.52 429 34 56.01 0.64 436 47 51.52 0.67 521 5 24.87 0.61 536 47 51.52 0.61 536 47 51.52 0.61 536 37.10 0.64 0.64 2 14.35 0.31 120 36 36.63	Variation 1865 o. - 2'94 - 2'68 - 2'56 - 2'51 - 2'43 - 2'40 - 1'91 - 1'83 - 1'71 - 1'69 - 1'00 - 0'75 - 0'39 - 0'34 - 0'32 - 0'25 + 0'11 + 0'25 + 0'49 + 1'48 + 1'50
	B. A. C. 6253 B. A. C. 6275 B. A. C. 6279 B. A. C. 6278	4'90'56 4 7'90'63 2 4'70'61 2		+3.419 +2.612	0 · 69 1 — 49 8 16 · 89 0 · 53 5 — 62 21 27 · 49 0 · 63 2 — 14 38 50 · 99 0 · 65 2 — 46 0 0 · 76	+ 1.61 + 1.64 + 1.85 + 1.86 + 1.90

571 572 573 574 575 576 577 578	B. A. C. 6282 B. A. C. 6285 B. A. C. 6296 B. A. C. 6305 B. A. C. 6315	5.3 0.51 5.5 0.64 4.4 0.69 4.0.69	3 2	18 22 18 24	71.31 71.48		o·56 3		+ 1".93
579 580 581 582	B.A.C. 6371 28 Sagittarii B.A.C. 6405 B.A.C. 6414 1. Sagittarii B.A.C. 6440	5.9 0.68 3.3 0.64 5.6 0.38 Var. 0.68 6.6 0.44 5.0 0.53 2.3 0.68 3.5 0.68 3.5 0.64 3.9 0.64 3.9 0.51 4.4 0.70 6.5 0.59 3.1 0.00 4.0 0.1 3.1 0.52 5.1 0.00 4.4 0.64 3.9 0.52 5.1 0.00 4.4 0.64 3.9 0.52 5.1 0.00 4.4 0.64 3.9 0.52 5.1 0.00 4.4 0.64 3.9 0.53 3.1 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.5 0.68 3.7 0.64 3.9 0.51 3.1 0.00 4.0 0.52 5.1 0.00 4.0 0.53 3.1 0.00 4.1 0.64 3.9 0.52 5.1 0.00 4.2 0.53 3.5 0.68 3.5 0.68 3.5 0.68 3.7 0.68 3.7 0.68 3.7 0.68 3.8 0.68 3.8 0.68 3.9 0.64 3.9 0.52 5.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.1 0.00 4.0 0.53 3.5 0.00 3.5 0.53 3.5 0.00 3.5 0.	1 2 1 2 1 3 3 4 4 5 4 4 3 4 3 1	18 27 18 35 18 37 18 38 18 44 18 46 18 47 18 49 18 59 18 59 18 59 19 0 19 1 19 11 19 13 19 13 19 14 19 18	14'21 28'94 32'54 20'69 19'38 13'20 9'30 8'40 0'96 47'71 8'84 42'77 5'18 8'25 17'85 53 51'16 34'42 36'13 57'48 40'05 23'08	+4'285 +3'938 +7'049 +5'932 +3'747 +3'619 +6'227 +3'857 +3'626 +3'723 +3'582 +3'825 +3'589 +4'184 +3'783 +2'752 +4'137 +3'574 +2'814 +4'343 +3'488 +4'168 +3'583	0.64 2 0.69 1 0.53 5 0.68 2 0.68 1 0.51 3 0.53 1 0.68 2 0.68 1 0.51 3 0.68 1 0.64 1 0.51 3 0.66 1 0.57 5 0.06 1 0.65 4 0.63 4 0.63 1	-42 24 14 00 -33 6 42 02 -71 32 8 57 -65 12 34 52 -27 7 25 55 -22 31 40 22 -67 23 38 53 -30 53 18 01 -22 54 21 27 -26 27 30 83 -21 16 41 51 -30 3 58 90 -21 55 59 14 -40 41 55 39 -28 50 17 68 +13 40 -39 32 52 35 -21 13 53 96 +11 21 30 32 -45 2 45 43 -18 5 40 53 -40 51 44 82 -22 2 12 82	+ 1°94 + 2°08 + 2°19 + 2°38 + 3°08 + 3°24 + 3°33 + 3°74 + 3°83 + 4°00 + 4°07 + 4°32 + 4°68 + 4°88 + 5°10 + 5°11 + 5°05 + 5°35 + 6°17 + 6°32 + 6°41 + 6°41 + 6°72 + 6°85
597 598 599 600	C.G.A. 26714 h ² Sagittarii e ² Sagittarii B.A.C. 6753	7.8 0.68 4.6 0.00 5.0 0.39 6.8 0.68	8 2	19 28 19 34	43.92 36.64 54.57 58.66	+3.656 +3.656	0.68 2 0.00 1 0.68 2	-25 10 22.94 -16 25 58.14	+ 7.07 + 7.57 + 8.10 + 8.22

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Me		R. A. 7 °0•	V	Innual ariation 865 °o.	Fraction of Year.	No. of Obs.		n Dec. 67'o.	Annual Variation 1865 o.
601	γ Aquilæ	2.8	0.00		h	m	.6	L	3 . 8 . 2			° ,	<u>'</u> "	+ 8":47
	α Aquilæ											+ 8 3		+ 9.19
	57 Sagittarii													+ 8.68
	e Pavonis													+ 8.64
	e Pavonis S.P					7,	9.42	1		0.54			21.64	'
إ		•••					y - -		•••	- ′			2. 04	
606	β Aquilæ	4.0	0.00	ı	19	48	46.84	+	2.947			+ 6	<	+ 8.68
607	63 Sagittarii			1 1			31.48	1 .					0 10.41	+ 9.60
608	B.A.C. 6877								-				5 33°47	+ 9.70
609	64 Sıgittarii										1		8 22.46	+ 9.85
	B.A.C. 6948												4 27 76	+10.29
			ļ								İ			
611	a ¹ Capricorni	4.2			20	10	16	+	3.330	0.00	1	-12 5	4 59.10	+10.85
612	a ² Capricorni	3.8	0.00	2	20	10	40.42	+	3.333	0.00	3	-12 5	7 16.10	+10.82
613	β Capricorni	3.4	0.46	1	20	13	32.25	+	3.377	0.46	1	-15 1	1 56.13	+11.05
ó14	α Pavonis	2.1	0.00	1	20	15	6.61	+					9 28.69	+11.06
615	B.A.C. 7011	7.0	0.61	5	20	16	32.50	+	3 · 698	0.61	5	-29 3	0 8.30	+11.54
616	B. A.C. 7026	7	0.69	4	20	18	22.92	+	3.695	0.69	4	—29 3	0 12.50	+11.38
617	ρ Capricorni	5.0	0.00	2	20	21	16.53	+	3.426	0.00	2	—18 t	5 1.86	+11.28
618	, . , , , ,									o∙68	3	29 3	3 18.34	+11.69
619	C.G.A. 28156									0.45	4	29 4	4 32.97	+11.00
620	τ ² Capricorni	5.3	0.43	3	20	31	50.02	+	3.363	0.69	4	—15 2	5 6.86	+12.30
			l											
621	Lalande 39819			1									6 24.88	+12.35
622	B.A.C. 7129		,	1 1									0 35.73	+12.40
623	B. A. C. 7207												6 7.75	+12.99
624	B. A. C. 7208											-	6 0.40	+13.01
625	В. Л.С. 7250	5.3	0.66	3	20	48	28.83	+	7.262	0.62	4	—77 3	1 33.65	+13.43
]
626		6.6	···	1		50	23	+					7 17.22	+13.33
027	B Octantis S.P.	•••				•••				0.34			21.38	
028	θ Capricorni	4.3	0.45	3	20	58	28.11	+	3.382	0.69	4	-17 4	5 32.67	+14.05
029	ν Aquarii	4.6	0.46	1	21	2	20.90	+	3.54	0.22	2	-11 5	4 28.04	+14.33
0.70	Lacaille 8787	6.7	0.45	ı	2 I	13	54.98	+	3.228	0.45	1	-29 4	3 39.38	+15.01

No.	Star.	Magnitude. Fraction of	Year. No. of Obs.		R.A.	Annual Variation 1865 o.	Fraction of Year.	Mean De 1867 °c.	
631 632 633 634 635	B.A.C. 7423 B.A.C. 7471 \$\beta\$ Aquarii Lacaille 8849	6.4 o.	67 3 71 4 00 6 74 3	21 16 21 23 21 24 21 27	50°30 45°09 40°20 33°36 1°94	+ 4.332 + 2.827 + 3.163 + 3.556	0.64 0.71 	4 —55 13 55 4 —41 45 45 — 6 9 3 —30 17 5	·82 +15·17 ·48 +15·56 +15·62 ·17 +15·74
637 638 639 640	λ Octautis S.P γ Capricorni ϵ Pegasi λ Capricorni δ Capricorni	3·8 o· 5·4 o· 5·4 o·	77 2 00 2 77 2	21 32 21 37 21 39	39°23	+ 3.333 + 3.333	o.00	2 — 17 15 40 1 + 9 16 1 2 — 11 58 38	·00 +16.41 -00 +16.31
642 643 644 645	μ Capricorni Β. Δ. C. 7634 Β. Δ. C. 7684 α Aquarii	3.5 o. 4.2 o. 4.2 o.	70 4 68 4 68 6 00 5	21 46 21 49 21 58 21 58	2.65 4.32 5.41 57.12	+ 3.259 + 4.309 + 3.644 + 3.083	o · 68 o · 68 o · 60	-14 10 34 -59 38 38 6 -40 10 59 1 - 0 57 50	.48 +16.72 -21 +16.86 -31 +17.28 -93 +17.31
646 647 648 649 650	o Octantis c Octantis S.P θ Aquarii σ Aquarii	5.4.3 o.	40 3 41 4 00 9	22 5	12.70 12.77 48.83	+14.045 + 3.170	0'40 0'41 0'00	3 -86 38 20	·54 +17·66 ·20 ·13 +17·75
651 652 653 654 655		5.2 o.	62 I 40 I 40 I	22 30 22 32	16.19 16.19 25.11	+ 6.640	0.62 0.63 0.40	1 — 4 54 45° 4 —82 4 35° 1 37°	75 +18.60
	67 Aquarii B. A. C. 7965 λ Aquarii α Piscis Australis B. A. C. 8002	3.80. 9.30.	83 2 70 3 00 4	22 45 22 45 22 50	21 · 45 40 · 61	+ 3.330 + 3.133 + 4.303	o.83 o.83		85 +19.00 50 +19.01 07 +18.96

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		n R.A. 67'0.	Annual Variation 1865 °o.	Fraction of Year.	No. of Obs.	Mean Dec. 1867 o.	Annual Variation 1865 °c.
661 662 663 664 665	a Pegasi B.A.C. 8040 τ Octantis	5.6 6.1 5.6	o•83 o•83	3 3	22 58 22 59 23 6	16.21	+ 2.083 + 4.353 + 5.083	0.83 0.83	2	+14 29 -74 18 14.40 -88 12 40.48	+19°52 +19°53 +19°53 +19°52
666 667 668 669 670	B. A.C. 8090	6·2 4·5 4·3	 0°59 0°76	2 2	23 9 23 10 23 11	59°44 38°14	+ 4.786 + 3.122 + 3.253	0.84 0.20	2 3	-80 11 55.32 - 9 54 27.85 -33 15 20.48	+19.37 +19.54 +19.68
671 672 673 674 675	κ Piscium	5·8 4·3 4·7	o·66	2 2	23 24 23 33 23 35	39.63 6.68	+ 4.053 + 3.084 + 3.059	0·62 0·62		-78 7 8·85 + 4 54 + 1 2 45·16	+19.63 +19.82 +19.80 +19.80
676 677 678 679 680	δ Sculptoris 21 Piscium B.A.C. 8290 B.A.C. 8319 27 Piscium	2.9 2.1	o·48 o·59	2 1	23 42 23 44 23 50	39°10 9°27	+ 3.765 + 3.221	0°48 0°63 0°70	2 3 6	28 52 + 0 20 17'33 82 45 27'91 82 54 33'24 4 17 36'73	+19.92 +19.93 +19.93 +19.92
681	∞ Piscium	4.5	0.00	1	23 52	28.93	+ 3.077			+ 6 8	+19.92

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

SEPARATE RESULTS

OF

MERIDIAN OBSERVATIONS OF STARS

MADE IN THE YEAR

1868

REDUCED TO MEAN PLACE FOR 1868'0.

Date.	Observer.	R,A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		B. A. C. 8377.		o Octantis.				
Oct. 21	JS	h m s	147 34 15 42	June 28	G	p m s	179° 5′ 47″13	
		. Audromedæ.		July 6	: B	0 13 9,30	179 5 47 97	
Oct. 30	Oct. 30 CF o 1 34 04 61 38 19 19					Octantis S.P.		
	B. A. C. 9.					0 13 9.12		
Oct. 14	IF	0 2 22.35	144 44 13'29			B. A. C. 76.		
Nov. 18	IF JS	22.53	13.32 13.07	Oct. 14	IF	•		
		0 2 22.27	144 44 12.90	Nov. 19	JS 	0 16 14.23	151 46 2.80	
		γ l'egasi.				44 Piscium.		
July 9 Oct. 2	G CF	0 6 26.34	 75 32(57°15)	Oct. 1	IF	0 18 38.15	88 47 28 34	
16 19	CF CF	17	59.08			β Hydri.		
30	CF	0 6 26.47	75 33 0.76	Jan 6	B JS	0 18 45°53 45°85		
		B. A. C. 30.		8 9 21	G IF G	46°23 46°28 45°82	•	
Oct. 21 Nov. 13	i		147 44 7°37 8°02	22 27	G G	46·30 		
19	JS	18.33	6.46	Feb. 3	G CF	45°66 46°03		
	!	0 7 18.38	147 44 7.28	Mar. 9 Apr. 1	G G	46·34 45·94		
	В. А. С. 31.					45.83 46.16		
Nov. 25	IF	0 7 41.38	145 48 8.97	5 7	G	45'91		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	B. A.	N.P.D.		
	βE	Iydri—continu	ed.	β Hydræ S.P.—continued.					
A==	10	h m s	167° 59′ 51"75	Ton on	l B	h m s	0 , ,,		
Apr. 13	JS G	0 18 45.83	1	Jan. 30	1 ~	46.42			
23	G	45.92	51.45	31		40 42	•••		
28	G	46.09		Feb. 6	В	45.59			
Tuna	IF			9	JS	46.21			
June 9	G	46.00	52.38	17	В	46.63	167 59 53.76		
	В	· ·	•••	20	В	46.47			
29		45.29	•••	21		45.92			
July 1	CF	47.04	•••	26	В	46.10			
7	G	46.19	•••	Mar. 8	G	46.02			
9	G CF	46.30	•••	9	_	45.95	···		
10	JS	45.98	•••	11	IF	46.02			
13		46.68				1 7	i		
Sept. 30	JS	46.49	50.22	Apr. 2	В	45.78			
Oct. 2	CF	46.27	52.28	6	IF	46.09	53°24		
15	G	46.08	51.72	8	JS	46.42	54.40		
16	CF	45.76	51.84	17	IF	46.66	54*43		
19	CF	45.72	53.72	23	B	46.06	21.20		
22	IF	46.09	51.06	27	G	45.64			
30	CF	46.54	52.74	28	B	46.12	54.46		
Nov. 6	IF	46.26	50.49	29	IF	45 37	21.88		
13	IF	46.54	51.49	30	CF	46.12	•••		
25	1F	46.60	51.16	May 1	JS	46.09	54.95		
26	G	46.50	51.40	4	JS	46.27	54°57		
27	IF	•••	51.57	5	IF	46.50	53.18		
Dec. 9	IF	45.95	51.00	7	CF	46.12	52.40		
16	IF	46.17	(59.72)	13	IF	46.39	52.55		
		0 18 46.12	167 59 51.64	14	JS	46.39	54°33		
		70	/ 39 3. 04	15	B	45.49			
				June o	IF	46.12	53.81		
İ	ß Hydræ S.P.					46.33			
·		1		29 30	B G	46.11			
Jan. 7	JS	0 18 46.29					İ		
8	G	46.13		July 7	G	45,61			
21	G	46.08		10	CF	46.32			
23	В	46.35		13	JS	46.42	54.78		
24	CF	46.42		14	IF	46.65	52.95		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
β	H y d	ræ S.P.—cont	inued.	β Ceti.					
Oct. 2 14 15 Nov. 26 Dec. 16	JS G G G	h m s o 18 45 97 45 68 45 96 45 80 46 28 o 18 46 14	 167 59 52·81	July 7 13 Oct. 30 Nov. 24 25	G JS CF CF IF	h m s o 36 57.78 57.86 57.80 57.64 57.83 o 36 57.78	0 " 108 42 41 05 38 88 40 37		
]	12 Ceti.	107 39 33 33		-	<u> </u>	108 42 40 10		
July 9 Sept. 30	G JS	0 23 18.50	 94 41 11'91	Nov. 18		B. A. C. 199.	148 11 13.60		
Oct. 30 Nov. 24 25	CF CF IF	18.13 18.18	10°57 11°85	Dec. 1	Js	B. A. C. 231.	137 25 7.16		
		0 23 18.17	94 41 11.29	B. A. C. 233.					
July 10	CF	13 Ceti.	94 19 9.65	Oct. 30	CF	0 43 31.00	101 21 20.80		
Oct. 1 Nov. 24	IF CF IF	27°16 27°20 27°30	10.21 10.31	Dec. 9	IF	B. A. C. 241.	-66		
		0 28 27 23	94 19 10,34	Dec. 9	<u> </u>	B. A. C. 251.	161 52 16.11		
	1	B. A. C. 151.		Nov. 18	IF	o 48 7.91	153 35 18.05		
Nov. 13 18 19	IF IF JS	0 29 23.07 23.33 0 29 23.22	145 32 51'01 51'87 50'16	Dec. 1	JS JS	7.87	17.35		
	B. A. C. 163.					B. A. C. 260.			
Oct. 30	CF	0 31 19.81	91 13 (41.38)	Oct. 30	CF	0 49 24.36	101 58 53.78		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		B. A. C. 276.			B. A. C. 396—continued.				
Dec. 1	Js	h m s	151° 24' 36"83	Nov. 19	Js	1 11 28.18	158° 7′ 42″12		
		B. A. O. 291.		Dec. 9	IF	57.85	158 7 42.33		
Oct. 30	CF	0 56 22.04	95 32 33.95		l				
		B. A. C. 342.				B. A. C. 4∞.			
Oct. 30		1 3 34.83	99 36 31 66	Nov. 20	CF	1 13 3.22	91 12 10.86		
	i	B. A. C. 347.		€¹ Ceti.					
Dec. 1	JS IF	1 3 52.05 52.11	147 17 54·57 54·36	July 14 Oct. 2	OF CF	1 17 25.60 25.55 25.57	 98 51 54°16 55°75		
	!	? Piscium.	<u> </u>	Nov. 16 20 25	CF CF IF	 25.57 25.51	54°74 53°99 		
Oct. 1	IF CF	1 6 50.16	83 7 24.31	Dec. 1	JS	25.46	98 51 54.66		
Nov. 25 26	IF G	50°24 50°22	24·19 22·87		1	B. A. C. 436.			
	1	B. A. C. 371.		Nov. 18	IF JS	1 20 31.15	155 3 22.43		
Nov. 16	CF	1 7 17.58	98 19 18.18	7	JS	31.53	20.87		
		B. A. C. 383.		<u> </u>	1	1 20 31.16	155 3 22.01		
Dec. 1	Dec. 1 JS 1 9 35'74 146 19 52'74					μ Piscium.			
	В. А. С. 396.					1 23 16·28 16·42	84 32 15.45		
Nov. 18	IF	1 11 57.83	158 7 42.75	2	CF	1 23 16.35			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		B. A. C. 462.		ø Piscium.					
Dec. 1	JS	h m s	140 34 54 32	Aug. 9	G	h m s	81° 30′ 26″95		
7	JS	51.52	54.56	mug. 9	ď	1 38 25 02	81 30 20 95		
9	IF	50.95	54.30			D A C			
		1 25 51.13	140 34 54.59		 -	B. A. C. 539.	,		
		1	1	Nov. 16	CF	1 39 21.98	96 23 40.21		
İ	B. A. C. 475.					21.89	39.00		
<u> </u>	T	<u> </u>				1 39 21 94	96 23 39.76		
Nov. 16	CF	1 28 10,01	106 21 12.57		<u>· </u>	1	<u>'</u>		
20	OF	10.03	11.74	B. A. C. 543.					
		1 28 10.92	106 21 12.16	27	1.0				
				Nov. 19	JS	1 40 6.36	151 40 52.19		
		B. A. C. 497.		Dec. 7	JS	6.53	52.23		
Nov. 19	JS	1 31 54.42	148 56 41 27			1 40 6.30	151 40 52.36		
Dec. 1	JS	54*47	40.53			B. A. C. 565.			
7	JS	54.44	41'31						
		1 31 54.44	148 56 40.94	Nov. 16	CF	1 44 56.68	100 59 16.86		
				20	CF	56.42	15.63		
		B. A. C. 520.				1 44 56.42	100 59 16.25		
Dec. 9	1 F	1 34 30.04	156 16 33.62			B. A. C. 567.			
		ν Piscium.		Dec. 16	IF	1 45 2.15	138 28 27.15		
Oct. 30	CF	1 34 33.87	85 10 53.29		-				
Nov. 16	CF	•••	52.12			B. A. C. 571.	·		
20	CF	33.95		Nov. 25	IF	1 45 47.01	140 51 37.59		
25 26	IF G	33.89		Dec. 7	JS	47.12	38.07		
20	ď		21.88	200. /	~~				
		I 34 33.90	85 10 52.57			1 45 47.07	140 51 37.83		
	B. A. C. 521 (1st Star).					€ Piscium.			
Dec. 16	IF	1 34 47 19	146 51 56·i5	Aug. 9	G	1 46 43.23	87 27 55.54		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	ξ Pi	scium <i>—contin</i> i	ved.	B. A. C. 633.						
Oct. 2 30 Dec. 23	CF CF IF JS	h m s 1 46 43 41 43 48 43 49	87° 27' 51''83 55' 52 53' 36 53' 86	Nov. 16 20	CF CF	1 56 25.63 1 56 25.63	90 30 31.82			
Teller	## Arietis.					a Arietis.				
July 24	July 24 CF 1 47 21 69 50 20.15 B. A. C. 599.					44°18 44°23 1 59 44°26	67 9 45 90			
Nov. 19	JS	B. A. C. 598	150 57 28.73	B. A. C. 652. Nov. 19 JS 2 0 7.69 161 3 17.07 Dec. 7 JS 8.05 16.83						
Nov. 16	CF	B. A. C. 606.	92 42 16.07	2 0 7.87 161 3 16.96 B. A. C. 660.						
Dec. 7	Js	B. A. C. 622.	142 25 13'22	Nov. 16 20	CF CF	2 2 28.44 28.63 2 2 28.54	92 57 25°31 24°62 92 57 24°97			
Dec. 16	Dec. 16 IF 1 53 49 89 168 8 19 46 B. A. C. 638.					B. A. C. 680. Nov. 25 IF 2 4 56.56 142 21 27.31				
Nov. 25	JS	1 56 7·48 7·72 1 56 7·60	168 59 36.07 36.46	Dec. 7 16 17	JS IF JS	56·56 56·45 56·57 2 4 56·54	24.93 26.41 26.12			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	, N.P.D.
		ξ¹ Ceti.		ξ ² Coti—continued.			
Oct. 2 Nov. 26	Nov. 26 G 0.44 24.75			Dec. 24	J8 CF	h m s	82° 7′ 58″ 57 56° 93
Dec. 24	JS	2 6 o.43	25°30			B. A. C. 762.	82 7 58.11
Dec. 17	B. A. C. 709. Dec. 17 JS 2 10 22.81 165 7 12.38					2 21 12.23 12.61 12.50	150 54 11.98
Aug. 9	G	67 Ceti.		B. A. C. 779.			
Nov. 16 20	CF	24.03	97 1 52·36	Dec. 2	IF JS IF	2 24 59.86 59.76 59.78	154 53 22·58 21·70 23·04
		B. A. C. 724.		17	JS	59.64	23.42
Nov. 25	İF	2 12 43.97	158 21 30.47			B. A. C. 820.	
		B. A. C. 734.		Dec. 2	IF	2 33 3.50	143 6 55.00
Dec. 2	IF IF	2 15 37 77	146 33 5.65 5.81			B. A. C. 833.	
		2 15 37.66	146 33 5.73	Dec. 16	IF	2 34 32.48	169 41 5.53
Feb. 1	JS		82 7 58.10			γ Ceti.	1
Aug. 9 Oct. 30	G CF	2 21 8·69 8·63	58·17	Aug. 9 Nov. 30	G CF	2 36 27.74	87 19 19 56
Nov. 20 26	CF G	8.68	57·89 58·21	Dec. 4	CF	27.86	18.80

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	•	B. A. C. 846.		B. A. C. 899.				
Nov. 19 Dec. 7	JS JS	h m s 2 37 16.36 16.37	157° 31′ 22′′83 21°20 24°02	Dec. 17	JS IF	h m s 2 47 28 08 28 16	147 44 8"26 7'46	
.,		2 37 16.37	157 31 22.68			B. A. C. 906.		
	μ Ceti.					2 48 53.43	154 4 50.31	
Aug. 9	G	2 37 48.69	80 26 41·64 39·82			B. A. C. 928.		
		2 37 48.63	80 26 40.73	Dec. 11	JS	2 51 21.49	165 36 22.15	
		B. A. C. 862.		λ Ceti.				
Dec. 2	IF	2 39 56.67	143 7 43 93	Nov. 28	JS	2 52 38.62	81 37 12.10	
		B. A. C. 869.		α Ceti.				
Jan. 3 Dec. 17	CF JS	2 41 8·79 2 41 8·79	157 16 12.32	June 10 Dec. 4 10 18	G CF CF CF	22.95 	 86 25 46 46 47 29 45 39	
		B. A. C. 874.	3, 3			2 55 22 96 B. A. C. 958.	86 25 46.38	
Dec. 16	i F	2 41 44.66	159 43 10.32	Dec. 2	IF IS IF	2 57 8·98 8·73 9·11	154 9 5.71 6.16 6.46	
Dec. 7	B. A. C. 895.					2 57 8.94	154 9 6.11	
Dec. 7 9	JS IF JS	2 46 6.08 6.10 6.02	16.49 16.49	B. A. C. 973.				
		2 46 6.07	153 21 16.47	Dec. 9	IF	3 0 51.40	151 21 19.79	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		8 Arietis.		B. A. C. 1054.				
Aug. 14 Dec. 4 10	CF CF CF	h m s 3 4 5.13	70° 46° 25° 67 27° 72 28° 03	Dec. 15	CF CF	3 16 35.82 3 16 35.82	116 3 41.21 116 3 41.21	
	()	3 4 2.11	70 46 27 °08			o Tauri.		
B. A. C. 992.				Nov. 28	JS	3 17 42.67	81 26 14.89	
Dec. 30	IF	3 5 17.89	151 39 17.07			ξ Tauri.		
Dec. 16	IF	B. A. C. 996.	139 14 1.91	Feb. 1	JS JS	3 20 0.96	45.39	
Dec. 9	IF	B. A. C. 1014.	147 48 58.67	B. A. C. 1073.				
		В. А. С. 1013.		Dec. 4	1	B. A. C. 1086	117 46 58.31	
Dac- 15 18	CF CF	3 9 25.42	99 18 42.88	Dec. 16	IF	3 23 11.15	134 18 57.42	
	<u> </u>	B. A. C. 1048.				B. A. C. 1091		
Dec. 16		3 14 54.76 54.90	153 4 52.04 49.13	Dec. 30	IF	3 23 29 81	160 5 18.06	
Dec. 4	CF	B. A. C. 1039.	114 6 36.67	Jan. 5 Dec. 25	IF	3 23 35·23 3 23 35·23	77 31 2·89 2·97 77 31 2·93	

Date.	Observer.	R,A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
	B. A. C. 1094.					O. 1131—cont	inued.
Dec. 9	if Js Js	h m s 3 25 °47	159 47 52°24 159 47 52°24	Dec. 17	JS IF	3 32 56.13 9 3 32 56.08 3 32 56.08	156 12 9.92 11.01
Dec. 15	B. A. C. 1093 3 25 31'40 3 25 31'40	131 48 57·81 58·13	Dec. 4	CF	3 33 18·49 18·22	33.02	
		B. A. C. 1100.		Jan. 20	1	B. A. C. 1141	1
Dec. 4	CF CF	3 25 42·76 42·77	99 54 21.37	22	JS IF	3 35 31.95 3 35 31.95	150 12 27'48 27'94 150 12 27'71
		B. A. C. 1113.	<u> </u>		·4 - · · · -	B. A. O. 1160	
Jan. 20 22 23	JS IF B	3 29 31°16 31°14 3 29 31°12	156 56 10·84 11·98 13·23	Dec. 15	CF	1	136 22 46 22 44 00
		B. A. C. 1118,		Jan. 20	јз	B. A. C. 1183.	144 53 47*34
Dec. 18	CF	3 31 20.39	134 9 18.13	22 Dec. 16	IF IF	55.48	48.31
		B. A. C. 1131.				3 40 55.75	144 53 48 08
Dec. 9 11 16	IF JS IF	3 32 56·07 55·97	156 12 9°56 10°51	Aug. 10	JS	8 Tauri.	79 15 53.60

Digitized by GOGIC

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	e T	auri—continu	ed.	γ Hydri.				
Nov. 28 Dec. 25	JS CF	h m s 2.12	79° 15′ 54° 16	Feb. 26	1	h m s 3 49 19.21	。 , , , , ,	
		3 41 2.08	79 15 53.38	28 Mar. 2	JS IF	19.04		
		B. A. C. 1181.		5 6	JS IF JS	19.01	164 38 34 °07 	
Dec. 4	CF CF	3 41 10.08	28 ' 26	12 18	G G	18.21		
		3 41 10'06	113 38 27.78	26	CF	19.02		
Dec. 9	IF	B. A. C. 1185.	144 41 24 39	Aug. 28	G	18.34	35°39 34°63	
17	JS	3 41 12.11	25.03	Nov. 2	JS	3 49 18.88	164 38 34.51	
		B. A. C. 1200.		γ Hydri S.P.				
Dec. 11	JS	3 42 24 15	169 31 15.33	Feb. 20	B B CF	3 49 19.41	164 38 34.56	
	i	B. A. C. 1208.		27 Mar. 4	В	18.84	33.52	
Dec. 15	CF CF	3 45 21.37	133 7 40.00	9 10 12	JS G	18.30 18.31 13.00	33.29	
		3 45 21.37	133 7 41.57	20 23 25	B IF	18·82 18·19	37.04	
Jsn. 20	J8	B. A. C. 1215.		31 Apr. 2	JS B	18.95	38.48	
22 23	IF B	6.10	57°16	3 Aug. 21	CF IF	19.18	35°43 35°75	
		3 46 6.30	162 3 56.53	28	CF	18.87	35.32	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
	γ Ну	dri S.P.—cont	inued.	В. А. С. 1249.			
1 '	: G : G	3 49 18·98	164 38 35.43	Dec. 15	CF CF	h m s 3 55 1'42	134 17 32 13
B. A. C. 1233.					:	B. A. C. 1255	
Jan. 23	B	3 51 6.18	143 4 34·91	Dec. 11	JS JS	23.09	147 28 39 92 39 46 147 28 39 69
		3 51 6.14	143 4 35.26			B. A. C. 1271.	
Jan. 20	JS IF	γ ¹ Eridani. 3 51 52.42 52.31	 	Jan. 20 22 23	JS IF B	3 59 10.14	56.67 56.00
June 10	G :	3 51 52.35	103 53			B. A. C. 1278.	
Jan. 5	IF B	λ Tauri 3 53 22 33	77 53 4°22 5°48	Jan. 23 Dec. 11	B JS JS	4 1 31.41 31.42 4 1 31.35	57°15
Nov. 28	JS JS		4.19]	B. A. C. 1284.	
3 53 22.58 77 53 4.68				Dec. 4			97 16 12:97
Dec. 4	CF CF	3 54 17.78	114 23 31.32 114 23 31.32	Dec. 15	CF CF	 4 4 28·19 4 4 28·19	136 12 52.08

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		o¹ Eridani.		В. А. С. 1375.			
Jan. 20 22 31	JS IF CF	h m s 4 5 25 48 25 53 25 48	° '. '' 	Dec. 15	CF CF	h m s 4 20 21.62	136° 56′ 52″10 53° 24 136′ 56′ 52° 67
Mar. 5	JS IF	25.42 25.51 4 5 25.48	 97 II			e Tauri.	
		B. A. C. 1319.		Jan. 7	JS CF	 4 20 54.64	71 6 52-58
Jan. 23 Dec. 11	B JS JS	4 8 44·50 44·53 44·66 4 8 44·56	168 59 4.73 4.65 4.22 168 59 4.53	Feb. 2 3 Aug. 28 Nov. 2	JS G OF JS	 54.67 	55°84 53°52 52°57 52°44
Feb. 5		B. A. C. 1317.	136 27 43 95	Dec. 4 10 27	CF CF	54·64 	52·54 53·47 52·61
	1	В. А. С. 1327.				4 20 54.65	71 6 53.20
Jan. 20	JS IF	4 11 51.40	129 12 34·97 37·05	Oct. 5	Js	4 21 7:70	74 25 27 31
		δ Tauri.			B. A.	C. 1387 (1st S	Star).
Feb. 2 3 Dec. 27	JS G ÇF	4 15 19.41 19.50 19.42	72 46 10.05 9.50 10.05	Jan. 20] JS В. А.	4 21 37 C. 1387 (2nd	147 22 17°32 Star).
		B. A. C. 1359.		Jan. 20	JS IF	4 21 37.87	147 22 14.72
Dec. 11	JS	4 16 10.13	157 0 8.08			4 21 37.87	147 22 14 40

Date.	Observer,	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	1	B. A. C. 1396.		В. А. С. 1467.					
Feb. 5	IF	h m s	137 13 57 87	7 Jan. 21 G h m s 3.36 121° 0'44					
Dec. 11	JS	4 23 13.30	57.45			B. A. C. 1469.	•		
		В. А. С. 1416.		Jan. 24	CF	4 38 54.16	93 29 54.42		
Jan. 24	1	4 27 29 04	97 1 2.57	B. A. C. 1471.					
		· · · · · · · · · · · · · · · · · · ·	3, 3,	Feb. 5	IF	4 38 56.71	117 49 24'07		
	Ī	a Tauri.]	B. A. C. 1480.	•		
Jan. 7	JS CF	4 28 20.93	73 45 29*88 	Jan. 9	IF	4 40 56.67	124 14 46.89		
14 15	CF	20°88 20°96	····			B. A. C. 1489.	1		
17	IF JS	20°94 20°95	'						
31	CF	50.83		Jan. 20	JS IF	4 42 21.93	31.34		
Feb. 4	CF IF	20.88				4 42 21.84	149 58 30.45		
Mar. 2	IF CF	20°95	30.61		1	B. A. C. 1487.			
June 10	G G	20.80	•••	Jan. 31	CF	4 42 36.51	106 33 52.73		
July 6	G	20.86]	B. A. C. 1499.	,		
Sept. 2 Oct. 5	IF J8	20.98	31.00	Jan. 21	G	4 44 30.35	134 12 45.11		
Nov. 2	JS		30.69		<u>''</u> !	B. A. C. 1507.	· · · · · · · · · · · · · · · · · · ·		
Dec. 4	CF CF	20.76	30.10	Jan. 24	CF	4 46 24.67	95 40 31.26		
15	CF		27.95	V WII . 44			<u> </u>		
18 27	OF CF	•••	29.28 28.90]	B. A. C. 1511.			
		4 28 20.92	73 45 29.83	Feb. 5	IF	4 46 39.95	125 7 44 96		

Date,	Observer.	R. A.	N . P. D.	Date.	Observer.	R.A.	N.P.D.	
	I	B. A. C. 1513.		В. А. С. 1587.				
Jan. 9	IF	h m s 4 47 2.77	124 27 40 05	Jan. 16 Feb. 7	Js	h m s	165° 8′ 17″ 98	
	B. A. C. 1529.					4 59 0	165 8 17.81	
Jan. 31 Feb. 11	IF '		95 22 54 94 55 95 95 22 55 45	Rely 11	,	B. A. C. 1569.	139 20 21,31	
Jan 21		B. A. C. 1533.	129 50 31.22	100.11		« Leporis.	139 20 21 31	
		3. A. C. 1548.		22	IF	4 59 52·40 52·48	•••	
Jan. 16 20 22	JS JS IF	4 53 18.85	156 53 10°50 9°63	Mai. 2	11	+ 59 52.45	·	
F eb. 7	JS	18.95				B. A. C. 1579.	· —-	
	1	B. A. C. 1544		Jan. 31	CF	5 0 14.18	94 50 3.13	
Jan. 24	CF	4 53 35.68	100 27 29:52		_	Lalande 9667.		
	1	B. A. C. 1556.		Jan. 15	IF IF	7.18	98 49 48 92	
Feb. 5	IF	4 55 18.41	162 37 31.48			5 1 7 16	98 49 48 07	
	1	B. A. C. 1553.			,	B. A. C. 1588.	,	
Jan. 9 31	IF CF	4 55 42 °03 41 °92 4 55 41 °98	110 14 46°31 43°19	Jan. 9 10	IF CF	5 1 21.26 21.76	95 15 34 °01 34 °89 95 15 34 °45	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N. P.D.	
		B. A. C. 1592.	•	β Orionis—continued.				
Jan. 14 Feb. 19	CF IF	2 0.88 1.00 2 0.88	98 50 18.63	July 7 9 Dec. 28	G G G	5 8 11.42 11.42 11.42	98 21 22.43	
	В. А. С. 1597.					В. А. С. 1640		
Jan. 24	C F	5 2 49.87 B. A. C. 1603.	98 55 31.78	Jan. 20 Feb. 7	Js Js	2 10 49.61 2 10 49.29	142 10 54°21 54°52	
Feb. 5	IF	5 4 15.95	131 23 38.69			B. A. C. 1638		
Jan. 24	CF CF	B. A. C. 1618. 5 7 12.70 12.63	98 18 21°65 18°82	15	CF IF IF	2 11 11.97 11.93 2 11 11.91	19.64	
		5 7 12.67	98 18 20.24			B. A. C. 1652	•	
Jan. 21	G	5 8 11	98 21 32.59	Jan. 7	Js Js	2 12 36.32 26.41 2 13 36.33	142 19 44'77 44'15	
,		β Orionis.		B. A. C. 1653.				
Jan. 10 21 22	CF G IF	5 8 11.60 11.65 11.72	98 21 22'43 	Feb. 4	CF	5 13 29 70 B. A. C. 1660		
Feb. 4 5 21 Mar. 2	CF IF IF	11.26	 	Jan. 10 Feb. 5	CF IF	5 15 1·48 1·46 5 15 1·47	90 30 53.94	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A	N.P.D.	
		B. A. C. 1670.		B. A. C. 1708.				
Feb. 11	IF	h m s 5 16 21	114° 54′ 10″63	Jan. 31	CF	h m s 5 20 55.86	102 0 49"59	
	B. A. C. 1674.					В. А. С. 1713.		
Oct. 5	Oct. 5 JS 5 16 21.67 137 10 54.94				IF	5 22 6.58	116 41 44.39	
-		В. А. С. 1678.				B. A. C. 1724.		
Feb. 19	IF IF	5 17 8·59	90 59 31.95	Feb. 11	IF	5 23 42	127 20 30'44	
		5 17 8.67	90 29 33,13			119 Tauri.		
		B. A. C. 1686.		Feb. 3	G	5 24 28.57	71 30 24.15	
Fe b. 7	JS	5 17 34 91	134 30 10'40	4	CF	28.43	71 30 23.31	
		B. A. C. 1680.				7 -4 -0 30	7- 30 -3 3-	
Jan. 14	CF	5 17 35.46	97 55 53 53			δ Orionis.		
15 17	IF	35°57 35°41	52·76	Jan. 10	1	,		
l '	1	5 17 35.48	97 55 52'93	14	i	15.96		
	<u> </u>	1	1	17	1	15.85		
		B. A. C. 1691.		21	1	15.88	•	
	7	1	· 	22 23	, IF B	15.83	1	
Jan. 16	JS	5 18 16.63		24	1	15.88		
20	JS	16.60	1 -3 *	•	IF	15.82	•••	
22	IF			June 29		15.83		
		2 19 10.00	141 42 15.69	July 6		15.89	•	
					· G	15.84	1	
		116 Tauri.		Dec. 28	G	15.78		
Nov. 2	JS	5 20 10.61	74 14 21'51			5 25 15.86	90 24	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 1732.		e Orionis—continued.				
Feb. 19	IF IF	h m s 5 25 28 62 28 65	110° 57' 46".78 46:91	Jan. 15	IF IF	h m s 31.04	o , , ,,	
2.		5 25 28.64	110 57 46.85	17 21 23	G B	31.12		
	B. A. C. 1738.				CF G	30.99		
Feb. 7	JS JS	5 26 12.21	137 10 41 07	June 29 July 7	G	31.05		
	1	5 26 12.51	137 10 41 43	Dec. 28	G	31,00		
		В. А. С. 1740.	,			5 29 31 04	91 17	
Jan. 20	JS	5 26 31.68	137 10 25:37		ī			
Feb. 7	JS JS	31.81	26·63 26·63	Jan. 7	JS G	5 29 45 39 45 37	68 56 25.05 27.25	
		5 26 31.73	137 10 26.31	Feb. 3	G	45·46 45·31	27°46 25°05	
		a Leporis.		Mar. 2	IF	45.41	25.4	
Jan. 21		5 26 54.56		Oct. 7 Nov. 2	JS	45°37 45°43	26·88 26·63	
June 29 July 6	G	54°52 54°49				5 29 45 39	68 56 26.29	
7 Dec. 28	G	54°46 54°54				B. A. C. 1779.		
		5 26 54.21	107 55	Oct. 5	JS	5 31 7.45	144 59 26.02	
	B. A. C. 1753.					B. A. C. 1781	•	
Feb. 5	I.F	5 28 23.97	125 13 53.81	Feb. 11	IF	5 31 54	125 8 42 47	
	e Orionis.			В. А. С. 1780.				
Jan. 10	CF CF	30.95		Jan. 9	IF	5 32 7.14	92 40 43.08	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 1789.		B. A. C. 1809.				
Jan. 14	CF IF IF	h m s 5 32 56 62 56 68 56 75	93 38 23"96 25.52 24.99	Feb. 5	¹ IF	h m s 5 36 37 13 B. A. C. 1815.	123 28 2 89	
		5 32 56.68	93 38 24.82	Jan. 16	Js	5 36 55.12	<u> </u>	
	Lalande 10705		Oct. 5	JS	55.32	3.83		
Feb. 21	IF	5 33 17.07	92 0 4.86			5 36 55.22	156 38 3.77	
		B. A. C. 1795.			1	B. A. C. 1840.		
Jan. 20	JS	5 33 31.08	151 15 24.49	Jan. 24	CF	5 40 58*52	104 52 22.16	
Feb. 7	JS JS	30.08	27°34 28°00			B. A. C. 1842.		
			151 15 26.61	Feb. 11	IF	5 41 3	129 22 1.67	
		B. A. C. 1794.		B. A. C. 1843.				
Jan. 24 Feb. 19	CF	5 34 5°97 6°01 5 34 5°99	92 0 52·49 52·05	Jan. 10 14 15	CF CF IF	5 41 29'74 29'65 29'88 29'76	99 43 5°35 5°66 7°47 7°53	
	_	a Columbæ.			1	B. A. C. 1858.		
Jan. 21 22 Mar. 2 Apr. 2	G IF IF B	52.04		Feb. 7	JS JS	5 43 20'32 20'31 5 43 20'33	131 38 9.11 10.86	
June 9 Sept. 9	G CF	51·97	••• 45°34			B. A. C. 1860.	·	
Nov. 30	CF	52.13	124 8 43 96		IF IF	5 44 22.70	49.06	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	. R. A.	N.P.D.	
ı	3. A.	U. 1860—conti	nued.	a Orionis.—continued.				
Feb. 21	IF IF		113 0 49'81 49'61	May 5 6 Sept. 9	OF CF	• •••	82° 37′ 11″24 9°82	
	1	В. А. С. 1864.		Nov. 30	•	 5 48 1·54	82 37 11.36	
Jan. 9	IF	5 44 59*59	97 33 20:30		1	B. A. C. 1892.	. <u> </u>	
		B. A. C. 1873.		Feb. 11	IF	5 48 22	128 33 19.09	
Jan. 16 20 22	JS JS IF	44·10		Jan. 24		B. A. C. 1901.	104 11 37 43	
		χ^1 Orionis.		B. A. C. 1906. Jan. 9 IF 5 50 57.32 127 8 26.80				
Mar. 2 Oct. 7	IF IF	5 46 34 03 33 87	69 45 6.36	1		57*45	127 8 26·80 28·21	
Dec. 28	G	34°03 5 46 33°98	5°42			B. A. C. 1919.		
		B. A. C. 1898.			IF IF	5 52 44.46	43.21	
Feb. 13	JS	5 47 43	170 33 51.75		ļ	5 52 44 45	99 23 43.91	
		a Orionis.				B. A. C. 1920		
Jan. 8 23 Feb. 4 26	B CF	1.43			CF	5 52 48·22 48·33 48·37 48·24	6.62 8.03 9.36	
Apr. 2	B	1.29				5 52 48.31	,	

Date.	Observer.	R.A.	N.P.D.	Date.		Observer.	R. A.	N.P.D.	
	В. А. С. 1936.					B. A. C. 1956.			
Jan. 10		h m s 5 55 37 93 B. A. C. 1940.			7	CF IF CF	h m s 5 59 13.04 13.23 5 59 13.04	100 14 9 20 8 46 7 47 100 14 8 38	
Jan. 20 22 Feb. 7	JS IF JS	5 55 55°81 55°81 55°81	141 13 53.06 53.48 53.27	Jan.	7 8	JS G B	ν Orionis. 6 ο 2'13 2'10	75 13 6.63 4.43	
	1	χ ⁴ Orionis.		Feb.	5	CF IF B	2·17 2·16 2·08	 	
Nov. 30 Dec. 1	CF JS	5 56 4.64	69 51 40.45	Dec. 2	-		6 0 2'13 B. A. C. 1959.	75 13 5.53	
Feb. 11	IF	B. A. C. 1941.	123 54 50.48	Feb. 1	- 1	IF IF	9 0 10.82 11.00 9 0 10.80	104 55 31.63 31.21	
	l	B. A. O. 1954.			1		B. A. C. 1961.		
Feb. 13	Js Js	5 58 33.57	148 6 16.08	Jan. 1	10		6 0 41°15 B. A. C. 1972.		
Oct. 5	JS	2 28 33.29	148 6 15.68	Jan. 2	ı	G	6 1 21·68 B. A. C. 1993.	138 26 49.48	
Jan. 31	1	B. A. C. 1955.	106 28 36.52	Feb. 1		IF JS	6 4 41.61	134 20 7°25 6°31	
<u> </u>	<u> </u>			<u> </u>	- 1	J			

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N. P. D.	
		B. A. C. 1994.		B. A. C. 2027.				
Jan. 15	IF IF CF	h m s 6 5 26.32 26.45	96° 31′ 19"51 19•66	Feb. 19	IF IF	h m s 6 10 52.15 52.36	119 44 42.75	
Feb. 26	В	6 5 26.39	96 31 19.47		<u> </u>	B. A. C. 2030.	119 44 43*12	
	1	B. A. C. 2003.		Jan. 24 Feb. 20	CF B	6 11 22.93	100 40 42.27	
Jan. 22 Feb. 7	IF JS	0.11 9 9 0.01		100, 20		6 11 23.03	100 40 42.11	
13 Oct. 5	JS JS	0.32	15.64			B. A. C. 2040.		
	<u> </u>	6 6 0.14	156 1 16.26	Jan. 14	CF IF	6 13 21 35	97 46 11.02 9.80	
	1	B. A. C. 2006.		17	IF	6 13 21.35	97 46 10.82	
Jan. 7 16 20	JS JS JS	6 6 52·17 52·10 52·28	135 15 13.02			B. A. C. 2052.		
		6 6 52.18	135 15 11.49	Jan. 7	JS JS JS	57.01		
Feb. 4	CF	η Geminorum. 6 6 54.63	67 27 28.88	20	ני	6 14 57.00	142 40 48.50	
Nov. 30	IF CF	54·46	26·61 27·80			μ Geminorum.		
Dec. 1	JS	54.52	26.72	Jan. 30	i	6 14 58·50 58·46	 67 25 19·88	
		B. A. C. 2015.	67 27 27.50	5 26	IF B	58.40	16.60	
Jan. 10	CF CF	6 8 25.05	96 14 11.13	Mar. 2 6	IF IF IF		 	
		6 8 25.10	96 14 10.25	Oct. 7	IF	58.36	20.29	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.				
μ	Gem	inorum <i>—conti</i>	nued.	B. A. C. 2087—continued.							
Nov. 30		h m s	67° 25′ 18"30	Jan. 15	IF IF	h m s 6 20 28.52 28.59	94° 16′ 45″00				
Dec. 1		6 14 58.43	16·71 16·46	24	CF	28.52	44°95 44°28				
,		6 14 58.44	67 25 18 09			6 20 28.55	94 16 44.71				
	B. A. C. 2055.				B. A. C. 2088.						
Jan. 22	IF	6 15 33.14	140 18 15.92	Feb. 26	B·	6 20 30.68	90 11 55.16				
Feb. 7		33.55	13.83	Mar. 11	1 F	30.80	57:35				
13	JS 	33,33				6 20 30.74	90 11 56.56				
	6 15 33.53 140 18 15.10					B A C					
		B. A. C. 2061.		B. A. C. 2093.							
Jan. 31	CF	6 16 53 04	107 53 30.41	Jan. 7	1		146 17 55.97				
Feb. 20	В	53*32	32.43	20 Feb. 7	JS JS	,	!				
		6 16 53.18	107 53 31.42	F60. 7	10		146 17 56.64				
		B. A. C. 2068.			1	- Company	1				
Feb. 28	JS	6 17 19.96	134 41 49.53		1	y Geminorum	1				
				Mar. 31	JS	6 21 7.50	69 42 24.08				
		B. A. C. 2079.		Nov. 4	G	7.52	25.59				
Feb. 19	IF	6 19 26.08	126 38 23.19			6 21 7.51	69 42 24.69				
21	IF	26.17	23.09								
Mar. 2	IF	26.54	24.67			B. A. C. 2099.					
		6 19 26.16	126 38 23.65	Feb. 20	В	6 22 3.13	90 29 23.10				
B. A. C. 2087.				B. A. C. 2105 (1st Star).							
Jan. 10 14	CF CF	6 20 28·45 28·69	94 16 46.09	Feb. 17	В	6 22 25:12	96 57 2.32				

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
В.	А. С	C. 2105 (88 one	mass).			B. A. C. 2147.	•	
Jan. 31	CF	h m s 6 22 25 27	96° 57′ 4"68	Mar, 11	IF	h m s 6 27 42.69	121°56′ 3″20	
В.	C. 2105 (2nd	Star).			B. A. C. 2158.	,		
Feb. 14	CF B	6 22 25.50	96 57 5°47 7°58	Feb. 11	IF	6 29 12	126 8 4.44	
		6 22 25.50	96 57 6.53			γ Geminorum.		
		B. A. C. 2122.		Jan. 8	G	6 30 5.27		
Feb. 6	В	6 24 49.83	130 17 12.14	14 17	CF IF	2,13		
		B. A. C. 2136.		30 Feb. 5	B	5.07		
Feb. 19	IF IF	6 26 31 02	125 9 59°33	21 Mar. 4	lF B	-	73 29 26.81	
		6 26 31.03	125 9 59.27	31	JS IF		26.86	
		B. A. C. 2142.		Out. 7 Nov. 4	G	, , ,	27.11	
Jan. 7		33.89	152 3 47 · 88 48 · 42	Dec. 28	JS	5,50	27°14 26°92	
20 .	JS	34.07	47.58			6 30 5.16	73 29 26.94	
		6 26 33.91	152 3 47.96]	Pi azzi VI . 178.		
		B. A. C. 2145.		Feb. 20	В	6 30 35	108 33 9.62	
!	IF JS	36.13	51.13					
		6 26 36.12	159 36 50.36	50·36 Jan. 31 CF 6 30 35·98 108				
	B. A. C. 2141.		Feb. 4	CF B	36·16	11.45		
Mar. 2	IF	6 27 1	126 50 55.29			6 30 36.03	108 33 13.83	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		B. A. C. 2171		a Canis Majoris—continued.					
Mar. 6	IF	h m s 6 30 55.62	109 8 37 05	Feb. 17	В	h m s	106 32 13 74		
		B. A. C. 2174.		19 20 21	B	6 39 19 62 19 67	13.32		
Feb. 14					IF JS	19.42	15'92		
	1	B. A. C. 2193.		Mar. 4	B JS	19.67	14.12		
Jan. 7	JS	6 35 6.25	138 6 10.03	6	IF IF	19.68	13.86		
Feb. 28	JS	6.41	10.52	18 31	IF JS	19°78	12.60		
		6 35 6.33	138 6 10.14	Apr. 6	IF IF	19.40	12·96		
	,	B. A. C. 2195.		May 15	CF		13.73		
Mar. 11	IF	6 35 27.24	128 2 15.52	Oct. 7	CF		14.03		
	а	Canis Majoris	•			6 39 19.69	106 32 14.14		
Jan. 9	IF	6 39 19.74		a	Cani	s Majoris (Refi	exion).		
16 14 15	CF CF IF	19.75	15.92 15.92	Jan. 22	IF		106 32 20.90		
17 20	IF JS	19.47	14.74			B. A. C. 2250.			
22 24	IF CF B	19.80	14,01	Jan. 30	В	6 44 44.24	145 23 37.90		
30 31	CF	19.75	12.18		!				
Feb. 4	CF IF JS	19.28 19.23	13.46 15.14 13.46		1	B. A. C. 2244.			
7 11 13	IF J8		14°47 15°38	Jan. 10	CF CF	6 44 49°27 49°53	57°18		
	CF	19.66	12.34			6 44 49.40	117 10 57.62		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		B. A. C. 2251.		B. A. C. 2269.				
Feb. 6 Mar. 2	B IF	h m 8 6 45 23.91 23.93 6 45 23.92	121 33 13.96 14.30	Feb. 1	9 IF	1 .,	110 14 16.36	
Piazzi VI. 262.						B. A. C. 2272	•	
Feb. 6	В	6 45 27	121 32 59.39	Mar. 1	1 II	6 49 54.06	109 58 11.79	
		В. Л. С. 2258.				B. A. C. 2282		
Mar. 18	IF	6 47 3.16	126 4 14.81	Mar. 2 IF 6 52 1.36 125 10 6.8				
		B. A. C. 2263.		e Canis Majoris.				
Feb. 14 Mar. 6	CF IF	6 47 50·52 6 47 50·52	110 3 43 92 46 41	1	8 G 4 Cl 5 II 7 II	26.23		
		B. A. C. 2264.		2	2 II 4 CI	26.19		
Jan. 31 Feb. 4 26	CF CF B	6 48 3.42 3.41 6 48 3.42	29°94 29°84 101 52 29°64	Feb.	6 B 1 CI 4 CI 5 IF	26.04	 	
B. A. C. 2268.					5 JS 6 IF	26.30		
Jan. 20 22 Feb. 7	JS IF JS	6 48 31.20 31.43	132 20 34 34 35 71 34 83	Oct.	9 G 9 CF 1 JS			
		6 48 31.48	132 20 34 96			6 53 26.52	118 47 37.74	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	& Geminorum.				B. A. C. 2348			
Jan. 8	G	h m s 6 56 16.73	69° 14′ 18″85	Jan. 31 CF 7 3 40 35 94 1 57				
9	IF	16.61	19*99	Feb. 4	CF	40.58	57.84	
Feb. 5	IF	16.69	20'36	1001 4	0.			
6	В	16.21	20.08			7 3 40.32	94 1 57.83	
Dec. 1	JS	16.62	21.63		,	P. A. C. 2242		
2	IF	16.89	21.51			B. A. C. 2353.	·	
29	JS	16.65	18.88	Jan. 20	JS	7 4 3'45	141 45 42.67	
		6 56 16.67	69 14 20.14	22	IF	3.39	44.24	
<u>'</u>				Feb. 7	JS -	3.40	41.82	
	γ	Canis Majoris				7 4 3.41	141 45 42'91	
Jan. 14	CF	6 57 47 18						
15	IF	47 25]	B. A. C. 2358.		
17	IF	47 * 18		Feb. 26	В	7 5 7:44	90 16 33.67	
20	JS	47.05				, , , ,,	7. 2. 33 2,	
22	IF	47.18			•	B. A. C. 2366.		
24	CF	47.20	•••					
31		47 25	, •••	Feb. 14	CF	7 6 33.30	90 2 16.92	
Feb. 4	CF IF	47.12	•••	-				
26	В	47°20	 105 26 22°44]	B. A. C. 2372.		
Mar. 5	JS	47*20		3.5		_		
ман. 5	IF	47 27		Mar. 11	IF	7 6 53.72	128 53 6.16	
11	IF	47 * 25				2.4.0		
		6 57 47 19	105 26 22.44			B. A. C. 2371.		
				Mar. 6	IF	7 6 58.95	120 36 8.23	
		B. A. C. 2328.		B. A. C. 2388.				
Mar. 2	IF	6 59 54.43	133 25 33'70	Jan. 31	CF	7 8 52.41	116 7 35.23	
		B. A. C. 2344.		B. A. C. 2396.				
Mar. 18	IF	7 2 47.87	130 41 16.79	Mar. 5	JS	7 9 19.80	145 56 2.49	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N. P . D.	
		B. A. C. 2394.		B. A. C. 2436.				
Mar. 18	IF	h m s 7 9 3° 94	120°25′43″90	Feb. 19	IF IF	38.99 7 15 38.98 h m s	115 38 43 47 42 43	
		λ Geminorum.					115 38 42.95	
Jan. 8	G IF	7 10 30.42 30.19	73 13 25°71 25°85			B. A. C. 2437		
Feb. 5	IF B	30°37	25.25 24.89	Jan. 31	CF CF	7 15 56.93	95 43 59°49 59°18	
Mar. 4	B JS	30°43	27°74 26°37	14	CF	7 15 56.96	95 43 58 80	
Apr. 1 Nov. 4	IF G	30.46	26.92		В. А.	C. 2445 (18t)	Star).	
		7 10 30.39	73 13 26.09	Feb. 28	JS	7 17 10.48	142 4 8 19	
		B. A. C. 2402.		Mar. 5	JS	10.32	8.51	
Feb. 7	JS JS	7 10 41.24	143 26 24·79 25·04			7 17 10'42		
		7 10 41.60	143 26 24.92		3. A.	C. 2445 (2nd &	Star).	
		8 Geminorum		Feb. 28	JS JS		142 3 59·26 58·07	
Dec. 1	JS IF	7 12 14.29	67 46 38.86			7 17 11	142 3 58.67	
29	JS	7 12 14.29	38·39 67 46 38·91		1	B. A. C. 2446.		
	B. A. C. 2418.				IF	7 17 33 33	121 47 38.58	
Feb. 26	Feb. 26 B 7 13 13.88 114 42 53.70				1	B. A. C. 2449.		
		B. A. C. 2430.		Mar. 18 IF 7 17 57 90 121 40 16 Apr. 15 JS 16				
Mar. 6	IF	7 14 32.81	127 47 49 33			7 17 57.90	121 40 16.28	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
]	B. A. C. 2461.		B. A. C. 2477 (2nd Star).				
Feb. 6	В	h m s	121° 33′ • 3″87	Feb. 6	В	h m s 7 23 47	121° 34′ 35″22	
	6	3 Geminorum]	B. A. C. 2479.		
Mar. 31	JS	7 19 54.10	68 17 13.84	Feb. 19	IF	7 24 31.50	128 32 26 19	
			, , ,	21	IF	31.45	26.68	
Apr. 1	IF	54.02	12.46			7 24 31.48	128 32 26.44	
Nov. 4	G	54.12	16.81			D 4 6		
		7 19 54.08	68 17 14.37			B. A. C. 2490.		
				Jan. 30	В	7 26 47.58	142 22 34.89	
	1	B. A. C. 2470.		Feb. 13	JS	47.49	34.57	
	<u> </u>		<u> </u>	28	JS	47.70	32.90	
Jan. 31	CF	7 21 39.38	101 17 26.37			7 26 47 59	142 22 35.12	
Feb. 4	CF	· 39°27	26.29					
14 17	CF B	39.34	26.46			B. A. C. 2496.		
26	В	39°54 39°35	24°77 25°99		1	 1 .	<u> </u>	
		7 21 39.38	101 17 25.98	Mar. 5	JS	7 27 31.85	144 7 19.66	
					:	B. A. C. 2494.		
	1	B. A. C. 2471.		Mar. 18	IF	7 27 38.68	114 25 43.92	
Mar. 6	IF	7 21 48.06	123 52 35.05			B. A. C. 2497.		
]	B. A. C. 2476.		Mar. 4	В	7 28 43 98	113 11 15.05	
	1	1	<u> </u>	Apr. 2	В	44.15	15.41	
Mar. 11	IF	7 22 58.45	140 45 10.24			7 28 44.07	113 11 15.53	
B. A. C. 2477 (1st Star).						B. A. C. 2498.		
Feb. 5	IF	7 23 46.72	121 34 41'33	Mar. 4	В		113 11 18.68	
6	В	46.87	42.35	Apr. 2	В		18.63	
		7 23 46.80	121 34 41.83			7 28 45	113 11 18.66	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
]	B. A. C. 2508.		В. А. С. 2524.				
Mar. 6	1F	h m s	118° 4′45"01	Jan. 30 B 7 32 23 71 142 14 23				
	B. A. C. 2513.]	B. A. C. 2543.			
Feb. 26	В	7 30 42.93	93 49 2.24	Feb. 6 B 7 34 48 20 128 0 1				
]	B. A. C. 2515.		B. A. C. 2542.				
Mar. 11	IF	7 30 43.09	134 0 24.71	Mar. 4	B IF	 7 34 56·57	99 14 42.86	
	-					7 34 56.57	99 14 42.75	
	1	Canis Minoris		B. A. C. 2546.				
Jan. 9	IF CF	7 32 23.21 23.48		Feb. 6	В	7 35 8	127 57 27 39	
Feb. 4 13	CF JS CF	23°42 23°41 23°41	 		.]	B. A. C. 2552.	<u> </u>	
17 19 20	B IF B	23.67 23.33 23.47	 	Jan. 30 Feb. 28	B JS	7 35 49°32 49°33	142 58 11.73	
21	IF	23.47		Mar. 5	JS.	49.13	14.50	
Mar. 2	IF IF	23.20 23.25				7 35 49'26	142 58 13.51	
Apr. 1	IF	23.61			,	Geminorum.		
6	B	23°54 23°49		Dec. 29	Js	7 36 28.48	65 17 16.81	
17	IF	23.44			<u> </u>			
23	В	23.64				8 Geminorum.		
July 10	G	23°49 23°51		A pr. 2	В	7 37 14.27		
10	G	53,30		Nov. 5	CF		61 37 24.54	
		7 32 23.47	84 26			7 37 14.27	61 37 24 24	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	B. A. C. 2561.					B. A. C. 2599.				
Mar. 25	1 F	h m s	125° 44' 14"76	Mar. 18 IF h m s 7 43 28 91 114 35 1						
A pr. 17	IF	22.09	14.48	,						
		7 38 22.11	125 44 14.77		1	B. A. C. 2601.				
	B. A. O. 2565.					7 43 43 33	106 53 38.61			
Mar. 6	IF	7 39 I*23	114 21 29.55		1	B. A. C. 2623.				
	1	B. A. C. 2568.		Jan. 30	В	7 45 30.36	146 8 (21.67)			
Fels. 5	IF	7 39 2.50	127 53 13'94	Feb. 13	JS	30°20	24.58			
Mar. 11	ıf	2.34	14.86	28	JS	30.37	25.73			
.,,,,,,	••	7 39 2.27	127 53 14.40	Apr. 17	IF	30.41	28.39			
		7 397	/ 33 -4 40			7 45 30.34	146 8 26.13			
	В. А.	C. 2569 (18t S	itar).]	B. A. C. 2619.				
Feb. 17	В	7 39 24	104 22 1.73	Feb. 5	IF	7 45 30.49	102 28 61.56			
1	В. А.	C. 2569 (2nd	Star).	Apr. 2	В	30.48	58.98			
	(17)					7 45 30.49	102 29 0.13			
Feb. 14	CF B	7 39 24 83	104 22 17.58							
		7 39 24.83	104 22 17.87			B. A. C. 2622.				
	<u> </u>	1		Feb. 14	CF	7 45 39.46	103 32 57.46			
		B. A. C. 2575.	:	17	В	39.22	57.69			
Apr. 6	IF	7 39 52.00	127 37 35.09			7 45 39.51	103 32 57.58			
	B. A. C. 2593.					B. A. C. 2626				
Feb. 19	IF	7 42 0.27	129 44 10.19	Jan. 30	В		146 4 40.22			
21	IF	0.50	9.88	Mar. 5	Js	7 46 16.53	39.26			
		7 42 0.58	129 44 10.04			7 46 16.23	146 4 39.89			

Date. OpserAer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.			
В.	A. C. 2627.		В. А. С. 2661.						
Mar. 25 IF	h m s 7 46 30.85	134 14 42 00	Feb. 5	IF JS	h nu s 7 53 0°99 0°94	133 45 22 64			
В	. A. C. 2634.		20	36	7 53 0 97	133 45 22.29			
Mar. 11 IF	7 47 40 74	130 14 12.16]	B. A. C. 4668.				
Apr. 6 IF	7 47 40.75	11.2	Apr. 2	В	7 54 30.57	91 141.60			
					B. A. C. 2671.				
	. A. C. 2637.		Apr. 17	IF	7 54 48.84	128 56 10.38			
Mar. 6 IF	7 48 12.40	126 1 20.98	B. A. O. 2685.						
	ı Cancri.		Mar. 11	IF	7 56 47 64	126 55 6.38			
Dec. 2 IF	7 49 29'74	73 51 34.57	Apr. 6	IF	47.65	6.20			
В	. A. C. 2651.		B. A. C. 2709.						
Feb. 19 IF 21 IF	7 51 6·95 7·08	119 56 1.10	Feb. 13	JS	7 58 26.68	145 5 12.54			
	7 51 7.02	119 56 1.50			B. A. C. 2708.				
В	. A. C. 2652.		Feb. 5	IF	7 58 49.85	109 21 20.09			
Mar. 18 IF	7 51 10.96	112 31 45'22	Mar. 18	IF	7 58 49.87	18.99			
В	B. A. C. 2656.				B. A. C. 2717.				
		146 57 13.81	Feb. 6	В	7 59 57 97	!			
Feb. 13 JS	8·97 7 52 9·07	146 57 14.93	Mar. 27	JS	7 59 58.04	123 13 2.26			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.			
	μ² Caneri.					B. A. C. 2752.				
Jan. 9	IF	h m s 7 59 59'42	68° 2′ 13″26	Feb. 13	Js	8 5 13.41	138° 17′ 47"87			
Mar. 4	В	59.71	10.49	Mar. 27	JS	13.38	48.23			
5	JS	59.44	13.44	31	JS	13.20	47.87			
Dec. 2	ΙF	59.71	15.88			8 5 13.43	138 17 47.99			
		7 🕏 59.57	68 2 13.52		<u> </u>	· · · · · · · · · · · · · · · · · · ·	<u> </u>			
	B. A. C. 2719.	·			B. A. C. 2758.	. 				
	·			Mar. 6	IF	8 6 9.31	126 54 3.79			
Րսb. 6	В	! ! •••	123 11 37 90	11	IF	9.14	4.21			
Mar. 27	Js		34.08	Apr. 6	IF	9°23	4°35			
		8 0 40	123 11 35.99			8 6 9.23	126 54 4.55			
		B. A. C. 2723.			 	B. A. C. 2762.				
Mar. 25	1F	8 1 28 48	110 10 28.22	Feb. 19	IF IF	, , ,	129 13 34.10			
	1	B. A. C. 2725.		21 Mar. 18	IF	38.47	32.97			
Apr. 2	В	8 I 57·65	92 36 2.07			8 6 38.48	129 13 33.40			
]	B. A. C. 2739.				B. A. C. 2772.				
Apr. 17	IF	8 3 26.18	105 51 48.65	Feb. 5	IF	8 7 32 93	126 35 40.94			
		(Caucri.				B. A. C. 2779.				
Jan. 9	IF	8 4 38 26	71 57 21.84	Feb. 28	JS	8 9 11.55	143 45 0.28			
10	CF	38.32	23.07							
Mar. 4	В	38.45	22.73			B. A. C. 2780.				
5	JS	38.38	22.69		,					
		8 4 38.36	71 57 22.58	Mar. 25	IF	8 9 21.75	129 56 45.43			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N .P.D.
	I	B. A. C. 2785.]	B. A. C. 2825.	
	B IF	h m s 8 11 20 02 19 97	105°52′39″68				
		8 11 20.00	105 52 40 92		1	B. A. C. 2827.	
Mar. 6 1	IF	8 15 2 04	137 47 3.59	Feb. 6	B	8 19 21.46 21.27	9.70
	JS IF	2.06 1.87	2.85 2.30]	B. A. C. 2828.	
		Octantis S. P		Feb. 6	В	8 19 24	113 37 6.89
Apr. 28	В	8 15 11.84	178 29			B. A. C. 2843.	
	I	3. A. C. 2808.		Apr. 6	1	8 21 58.07 B. A. C. 2858.	121 14 19'36
	JS JS	8 16 17.00 16.93	35.65 141 31 36.79	Feb. 28 Mar. 18	JS IF JS	3.14	144 34 27.78 29.53 28.36 144 34 28.56
	I	3. A. C. 2811.			ı	η Cancri.	
21]	IF IF IF	15.58	35.36 35.49	Jan. 10 Feb. 6	CF B JS	1	 69 6 44·67 44·68
	1	B. A. C. 2820.		Mar. 6 Apr. 6	IF IF B	4.41 4.41	43°37
Feb. 5	IF	8 18 24 12	127 51 42'10			8 25 4.37	69 6 44.54

Date.	Observer.	R.A.	N,P.D.	Date.		Observer.	R. A.	N.P.D.
	Pi	azzi VIII. 94.		B. A. C. 2933.				
Feb. 19 21 26	IF IF B	h m 8 8 25 27 51 27 54 27 48 8 25 27 51	3 39.74 40.73 39.63	Apr.	6	IF	h m s 8 34 18·98 γ Cancri.	126° 8′ 36″ 13
		Apr. 2	9	В	8 35 39	68 3 30.71		
Apr. 17	IF	8 31 26.03	115 57 25.56				ð Cancri.	
		3. A. C. 2915.			6	B	8 37 10.69	
Feb. 28 Mar. 27	JS JS	55.41 55.63	140 30 44 94 44 97 45 70	Mar.	7 5 6	JS JS IF	10.87	44°50 44°58 43°23
		8 31 55°54 B. A. C. 2916.	140 30 45.20		1 2 5	B CF		44°47 43°59 46°83
Mar. 18	IF	8 32 13·88 8 32 13·88	39°01 115 47 38°07				8 37 10.85 6 Hydræ.	71 21 44.88
]	B. A. C. 2929.		- Feb. 2 Apr.	6	IF IF	8 39 47 ° 06 47 ° 03	
Feb. 20 26	ВВ	8 33 46.39	102 0 (44°02) 37°48	Мау 1	3	IF	47°14 8 39 47°08	83 6
Mar. 4 Apr. 2	ВВ	46·34 46·15 8 33 46·27	38.31			I	B. A. C. 2975.	
		B. A. C. 2932.		Feb. 2		B IF	8 40 8.40	103 3 58.42
Feb. 19	IF	8 34 13.75	119 5 32.78				8 40 8.42	103 3 59'32

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 2987		a Cancri—continued.				
Feb. 26 Mar. 4	ВВ	h m s 8 42 43.65	92° 57′ 15° 47 17° 44 92° 57′ 16° 46	Apr. 1 2 29 Dec. 4	IF B B	 8 51 16.10 12.98 	.77° 37′ 58″11 56° 63 56° 53	
	В. А. С. 3010.				8 51 15.99	77 37 57 38		
Apr. 6	8 44 55.78	117 13 17.08]	3. A. C. 3065.			
		B. A. C. 3011.		Feb. 20	В	8 52 32.12	105 37 49 04	
Feb. 20	В	8 45 5.59	96 41 3.01		1	3. A. C. 3070.		
		B. A. C. 3036.		Apr. 6	IF	8 53 39.60	118 17 41.49	
Feb. 28	JS JS	8 48 14.57	147 8 13.85			B. A. C. 3096.		
Mar. 27	JS JS	14°30 14°43 8 48 14°43	14'19 14'34	Mar. 4 27 31	B JS JS	8 57 22·12 21·96	114 59 0'62 1'49 1'18	
		B. A. C. 3037.		3.		8 57 22.01	114 29 1,10	
Feb. 26	В	8 49 1	97 27 58.66			κ Cancri.		
		B. A. C. 3039.		Apr. 29	B CF	9 0 35.22	78 48 7 91 6 86	
Feb. 26 Mar. 4	В		97 28 2°49	Dec. 4	CF	35'77	6.30	
		8 49 I	97 28 3.06		: !	9 0 35.66	78 48 6.99	
		α Cancri.			·	B. A. C. 3120.		
Jan. 10 Mar. 5	CF JS IF	8 51 15·97 15·96 16·03	77 37 56.41 59°39 57°21	Feb. 4 20 26	B B	9 2 14·67 14·64 9 2 14·61	98 3 23.69 	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	1	B. A. C. 3121.		83 Cancri.				
Mar. 25	ΙF	h m s	115° 19′ 37"98	Jan. 10	CF	h m s	71° 44′ 13"45	
Apr. 1	IF	15.56	36.90	Mar. 6	IF	36.23	•••	
6	IF	15.53	36.14	Apr. 30	CF		10.14	
		9 2 15.24	115 19 37.01	Dec. 4	CF	36.67	11.67	
	B. A. C. 3127.					9 11 36.28	71 44 11.75	
Apr. 17						β Argûs.		
	1	3. A. C. 3137.		Oct. 15	G G	9 11 44 16	159 10 23.85	
Mar. 4	В		96 34 12.30	4	G	44.08	•••	
ма. 4	ו	9 5 54.90	90 34 12 30	5	CF	•••	24.79	
İ				6	IF	44.26	23.94	
		B. A. C. 3156.		13	IF	44.28	23.02	
Apr. 1	IF	9 9 29'04	132 40 53.43	16	CF	44 * 25	24.41	
		7 7 7 04	-32 40 33 43	17 18	G IF	44°12 44°50	24'04	
	1	B. A. C. 3160.				9 11 44 26	159 10 24 01	
Feb. 4	CF	9 10 8.47	95 48 12.58	•		8 Argûs S.P.		
	1	B. A. C. 3161.		Nov. 6	IF		110 10 27:08	
				13	IF		26.10	
Feb. 26	B	9 10 13.37	98 12	24	CF		27.31	
	F	3. A. C. 3167.			:	9 11 44	159 10 26.83	
Mar. 5 JS 9 10 23 11 145 1 24 11 27 JS 22 93 25 24				B. A. C. 3184.				
ĺ		9 10 53,05	145 1 24 68	Apr. 2	В	9 13 24 97	101 25 8.01	
	E	B. A. C. 3165.			F	3. A. C. 3188.		
Арг. 6	IF	9 10 28.08	126 51 48.16	Mar. 4	В	9 14 2.18	98 59 50.94	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	Coctantis.					В. А. О. 3253.			
May 15	B JS	h m s 9 15 18 81	175° 7′ 48″04 49°31	Feb. 4	CF	h m s	90° 36′ 10″61		
	9 15 18.81 175 7 48.68					B. A. C. 3257.			
	B. A. C. 3208.				IF	9 25 30.19	129 53 24.09		
Apr. 1	IF IF	9 17 35°04 34°90	135 29 6:28]	B. A. C. 3262.			
		9 17 34'97	135 29 5'90	Mar. 18	IF JS	9 25 53 55 53 49	121 17 26·24 27·87		
	1	B. A. O. 3210.		Apr. 1	IF	53.64	28.44		
Mar. 31	Js	9 17 48.85	144 57 17.23	·	<u></u>	9 25 53.56	121 17 27.52		
		a Hydræ.	<u> </u>	В. А. С. 3266.					
Mar. 5	JS IF	9 21 5 97		Мау 1	JS	9 26 31.53	161 12 17.41		
20 Apr. 29	CF IF	6.12			1	В. А. С. 3271.			
May 13	IF	6.11		Mar. 20	CF	9 27 57 57	95 19 35.21		
		9 21 6.06	98 5	Apr. 2	B IF	57°52 57°48	35°46 37°92		
]	B. A. C. 3237.		May 5	IF	9 27 57 51	95 19 36·40		
Mar. 4	9 22 26 93	92 11 36.65		1	B. A. C. 3291.				
Apr. 2	9 22 26.96	92 11 35.67	Mar. 27	Js	9 30 35.86	162 29 46.66			
	В. А. С. 3248.				B. A. C. 3293.				
Арг. 6	IF	9 24 3	116 0 45.40	May 13	IF	9 31 23.26	98 49 (44.14)		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	;	B. A. C. 3303.		€ Leonis.				
Apr. 6	İF	9 33 6.93	90 32 41 09	Apr. 3	CF IF	9 38 21.14 h m s	° '. "	
	1	B. A. C. 3311.				9 38 21.12	65 37	
Mar. 20	CF JS	9 33 58·80 58·73	103 44 2.99	May 13	1	B. A. C. 3340.	119 35 46.70	
		o Leonis.]	B. A. C. 3349.		
Feb. 7 Apr. 2	JS B CF	9 34 6.27 6.24 6.27	79 30 30 74 28 80 30 78	Mar. 20 Apr. 6 16	CF 1F B	9 41 39.36 39.24 9 41 39.38	96 38 1.66 4.13 0.40 96 38 2.06	
	1	B. A. C. 3322.		B. A. C. 3369.				
May 1	Js	9 35 57.84	156 15 47.20	Мау г	JS	9 44 19.83	145 47 53 37	
)	B. A. C. 3326.		B. A. C. 3372.				
Apr. 17	IF	9 36 38.73	147 23 3.02	Apr. 17	IF	9 45 7.79	104 13 43.48	
	<u>. </u>	B. A. C. 3334.]	B. A. C. 3378.		
Mar. 27	Js Js	9 37 40	170 20 48 70 48 78 170 20 48 74	Mar. 20 23 May 5	CF B IF	9 45 58·52 58·52 58·44		
	В. А. С. 3332.				B. A. C. 3385.			
May 5	IF	9 38 19.05	117 9 59 47	May 13	IF	9 47 3.36	116 42 56.25	

	_									
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.			
	В. А. С. 3403.					В. А. С. 3444.				
	ar. 23 B 9 50 25 18 120 27 53 2				1	h m s				
Mar. 23	В	9 50 25.18		Mar. 23	В	9 28 41.98	102 25 31 28			
Apr. 16	В	25.11	55.50	Apr. 16	В	41.85	31.39			
		9 50 25.15	120 27 54.22			9 58 41.92	102 25 31.34			
ν Leonis.					<u>' </u>	A Leonis.				
	_									
Jan. 12		9 51 7.13	76 55 36.76	Mar. 6	IF	10 0 53.87	79 21 22.03			
Feb. 7	JS	7.31	32.38	Apr. 30	ļ		_			
Mar. 6	IF	7.27	35.98	May 1]	24 43			
Apr. 2	В	7.11	34.94							
3	C F	7.58	35.33			10 0 53.87	79 21 23.24			
 	9 51 7.55 26 29 32.68					В. А. С. 3461.				
	1	B. A. C. 3417.		Mar. 25	IF	10 0 57.69	136 43 32.34			
Арт. 17	IF	9 53 12.56	125 15 35.95				<u> </u>			
		# Leonis.		a Leonis.						
			· · · · · · · · · · · · · · · · · · ·	Jan. 12	G	10 1 20'40	77 23 19.23			
Jan. 12	G	9 53 14.10	•••	Apr. 6	IF	20.48				
Apr. 6	IF	14.12		May 13	IF					
		9 53 14.14	81 19	28	JS	i	18.21			
	!	<u>!</u>	<u> </u>	July 7	G	20.67				
	1	B. A. C. 3424.		Dec. 4	CF	! '	18.27			
May 1	Js	9 55 2*45	151 41 9.02	200. 4						
5	IF	2.45			1	10 1 20.49	77 23 18.74			
	9 55 2.42 121 41 9.50				(C. G. A. 13804				
	1	B. A. C. 3428.		Apr. 8	JS	10 1 32.29	150 31 48.21			
Mar. 20	ĺ	9 56 9.30	102 39 40.95			B. A. C. 3467.				
May 13	IF	9.16	41.05		Τ		<u> </u>			
		9 56 9.23	102 39 40.99	Mar. 27	JS	10 2 49.58	150 34 10.25			

Date.	Observer.	R, A.	N.P.D.	Date.	Observer.	R. A .	N.P.D.	
	В	B. A. O. 3470.		γ¹ Leonis.				
Feb. 4 Mar. 20 Apr. 17	CF CF IF	34.08	97° 45′ 38″ 35 38° 43 37° 93	Apr. 3 28 30 May 28	CF B CF JS	h m 8 10 12 41'49 41'56 41'45	° 69 29 31°08 	
		3 34'09 3. A. C. 3476.	97 45 38.24			10 12 41·52 B. A. C. 3541.	69 29 31.08	
Mar. 23	i	3. A. C. 3494.	96 40 0.48	Mar. 27 May 1	JS	59°72	154 0 50°83 50°55	
May 13	May 13 IF 10 7 34.94 122 22 51.74 B. A. C. 3497.					3. A. C. 3553.		
Apr. 29	1	10 8 9.01 B. A. C. 3504.	129 41 34.44		I	3. A. C. 3563.		
Apr. 8	JŞ	10 8 37 87	145 55 58.80	Mar. 20	В	8·58 10 19 8·55	41.12	
Feb. 4	CF	3. A. C. 3517.	97 24 37 23		!	3. A. C. 3566.	90 23 41 00	
Mar. 20 Apr. 16 17 May 5	B IF IF	4°26 4°32 4°27	35.83 35.72 38.74 38.64		I	3. A. C. 3570.	95 45 23.76	
		3. A. C. 3521.	97 24 37 23	May 5		3. A. C. 3582.	90 19 4'11	
Mar. 23	В	10 12 4.79	118 19 57.47	Mar. 23	В	10 22 2.29	93 4 3.36	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.			
	B. A. C. 3595.					B. A. C. 3632.				
Apr. 8	Js	h m 8 10 23 5 75	146° 31′ 29"58	Mar. 23	В	h m s	105 39 41 41			
	B. A. C. 3603.					B. A. C. 3637.				
Apr. 1	IF	 	96 57 39.43	May 13	1F	10 31 2.19	102 41 56.66			
Мау 13	IF	10 24 22.58	96 57 40.08			B. A. C. 3646.				
	<u> </u>			Mar. 20	CF B	10 32 9.06 8.98	106 11 28.03			
	ı	ρ Leonis.		Apr. 28	D	10 32 9.02	106 4 30,16			
Jan. 12 Feb. 9	JS		80 0 53.35			B. A. C. 3651.	·			
Mar. 23	B CF	51.20 21.40		Apr. 1	IF JS	10 32 54.91	1			
4 30	JS CF		53.99 52.69	°	Jo	10 32 54 94	146 34 12.92			
Мау 1	JS		54°35]	B. A. C. 3656.				
				Mar. 27	Js	10 33 45 77	154 21 20'52			
		B. A. C. 3611.]	B. A. C. 3663.				
Mar. 20 Apr. 29	CF IF	16.02	36.41	May 5	IF	10 34 41.18	91 2 55.24			
·		10 26 15.99	106 16 36.23		·	B. A. C. 3674.				
	B. A. C. 3627.		Mar. 23		10 36 32.68	112 51 30.48				
Apr. 17		10 28 41 02	112 29 46.44			В. А. С. 3677.				
May 5	IF	10 28 40.85	112 29 46.53	Apr. 17	IF	10 36 36.14	122 1 34'10			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		η Argûs.		B. A. C. 3722.				
Apr. 29	IF	h m s	148° 59′ 27″64	Apr. 17	IF	h m s	107° 37′ 59"29	
30 May 2	CF G	26.68	25.64 25.09			B. A. C. 3731		
4 5	JS IF	 56·73	25.64 26.99	3.5	,			
28	JS	56.62	26.68	Mar. 27	18	10 46 29 94	144 26 16.74	
June 8 9	B IF	56·81	28°34 26°47			B. A. C. 3732		
11	JS	56.80	26.52	Mar. 9	В	10 47 0'47	91 25 40 07	
		10 39 56.79	146 59 20 50	Apr. 23	В	0.24	40.54	
		B. A. C. 3697.				10 47 0.2	91 25 40.16	
Apr. 23		10 40 24 10	106 36 2.15		1	B. A. C. 3740.		
May 13	1F	24.51	5'33		1	1	1	
		10 40 24 16	106 36 3.74	Apr. 1 8	JS	10 48 8.29	148 9 8·87 8·76	
	1	В. А. С. 3703.		30	CF		7.73	
Apr. 1	IF	10 41 12.98	149 54 27.56		1	10 48 8.30	148 9 8.45	
		l Leonis.				B. A. C. 3746.		
Jan. 12	G	10 42 19 07		May 5	IF	10 48 11.18	165 10 54.59	
Feb. 9	JS		78 45 24.60					
Mar. 9	B CF	18.92				B. A. C. 3745		
Apr. 3	CF	19.02				10 48 31.51	1	
4	JS		26.03	27	IF	31,32	6.30	
		10 42 19'04	78 45 24.36		Ĺ.,	10 48 31.28	128 3 6.42	
	<u> </u>	B. A. C. 3718.				В. А. С. 3766	j .	
Mar. 23	В	10 43 41	98 11 52.44	Mar. 23	В	10 53 20.78	107 35 46.56	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		c Leonis.		χ Leonis—continued.				
Mar. 8 May 28	G JS	h m s 10 53 54.30 54.23	83 11 22 47	May 1 2 27 28	JS G IF JS	h m s	81° 57′ 1″72 2°20 3°47	
-	B. A. C. 3771.					10 58 12.47	81 57 2.28	
Apr. 30	CF	10 53 55.70	150 36 46.90			B. A. C. 3805.		
		B. A. C. 3775.		Apr. 30	CF	11 1 8.14	151 42 39:96	
Mar. 9	В	5.68	91 46 26.90			B. A. C. 3807.		
		10 55 5.62	91 46 26.57	Mar. 9 Apr. 29	B	32.42	91 11 16.82	
		B. A. C. 3783.				11 1 32.45	91 11 18.08	
Apr. 1	IF	ro 56 58.89	121 14 59:32			B. A. C. 3816.		
		B. A. C. 3786.		Apr. 23	В	11 2 29.35	90 37 4.87	
May 5	IF IF	10 57 34.26	90 34 1.52		:	B. A. C. 3826.		
		10 57 34.54	90 34 1.58	Mar. 23	B IF	10.05	112 6 20'11	
		χ Leonis.		May 27	IF	10.15	18.26	
Jan. 12 Mar. 8	G G	10 58 12.48	81 57 4.05]	B. A. C. 3828.	112 6 19.16	
9 20 23	B CF B	12.47	 	-	IF IF	31.81	23.81	
Apr. 3	CF	12.26				11 5 31 85	116 5 23.95	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
]	B. A. C. 3835.		8 Hydræ—continued.				
Apr. 30	CF	h m s	149 35 59 53	June 2	B IF	h m s 11 12 44.63 44.59	·	
		8 Leonis.		3 8 15	B IF	44 · 54 44 · 59 11 12 44 · 59		
Jan. 12 Mar. 8	G G	2.11	•••]	B. A. C. 3860.		
20 Apr. 3	CF CF	5°04	 	Apr. 30	i -		153 51 42.78	
		11 7 5.07	68 45	Мау 5	IF	45.75	43.36	
	Ç	C. G. A. 15414		. σ Leouis.				
Apr. 29	IF	11 9 27.88	92 45 10.44	Jan. 12	G	11 14 19.75	83 14 51.09	
		B. A. C. 3848.	,	May 1	JS G	19.76	50.66	
Mar. 9	ВВ	57.14	92 55 47 16		1	B. A. C. 3874.	83 14 50.94	
		11 9 57.05	92 55 47.65	Mar. 23		11 16 49.26		
		B. A. C. 3855.		Ма у 13	IF	49.13	108 3 16.44	
May 27	IF	11 11 32.31	94 20 26.93			Lalande 21695	•	
		8 Hydræ.		Apr. 29	IF	11 16 55.44	106 53 47 47	
Jan. 12	- G	11 12 44 51				B. A.·C. 3881		
M ar. 8	G B	44.52	•••	Mar. 9 June 3	B	56.41		
Apr. 3	CF	44.60	•••		İ	11 17 56.67		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
	1	B. A. C. 3883.		B. A. C. 3925.			
May 15 27 June 2 8	B IF B B	h m s 11 18 17 44 17 27 17 51 17 733	106 57 32 26 32 53 32 92 30 67 106 57 32 10	Mar. 9 May 27 June 2	B IF B	5.08 5.08 5.08 5.06	97° 5′ 54" 92 56·78 54·73 54·97 97 5 55:35
June 9	ī	B. A. C. 3890.	125 20 19.60	May 15	I	B. A. C. 3926.	120 21 29 12
	1	B. A. C. 3899.	ı	June 9	IF	22.24	30,41
Mar. 27 Apr. 30 May 1	JS CF JS	39.76 39.89	20.02		1	B. A. C. 3943.	
4	JS	39.82	19.81	Jan. 31 Mar. 23 Apr. 2	CF B B	59°25 59°41	19.98
		B. A. C. 3903.		·		11 29 59,31	99 4 19.58
May 5	IF	11 21 18.21	90 10 15.05			υ Leonis.	
Mar. 23		B. A. C. 3916.	92 16 28 90	Mar. 9 May 7	B	11 30 11.44	90 5 41.09
Apr. 2	B B	34°18 34°25 11 23 34°20	20.02 31.10 32.30 31.10	June 2 3 8 9	B IF B IF IF	11.42 11.43 11.46 11.46	
	В. А. С. 3920.				ı.F	11 30 11.45	90 5 41.09
May 13 June 3	IF IF	11 25 13.89	95 44 21.29 95 44 21.57	May 5	 IF	B. A. C. 3955.	91 42 20*04

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. ≜.	N.P.D.	
	:	B. A. C. 3958.		y Virginis—continued.				
Mar. 27	1	h m s	151° 5′ 45"29	Apr. 4	JS	h m s	82° 43′ 50″ 48	
May 1	JS JS	58.16	44.31	Dec. 7	JS	11 39 4.20	82 43 51.14	
		11 31 28.11	151 5 44.80			B. A. C. 3984.		
May 13	 I	B. A. C. 3969.	121 45 58'00	June 9	IF	11 39 23.23	155 59 48.67	
15 27	B IF	8·84 8·68	57.98		<u>'</u>	B. A. C. 3988.		
		11 35 8.69	121 45 57.84	May 5	IF	11 40 13.65	129 46 54.30	
		B. A. C. 3975.		β Virginis.				
Jan. 31 Mar. 9	OF B	10.91	95 56 31·46	Jan. 14		11 43 49.22	87 29 27.81	
Apr. 23	B OF	10.43	33°43 32°72	Feb. 9 Mar. 8	G G	49.22	29·15	
May 7	OF	10.81	33.26	9 Apr. 4	JS	49.18	29·48	
	<u> </u>		95 50 32 90	May 2	G	49.29	87 29 28.60	
Mår. 23		B. A. C. 3978.	107 36 58.10		<u> </u>	B. A. C. 4003.		
Apr. 2	В	4.21	58.17	- May 13	1	11 43 57.05	116 32 38.17	
June 2 3 8	B IF B	4 · 54 4 · 57 4 · 34	59°57 59°96 60°24	27 June 3	IF IF	57·17	37°95 38°48	
		11 38 4.46	107 36 59.21			11 43 57.17	116 32 38.20	
	y Virginis.					B. A. C. 4006.		
Feb. 9	JS	11 39 4.23	82 43 51.06	Jan. 31	CF	11 44 17'42	94 35 56.02	

Date.	Observer.	R. A.	N. P. D.	Date.	Observer.	R.A.	N.P.D.		
E	3. A.	C. 4006—cont	inued.	B. A. C. 4037.					
Apr. 2	ВВ	h m s	94° 35′ 55"89 55°67	June 3	IF	h m s	122 34 49 31		
30 June 2	CF B	17.21	55*29		7	B. A. C. 4042.			
June 2	В	17.41	55°79 56°04	Apr. 28	В	11 52 10.77	115 10 22.71		
	}	11 44 17.40	94 35 55.78	May 13	IF	10.20	23.04		
	<u> </u>		•	27	IF	10.4	23.22		
	,	B. A. C. 4011.			<u> </u>	11 32 10 07	115 10 23 10		
Mar. 27	JS	11 45 24.72	154 28 16.12		:	B. A. C. 4048.			
Apr. 8	JS	24.97	15.89	Jan. 23	В	11 53 6.20	167 29 11.65		
<u> </u>		11 45 24.85	154 28 16.01	Apr. 8	JS	6*45	10.33		
		B. A. C. 4020.				11 53 6.48	167 29 10.99		
May 7	CF	11 47 7.30	93 2 26.56	C. Z. XI. 3666.					
June 9	IF	7.17	93 2 25.73	Jan. 23	В	11 53 16	167 27 40.03		
			1			B. A. C. 4051.			
		B. A. C. 4024.		Jan. 23	В		167 27 27 93		
Apr. 29	IF	11 47 59.56	114 58 55.35	Apr. 8	JS	11 53 32.68	26.39		
May 15	В	59.40	54.39	May 4	JS	32.40	26.68		
		11 47 59.63	114 58 54.87		 	11 53 32.24	167 27 27 00		
B. A. C. 4025.						π Virginis.			
May 5	IF	11 48 5.32	90 42 19 62	19.62 Dec. 7 JS 11 54 6.37 82 38					
	B. A. C. 4035.				B. A. C. 4053.				
Apr. 30	CF	11 49 17:37	106 24 54.73	May 7	C F	11 54 6.20	108 55 25.97		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R . A.	N.P.D.			
В	B. A. C. 4053—continued.					В. А. С. 4090.				
June 2	В	h m s	108° 55′ 26"63	63 Apr. 28 B 12 1 36 59 113 59 3						
3	IF	6.43	27.26	June 2	В	36.39	31.26			
8	В	6.58	25.85	8	В	36.64	32.04			
		11 54 6.38	108 55 26.43			12 1 36.24	113 59 31.48			
]	B. A. C. 4054.				Lacaille 5041.				
Jan. 31		11 54 16.53	91 1 48.34	Apr. 29	IF	12 2 45.20	141 24 31 11			
Mar. 9 Apr. 2	В	16.32	48°34 46°25			« Corvi.	· · · · · · · · · · · · · · · · · · ·			
30	CF	16.42	47.60			1	 -			
	'	11 54 16.38	91 1 47 . 63	Jan. 14	CF	, ,				
		J. J		23	B	20.58				
	F	B. A. C. 4063.		24 31	CF	20.40				
Apr. 23	В	11 56 50.48	94 44 36.35	Mar. 8	G	20.50				
29	IF	50°34	38.62	Apr. 30	CF	•••	111 53 4.24			
May 15	В	50.2	36.86	May 7	CF	20.44	•			
		11 56 50.45	94 44 37 28	13	IF	20.30	•••			
		1		June 15	IF	20.38				
		B. A. C. 4077.				12 3 20.35	111 53 4.74			
Apr. 30	1	11 59 14.42]	B. A. C. 4101.				
May 27 June 3	IF	14.32	44.89	Mar. 9	В	12 4 16.19	112 51 59.24			
9	IF	14.33	44 69		<u> </u>]				
		11 59 14.36	92 23 43.89			B. A. C. 4103.				
		B. A. C. 4080.		Apr. 8	JS	12 4 46.03	141 38 1.02			
Арг. 2		12 0 29.23	96 1 50.54		В.	A. C. 4113.				
23	В	29.35	50.58	June 3	IF	12 6 33.61	128 11 39.98			
May 13	IF	29.22	52.01	9	IF	33.28	40.01			
		12 0 29.27	96 1 50.94				128 11 40 00			

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
]	B. A. C. 4119.		η Virginis—continued.				
Feb. 26 May 7		h m s 12 7 29.85 29.91	94° 59′ 8′.87 10.86	Mar. 8 II Apr. 6 May 7	G IF IF CF	h m 8 12 13 9 22 9 16 9 29 9 15	89° 55′ 57′ 89 57°02 58° 88	
	B. A. C. 4124.		22 27	CF IF	9°33	56.61		
Feb. 17 Apr. 2	B B B	1.13 1.13 1.19	106 48 30°21 29°23 29°27	June 15	IF	9.53	89 55 57 52	
May 15	i	1.52	30.63	Apr. 29		B. A. C. 4149.	111 26 29.54	
]	B. A. C. 4134.			1		1	
June 2 8	В		93 13 15.37	May 15		B. A. C. 4157.	102 49 58.40	
]	B. A. C. 4135.			1	B. A. C. 4158.		
June 2 8 9	B B IF	12 11 23.46 23.30		May 14	<u> </u>	12 14 15 23 B. A. C. 4198.	149 40 16*57	
June :	1	B. A. C. 4136.	98 10 6.21	June 3		12 20 58.38	2,01	
, and 5	**	η Virginis.	90 10 0 21]	B. A. C. 4200.	,	
Jan. 14	('F	12 13 9.27	89 55 57.19	May 22	CF	12 21 5.59	93 53 1.40	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	1	B. A. C. 4211.		В. А. С. 4247.				
Apr. 23	В	h m s	105° 46′ 47″ 04	May 27	' IF	h m s	95° 6′ 13"66	
May 27	IF	2.35	48.40					
	12 23 2.32	105 46 47.87			B. A. C. 4252.			
	B. A. C. 4220.					12 30 43°73 43°70	145 12 13.64	
Jan. 31	CF.	12 24 3.98	93 19 50.50	14	JS	43.41	12.22	
	1	l	<u> </u>			12 30 43.71	145 12 13.19	
		B. A. C. 4221.				Lacaille 5235.		
Jan. 30	В	12 24 18.81	148 41 36.64	June 29	В	12 31 40.51	179 4 23.58	
	1	B. A. C. 4225.		July 6	В	40.31	24.39	
	,	1		7 8	JS	41.83	•••	
Feb. 26	В	12 24 51.63	94 19 25.68	8	18	43.66	•••	
						12 31 41.58	179 4 23.99	
		β Corvi.		Lacaille 5235 S.P.				
Jan. 23	В	12 27 27 38	•••		1		;	
24	CF	27.30		June 28	1	12 31 44 48	179 4 (30.88)	
Feb. 21	IF	27.34	•••	29	B	44.36	27.82	
Apr. 2	В	27.32		July 7	G	42.79		
May 7	CF	27.49	112 39 57.46			12 31 43.88	179 4 27.82	
	В	27.54	•••					
	IF	27 * 45]	B. A. C. 4257.		
8	B IF	27.43	••	Jan 21	CR	12 32 26.24	07.16	
		27.41						
July 7	G	27.41		Feb. 26	В	26.51	3.43	
		12 27 27 41	112 39 57.46			12 32 26.23	97 16 4.60	
B. A. C. 4237.]	B. A. C. 4266.		
June 15	IF	12 27 37 45	90 40 46.52	June 15	IF	12 34 40 12	144 2 10.84	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	γ \	7irginis (1st St	ar).	B. A. C. 4279.					
Mar. 10	Js	h m s	90° 43′ 27″ 34	34 May 4 JS 12 37 53.65 150 15 2					
	$oldsymbol{\gamma}$ Virginis (as one mass).					B. A. C. 4294.			
Jan. 23	B	12 34 58·40 58·30		Feb. 20 B 44'33 4					
Feb. 17 20	B	58·46 58·47				12 40 44 35	95 34 41 54		
M :r. 9 Apr. 6	B	58.36	90 43 28 72			B. A. C. 4297.			
May 15	В	58.42		Feb. 17			116 52 24.33		
June 3 8 9	B IF	58·34 58·39 58·39	 90 43 27.87	June 2 3 8 9	B IF B IF	24°27 24°36 24°46	24.81 27.33 24.41 26.39		
		B. A. C. 4269.				B. A. C. 4306.	116 52 25.45		
Apr. 29	IF	12 35 8.31	96 46 26.20	May 22 June 15	CF	12 43 17 06	96 54 43.86		
		B. A. C. 4272.		Jane 15	IF.	17'01	96 54 44 12		
May 1	Js	12 35 17.77	138 5 14.23			B. A. C. 4312.			
Jan. 30	1	B. A. C. 4273.	145 13 17.61	Mar. 9 B 12 44 30.87 99 37 7 10 JS 31.04 7 May 7 CF 30.99 9					
	B. A. C. 4278.					B. A. C. 4317.			
May 27	IF	12 36 58.64	117 35 56.11	May 27	İF	12 45 39 35	138 13 28.53		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 4323.		B. A. C. 4354.				
Feb. 20	В	h m s	92°50′ 6"36	May 1	JS JS	h m s 12 53 19.84 19.84	158° 30′ 59″72 59°11	
	B. A. C. 4330.					19.87	l i	
Jan. 31 June 3	CF IF	29.42	98 49 13.82		ī ——	B. A. C. 4358.		
		B. A. C. 4333.	98 49 15.43	Mar. 9 May 22	CF	12 53 48·23 48·19 12 53 48·26	25.41	
Jan. 30	В	12 48 11.58	146 7 8.59			B. A. C. 4372.		
		В. А. С. 4343.	1	Feb. 17	B JS	12 57 6·20 6·14		
Apr. 29	IF B	24.22	115 44 37·69 35·82			12 57 6.17	149 43 50.92	
9	IF	1	39.02			B. A. C. 4373.		
		B. A. C. 4352.	1 - 3 44 3/ 3-	June 2 8 9	B B IF	6.42 6.30 6.44	92 57 9°18 8°08	
Jan. 31	ì	12 52 51.76	93 5 54.93			12 57 6.39	92 57 8.63	
Feb. 26 May 7	CF		26.53	 June 3	1	B. A. C. 4382.		
	-	ļ	93 5 54 82	15	IF	29.16	31.69	
May 27	IF	B. A. C. 4355.				B. A. C. 4381.	·	
June 3	IF IF	19.46	23.12	May 1	JS JS	12 59 37 79	154 35 55·63 57·53	
		12 53 19.43	122 47 23.58			12 59 37 76	154 35 56.58	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		В. А. С. 4391.		B. A. C. 4428 (1st Star).			
Feb. 26	В	h m s	100° 2′ 0″81	Feb. 20	В		108° 7′ 29″06
	B. A. C. 4396.		June 15	IF	23.42		
May 27	13 2 42.22	105 48 37.53	В.	A . 0	C. 4428 (as one	mass).	
		B. A. C. 4397.		June 3	IF	13 6 23.60	108 7 27.71
June 2	В	13 2 50.95 50.76	99 37 25 39 27 69	1	3. A.	C. 4428 (2nd	Star).
9	IF	50.81	99 37 26.75	Feb. 20	В	13 6 24	108 7 24.02
	<u> </u>	θ Virginis.				B. A. C. 4430.	
Jan. 30 31 Feb. 12 Mar. 9 10 Apr. 29 May 4	B CF G B JS IF JS CF	7.10 	 94 49 59°31 59°45 61°01 60°25 60°80	June 2 8 9 June 2 8	l	13 7 7 43 7 41 7 23 13 7 7 36 B. A. C. 4435.	109 14 10.68 9.43 9.56 109 14 9.89
June 28	G	13 3 7.10	58°54 60°52 94 49 59°98	,		13 8 50·81 B. A. C. 4437.	109 14 23.82
		B. A. C. 4412.		Apr. 29	IF	13 9 34	120 48 22:39
Feb. 17	Js	4.47	149 13 0.55 29.15	May 27		B. A. C. 4441.	104 50 55*47

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
]	3. A. C. 4442.		a Virginis—continued.				
Feb. 26	В	h m 8	99° 50′ 56"52	Feb. 12	1 .	h m s 13 18 14'50 14'51		
	B. A. C. 4459.					. •	100 28 17:18	
June 3	1F	13 13 24 17	100 36 36.07		JS	14.42	16.41	
	1	B. A. C. 4461.			CF IF	14.49	_	
ľ	i	13 14 5°36 5°45	150 16 42.71	June 2 3 8	B B	14.55		
	I		150 16 42.95	9 28	,			
]	B. A. C. 4463.		July 14 15	B	14.48		
Feb. 17 Mar. 10	1	7.49		Nov. 19	CF		100 28 15.68	
16 May 1		' 				B. A. C. 4491.		
14	JS	7'79	41.30	Мау 14	_{JS}	13 19 49.66	148 50 39.77	
	· 1	B. A. C. 4466.				B. A. C. 4494.	1	
June 15	İF	13 14 24.27	108 47 46.13	June 15	IF	13 20 24 95	105 17 16.89	
]	B. A. C. 4471.		Tuna	7	B. A. C. 4505.		
June 2	В	13 15 9.81	101 23 11.98		, B		109 37 43.18 41.52 44.65	
		a Virginis.					109 37 43'12	
Jan. 14 30	CF B	13 18 14·58				B. A. C. 4515.		
31	CF			June 3	IF	13 24 59 37	91 38 48 02	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. ≜ .	N.P.D.			
		P Virginis.		B. A. C. 4554.						
Apr. 6	1F	h m s	95° 34′ 23"08	June 15	IF	h m s	101°25′ 6″82			
	B. A. C. 4518.					B. A. C. 4560.				
Apr. 29	IF	13 25 20,20	129 17 29.75	Apr. 29	IF	13 33 58.10	102 6 44.29			
		B. A. C. 4523.				m Virginis.				
May 7 June 15		13 26 9.45	91 44 37 98 39 56 91 44 38 77	Mar. 10 11 Apr. 28 May 22	JS IF B CF	13 34 41 24 41 21 41 30	98 2 8·44 7·57 7·85 4·17			
		(Virginis.		June 2 8	B	13 34 41.52	5°7+ 7°04 98 2 6°80			
Feb. 12 26 Mar. 11	G B IF	58.18				B. A. C. 4571.				
May 22	CF	58.50	12.19	June 9	IF	13 36 39.92	93 36 27.71			
June 2 3 8	B IF B	58.06 58.11				B. A. C. 4569.				
9 July 15	IF B	58.07		July 6 15	ВВ	9.52	151 47 12.19			
		13 27 58.16	89 55 11.34			13 37 9.57	151 47 13.26			
		B. A. C. 4533.				B. A. C. 4574.				
Mar. 10	Js	13 28 16.81	151 0 42.27	June 3	İF	13 37 22.70	105 30 53.06			
May 1	JS JS	17:04	40.20		1	B. A. C. 4585.				
	l	13 28 16.92	151 0 41.51	June 15	1 I F	13 38 54.41	101 45 50.50			

Date.	Observer.	R. A.	N. P. D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 4588.		B. A. C. 4629.				
Mar. 16	JS	h m s	150° 5′ 30″73	Apr. 28	В	h m s 13 45 37°22	121° 16′ 24″ 65	
]	B. A. C. 4591.		B. A. C. 4631.				
May 22	CF	13 40 15	99 2 47.29	June 15	l F	13 45 50.29	125 0 39.55	
	B. A. C. 4593.				I	3. A. C. 4636.		
Apr. 29 May = 7	IF CF	31.80	96 2 39·28	May 27	IF	13 46 48.66	117 54 57.16	
		13 40 31.75	96 2 39 79		,) A C .6.		
	B. A. C. 4602.					3. A. C. 4645.	90 51 7.29	
Mar. 10	js	13 41 40 64	131 48 51'47	may 22	02	-3 4/ 33 34	90 31 7 39	
		B. A. C. 4608.				η Boötis.		
June 2	ВВВ	13 42 42'11	107 28 29.81 29.72	Mar. 11	IF	13 48 24.01	70 56	
9	IF	42.08	31.42		ì	3. A. C. 4654.		
]	B. A. C. 4619.	, 20 30 32	Mar. 10 16 May 14	JS JS	13 50 32·33 32·37 32·38	134 9 25°77 25°61 24°97	
July 14	IF	13 43 37.05	96 56 26.25	, -4		13 50 32.36	134 9 25 45	
		B. A. C. 4625.			I	3. A. C. 4658.		
July 15	July 15 B 13 45 10 04 142 43 10 70 C. G. A. 18854.				IF IF	22.29 23 51 22.34	101 24 32·59 32·59	
Apr. 28			121 16 43.27	July 14	IF	22.63	32.86	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 4660.		94 Virginis.				
June 24	В	h m s 13 52 33	166° 9′24"72	M ar. 10	JS IF	18.21 13 20 18.20 p m s	98°15′37″07	
	B. A. C. 4665.				13 20 18.22	98 15 36.51		
Apr. 29 May 7	IF CF	13 52 59.01	92 54 18·12 16·61	July 15		B. A. C. 4695.	142 48 27 83	
	l	ß Centauri.				B. A. C. 4700		
Apr. 22	IF	13 54 31.93	149 44	May 26	CF	14 3 38.19	105 40 36.12	
		τ Virginis.		B. A. C. 4702.				
Feb. 12 Mar. 11 May 26 27	G IF CF IF	55°70 55°69 55°79	 87 48 55°03	Apr. 28	B IF	14 4 3°31 3°17	35°57	
		13 54 55.75	87 48 55.03			B. A. C. 4708.		
		B. A. C. 4680.		Apr. 29	IF	14 5 12.68	116 38 19.15	
May 22 June 3	CF IF IF	13 57 22°11 22°20 22°16	98 37 18·50 19·46		1	B. A. C. 4710.		
		13 57 22'16	98 37 19.05	May 22 June 15	CF IF	31.20	99 16 37.91	
]	B. A. C. 4682.				14 5 31.22	99 16 39.23	
June 15	IF	13 58 2.70	105 42 6.92	°92 K Virginis.				
В. А. С. 4683.				Feb. 12 Apr. 7	G CF	14 5 51°38	99 39 28.96	
July 14	IF	13 58 5.11	104 13 15.09	Apr. 7	JS	21.55	28.80	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	n V	irginis—contin	ued.	B. A. C. 4735.				
June 1 2 28 29 July 25 26	CF B G B IF	h m s 14 5 51.42 51.43 51.65 51.56	99° 39° 26° 91 26° 23 26° 89 27° 73 27° 11 27° 34	May 14 JS 7.60 3: 14 11 7.62 145 46 3: B. A. C. 4739.				
	,	B. A. C. 4717.		June 3	IF IF	14 11 20°54 20°34 14 11 20°44	108 6 11.15	
June 9	IF	14 5 56.25	92 41		· · ·	B. A. C. 4740.		
	B. A. C. 4720.				IF	14 11 31.81	115 13 3'42	
July 14	IF	14 7 29 05	95 19 56.04			λ Virginis.		
		، Virginis.		Apr. 7	CF JS	14 11 58 :2 9	102 45 42.65	
Feb. 12 May 26	G CF	14 9 5°74 5°80 14 9 5°77	95 22 9°42 7°55 95 22 8°49	June 1 2 28 29	CF B G B	 58°37 58°25 58°37	41°07 42°76 42°76 40°31	
		a Boötis.		July 25 26	IF IF	58.52	43.08	
Mar. 11 Apr. 29 June 8	IF IF B IF	14 9 38·48 38·55 38·54 38·53	 	May 22	1	B. A. C. 4748.	91 39 11 90	
July 15 20 Nov. 19	B JS CF	38·50 38·43	 	B. A. C. 4750.				
		14 9 38.51	70 8	Apr. 28	В	14 12 57.20	96 8 10.22	

Date.	Observer.	R.A.	N.P.	D.	Date.	Observer.	R.A.	N.P.D.
		B. A. C. 4762.			B. A. C. 4786.			
May 26	CF	h m s	91°22′ 5	57.41	May 22	CF CF	h m s 14 20 28.76 28.85	95°31′23″13
В.	A. C	C. 4764 (as one	mass).				14 20 28.81	95 31 22.00
July 14	July 14 IF 14 15 39 68 97 9 37 83						B. A. C. 4794.	
B. A. C. 4761.					June 2	В	14 21 29.08	99 24 37 15
June 24	1	14 15 46		50.89]	В. А. С. 4799.	
- June 24		14 15 40	100 / 5	50 09	June 3	IF	14 23 7 99	93 39 24.59
		B. A. C. 4765.			July 14	IF	8.07	24.16
	1	ł	<u> </u>				14 23 8.03	93 39 24.38
June 3	IF	14 16 19'62	101 6	33.99	B. A. C. 4802.			
		B. A. C. 4774.			Apr. 7	CF B	14 23 38·47 38·32	93 28 (27.07)
June 15	IF	14 17 56.72	131 43	6.50	June 15	IF	38.51	33°33 33°97
					14 23 38.33 93 28 33.			
		B. A. C. 4777.]	B. A. C. 4807.	
Apr. 7	CF B	14 18 8·81 8·76	102 45 1	16°52 14°50	Apr. 29	IF	14 25 46.69	131 30 57.57
May 27	IF	8.45	1	5°74		·	z Octantis.	
		14 18 8.76	102 45 1	15.20				
						G		177 36 4.57
]	B. A. C. 4779.			20 21	JS G	14 26 34·61 36·17	4°08 3°84
		1			22	ıF	38.57	3.73
Mar. 10	1	14 18 42.45	135 32	4*47	23	G	36.02	5.02
. 16	JS	42.33		3.39	26	IF	37.41	3.40
May 14	JS	42.43		3.34	28	G	37.46	
		14 18 42 40	135 32	3.73	,		14 26 36.71 Digitized	177 36 4.11

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	z Octantis S.P.					a¹ Centauri—continued.				
July 20 21 22 23 26 27 28	JS G IF G IF G CF	h m s 36.65 38.73 35.59 39.27 36.08 35.44	177 36 7.58 4.12 4.20	May 27 29 June 3	IF IF CF	h m s 14 30 39 13 39 15 14 30 39 09 B. A. C. 4837.	150 17 12.40 (16.93) 14.08 12.31			
		B. A. C. 4815.		Apr. 7	CF B	14 31 54.88	99 58 58·09 56·48			
Mar. 10 May 14	js js	14 27 41.26 41.33	59°34 135 39 59°08			B. A. C. 4848.	99 58 57*29			
		B. A. C. 4828.		Feb. 27		14 34 52°86 В. А. С. 4855.	101 40 6.84			
Mar. 4	В	14 29 58 64 a ² Centauri.	101 44 32'11	Mar. 4	В	14 36 6.44	95 4 56.76			
May 22 26 29 June 9 12	CF CF IF OF	14 30 38.58 (38.43) 39.51 39.51	23.79	Mar. 10 16 May 14	Js Js	B. A. C. 4856. 14 36 59 07	146 40 32.72 32.12 32.26			
July 14	IF	38·50 14 30 38·81	150 17 23.26	May 27	İIF	B. A. C. 4865	: 114 52 50°02			
May 22	CF CF	14 30 38 99	13.50	Apr . 7	CF	B. A. C. 4868	1			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 4882.		B. A. C. 4914.				
June 2	В	h m s	116° 5′ 28″33	July 15	В	h m s	142°16′16″16	
	B. A. C. 4888.					B. A. C. 4915	•	
July 14	İF	14 41 41.39	113 41 59.18	Feb. 27	1	14 47 12'93	101 21 27.83	
		B. A. C. 4891.		Apr. 7 28	CF B		28·04 28·98	
June 3	IF	14 42 32.45	117 24 30.77			14 47 13'04	101 21 28.28	
		α ² Libræ.				B. A. C. 4920	•	
Jan. 16	JS		105 29 27.60	June 3	IF	14 49 13.04	115 44 56.04	
Mar. 11	IF G	14 43 34·80 34·76	29°39 29°4 7			B. A. C. 4925	•	
Apr. 29	IF CF	34°75 34°73	 29°79	July 14	IF	14 49 48 96	114 54 27 94	
26 27	CF IF	34°73 34°66	26.66			B. A. C. 4927		
June 2	B	34.82		May 26	CF	14 50 17.52	93 48 22.16	
12	CF	34°92 34°76	28*35	June 9	IF CF	17.26	25°32 25°37	
17	CF G	34.83	28.24			14 50 17.59	93 48 24.28	
July 26	IF G		29 • 64			B. A. C. 4930.		
27 Aug. 14	CF	34.73	26.51 58.02	July 22	IF	14 50 50.87	117 7 30.28	
		14 43 34 77	105 29 28*34			B. A. C. 4932.		
		B. A. C. 4900.		Mar. 4		14 51 4.18	100 37 21.77	
Mar. 4	B JS	14 44 27 °07 27 °21	107 48 31.84 30.10	10 May 22	JS CF	 4*17	19·69	
			107 48 30 97	•		14 51 4.18	100 37 20'66	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		B. A. C. 4935.		В. А. С. 4970.				
Mar. 4	B JS	h m s	100°36′40"68 40°53	Mar. 4	B JS	14 59 16.03 16.03	34°16	
		14 51 45.36	100 36 40.61	Apr. 28	В	•••	34.24	
		8 Libræ.		May 26	CF.	14 59 16.03	32.71	
Feb. 27 Mar. 11	CF 1F G	55°34 55°38	97 59 33°47 34°82 34°62			B. A. C. 4971.		
Apr. 7	CF B	55.59	35°51	Feb. 27	CF CF	27.11	105 58 14.22	
June 29 30	B G	55.58 52.28		May 22	CF	27.00	14.41	
July 26	IF G	55°40 55°31 14 53 55°37	36·46 35·52 97 59 34'74		1	B. A. C. 4976.		
	-	B. A. C. 4950.		June 11	JS	15 1 42.25	159 34 40.15	
June 3 12 17	IF CF CF	14 56 20·94 20·75 21·01 14 56 20·90	38.61 114 45 40.16	June 12	1	B. A. C. 4983.	113 28 43°21 43°73	
		B. A. C. 4964.				15 2 9.69	113 28 43.47	
June 9 July 14 22	IF IF IF		28·18 27·85	Rub an	-	B. A. C. 4995.		
	!		112 48 27.72	May 22		41.86 41.86	20.92 20.92	
June 30	G	ψ Boötis.	62 32	June 2	В	15 4 42.04	22.88	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
		B. A. C. 5011.		ρ Octantis—continued.			
July 15	!	h m s 15 7 12.08 B. A. C. 5021.	148°18′ 17"38	Aug. 12 13	IF G CF	h m s 15 13 18 27 18 37 18 8 7	174° 0 57°40 (52°57)
Mar. 10			29°33 150 0 27°90	Aug. 9	ı	Octantis S.P.	
		β Libræ.		10	JS G G CF	18.81 18.31 19.06	174 0 56*26
Jan. 16 Mar. 12 Apr. 8	JS G JS		98 53 36*95	14	CF		56.95
May 22	CF CF	54°17 54°41	36·32		1	B. A. C. 5057.	
June 2 3 12	B IF CF CF	54·48 54·30 54·53	 36·50 35·63	Mar. 13 June 2	B	12 13 38.86	105 4 10.70
29. 30	B G	 54`39	35°79 37°82			B. A. C. 5070.	
July 14	IF	54.34	98 53 36.80	June 17	CF	15 16 37.87	101 53 44.70
	<u> </u>	B. A. C. 5043.		July 22		B. A. C. 5073.	90 32 58*07
Feb. 27	CF	15 12 15.24	98 39 42.04		l	B. A. C. 5074.	
		ρ Octantis.		Feb. 27	C F	15 17 2.83	99 50 43.31
Aug. 9 10	G Js G	18 · 72 18 · 72	174 0 57·68 57·80 56·61	Mar. 9 June 12	B	2.63. 2.71 15 17 2.72	99 50 44.33

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.	Α.	N.P.D.
		B. A. C. 5068.		B. A C. 5119.				
i	1		162°55′ 35″16	Mar. 9	В	h m		90°44′ 9″52
June 11	JS	 	37°49 162 55 36°33			В. А. С). 5125.	
				Mar. 4 Apr. 2	}	15 26	-	99 36 36.14
	В. А. С. 5080.				В		57.80	32.65
July 15	В	15 18 50.38	141 8 2.80	June 17	CF	15 26	58·06 57·96	99 36 34.97
		ζ¹ Libræ.			1	В. А. С). 5127.	
Apr. 8	JS	15 20 48.81	106 13 14.96	July 22	İ	15 27	17.78	118 36 19.23
June 2	В	49.06				T.i	ham	
3	IF CF	48.86	15.17	γ Libræ.				
17	OF	48.99	13.18	Mar. 12	G	15 28	8.72	104 20 48.83
		15 20 48.93	106 15 14.47	18	IF		8.77	48.38
				Juue 2	В		8.69	48.91
Ì		B. A. C. 5090.		3 12	IF CF		8.70	48*91
July 14	IF	15 20 58.01	118 24 15.93	Aug. 24	JS		8· ₇₄	46·8 ₇
					!	15 28	8.73	104 20 48.56
		B. A. C. 5100.				В. А. С). 5133.	,
Feb. 27	CF		106 9 14.95	July 14	IF	15 28	9.84	118 33 23.77
		-5 9-	106 9 14.12		a	Corome	Boreal	is.
	<u> </u>			Aug. 12	TE	15 29	6:	!
		B. A. C. 5106.		Dec. 16	G	15 29		
] ,				Dec. 16	G		6.03	···
		1	146 58 12.65	18	G		6.08	
June 11	JS	3.85	12.19	20	G		6.07	!
		15 25 3.88	146 58 12.42			15 29	6.02	62 50

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 5137.		B. A. C. 5188.				
July 15	В	h m s	149°27′51"97	July 14	IF	15 36 0.96	104°37′ 2"69	
		B. A. C. 5148.				B. A. C. 5190.		
Feb. 27		15 29 47 35	90 7 16.35	June 17	CF	15 36 39.06	105 14 54 77	
		'				a Serpentis.		
June 11		B. A. C. 5144.	146 28 42'19	Mar. 12 23 May 7	G B	15 37 46 °04 46 °04 46 °08		
	B. A. C. 5158.					46.10		
June 17	CF	15 31 7.77	104 4 41.81	July 1 Aug. 28	CF	46.12	24.63	
	-	B. A. C. 5176.		Dec. 16	G G	46°13 46°07	 	
Mar. 4	B	20.63	109 14 54·64 53·86	20 27	G G	46 ° 08 45 ° 97		
Apr. 2	В	20.29	52.65			15 37 46.07	83 9 23.60	
June 12	CF	·——	51.78			B. A. C. 5197		
	<u> </u>	P. A. C. 428.		June 2	В	15 37 58.62	114 17 52'01	
		B. A. O. 5184.	· · · · · · · · · · · · · · · · · · ·			B. A. C. 5209	•	
July 22	IF	15 35 20.98	105 35 16.55	July 15	В	15 40 7.00	142 47 58.93	
	B. A. C. 5183.				<u>'</u>	B. A. C. 5226	•	
Mar. 10	JS	15 35 44 92	147 23 36 10	June 12	CF	15 42 2.13	93 24 41 48	
June 11	JS		34.77	Aug. 5	IF		39.90	
		15 35 44.92	147 23 35. 44			15 42 2.13	93 24 40.69	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 5230.		B. A. C. 5278.				
Mar. 4	ВВ	h m 8 15 42 44 02 43 94	93° 1′ 24"86 25° 38	Aug. 5 IF 15 49 28.61 111 5 53				
Apr. 2	В	44.11				48 Libræ.		
June 17	CF	44.01	24.64	May 7	CF	15 50 48.17	103 53 44.64	
		15 42 44 02	93 1 25.02	June 30	G	48.14	44.08	
		P. A. C		July 1	CF	(47.78)		
		B. A. C. 5231.		27	G	48.08	44*90	
June 11	JS	15 43 6.71	140 12 55.13	28	CF	48.09	44.65	
		B. A. C. 5235.			:	15 50 48.12	103 53 45.07	
Mar. 10	JS	15 43 44.09	150 20 45.75		_ _	B. A. C. 5283.		
		B. A. C. 5240.		June 11	Js	15 50 50.16	144 11 51.51	
July 22	IF	15 44 4'14	119 28 59.51			B. A. C. 5288.	·	
		B. A. C. 5246.	_	July 15	В	15 51 17.82	152 9 53.14	
Mar. 9	В	15 44 23.25				δ Scorpii.		
July 14	IF	23.50	18.77	July 14	IR	16 62 21.81	112 14 35.95	
		15 44 23.23	92 41 19.33	22	IF	31.89	_	
	•	B. A. C. 5251.				15 52 31.85	112 14 36.45	
June 2	В	15 45 40 47	109 46 10'44			B. A. C. 5304.	•	
		θ Libræ.		June 2	В	15 52 55.31	106 8 31.30	
Mar. 12	G	1	106 20 21 44			51 Libræ.		
May 7	CF	18.79	20.88	Inna ac	n		101 0 23.38	
1	CF	18.83	19.74	June 30	1	1 -	23.63	
July 28	CF		22.25	July 1	1		<u> </u>	
		15 46 18.79	106 20 21.08	· .		15 57 6.78	101 0 23.51	

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		β¹ Scorpii.		B. A. C. 5349.				
Mar. 12	G	h m s	··· "	June 11 JS 16 0 48 01 151 34 4				
20	В	45.40	•••			B. A. C. 5354		
Apr. 2	B CF	45°90	•••	Mar. 23	В	16 0 50.86	113 19 48.83	
May 7	CF CF	45°90				B. A. C. 5356		
June 2	B IF	45°86	•••	July 14	1	16 1 9.34	120 41 51.45	
July 15 Aug. 12	B IF	45.91		22	IF	16 I 9.33	120 41 52.09	
21 24	IF J8	46.01	28.05		l	B. A. C. 5370.	<u>'</u>	
25 Dec. 16	G G	 45*87	28·79 	July 2	JS	16 2 53	145 11 39.29	
17 18	G G	45.89 45.85			<u>; </u>	ν Scorpii.	<u>'</u>	
20	G	45.88		June 3	IF	16 4 19.55	109 6 52.23	
		β² Scorpii.		Aug. 24	JS G	19.28	53.05 53.09	
	В	15 57 46	109 26 16.26			16 4 19.57	109 6 53.19	
	<u> </u>					B. A. C. 5401.		
	ı	B. A. C. 5342.		Apr. 3	CF	16 6 33.09	101 29 52.08	
Aug. 5	1.5	15 59 40.03	110 30 34.78	8 Ophiuchi.				
		B. A. C. 5351.		Apr. 2 May 26	B CF	25.82 25.82		
Apr. 3 June 2	CF B	16.85	102 23 14.26	June 2	B IF	25.61 25.93		
		16 0 16.87	102 23 15.00	3 12	CF	25 °74	6.92	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	8 Op	hinchi— <i>contin</i>	ued.	B. A. C. 5443.			
July 1	CF B	h m s	93°21′ 6′·66	June 11	JS	h m 8	148°17′15"52
Aug. 12	IF	25.91				B. A . C. 5447.	
Dec. 16	G G	25.87 25.84 25.84		June 12	CF	16 13 10	115 16 21.87
20	G	25.78	93 21 6.91			γ Apodis.	
	<u> </u>	B. A. C. 5420.		Sept. 2	IF JS	18.10	168 35 36·63 36·77
Mar. 23	В	16 8 27.04	98 1 0.52			16 13 18.08	168 35 36.70
		B. A. C. 5430.				γ Apodis S.P.	
July 14	IF	16 10 6.96	117 42 46.89	Sept. 2	IF	16 13 18.19	168 35 41.04
		B. A. C. 5437.				ψ Ophiuchi.	
		16 11 20.41	94 22 3'43	Apr. 3	CF CF	16 16 22·91	27.26
June 2	В	16 11 20.34	94 22 3.85	June 3	1F	22.85	30,30
		B. A. C. 5412.	l	July 28	CF	16 16 55.62	32.48
Aug. 21	IF JS		176 6 4.56			B. A. C. 5471.	
		16 12 24	176 6 4.83	July 22	IF	16 17 16.96	121 23 44.24
	B. A. C. 5412 S.P.				В. А	. C. 5477 (N.	Star).
Aug. 21	IF		176 6 7.61	June 2	В	16 17 40.43	113 8 23.85

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		B. A. C. 5485.		β Apodis.					
June 11	JS	h m s	147°27′27"99	Sept. 3 JS h m s 167 14 3 7					
<u>.</u>		B. A. C. 5487.		B. A. C. 5522.					
July 14	IF	16 19 14.26	118 59 11.78	June 3	IF	16 24 36.92	121 16 4.88		
		a Scorpii.				B. A. C. 5528.			
Mar. 9 20 23	B CF B	16 21 18·95 18·94 18·97		Apr. 3 July 22	CF IF	16 25 6·74 6·82 16 25 6·78	105 41 53°79 54°30		
Apr. 2	B CF CF	19.00	 			B. A. C. 5539			
May 7 26 June 2	CF B CF	19.06	 116 8 6·90 8·49	Mar. 23	В	40'15	117 56 19.11		
July 15 Aug. 12	B IF IF	18°94 18°97 19°06				B. A. C. 5547			
Dec. 16 17 18 20	G G G	19°06 18°97 19°04		July 14 28 Aug. 12	IF CF	16 29 25.23 25.24 25.24 16 29 25.23	92 2 25°50 24°95 25°69		
27	G	16 21 19:00	116 8 7.40		1	B. A. C. 5556			
		φ Ophiuchi.		June 3		16 30 56.29	·		
May 7 July 28	OF CF	35.56				B. A. C. 5565.	1		
		16 23 35.22	106 19 17.62	June 11	JS	16 33 19.60	157 51 3'97		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 5573.	,	a Trianguli Australis S.P.				
July 22	IF	h m s	107 47 55 00	Oct. 5	JS	h m s	158°46′ 51"67	
		B. A. C. 5579.		Dec. 4	CF CF		49°26	
July 1	CF J8	16 33 56.20	· ·	., ., ., ., .,				
28	CF	56.48	2.28	17	JS CF		51°13	
		16 33 56.49	107 29 1.53	27 30	IF		49.48	
		B. A. C. 5580.			<u> </u>	16 34 43	158 46 50.35	
Mar. 23 Apr. 2	B	16 34 8·11 8·34	109 40 6·64			B. A. C. 5614.		
3	C F	8 · 28	6.02	Ang. 12	IF	16 38 46.42	115 17 6.89	
	a T	rianguli Austr				B. A. C. 5633.		
Jan. 8	G	16 34 42.47		July 22	IF	16 41 42.47	114 24 21.45	
23 Feb. 17	G B	42.41	•••			B. A. C. 5637.		
Sept. 8	JS JS		158 46 47 83 48 86	Mar. 23	В	16 42 32.02	100 32 48.11	
Oct. 15	G	42.60	47.87	Apr. 2	B CF	32.04	46·45 46·36	
7 9	G	42°33				16 42 32.05	100 32 46.97	
10	G	42°52 42°49			:	B. A. C. 5646.		
20 21	G	42.69 42.58		June 11	JS	16 44 6.68	145 49 25 77	
27 28	G G	42.69 42.58				В. А. С. 5655.		
29	G	16 34 42 57	158 46 48.19	July 13	1	16 44 46.24	131 34 57'94	

Date. R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
В. А. С. 5663.		B. A. C. 5715.			
July 28 CF 16 45 37 71	110°11′30″69	July 13	Js	h m s	147°31′ 1″16
В. А. С. 5676.				B. A. C. 5724.	
Aug. 12 IF 16 46 38.88	119 38 1.12	Apr. 3	CF	16 54 6.17	94 1 17.69
B. A. C. 5688.			•	B. A. C. 5733.	
Apr. 3 CF 16 47 32.52	92 26 3.51	July 22	IF	16 55 53 47	115 30 25.53
B. A. C. 5695.				B. A. C. 5748.	
		Mar. 23	В	16 57 14.67	100 53 61.16
Mar. 23 B 16 48 24.82	106 35 34.42	Apr. 2	В	14.80	58.72
B. A. C. 5700 (1st S	tar)			16 57 14'74	100 53 59.94
	109 19 43.17	B. A. C. 5758.			
		July 28	CF	16 58 19.08	111 22 41 90
B. A. C. 5700 (2nd S				B. A. C. 5760.	
Apr. 2 B 16 49 18.63	109 19 39.89	Aug. 12	IF	16 58 44.22	90 42 30.22
		21	1F	44.52	30.42
€ Ophiuchi.				16 58 44.25	90 42 30.49
July 1 CF	80 25 2.33		<u> </u>	B. A. C. 5764.	
Aug. 12 IF 16 51 25 44	•••		1		
16 51 25.44	80 25 2.33	July 13	JS	16 59 49.97	147 51 6.66
B. A. C. 5710.		B. A. C. 5774.			
Aug. 21 IF 16 51 49 12	105 51 35.39	Apr. 3	CF	17 1 25.25	90 54

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	1	Lalande 31166.		B. A. C. 5830.				
Mar. 23	ВВ	h m s 17 2 7.15 7.25	110°30'27"03	Mar. 23	В	h m s	90°17′36"58	
		17 2 7.50		•	† 	17 9 50.10	90 17 36.81	
	7 Ophiuchi.					B. A. C. 5839.		
Apr. 11	G CF	17 2 48.50	105 33 30.80	July 22	IF	17 12 12.41	107 36 55.99	
Aug. 25	G	48.63	30.18			▶ Serpentis.		
		17 2 48.56	105 33 29'93	Apr. 11		17 13 24 17 24 33	102 42 36.73	
ļ		B. A. C. 5784.		Aug. 25	ď	24°33	35.40	
July 22	IF	17 3 14 19	110 28 53.27			θ Ophinchi.		
В.	A. (C. 5808 (as one	mass).	Apr. 3	CF	17 13 54.36		
Aug. 12	IF	17 7 13.79	116 24 17.87	June 5	JS JS	 54°24	114 51 53°52 	
		B. A. C. 5809.		13 July 14	JS IF	54°18		
Aug. 21	lF	17 7 25.70	120 3 17.24	20 Aug. 12	JS IF	54°35 54°04		
		B. A. C. 5812.				17 13 54.25	114 51 53.52	
July 13	JS JS	17 8 11.66	140 3 37.67 39.94			B. A. C. 5861.		
		17 8 11.67	140 3 38.81	Aug. 21	IF	17 16 3.00	118 31 33.07	
	α Herculis.				B. A. C. 5890.			
June 11	Js	17 8 37 . 78	75 2 7	Aug. 5	IF	17 19 37 76	94 58 0.55	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 5889	•	B. A. C. 5947.				
July 13 20	Js Js	h m 8 17 20 10 22 17 20 10 26	41.72	July 13	JS JS	h m s 17 30 12 21 12 34	139 19 46°57 46°80	
	ī	B. A. C. 5905			<u> </u>	B. A. C. 5953		
July 22 Aug. 12	IF IF	54°04 17 22 54°05	105 31 45'42 43'04	July 22	IF	17 30 40.33	98 2 8.54	
	L	B. A. C. 5910.		A	1	B. A. C. 5976	,	
Aug. 21	IF	17 23 36.32	90 57 3.51	Aug. 21	1.F	17 33 59.86	102 48 6.81	
		B. A. C. 5920.		B. A. C. 5984.				
Aug. 5	IF	17 25 18.31	107 23 51.89	Aug. 5	IF	17 35 5.67	105 29 27.66	
		a Ophiuchi.		58 Ophiuchi.				
Jan. 7 June 11 Sept. 2	G JS IF	17 28 48 47 48 53 48 58	···	Mar. 15 Sept. 23	IF	17 35 31 44	26.78 56.78	
		17 28 48.53 E Serpentis.	77 20]	B. A. C. 5992.		
Mar. 15	IF	17 30 1.80	105 18 44.35	Sept. 2	IF	17 36 26.47	112 7 55.18	
Sept. 23	IF	1, 30 1,42	105 18 44.49		ŀ	3. A. C. 5995.		
B. A. C. 5948.				July 13 Aug. 10	JS JS	40.61	151 39 41.28	
A pr. 3	CF	17 30 1.91	105 29 12.61			7 37 40 53	151 39 41.58	

Date.	Observer.	B.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 6015.		B. A. C. 6093.				
					JS JS	17 54 55.12 17 54 55.02	148 34 21.54	
B. A. C. 6023.						B. A. C. 6102		
Aug. 21	IF	17 41 53.50	114 9 38.36	Aug. 21	IF	17 55 46.82	114 21 37 43	
		3. A. C. 6040.				B. A. C. 6111	•	
July 20	Js	17 45 4.02	150 17 43'49	Sept. 2	IF	17 57 4.92	114 24 5.64	
	C.	Z. XVII. 328	1.	B. A. C. 6128.				
July 15	В	17 47 54.84	144 33 32.17	July 13	JS JS	18 0 6.29	134 57 36·72 37·52	
	1	3. A. C. 6060.			_	18 0 6.28	134 57 37 12	
Aug. 12	IF	17 48 9.16	108 46 31'34			σ Octantia.		
	1	В. А. С. 6059.		Sept. 7	IF IF		179 16 43°74 43°25	
Sept. 2	IF	17 48 9*97	116 44 44.73			18 2 44	179 16 43.50	
В. А. С. 6066.			В. А. С. 6165.					
Aug. 21	IF	17 49 3.62	113 55 1.67	Aug. 12	IF	18 2 1.23	113 8 46 99	
	C. Z. XVII. 3710.				1	μ¹ Sagittarii.		
Jul y 15			144 39 55.62	Mar. 15	; IF G		25.13	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	μ¹ S	agittarii—cont	inued.	B. A. C. 6262.			
July 13	js I f	h m s 18 5 52.24 52.21	• <i>! "</i>	July 13	JS	18 30 0.13	137° 17′ 59"47
20 Sept. 2	js I p	52·25]	B. A. C. 6267.	
		18 5 52.33	111 5 25.87	Sept. 2	IF	18 20 14.36	107 52 38.06
		B. A. C. 6189.			•	B. A. C. 6279.	
Aug. 21	IF	18 8 43.46	110 35 4.20	Mar. 15	IF	18 21 40'42	104 38 50.53
]	B. A. C. 6210.				B. A. C. 6276.	
Sept. 2	Sept. 2 IF 18 12 32.89 105 52 58.00					18 21 54*83	148 47 35.58
		B. A. C. 6219.				В. А. С. 6307.	
July 13	JS JS	18 13 58.66	147 9 26°95 28°73	Ang. 21	IF	18 25 8.00	91 5 39.96
		18 13 58.74	147 9 27 84			B. A. C. 6330.	
		21 Sagittarii.		July 13	1	18 29 14.77	138 1 9.36
May 10	IF IF		33.69 110 36 34.68	20	JS	14.72	138 1 9.71
27	J8	29.45	32.41		<u>'</u>	B. A. C. 6328.	J
	λ Sagittarii.				Ι		154 45 22.68
Sept. 23	IF G	18 19 49°49 49°43	115 29 29 13 28 88]	B. A. C. 6340.	
		18 19 49 46	115 29 29.01	Sept. 2	IF	18 30 11.62	107 20 24.26

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	. R. A.	N.P.D.	
		a Lyræ.		B. A. C. 6437.				
Aug. 28	i	h m s	51 20 14 03	Sept. 2	IF	h m s 18 46 24.79	117° 3′ 3″16	
Sept. 24	G	18 32 28:09	51 20 14.84		1	B. A. C. 6443.		
	B. A. C. 6360.		July 13	JS	18 47 53.79	143 6 26.06		
Sept. 18	IF	18 35 38.69	155 12 32.33	ξ ² Sagittarii.				
	1	B. A. C. 6367.		Aug. 27	JS CF	18 49 51.38	111 16 38·36 35°40	
Aug. 21	İ	18 36 20.08	98 24 9.70	Sept. 23	IF G	51.30 21.52	36·85	
Sept. 2	IF	18 36 20.05	98 24 10.81			18 49 51.32	111 16 36.92	
		B. A. C. 6370.		B. A. C. 6472.				
July 13	1	18 37 14*29	139 45 51.05	Sept. 7	IF	18 51 31.76	153 58 1.63	
20	JS	14.53	52.42			B. A. C. 6488.		
		18 37 14.26	139 45 51.74	Aug. 21	IF	18 54 0.84	105 27 57.15	
	1	B. A. C. 6398.	1		1	B. A. C. 6492.		
Sept. 7	IF	18 42 10.89	142 15 16.37	Sept. 2	IF	18 54 38.03	95 55 20.87	
		B. A. C. 6402.]	B. A. C. 6498.		
July 13 20	JS JS	18 42 45·30 45·26	142 4 59°30 60°21	July 13	JS JS	18 55 52.59	142 31 47 98	
		18 42 45.28	142 4 59.76			18 55 52.55	142 31 48.10	
	B. A. C. 6415.				o Sagittarii.			
Aug. 21	IF	18 44 12.55	112 4 23.07	June 7	G	18 56 46.37	111 55 54.20	

Date.	Observer.	· R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	o Sa	gittarii—conti	rued.	B. A. C. 6590.				
Aug. 27	18 56 46.41 18 56 46.41	111° 55° 56° 00 53° 97	Aug. 21 IF 19 11 28 38 105 45 49"					
CF 18 59 20.76 76 19 47.66				June 7	G CF	19 11 37 28	78 38 23 96 25 02 78 38 24 49	
June 7	G	# Sagittarii.	111 13 49.29	B. A. C. 6614.				
Ang. 21	1	B. A. C. 6554.	119 42 49 73	Sept. 2 IF 19 13 30 12 95 39 35 74				
	1	B. A. C. 6557.		Sept. 24 25	G JS	19 14 0'96 1'02	108 5 33.79	
July 13 20	JS JS	19 3 30.04 30.10	148 12 59·66			8 Aquile.]	
	<u>'</u>	B. A. C. 6559.		June 8 July 13	B Js Js	19 18 50.28 50.62 50.29	000	
Aug. 27 J8 19 4 8.67 155 26 57.60 B. A. C. 6564.				Aug. 14 21 Oct. 13	CF IF CF	5° 55 5° 57	 87 8 45.86	
Sept. 2	Sept. 2 1F 19 5 31 16 98 9 27 11 B. A. C. 6580.					19 18 50.59 B. A. C. 6664.	87 8 45.86	
Aug. 27	Τ	19 10 17 67	1	Sept. 2	1	19 21 4.81	105 22 4*53	

Date,	Observer.	R. A.	N.P.D.	Date,	Observer.	R.A.	N.P.D.	
		B. A. C. 6668.		B. A. C. 6738.				
June 8	В	h m s	105° 37′ 37″ 54	Aug. 14	CF	h m s	115° 9′ 50"74	
·	B. A. C. 6671.				· · · · ·	o ² Sagittarii.		
Aug. 14	CF	19 23 3 82	111 35 0.66	June 7	G B	19 34 58.03 58.02	106 25 49 87	
	1	B. A. C. 6683.		Aug. 28	CF G	57·84 58·05	50.08	
Aug. 21	IF	19 24 24 95	111 47 35.36	Sept. 24	G	58.09	50.75	
		λ² Sagittarii.		-		19 34 58.01	106 25 49 96	
June 8	В	19 28 40.26	•••		<u> </u>	B. A. C. 6751.	1	
July 13 20	JS JS	40°44 40°27	•••	Aug. 24	JS JS	13.69	31.40	
Aug. 14	CF IF	40°31	115 10 16.93			19 37 13.67	146 40 31.78	
28	CF	40'34	17.94		r	f Sagittarii.	<i>(</i>	
			7 7 77	June 7 8	G B	39.60 19 38 39.61	31.49	
		B. A. C. 6705.		Aug. 21	IF	39.48	33.13	
Aug:'à4	JS	19 28 48.76	156 8 53.63	28 29	OF G	39 ·62 39 ·5 7	32.29 36.23	
•••	1	B. A. C. 6719.		Sept. 2	IF	39.69	33.07	
Sept 2 IE 19 30 47.11 94 56 21.97						γ Aquilæ.	+ 51 69	
-	B. A. C. 6708.				IF	19 39 59°17	79 43	
Sept. 23	IF		171 40 18.24					
Oct. 7	IF	19 31 32	16.85	Jan. 8	G	19 44 20·60		
		I -		<u> </u>	<u> </u>	1 -	1	

Date.	Observer.	B. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	a A	quilæ—contina	sed.	B. A. C. 6848.				
Feb. 12		h m s	0 / //	Aug. 27	J8	h m s	157° 39′ 36″ 37	
Aug. 21 Sept. 2	IF IF	20°58	•••			B. A. C. 6871.		
		19 44 20.55	81 29	Sept. 2	IF	19 54 34.83	104 0 0.51	
		B. A. C. 6797.			<u> </u>	D. A. C. (0) 	
Aug. 27	JS	19 45 0.84	159 30 16.31			B. A. C. 6874.		
		e Pavonis.		Aug. 24 Sept. 23	JS IF	19 55 44.75	39.11	
Apr. 18	JS		163 15 12.39			19 55 44 78	156 43 39.14	
19 24	JS JS	•••	3,52 11,09			B. A. C. 68 8 9.		
Sept. 23	IF G	16.39		Aug. 28	CF	19 57 11.87	111 40 58.74	
Oct. 1	IF IF	16°97	11.82		1		1 	
12 15	JS G	16.18		Aug. 24		B. A. C. 6902.	147 54 21.82	
21	JS	16.28	11,48	27	JS	23.32	20.89	
	1	Pavonis S.P.				20 0 23.34	147 54 21.36	
Apr. 24	·	19 45 16	163 15 11.34			B. A. C. 6911.		
]	l	June 8	В	20 1 18.53	100 26 31.09	
Aug. 24	1	B. A. C. 6809.	148 16 4.19		1	B. A. C. 6929.		
	1	B. A. C. 6840.		Sept. 23		20 4 22 07	157 50 57.75	
June 8		19 50 27.86		Oct. 7	IF	20 4 22.18	157 50 57.05	

. Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
		B. A. C. 6946.		# Capricorni—continued.						
Aug. 24	18 18	20 7 19'04	152 18 27 . 82 152 18 27 . 82	Aug. 29	G G	h m s 20 19 45 57 45 80	108 38 30°77			
-		B. A. O. 6964.				ρ Capricorni.				
Sept. 3	JS	20 10 15.31	145 27 32'45	June 8	B IF	20 21 19:96	108 14 50.84			
		æ² Capricorni.		Aug. 28	CF	19.75	21.10			
June 9	IF	20 10 43.79	•••			20 21 19.86	108 14 50.97			
Aug. 28	CF IF	43.48 43.80		B. A. C. 7038.						
		20 10 43'79	102 57 4.61	Sept. 23	IF	20 21 23.58	161 37 56.27			
		β Capricorni,		B. A. C. 7068.						
May 12 Oct. 22	CIF IIF		105 11 46.60	Sept. 8	JS	20 25 38	166 38 13.79			
		20 13 35.64	105 11 45'73			B. A. C. 7095.	1			
	1	B. A. C. 6993.		Aug. 24	JS.	20 28 33.16	153 21 46.55			
Sept. 23	IF	20 - 15 46	171 43 40.64	,		B. A. C. 7099.				
		B. A. C. 7010.		Oct. 1	1		150 59 13.20			
Oct. 7	IF	20 17 (14.57)	159 29 56.83	· · · · · · · · · · · · · · · · · · ·	<u></u>	1	<u> </u>			
		π Capricorni.		τ² Capricorni.						
May 12	OF		108 38 (25.50)	June 8	B IF	53.48	105 24 55.31 54.65			

Date.	Observer.	R. A.	N. P.D.	Date.	Observer.	R.A.	N. P. D.		
	2 Ca	pricorni <i>—conti</i>	nued.	B. A. C. 7293.					
Aug. 29	Aug. 29 G 20 31 53.36 105 24 55.11 30 G 55.64				IF	h m s	163°41′ 8″48		
Sept. 25	JS	53 * 37	55.84			θ Capricorni.			
		20 31 53.42	105 24 55.31	May 13	IF	20 58 31.37	107 45 19.17		
	1	σ Pavouis.	- · · · · · · · · · · · · · · · · · · ·			B. A. C. 7329.	· · ·		
Sept. 23 Oct. 7	IF IF	20 36 45°84 45°94	16.23	Oct. 7	IF	21 0 10.20	149 56 20.15		
		20 36 45.89	159 15 15.93			B. A. C. 7339.			
	B. A. C. 7231.					21 1 43.58	147 3 4*41		
Sept. 23	IF IF	20 45 29.23	158 55 26·94 29·43		•	ν Aquarii.			
		20 45 29 38	128 22 28.19	May 12	CF	•	101 54 12.84		
		B Octantis.		13 Sept. 27	IF G	21 2 23.95	15.46		
May 5	IF	20 52 3.86	179 27			21 2 24.06	101 54 14.11		
		B Octantis S. I	·.			B. A. C. 7355.			
May 1	JS J8		179 27 8·79 8·51	Sept. 23	IF	21 5 11.53	149 28 9.81		
5 9	IF IF		 8•35			B. A. C. 7369.			
14	JS	20 52 6.30	8°54 179 27 8°55	Oct. 7	IF	21 8 12	151 53 10.36		
	1	B. A. C. 7272.	<u> </u>	د Capricorni.					
Oct. 1		20 53 27'54	166 44 2'91	July 7	G	21 14 53.67	107 23 40'42		
7	IF	27.64	166 44 2.33	Sept. 27	G	21 14 53.65	107 23 40.01		

Date.	Observer.	R.A.	N .P.D.	Date.	Observer.	R.A.	N.P.D.	
]	B. A. C. 7406.		λ	Octa	ntis S.P.—con	tinued.	
Oct. 1	IF IF	h m s 21 15 1'47 21 15 1'49	147 49 4.80 4.39	May 23	JS JS	h m s 21 30 20.82	173 19 18.22 173 19 18.22	
		B. A. C. 7464.				B. A. C. 7516.		
Oct. 1	IF IF	5.69	150 16 43°31 43°78	Oct. 1	IF IF	21 31 13.94 13.97 21 31 13.90	146 19 57*44 58*50	
		β Aquarii.						
Mar. 12 June 9 10 July 7 Nov. 24	G G CF	21 24 36·58 36·58 36·55 36·50 36·62	 	June 9 10 Aug. 30	IF G G	21 32 46·56 46·43 46·51 21 32 46·50	107 15 23°30 26°01 24°17 107 15 24°49	
		21 24 36.57	96 9	May 13 July 7	IF G	21 37 42.16		
May 15 16 22 26 27	B G CF CF IF	21 30 21·19 20·34 21·78	 173 19 16·54 15·07 14·08	Oct. 7	1	21 37 42°18 B. A. C. 7572.		
		21 30 21 10	173 19 15 19	& Capricorni.				
May 15					IF G G	21 39 45°24 45°15 45°20	106 43 27 00 27 72 28 03	
18	J8		20.87			21 39 45.20	106 43 27.58	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		μ Capricorni.			ı Ac	luarii—contini	ud.	
May 13 14 Sept. 27	IF J8 G	21 46 2.89 2.81 21 46 2.88 31 46 2.88	104 10 16*14 17*59 17*19	July 7 Sept. 27	G	18.47 21 59 18.45 21 59 18.45	104 30 31.92 104 30 31.92	
July 7		16 Pegasi.	6	B. A. C. 7687. Oct. 7 IF 21 59 21 79 166 45 36				
July 7	!	B. A. C. 7645.	64 42					
Oct. 7	IF	21 51 22.50	146 30 46.22	Nov. 24 CF 21 59 54 14 137 35 54 97				
		B. A. C. 7656.		B. A. C. 7728. Oot. 1 IF 22 4 6.39 146 35 38.39				
Oct. 22		21 53 14 95 B. A. C. 7669.	147 19 33'12			C Octantis.	1 40 35 30 39	
Oct. 1 Nov. 6	IF IF	21 26 33.36 33.41 21 26 33.31	150 16 21.33 20.31	June 2 3 8 9	B IF B IF	22 5 28·78 28·19 27·35 28·56 22 5 28·22	176 37 (58·81) 63·83 62·79 64·34	
		a Aquarii.				C Octantia S. P		
May 26 June 10	CF G	51 29 0.18 0.51 51 29 0.19	90 57 30°21 	June 2 3 8	B IF B	22 5 26·39 27·16 22 5 27·05	176 38 3°73 3°78 4°70	
May 13	IF	4 Aquarii.	104 30 32.84		1	B. A. C. 7764.		
14	JS	18.34	31.86	Oct. 22	IF	22 8 36.34	144 58 34.37	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		ø Aquarii.			1	B. A. C. 7841	•	
May 13	IF	h m s	° "	Oct. 1	IF	h m s	152 39 29 19	
June 2	B	22.00 25.08	 98 26 21 59		;	B. A. C. 7860.		
July 7 8	G JS	52.01	21°38	Oct. 22	IF	22 27 18.91	148 33 51.78	
Oct. 2	CF	52.09	19.35		•	η Aquarii.		
		22 9 52.03	98 26 21.36	June 2	B	22 28 34·38 34·34		
Nov. 6		B. A. C. 7785.	165 40 56.95	3 9 10	IF G	34°36 34°56		
	B. A. C. 7801.					34.2	90 47 46.40	
Oct. 1	· · · ·	22 16 9.09	148 27 6.08	B. A. C. 7887.				
		B. A. C. 7811.	'	Nov. 6 IF 22 32 5'72 140 16 57'2				
Oct. 22	IF	22 18 38.41	148 40 14.33		<u> </u>	B Octantis S. P		
	;	B. A. C. 7831.		May 28	JS	22 32 22	172 4 18-66	
Oct. 7	IF IF	22 22 44'37				⟨ Pegasi.		
Nov. 6	lr.	22 22 44 58	169 26 57.05	Oct. 2	CF	22 34 52.80	79 51 26.56	
		σ Aquarii.			1	B. A. C. 7911	•	
May 14	1	22 23 39.43	101 21 9.04	Oct. 22	IF	22 35 43.23	154 38 40-35	
June 10	G JS	39·44	8°34 7°95]	B. A. C. 7927.		
Sept. 1 Oct. 26	G JS	39.70	8·34	Oct. 1	IF IF	22 38 9°09 8°93	160 10 7.71 7.22	
		22 23 39.59	101 31 8.32	ĺ	l	22 38 9.01	160 10 7:63	

Date.	Observer.	B.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		B. A. C. 7942.		B. A. C. 8022—continued.					
Nov. 6	IF	h m s	154° 24′ 49″83	Nov. 6	IF IF	h m s 22 56 5°12 5°01	146° 24′ 24′ 09		
		τ² Aquarii.		22 56 5 17 146 24 23					
Oct. 26	JS	22 42 36.12	104 17 18:13			« Pegasi.			
		B. A. C. 7956.		Mar. 5 JS 22 58 11 33					
Oct. 22	IF	22 43 34 25	123 23 9.30	June 12	CF	(11.00)			
	•	B. A. C. 7965.		Oct. 2 16	OF OF	11.13	75 30 14°23 13°77 16°06		
Oct. 1	IF	22 45 25.83	160 46 43*93	Nov. 24	OF	11.34	15.02		
		λ Aquarii.			! !	22 58 11.55	75 30 14.78		
July 9	G	22 45 43.61	98 16 53.04	h¹ Aquarii.					
	a	Piscis Australi	ia.	July 9	G	22 58 16.72	98 24 18 98		
Mar. 12	G	22 50 21.09	***	·	1	B. A. C. 8081.	·		
June 2	B	21.14	···	Oct. 22	IF	23 5 56.76	153 24 6.58		
9 12	OF	31,10 31,00	•••			τ Octantis.			
July 9 Sept. 2	G IF	21.01	•••	June 2	В	23 6 45.42	178 12 17 97		
Oct. 2	CF	21.04 31.04	120 19 14'77	. 6	G	48.19	16.34		
7	IF	21.09		7 8	G B	48°56 48°34	17.81		
		22 50 21.07	120 19 14.77	9 10	IF G	50.89 49.82	21,10		
		B. A. C. 8022.		11	JS	46.77	17.60		
Oct. 22	IF,	22 56 5.39	146 24 21 11	13	G G	44 · 85 47 · 99			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	7 Oc	tantis—contin	u s d.]	B. A. C. 8102.	
June 14 15 16	G IF G	h m s 23 6 49 80 49 97 47 77 23 6 48 22	 178 12 22·36 	Oct. 16	CF	h m s 23 10 0'42 γ Piscium.	98° 26′ 44"07
June 2	B	23 6 47 66 49 03		Oct. 19 Nov. 24 25		23 10 19°34 19°41	87 26 17.76 18.11 87 26 17.94
6 7 8 9	G G B IF JS	48*49 47*59 50*10 48*94	20°97 21°27 22°18 21°04	S-A	IF	♥ ² Aquarii.	
11 12 13 14	G G IF	48.58 46.11 48.41 48.46 47.92	 20.60	Sept. 2 Oct. 26	JS	23 II 2·58 2·56 23 II 2·57	99 54 9°96 9°98 99 54 9°97
17	CF J8	47 '90	20'11		·	♥º Aquarii.	
		φ Aquarii.	178 12 21 01	June 11	JS CF	23 12 5.21 23 12 5.21	100 19 53·66 53·95
Sept. 2 Oct. 26	JS	29.10	96 45 34°73 37°14	•	1	B. A. C. 8142.	
Nov. 23	Js	29.08	96 45 35°88	Oct. 16	CF	23 15 43 ⁸ 9 43 ⁵⁶	105 45 47°94 48°00
Nov. 6	IF	B. A. C. 8087.	147 24 33.56		1 ,	3 15 43 73 B. A. C. 8143.	105 45 47*97
13	IF	39.84	33°30	Nov. 6	1	23 15 51'02	146 16 37 44

Date.	Observer.	R.∆ .	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		Lacaille 9455.				1 Piscium.		
Nov. 13	IF IF	23 16 25 45 25 51 23 16 25 48	144 31 53.10	June 11 12 July 10	JS CF CF	h m s 23 33 9 69 9 72	° ′ ′′ 85 5 19°23	
	!	· κ Piscium.		Sept. 2 Oct. 16	IF CF OF	9·69 9·69	 18*36 19*47	
June 11 July 10	JS CF	23 20 10.01	89 27 59 07	Nov. 24	C F	9.68	19.01	
Oct. 16	CF		60.21		1	B. A. C. 8244.		
Nov. 24	CF	23 20 10.04	59·28 89 27 59·17	Nov. 6	IF	23 35 24 49	148 41 36.94	
		B. A. C. 8207.		B. A. C. 8253. Oct. 21 JS 23 36 54.32 155 8 17.1				
Nov. 6 13 18	IF IF IF	23 27 39°64 39°73 39°86	155 25 7°74 8°74 6°07	Nov. 13 18	IF IF	54°18 54°38	15°45 16°26	
		23 27 39 74	155 25 7.52		-	B. A. C. 8263.	1	
	1	B. A. C. 8208.		Oct. 22	IF	23 40 4.61	159 7 32.86	
Nov. 25	IF	23 27 43.09	147 33 15.50]	B. A. C. 8264.		
	1	B. A. C. 8219.		Nov. 25	IF	23 40 15.18	140 57 32.01	
Oct. 21	' า8	23 30 7.71	167 35 56.47	7 20 Piscium.				
	B. A. C. 8226.					9,39	93 29 41.96	
Oct. 22	IF	23 31 19.18	153 36 56.73	Sept. 30		23 41 9.30	93 29 41 96	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		8 Sculptoris.		В	. A.	D. 8329 <i>—conti</i>	nued.		
June 12 Oct. 16	CF	h m s 23 42 2.79 2.70	° "	Oct. 21 Nov. 25	J8 IF	h m s 23 52 4.63 4.80	143° 28′ 55″82 58·35		
Nov. 24	CF	2.79	35.45			23 52 4.75 Lacaille 9688.	143 28 58.03		
Oct. 21	,	B. A. C. 8283.	151 52 9.60	Nov. 6	IF IF	23 54 5°50 5°31	141 10 52·18		
		B. A. C. 8305.	1,1,1,1,1,1,1	23 54 5°41 141 10 52°58 30 Piscium.					
Nov. 6	IF IF IF	23 46 38·12 37·88 38·01 23 46 38·00	126 41 3.10 4.02 1.12 41 11	June 12 Sept. 2 Nov. 24	CF CF	23 55 11.40 11.41 11.41 23 55 11.40	96 44 48*44 50*35 49*71 96 44 49*50		
Oct. 16	1	B. A. C. 8327. 23 51 33 77 33 63	106 34 55°12	Oct. 16		B. A. C. 8365. 23 58 17.78 17.84 23 58 17.81	91 14 8·98 9·64		
		23 51 33'70.	106 34 55.12		Г	I В. А. С. 8367.			
July 9	G OF	27 Piscium. 23 51 54 98 54 98	94 17 17 46	Nov. 13	IF IF	23 58 25°17 25°43 23 58 25°30	142 52 54.64 54.07 142 52 54.36		
Sept. 30	JS	54'95 23 51 54'97	16.88	June 12	CF	33 Piscium.	96 26 44 11		
		B. A. C. 8329.		Sept. 2 IF 34.66 4 Nov. 24 CF 34.75 4					
Oct. 14	IF	23 52 4.81	143 28 59.92		ı	23 58 34.75	96 26 44 66		

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

CATALOGUE

0F

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS,

FOR

1868'0,

OF

STARS OBSERVED IN THE YEAR 1868.

No.	Star.	Magnitude. Fraction of	No. of Obs.	М		R.A. 8 ·o.	Aunual Variation 1865 o.	Fraction of Year.	No. of Obs.	Mean Dec. 1868 c.	Annual Variation 1865°0.
31	B.A.C. 396	6.90.	30		ı m	\$ 57.95	+2.044	0.90	3	-68° 7' 42''33	+19.08
32	B.A.C. 400	6.30.1	1 88	1	13		+3.062				+19.05
33	6¹ Ceti	3.80.0	6	1	17	25.24	+2.996	o.∞	4	- 8 51 54·66	+18.71
34	B.A.C. 436	5.80.) I 3	1	20	31.16	+2.084	0,61	3		+18.83
35	μ Piscium	5.50.	75 2	1	23	16.32	+3.138	0.75	2	+ 5 27 45.77	+18.28
								l			
36	B.A.C. 462	7 0.6	3			21,13	+2.478	0.63	3	-50·34 54·29	+18.67
37	B.A.C. 475	5.20.1	- 1	1	28	10.92	+2.926			-16 21 12.16	+18.59
38	B.A.C. 497	6.00.		1		54°44	+2.506		1	-58 56 40.94	+18.47
39	B.A.C. 520	7.50.		1		30.02	+1.853	0'94	1	66 16 33.62	+18.38
40	v Piscium	4.70.0	2	1	34	33.90	+3.113	6.∞	5	+ 4 49 7.43	+18.33
١	D 4 0 (-4 04)	6					١.	١.			
41	B.A.C. 521 (1st Star)	'	1	ı		47'19	l			-56 21 56.12	+18.32
42 43	• Piscium B.A.C. 539	4.40.0	اه.	i	_	25.62	+3.161			+ 8 29 33.05	+18.52
44	B.A.C. 543	5.70.1	- 1	1		21.94	+3.009			- 6 23 39.76	+18.51
45	B.A.C. 565	6.90.			-	6.30	+2.023		1	1	+18.18
*	D. E. O. 303	3.90.	8 2	1	44	56.42	+2.955	b.88	2	-10 59 16.25	+17.88
46	B.A.C. 567	6.40.	٠.	١.			1	L.,	1_		١.
47	B. A.C. 571	5.90.	1	1	45					-48 28 27 15	+17.99
48	ξ Piscium	4.70.	. 1	1	-	47°07 43°48	+2'341		ł	1 5 5 5.	+17.96
49	β Arietis	2.8	1	i	47		+3.099		1	+ 2 32 5.98	+17.95
50	B.A.C. 599	7.20.	!		4/ 51		+3.595	•	1	+20 9 39.85	+17.79
	,,,,	, ,	1.	· •	٠.	3.20	+1.951	۳۰۰	1	-60 57 28.73	+17.75
51	B.A.C. 598	6.40.1	7 1	1	51	16.93	+3.042	6.87	١,	— 2 42· 16·07	
52	B.A.C. 606	6.00.6	1	1		28.05	+2.52				+17.74
53	B.A.C. 622	7.50.6				49.89	+0.032			•	+17.63 +17.63
54	B.A.C. 638	6.30.6	F	1		7.60	-0·269				+17.24
55	B.A.C. 633	5.4 0.8	- 1	1	-	25·63	+3.066				+17.24
					-	•				, ,, ,. ,.	1 -/ 33
56	a Arietis	2.00.0	0 4	I	59	44.26	+3.367	۰.°°	1	+22 50 14.10	+17.24
57	B.A.C. 652	6.90.6	- 1	1	0	7.87	+1.123	1	i		+17:37
58	B. A. C. 660	7.10.8	8 2	2		28.54	+3.035	1 .	1 1		+17.27
59	B.A.C. 680	7.30.6	4 4	2	4	56.24	+2.174	0.94	4	_	+17.15
60	ξ¹ Ceti	4.20.8	8 2	2	6	0.43	+3.169			+ 8 13 35.39	+17.07
	'	<u> </u>	'			-	l				

No.	Star.	agnit ractio	Mean 1868		Fraction of Year. No. of Obs.	Mean Dec. 1868 o.	Annual Variation 1865 °c.
61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89	B.A.C. 709 67 Ceti B.A.C. 724 B.A.C. 734 \$\frac{2}{3}\$ Ceti B.A.C. 762 B.A.C. 820 B.A.C. 820 B.A.C. 846 B.A.C. 862 B.A.C. 869 B.A.C. 869 B.A.C. 869 B.A.C. 899 B.A.C. 996 B.A.C. 993 B.A.C. 992 B.A.C. 1014 B.A.C. 1013 B.A.C. 1048	7'40'96 5'50'00 5'40'90 5'40'94 4'40'00 5'40'91 6'30'94 5'10'92 5'30'96 3'60'00 7'00'92 4'40'79 6'10'92 6'20'49 6'60'96 5'30'94 7'50'97 6'90'92 4'70'94 4'60'91 2'70'00 7'30'95 8 0'94 4'50'00 7'50'99 6'00'96	h m 1 2 10 2 2 2 10 2 1 2 12 4 2 2 15 3 3 2 21 1 4 2 24 5 1 2 33 1 2 37 4 1 2 39 5 1 2 41 4 3 2 46 2 2 47 2 1 2 48 5 1 2 52 3 1 2 52 3 2 2 55 2 3 2 57 1 1 3 6 1 1 3 6 1 1 3 9 2	# +0·359 #4·05 +2·986 #3·97 +1·227 #7·66 +1·944 #8·67 +1·385 #3·20 +1·971 #2·48 +1·971 #3·66 +1·928 #3·101 #6·37 +1·024 #8·63 +3·234 #1·007 #4·66 +0·724 #6·07 +1·305 #8·12 +1·658 #3·13 +0·724 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214 #8·62 +3·214	0.96 1 0.00 2 0.90 1 0.94 2 0.00 7 0.91 3 0.94 4 0.92 1 0.96 1 0.92 3 0.92 1 0.92 1 0.92 1 0.92 1 0.92 1 0.93 3 0.94 1 0.96 1 0.96 1 0.97 3 0.99 1	-75 7 12'38 - 7 1 52'36 -68 21 30'47 -56 33 5'73 + 7 52 1'89 -60 54 12'27 -64 53 22'69 -53 6 .55'00 -79 41 5'23 + 2 40 40'82 -67 31 22'68 + 9 33 19'27 -53 7 43'93 -67 16 12'30 -69 43 10'32 -63 21 16'47 -57 44 7'86 -64 4 50'31 -75 36 22'15 + 8 22 47'90 + 3 34 13'62 -64 9 6'11 -61 21 19'79 +19 13 32'92 -61 39 17'07 -49 14 1'91 -57 48 58'67 - 9 18 41'82	+16'90 +16'77 +16'79 +16'65 +16'36 +16'37 +16'18 +15'71 +15'66 +15'39 +15'52 +15'45 +15'37 +15'30 +15'27 +16'02 +14'94 +14'86 +14'70 +14'65 +14'36 +14'36 +14'36 +14'36 +14'36 +14'38 +13'85
90	B.A.C. 1039	ı	1				+13.19

No.	Star.	Magnitude.	5	No. of Obs.	Mean R.A. 1868 c.	Annual Variation 1865'o.	Mean Dec. 1868.0.	Annusl Variation 1865'o.
121 122 123 124 125	B.A.C. 1255 B.A.C. 1271 B.A.C. 1278 B.A.C. 1284 B.A.C. 1288	4°8 6°7 5°8 6°2	0.86 0.85	2 3 1	3 59 10°14 4 1 31°35 4 4 28°19	+0.958 -0.411 +2.921 +1.850	0.95 2 -52, 28, 39, 69 0.06 3 -61 26 56.34 0.65 3 -71 31 57.30 0.92 1 - 7 16 12.97 0.96 2 -46 12 52.08	+10°34 +10°12 + 9°70 + 9°69
127 128 129 130	B.A.C. 1319 B.A.C. 1317 B.A.C. 1327 8 Tauri	6·8 6·8	0.06 0.10 0.62	3 1 2	4 5 25 48 4 8 44 56 4 10 6 63 4 11 51 70 4 15 19 44	+2.101 +1.852 +3.004	— 7 11 0.65 3 — 78 59 4.53 0.10 1 — 46 27 43.95 0.06 2 — 39 12 36.01 0.06 3 + 17 13 50.13	+ 9°7° + 9°35 + 9°26 + 9°12 + 8°84
131 132 133 134 135		7°3 3°7 3°6	o•96 o•oo	3	4 20 21 62 4 20 54 65 4 21 7 70	+1.775 +3.492 +3.416	0.94 1 —67 0 8.08 0.96 2 —46 56 52.67 0.00 8 +18 53 6.80 0.76 1 +15 34 32.69 0.05 1 —57 22 17.32	+ 8.78 + 8.45 + 8.38 + 8.40 + 8.35
136 137 138 139 140		5.6	o • 52 o • 66 o • 60	2 I I 5	4 23 13'23 4 27 29'04 4 28 20'92	+1.755 +2.920 +3.435	0.06 2—57 22 14.40 0.52 2—47 13 57.66 0.06 1—7 1 2.57 0.00 9+16 14 30.17 0.05 1—31 0 44.99	+ 8·35 + 8·23 + 7·88 + 7·64 + 7°03
141 142 143 144	B. A.C. 1469 B. A.C. 1471 B. A.C. 1480 B. A.C. 1489 B. A.C. 1487	7°0 6°7 5°4	0,06 0,03	I I 2	4 38 56.71 4 40 56.67 4 42 21.84	+2'410 +2'216 +0'890	0.06 1 — 3 29 54.42 0.10 1 — 27 49 24.07 0.02 1 — 34 14 46.89 0.06 2 — 59 58 30.45 0.08 1 — 16 33 52.73	+ 6.96 + 6.96 + 6.79 + 6.66
147 148 149	B.A.C. 1511	4°3 5°9 6°7	o.05 o.10	1	4 46 39.95	+2.945 +2.180 +2.203	0.05 1 —44 12 45.11 0.06 1 — 5 40 31.56 0.10 1 —35 7 44.96 0.02 1 —34 27 40.05 0.10 2 — 5 22 55.45	+ 6.49 + 6.34 + 6.32 + 6.05

No.	Star.		No. of Obs.	Mean R.A. 1868 °c.	Annual Variation 1865 o.	Year. No. of Obs.	Annual Variation 1865'o.
211 212 213 214 215 216 217 218	B.A.C. 1920 B.A.C. 1920 B.A.C. 1920 B.A.C. 1920 B.A.C. 1936	Var. 0.00 7.1 3.7 0.06 4.9 0.06 7.0 0.04 5.1 0.11 4.8 0.02 7.3 0.07	1 2 2 5 1	h m a 5 48 1.54 5 48 22 5 50 23.52 5 50 57.39 5 52 44.45 5 55 37.93 5 55 55.86	+2.008	0.06 1—14 11 37.43 0.06 2—37 8 27.51 0.04 2—9 23 43.91 0.11 5—9 34 8.84 0.02 1—10 36 7.78	+ 1°06 + 1°03 + 0°85 + 0°65 + 0°64 + 0°39 + 0°36
219 220 221 222	x ⁴ Orionis B.A.O. 1941 B.A.O. 1954 B.A.C. 1955	4.8 o.91 5.4 7.3 o.35 4.8 o.91	3	5 56 4.70 5 56 29 5 58 33.59 5 59 5.75	+3.562 +2.174 +0.924	0.32 3—28 6 12.68 0.31 1—33 24 20.48 0.08 1—16 28 36.22	+ 0°37 + 0°32 + 0°13 + 0°09
223 224 225 226	B.A.C. 1956 B.A.C. 1959 B.A.C. 1961	5.90.05 4.40.00 4.40.02	6 2	6 0 41.12 6 0 10.02 6 0 10.02	+2·831 +3·426 +2·716 +2·808	0.00 5+14 46 24.44	- 0.02 - 0.00 - 0.01 + 0.08
227 228 229 230	B.A.C. 1972 B.A.C. 1993 B.A.C. 1994 B.A.C. 2003	6.9 0.05 6.6 0.16 5.0 0.07 5.8 0.26	4 6	6 1 21.68 6 4 41.61 6 5 26.39 6 6 0.14	+1.766 +2.919 +0.067	0.31 3 -66 1 16.56	- 0.40 - 0.40
231 232 233 234 235	B.A.C. 2006 7 Geminorum B.A.C. 2015 B.A.C. 2027 B.A.C. 2030	6·2 0·04 Var. 0·50 4·00·05 6·4 0·14 6·5 0·10	4 6 2 6 2 6	5 6 54°57 5 8 25°10 5 10 52°26 6 11 23°03	+3.624 +2.926 +2.309	0°04 3 —45 15 11°49 0°50 4 +22 32 32°50 0°05 2 — 6 14 10°55 0°14 2 —29 44 43°12 0°10 2 —10 40 42°11	- 0.59 - 0.60 - 0.72 - 0.94 - 0.98
236 237 238 239 240	B.A.C. 2040 B.A.C. 2052 μ Geminorum B.A.C. 2055 B.A.C. 2061	6.7 0.04	3 6 9 6 3 6	5 13 21·35 5 14 57·00 5 14 58·44 5 15 33·23 5 16 53·18	+1.322 +3.632 +1.466	0.04 3 — 7 46 10.82 0.04 3 — 52 40 48.50 0.00 6 +22 34 41.91 0.09 3 — 50 18 15.10 0.11 2 — 17 53 31.42	- 1.16 - 1.30 - 1.42 - 1.45 - 1.47
			'	! '	!	! !!	

No.	Stør.	Magnitude. Fraction of Year.	Mean R.A. 1868 o.	Annual Variation 1865 °o.	1868 o. 1868 o.	Annual Variation 1865°0.
241 242 243 244	B. A. C. 2068 B. A. C. 2079 B. A. C. 2087 B. A. C. 2088	6.90.04	h m s 6 17 19 96 6 19 26 16 6 20 28 55 6 20 30 74	+2.082 +2.973	0'16 1 —44 41 49'53 0'14 3 —36 38 23'65 0'04 5 — 4 16 44'71 0'17 2 — 0 11 56'26	- 1.48 - 1.48 - 1.48
245 246 247	B.A.C. 2093 v Geminorum B.A.C. 2099	4.00.24	6 21 7.51	+3.265	0.06 3—26 12 26.64 0.14 1— 0 39 23.10	— 1.84 — 1.49
248 249 250	B.A.C. 2105 A.B.C B.A.C. 2105 B.C.	3.90.08	6 22 25 50	+2.810	0.13 1 — 6 57 2.33 0.08 1 — 6 57 4.68 0.13 2 — 6 57 6.53	— 1.92 — 1.92 — 1.92
251 252 253 254 255	B.A.C. 2122 B.A.C. 2136 B.A.C. 2142 B.A.C. 2145 B.A.C. 2141	5.4 0.04	6 24 49.83 6 26 31.03 6 26 36.12 6 26 36.12	+2·136 +0·567 -0·502	0'14 2 -35 9 59'27 0'04 3 -62 3 47'96 0'11 2 -69 36 50'36 0'16 1 -36 50 55'29	- 2.16 - 2.31 - 2.35 - 1.90 - 2.16
256 257 258 259	B.A.C. 2147 B.A.C. 2158 y Geminorum Piazzi VI. 178	5.3 ··· ··	6 29 12	+2·245 +2·104 +3·466	0°19 131 56 3°20 0°11 136 8 4°44. 0°00 6 +16 30 33°06 0°14 118 33 9°62	- 2.41 - 2.54 - 2.57 - 2.66
260 261 262	B.A.C. 2168 B.A.C. 2171 B.A.C. 2174	4.30.18	6 30 36.03	+2.612	0·10 3 —18 33 12·83 0·18 1 —19 8 37·05 0·12 1 —18 7 28·44	- 2.66 - 2.69 - 2.79
263 264 265	B.A.C. 2193 B.A.C. 2195 α Canis Majoris	2,00,10 2,00,00		+2.039	0.00 30 —16 32 14.14	— 3°05 — 3°64 — 4°64
268	B.A.C. 2251	6.20.04	6 44 44.24	+2.399	0°00 I 20°90 0°04 227 10 57°62 0°13 231 33 13°96 0°10 131 32 59°39	

No.	Star.	Magnitude, Fraction of Year,	1868.0.	Annual Variation 1865 °c.	No of Obs. 1868.0° of Obs.	Annual Variation 1865'o.
391 392 393 394 395 396 397 398 399	B.A.C. 3036 B.A.C. 3037 B.A.C. 3039 a Cancri B.A.C. 3065 B.A.C. 3070 B.A.C. 3096	5.7 o.21 7.5 7 o.15 4.3 o.30 5.9 o.14 6.8 o.26 6.6 o.21 5.0 o.63	8 48 14.43 8 49 1 8 49 1.07 8 51 15.99 8 52 32.15 8 53 39.60 8 57 22.01 9 0 35.66	+1.535 +2.943 +2.943 +3.291 +2.802 +2.550 +2.627 +3.256	0.14 I — 6°41′ 3″01 0.21 3 — 57 8 14.13 0.15 1 — 7 27 58.66 0.16 2 — 7 28 3.06 0.30 7 +12 22 2.62 0.14 I —15 37 49.04 0.26 I —28 17 41.49 0.21 3 —24 59 1.10 0.52 3 +11 11 53.01 0.13 3 — 8 3 23.69	-13·43 -13·48
400 401 402 403 404 405	B.A.C. 3120 B.A.C. 3121 B.A.C. 3127 B.A.C. 3137 B.A.C. 3156 B.A.C. 3160	4.80.25 7.50.29 6.10.17 5.30.25 5.40.09	9 2 15.24 9 3 58.00 9 5 54.90 9 9 29.04	+2.629 +2.634 +2.966 +2.236 +2.980	0.13 3—8 3 23.09 0.25 3—25 19 37.01 0.29 1—25 16 5.76 0.17 1—6 34 12.30 0.25 1—42 40 53.43 0.09 1—5 48 12.58 — 8 12	-14.31 -14.42 -14.53 -14.75 -14.79
407 408 409 410 411 412	B.A.C. 3167 B.A.C. 3165 83 Cancri \$ Argûs \$ Argûs S.P B.A.C. 3184	5·2 0·20 4·7 0·26 6·6 0·00 1·7 0·85 4·9 0·25	2 9 10 23 02 1 9 10 28 08 3 9 11 36 58 8 9 11 44 26 	+1·783 +2·395 +3·356 +0·689 +2·892	0·20 2 —55 1 24·68 0·26 1 —36 51 48·16 0·00 3+18 15 48·25 0·85 6 —69 10 24·01 0·87 3 26·83 0·25 1 —11 25 8·01	
413 414 415 416 417 418 419	a Hydræ	5°50°37 6°40°26 5°70°24 2°00°00 4°90°21	9 15 18·81 9 17 34·97 9 17 48·85 5 9 21 6·06	-7'214 +2'187 +1'833 +2'949 +3'040 +2'661	0.26 2 —45 29 .5.90 0.24 1—54 57 17.23 — 8 5 0.21 2— 2 11 35.67 0.26 1—26 0 45.40	15.01 15.12 15.22 15.23 15.49 15.57
420	В.А.С. 3253	4.6 0.09	9 25 15.09	+3.063	0.09 1 — 0 36 10.61	—15·65

No.	Star.	Magnitude. Fraction of Year.	No. of Obs.	Mean R.A. 1868 o.	Annual Variation 1865°0.	Mean Dec. 1868 o.	Annual Variation 1865'o.
481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 497 498 499 500 501 502 503 504 505	B.A.C. 3697 B.A.C. 3703 I Leonis B.A.C. 3718 B.A.C. 3722 B.A.C. 3731 B.A.C. 3740 B.A.C. 3746 B.A.C. 3746 B.A.C. 3766 c Leonis B.A.C. 3771	5.4 o 3.6 6.4 o 2.2 5.3 o . o . o . o . o . o . o . o . o . o	X 2 1 2 1 2 8 1 2 1 3 2 1 4 1	h m s 10 40 24.16 10 41 12.98 10 42 19.04 10 43 41 10 44 38.65 10 46 29.94 10 47 0.52 10 48 8.30 10 48 11.18 10 48 31.28 10 53 54.27 10 53 55.70 10 55 5.62 10 56 58.89 10 57 34.24 10 58 12.47 11 1 8.14 11 1 32.45 11 2 29.35 11 5 10.07 11 5 31.85 11 6 56.86 11 7 5.07 11 9 27.88	+2.936 +2.294 +3.158 +3.010 +2.934 +2.482 +3.062 +2.409 +1.514 +2.750 +2.950 +3.118 +2.396 +3.061 +2.850 +3.069 +3.065 +3	0°34 2 —16°36′3°74 0°25 1 —59 54 27°56 0°00 3 +11 14 35°64 0°29 1 —17 37 59°29 0°23 1 —54 26 16°74 0°29 2 —1 25 40°16 0°28 3 —58 9 8°45 0°34 1 —75 10 54°29 0°38 2 —38 3 6°42 0°22 1 —17 35 46°56 0°29 2 —6 48 37°21 0°33 1 —60 36 46°90 0°25 2 — 1 46 26°57 0°25 1 —31 14 59°32 0°35 2 — 0 34 1°28 0°00 5 + 8 2 57°42 0°33 1 —61 42 39°96	
507	B.A.C. 3855 8 Hydrs B.A.C. 3860	7.80.40 6.80.34	8 2	11 11 32.31	+2.525 +2.650 +2.650	0°40 I — 4 20 26°93 — 144 0°34 2 —63.51 43°07 0°23 3 + 6 45 9°06	—19·67 —19·65 —19·65

No.	Star.	Magnitude.	No. of Obs.	Mean I 1868		Annual Variation 1865 o.	Fraction of Year.	No. of Obs.	Mean Dec. 1868'o,	Annual Variation 1865 o.
511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530	B.A.C. 3874 B.A.C. 3881 B.A.C. 3883 B.A.C. 3899 B.A.C. 3903 B.A.C. 3916 B.A.C. 3925 B.A.C. 3925 B.A.C. 3943 Leonis B.A.C. 3955 B.A.C. 3958 B.A.C. 3969 B.A.C. 3975 B.A.C. 3978 Virginis B.A.C. 3984	5.00.3 5.00.3 5.00.3 5.00.3 6.40.3 6.40.3 5.40.4 6.40.3 5.40.4 6.70.3 6.70.3	9 2 1 4 1 4 4 3 3 7 4 1 3 3 5 5 5 8 2	1868 h m 11 16 5 11 17 5 11 18 1 11 19 11 20 3 11 21 1 11 25 1 11 26 11 30 1 11 31 3 11 31 3	8 9 20 55 44 66 67 7 39 5 75 8 21 4 20 3 8 6 5 0 4 2 7 1 9 3 1 1 4 5 9 4 2 6 7 0 4 4 6 4 5 0	1865 o. 186	0°29 0°32 0°30 0°41 0°31 0°36 0°36 0°36 0°37 0°38 0°30 0°38 0°30	ON 2 1 2 4 1 3 2 4 1 3 3 5 5 3	1868 o. -18° 3′ 16' 44 -16 53 47' 47 -10 8 6' 85 -16 57 32' 10 -35 20 19' 60 -60 23 20' 04 0 10 15' 05 2 16 29' 98 5 44 21' 29 7 5 55' 35 30 21 29' 92 9 4 19' 28 0 5 41' 09 1 42 20' 04 61 5 44' 80 31 45 57' 84 5 56 32' 96	
531 532 533 534 535	B. A. C. 3988 B. Virginis B. A. C. 4003 B. A. C. 4006 B. A. C. 4011	5.4 o.3 2.4 o.1	8 6 9 3 0 6	11 40 1 11 43 4 11 43 5 11 44 1 11 45 2	9°23 7°17 7°40	+3·128 +3·024 +3·076	0,30 0,38 0,18	3 -6 -	-39 46 54*20 + 2 30 31*40 -26. 32 38*20 - 4 35 55*78 -64. 28 16*01	
536 537 538 539 540	B.A.C. 4020 B.A.C. 4024 B.A.C. 4025 B.A.C. 4035 B.A.C. 4037	2.0 0.3 8.2 0.3 2.6 0.3	5 2 4 I 3 I	11 47 5	5 °3 2 7 °3 7	+3.021	0°33 0°34 0°35	2 - 1 -	-24 58 54.87 - 0 42 19.62 -16 24 54.73	-20.03 -20.03 -20.03 -20.04

541 B.A.C. 4042 6·3 0·36 3 11 52 10·67 +3·050 0·36 3 -26·04 -20·04 542 B.A.C. 4048 5·1 0·17 2 11 53 6·48 +2·870 0·17 2 -77 29 10·99 -20·07 543 G.Z. XI. 3666 5·1 0·17 2 11 53 16 +2·882 0·06 1 -77 27 40·03 -20·06 544 B.A.C. 4051 7·10·31 2 11 53 32·54 +2·899 0·22 3 -77 27 27·00 -20·05 546 B.A.C. 4053 5·10·41 41 15 4 6·38 +3·060 0·41 4 -18 55 26·43 -20·05 547 B.A.C. 4053 6·60·21 4·11 54 16·38 +3·072 0·21 4 - 1 1 47·63 -20·05 548 B.A.C. 4063 6·60·21 4·11 54 16·38 +3·072 0·21 4 - 1 1 47·63 -20·05 549 B.A.C. 4077 6·40·40 4·11 59 14·36 +3·072 0·21 4 - 2 23 43·89 -20·05 550 B.A.C. 4080 7·50·32 1 12 2 45·20 +3·075 0·31 3 - 6 1 50·94 -20·05	No.	Star.	Magnitude.	黃麗	No. of Obs.	Mean R. 1868'0,		Fraction of Year.	No. of Obs.	Mean Dec. 1868 o.	Annual Variation 1865 °c.
565 B.A.C. 4158 3.50.36 I IZ 24 15.23 +3.211 0.36 I —59 40 16.57 —20.02 566 B.A.C. 4200 5.70.39 I IZ 21 5.29 +3.080 0.39 I —3 53 1.70 —19.96 568 B.A.C. 4221 3.10.36 2 IZ 23 2.32 +3.110 0.36 2 —15 46 47.87 —19.96 569 B.A.C. 4220 7.80.08 I IZ 24 3.98 +3.080 0.08 I — 3 19 50.20 —19.95 570 B.A.C. 4221 6.40.08 I IZ 24 18.81 +3.302 0.08 I —58 41 36.64 —19.94	542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 565 565 565	B. A. C. 4048 C. Z. XI. 3666 B. A. C. 4051 w Virginis B. A. C. 4053 B. A. C. 4054 B. A. C. 4054 B. A. C. 4054 B. A. C. 4063 B. A. C. 4063 B. A. C. 4090 Lecaille 5041 c Corvi B. A. C. 4101 B. A. C. 4103 B. A. C. 4113 B. A. C. 4124 B. A. C. 4134 B. A. C. 4135 B. A. C. 4136 γ Virginis B. A. C. 4149 B. A. C. 4158 B. A. C. 4198 B. A. C. 4200 B. A. C. 4220 B. A. C. 4220 B. A. C. 4220	5·10 6·60 7·10 6·60 7·10 6·60 7·50 6·60 6·60 6·60 6·60 2·80 7·30 6·50	0°31 0°93 0°41 0°33 0°40 0°31 0°33 0°40 0°32 0°43 0°43 0°43 0°43 0°43 0°43 0°43 0°43	2 1 4 4 3 4 3 3 1 8 1 1 2 2 4 1 2 1 8 1 1 1 2 1 2 1	11 52 10 11 53 6 11 53 16 11 53 32 11 54 6 11 54 16 11 56 50 11 59 14 12 0 29 12 1 36 12 2 45 12 2 45 12 3 20 12 4 16 12 6 33 12 7 29 12 11 23 12 11 23 12 11 23 12 11 45 12 13 20 12 14 7 12 14 15 12 20 58 12 21 3 12 14 5	48	0.17 0.06 0.22 0.93 0.33 0.40 0.31 0.33 0.32 0.00 0.18 0.27 0.43 0.27 0.43 0.43 0.43 0.43 0.43 0.43 0.43 0.43	2131444343311112242315111221	-77 29 10 99 -77 27 40 03 -77 27 27 00 + 7 21 2 00 + 7 21 2 00 -18 55 26 43 -1 1 47 63 -4 44 37 28 -2 23 43 89 -6 1 50 94 -23 59 31 78 -51 24 31 11 -21 53 4 74 -22 51 59 24 -51 38 1 02 -38 11 40 00 -4 59 9 87 -16 48 29 84 -3 13 15 80 -3 12 56 43 -8 10 6 21 + 0 4 2 48 -21 26 29 54 -12 49 58 40 -59 40 16 57 -15 54 3 26 -3 53 1 70 -15 46 47 87 -3 19 50 20	

No.	Star.	Magnitude. Fraction of Year. No. of Obs.	Mean R.A. 1868 o.	Annual Variation 1865 o.	Vear. Vear. No. of Obs.	Annual Variation 1865 o.
571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 587 588 589 590	B.A.C. 4225 B.A.C. 4237 B.A.C. 4247 B.A.C. 4252 Lacaille 5235 S.P. B.A.C. 4257 B.A.C. 4266 y Virginis (1st Star) y Virginis (1st One mass) B.A.C. 4269 B.A.C. 4272 B.A.C. 4273 B.A.C. 4279 B.A.C. 4294 B.A.C. 4294 B.A.C. 4306 B.A.C. 4317 B.A.C. 4317 B.A.C. 4323	6.5 0.15 1 2.8 0.00 10 7 0.45 1 5.9 0.40 1 7.0 0.34 3 6.6 0.50 4 0.50 3 4.7 0.12 2 6.8 0.45 1 3.6 0.00 1 2.8 0.00 10 7.0 0.32 1 4.6 0.33 1 6.2 0.08 1 5.9 0.40 1 4.7 0.34 1 6.1 0.12 3 5.9 0.40 1 4.7 0.34 1 6.1 0.12 3 5.9 0.35 4 7.0 0.42 2 6.7 0.24 3 4.4 0.40 1	h m s 12 24 51.63 12 27 27.41 12 27 37.45 12 29 59.58 12 30 43.71 12 31 41.58 43.88 12 32 26.23 12 34 40.12 12 34 58.38 12 35 8.31 12 35 17.77 12 35 21.00 12 36 58.64 12 37 53.65 12 40 44.35 12 41 24.40	+ 3.082 + 3.131 + 3.065 + 3.087 + 3.328 + 13.940 + 3.096 + 3.348 + 3.037 + 3.101 + 3.299 + 3.366 + 3.183 + 3.455 + 3.095 + 3.102 + 3.115	0°15	-19'94 -19'98 -19'98 -19'88 -19'88 -19'83 -19'87 -19'87 -19'82 -19'82 -19'82 -19'84 -19'78 -19'78 -19'78 -19'76 -19'66
592	B.A.C. 4330	5.00.72	•	+ 3.115		-19.66 -19.68
594	B.A.C. 4333	2.60.08 1		+ 3.482		-19.62
595	B.A.C. 4343	6.4 0.39 3	12 49 24.50	1:	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-19.29
596	B.A.C. 4352	2.90.19 3	12 52 51.73	+ 3.090	0.19 3 — 3 5 24.82	-19.49
597	B.A.C. 4355	6.40.45 3	12 53 19.43	+ 3.270	0.45 3 -35 44 53.28	-19.52
598	B.A.C. 4354	8.50.34 3	12 53 19.85	+ 3.852	0.34 3 68 31 0.01	-19.52
599	B.A.C. 4358	6.10.54 5	12 53 48.23	+ 3.084	0.54 5 - 5 30 56.39	-19.43
600	B.A.C. 4372	8.30.16 2	12 57 6.14	+ 3.636	0.16 1 -29 43 20.03	-19.44
<u>'</u>				1		<u> </u>

Digitized by GOOGIC

612 B.A.C. 4430 5'8 0'43 3 13 7 7'36 +3'206 0'43 3—19 14 9'89 —19'21 613 B.A.C. 4435 5'4 0'43 3 13 8 50'81 +3'209 0'43 3—19 14 23'82 —19'16 614 B.A.C. 4441 6'9 0'40 1 13 10 31'28 +3'179 0'40 1 —14 50 55'47 —19'12 616 B.A.C. 4442 7'0 0'15 1 13 10 32'46 +3'140 0'15 1—9 50 56'52 —19'16 617 B.A.C. 4459 7'0 0'42 1 13 13 24'17 +3'151 0'42 1—10 36 36'07 —19'04 618 B.A.C. 4461 6'6 0'24 5 13 14 5'41 +3'814 0'27 4—60 17 42'31 —19'02 619 B.A.C. 4463 4'6 0'24 5 13 14 7'68 +3'814 0'27 4—60 17 42'31 —19'02 620 B.A.C. 4466 6'4 0'45 1 13 15 9'81 +3'814 0'27 4—60 17 42'31 —19'02 621 B.A.C. 4461 7'30'42 1 13 15 9'81 +3'163 0'42 1—11 53 11'98 —18'99 622 a Virginis 1'2 0'00 16 13 18 14'51 +3'150 0'00 5—10 28 15'68 —18'94 623 B.A.C. 4491 8 0'36 1 13 19 49'66 +3'824 0'36 1—58 50 39'77 —18'86 624 B.A.C. 4494 8 0'43 3 13 22 52'27 +3'240 0'43 3—19 37 43'12 —18'86	No.	Star.	Magnitude. Fraction of Year. No. of Obs.	Mean R.A. 1868 o.	Annual Variation 1865 °o.	Mean Dec. 1868.0.	Annual Variation 1865'o.
627 P Virginis 4.90.26 1 13 25 6.38 +3.117 0.26 1 - 5 34 23.08 -18.75 628 B.A.C. 4518 7.70.32 1 13 25 20.50 +3.470 0.32 1 -39 17 29.75 -18.69 B.A.C. 4523 8 0.40 2 13 26 9.49 +3.086 0.40 2 - 1 44 38.77 -18.66	602 603 604 605 606 607 608 609 610 611 612 613 614 615 620 621 622 623 624 625 626 627 628 629	B.A.C. 4382 B.A.C. 4381 B.A.C. 4391 B.A.C. 4396 B.A.C. 4396 B.A.C. 4498 (set Star) B.A.C. 4428 (one mass) B.A.C. 4428 (one mass) B.A.C. 4435 B.A.C. 4435 B.A.C. 4445 B.A.C. 44461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4465 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4461 B.A.C. 4471 a Virginis B.A.C. 4494 B.A.C. 4505 B.A.C. 4515 B.A.C. 4518 B.A.C. 4523	8 0.44 2 5.6 0.35 2 0.15 6.8 0.40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 12 57 6·39 12 59 29·16 13 0 59·27 13 2 42·52 13 3 7·10 13 4 4·50 13 6 23·70 13 6 23·70 13 6 23·70 13 6 23·70 13 6 23·70 13 6 23·70 13 10 32·46 13 13 9 34 13 10 31·28 13 13 14 7·68 13 14 24·27 13 15 9·81 13 14 7·68 13 14 24·27 13 15 9·81 13 19 49·66 13 20 24·95 13 12 52·27 13 24 59·37 13 25 6·38 13 25 20·50 13 26 9·49	+3'159 +3'793 +3'136 +3'174 +3'132 +3'099 +3'689 +3'197 +3'197 +3'206 +3'209 +3'310 +3'179 +3'140 +3'151 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215 +3'814 +3'215	0 '44 214 12 32 '27 0 '35 264 35 56 '58 0 '40 115 48 37 '53 0 '43 39 37 26 '75 0 '00 74 49 59 '98 0 '26 259 13 0 '22 0 '29 218 7 29 '39 0 '42 118 7 24 '02 0 '43 319 14 9 '89 0 '43 319 14 23 '82 0 '32 114 50 55 '47 0 '15 19 50 56 '52 0 '42 116 36 36 '07 0 '27 260 16 42 '95 0 '27 460 17 42 '31 0 '42 118 47 46 '13 0 '42 118 47 46 '13 0 '42 115 17 16 '89 0 '43 319 37 43 '12 0 '44 11 38 48 '02 0 '26 15 34 23 '08 0 '32 139 17 29 '75 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '41 31 38 48 '02 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '41 31 38 48 '02 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '41 31 38 48 '02 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '41 31 38 48 '02 0 '40 21 44 38 '77 0 '40 21 44 38 '77 0 '41 31 38 38 '77 0 '42 31 44 38 '77 0 '43 31 38 38 '77 0 '44 31 38 38 '77 0 '45 31 38 38 '77 0 '46 31 38 38 '77 0 '47 31 38 38 '77 0 '48 31 38 38 '77 0 '49 31 38 38 '77 0 '40 31 38 '77 0 '40 31 38 '77 0 '40 31 38 '77 0 '40 31 38 '77 0 '40 31 38 '77 0 '40 31 38 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '47 31 37 '77 0 '48 31 38 '77 0 '49 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31 37 '77 0 '40 31	

636 B.A.C. 4569 7.00.52 2 13 37 9.57 +4.094 0.52 2—61 4 637 B.A.C. 4574 5.80.42 1 13 37 22.70 +3.229 0.42 1 —15 3 638 B.A.C. 4585 6.00.45 1 13 38 54.41 +3.185 0.45 1 —11 4 639 B.A.C. 4588 7.50.20 1 13 40 12.59 +4.054 0.20 1 —60 640 B.A.C. 4591 6.3 13 40 15 +3.161 0.39 1 — 9 641 B.A.C. 4593 7.00.34 2 13 40 31.75 +3.131 0.34 2 — 6 642 B.A.C. 4602 3.30.19 1 13 41 40.64 +3.585 0.19 1 —41 4 643 B.A.C. 4608 5.20.43 3 13 42 42.12 +3.245 0.43 3—17 3 644 B.A.C. 4619 8.00.53 1 13 43 37.05 +3.143 0.53 1 —61 645 B.A.C. 4625 6.10.53 1 13 45 10.04 +3.847 0.53 1 —52 4 646 C.G.A. 18854 8 13 45 37 +3.432 0.32 1 —31 647 B.A.C. 4631 4.90.32 1 13 45 37.22 +3.432 0.32 1 —31 648 B.A.C. 4631 6.60.40 1 13 46 48.66 +3.391 0.40 1 —27 5		"
637 B.A.C. 4574 5'8 0'42 I 13 37 22'70 +3'229 0'42 I -15 3 638 B.A.C. 4585 6'00'45 I 13 38 54'4I +3'185 0'45 I -11 4 640 B.A.C. 4591 6'3 13 40 15 +3'161 0'39 I -9 642 B.A.C. 4692 3'30'19 I 13 41 40'64 +3'585 0'19 I -4I 4 643 B.A.C. 4608 5'20'43 3 13 42 42'12 +3'245 0'43 3 -17 3 644 B.A.C. 4619 8'00'53 I 13 43 37'05 +3'143 0'53 I -6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6 44·29 2 6·80 6 27·71	-18.59 -18.46 -18.40 -18.30
642 B.A.C. 4602 3.3 0.19 1 13 41 40.64 +3.585 0.19 1 -41 4 643 B.A.C. 4608 5.2 0.43 3 13 42 42.12 +3.245 0.43 3 -17 2 644 B.A.C. 4619 6.1 0.53 1 13 43 37.05 +3.143 0.53 1 -52 4 645 B.A.C. 4625 6.1 0.53 1 13 45 10.04 +3.847 0.53 1 -52 4 646 C.G.A. 18854 8 13 45 37 +3.432 0.32 1 -31 647 B.A.C. 4629 5.7 0.45 1 13 45 37.22 +3.432 0.32 1 -31 648 B.A.C. 4631 5.7 0.45 1 13 45 50.29 +3.488 0.45 1 -35 649 B.A.C. 4636 6.6 0.40 1 13 46 48.66 +3.391 0.40 1 -27 5	7 13.26 0 53.06 5 50.50. 5 30.73 2 47.29	-18·29 -18·34 -18·18 -18·18
647 B.A.C. 4629 4.90.32 I 13 45 37.22 +3.432 0.32 I -31 648 B.A.C. 4631 5.70.45 I 13 45 50.29 +3.488 0.45 I -35 B.A.C. 4636 6.60.40 I 13 46 48.66 +3.39I 0.40 I -27 5	2 39°79 8 51°47 8 30°32 6 26°25 3 10°70	-18·16 -18·10 -18·11 -18·05
650 B.A.C. 4645 5.30.39 1 13 47 55.24 +3.081 0.39 1-0	6 24.65 0 39.55 4 57.16	-17'97 -17'97 -17'96 -17'92 -17'88
651 η Boötis	4 9 25°45	-18·21 -17·78 -17·74 -17·75
656 & Centauri 0.8 0.30 I 13 54 31.93 +4.15859 6657 TVirginis 4.4 0.00 4 13 54 55.75 +3.047 0.00 I + 2.658 B.A.C. 4680 6.90.42 3 13 57 22.16 +3.171 0.42 3 - 8.659 B.A.C. 4682 6.70.45 I 13 58 2.70 +3.257 0.45 I -15 6	4 1 4°97 7 19°05	-17.67 -17.68 -17.66 -17.49 -17.46 -17.46

661		Magnitude.		No. of Obs		R.A. 58 o.	Va	nnual riation 865°o.	Fraction Year.	No. of Obs.		Dec. 8 °o.	Annual Variation 1865 o.
100	a. Vincinia	6.0	0.10		h m			8			_ 8° 15		
662	94 Virginis B.A.C. 4695		0.23	,	l		1 .			1	l .		-17.39
663	B.A.C. 4700	-	0.40		i i	38.19	1	3.958			-	36.12	-17.33
664	B.A.C. 4702		0.37	1 1	14 4	-	1:	3.500	1 .	1		36.06	-17.58 -17.50
665	B.A.C. 4708		0.35	! !		•	i	-	-	1	1 1	•	'
005	D.A. O. 4/08	5	10 32	•	** >	12.68	T	3 421	B 32	1.	—20 3e	19.15	—17-14
666	B.A.C. 4710	7:3	0.42	2	14 5	31.2	4	3.186	0.42	2	— a 16	39.23	-17.13
667	K Virginis		0.37	i i	_	51.45	1:	-				27.30	-17.10
668	B.A.C. 4717		0.44			56.5	1				- 2 41		-17.10
669	B.A.C. 4720		0.23			29.05	١.		0.23	1	— 5 19	56.04	-17.04
670	Virginis		0.56				1	3,139				8.49	—16·96
													i i
671	a Boötis	0.0	0.00	7	14 9	38.21	+	2.734			+19 52	3	-18.92
672	B.A.C. 4735	4*4	0.58	2	14 11	7.62	+	4.135	0.38	2	55 46	33.89	-16.87
673	B.A.O. 4739	6.5	0.44	2	14 11	20'44	+	3.308	0.44	2	—18 6	12.04	-16.86
674	B.A.C. 4740	5.8	0.40	1	14 11	31.81	+	3.412	0.40	1	-25 13	3.42	-16.85
675	λ Virginis	4'6	0,45	6	14 11	58.56	+	3.539	0.43	8	-12 45	42.30	-16.80
1													
1	•, •	5.5	0,39	1	14 12	44 47	+	3.093	p.39	1	— I 39	11.90	-16.79
677	B. A.C. 4750	6.6	0.35	1	14 12	57.20	Ι'	-	_	1 1	- 6 8	10.22	-16.48
678	B.A.C. 4762		0.40			10.63	1	3.089		1 1	— I 22	57.41	-16.67
- 1	B.A.C. 4764 (one mass)		0.23	1			1 '	3.166		1 1		37.83	-16.62
680	B.A.C. 4761	6.2		•••	14 15	46	+	6.086	0.48	I	 76 7	50.89	—16 ·65
	n. a .				_	_	١.						
681	B.A.C. 4765		i l			19.62						33.99	-16.21
682	B.A.C. 4774		0.42								-41 43		-16.24
683	B. A. C. 4777		0.33		14 18		ı	3.543			_	15.29	-16.23
684	B.A.C. 4779		0.5			42.40	1 '			1 -			-16.20
685	B.A.C. 4786	9.2	0.39	2	14 20	28.81	+	3.145	0.39	2	— 5 31	22.00	-16.41
686	B. A. C. 4794	6.8	0'42			20.00	L	4:100	L.,		— 9·24		6.06
687	B.A.C. 4799		0.48		14 21		1		4			_	-16·36
688	B.A.C. 4802	-	0.34	1 1			1	3,151			— 3 39 — 3 38		-16·28
689	B.A.C. 4807		0.34			38.33	1				— 3 28	•••	-16·14
690	z Octantis	1	0.26	ı ı		36.21			0.35		—41 30 —87 36	57.57	-16·20
	~ Cotanora,,,,	٠,	30		.4 20	30 /1	"	- /50	۲ ⁵⁵	"	-67 30	4 11	-10.70

No.	Star.	Magnitude.	¥ 2	No. of Obs.	Mean R.A 1868 o.	Annual Variation 1865'o.	Mean Dec. 1868.0.	Annual Variation 1865'o.
751 752 753 754	B.A.C. 5184 B.A.C. 5183 B.A.C. 5188 B.A.C. 5190	7°3	0·32	2 I	h m s 15 36 0.6 15 35 44.6	2 +4·760 6 +3·354	0.55 1—15°35′16″55 0.32 2—57 23 35.44 0.53 1—14 37 2.69 0.46 1—15 14 54.77	-11.82 -11.80 -11.81
755 756	B.A.C. 5197 B.A.C. 5209	7.8		I	15 37 46°C	2 +3.263	0.42 1—24 17 22.01 0.23 1—24 47 28.93	-11.62 -11.62
758 759 760	B.A.C. 5226 B.A.C. 5231	3°5	o·52	2 4	15 42 2°1 15 42 44°0 15 43 6°7	3 +3·137 +3·129	0.28 4 — 3 I 52.05	-11.30 -11.32 -11.34
761 762 763	B.A.C. 5235 B.A.C. 5240 B.A.C. 5246	6.8		1	15 43 44°0 15 44 4°1 15 44 23°2	4 +3.698	0°19 160 20 45°75 0°55 129 28 59°51 0°35 2 2 41 19°33	-11·27 -11·20
764 765 766	B.A.C. 5251 θ Libræ B.A.C. 5278	4°3	o·42	4	15 45 40 4 15 46 18 7	9 +3.414	0.42 1 -10 46 10.44 0.38 4 -16 20 21.08	-10.83
767 768 769	48 Libræ B.A.C. 5283 B.A.C. 5288 8 Scorpii	4.8 6.7	o•53 o•53	4 1	15 50 48 1 15 50 50 1 15 51 17 8 15 52 31 8	2 +3·350 6 +4·636 2 +5·213	0'50 5—13 53 45'07 0'44 1—54 11 51'21 0'53 1—62 9 53'14 0'54 2—22 14 36'45	—10.43 —10.43 —10.43
771 772	B.A.C. 5304 51 Libræ	4°1	0°42	1 2	15 52 55°3	1 +3.401 8 +3.595	0.45 1—16 8 31.30	—10°57
773 774 775	β¹ Scorpii β² Scorpii B.A.C. 5342	7.9			15 57 45 9 15 57 46 15 59 40 0	+3.477	0.00 1—10 50 19.20 0.00 1—10 50 19.50 0.20 3—10 50 34.58	—10°07
776 777 778 779	B.A.C. 5351 B.A.C. 5349 B.A.C. 5354 B.A.C. 5356	7·8	0°44 0°54	1	16 0 50°8	1 +5.214 6 +3.571 3 +3.761	0.44 1 —61 34 41.20 0.25 1 —23 19 48.83 0.26 2 —30 41 22.09	-10.02 - 9.98 - 9.98
780	B.A.C. 5370	6.0	•••		16 2 53	+4.747	0.20 1 -22 11 39.59	— 9·83

No.	Star.	Magnitude.	Year. No. of Obs.	Mean R.A. 1868'o.	Annual Variation 1865'o.	Fraction of Year. No. of Obs.	Mean Dec. 1868 o.	Aunual Variation 1865'o.
781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805	» Scorpii	4 · 2 o · 5 · 6 o · 7 · 2 o · 6 · 6 o · 7 · 5 o · 7 · 5	557 3 3 2 25 1 1 2 22 1 1 1 2 2 2 1 1 2 2 2 1 1 2	h m a 16 4 19.57 16 6 33.09 16 7 25.83 16 8 27.04 16 10 6.96 16 11 20.34 16 12 24 16 12 56.59 16 13 10 16 13 18.08 18.19 16 16 22.95 16 17 16.96 16 17 40.43 16 18 45.54 16 19 14.26 16 21 19.00 16 23 35.22 16 24 18.00 16 24 36.92 16 25 6.78 16 27 40.10 16 29 25.53 16 30 56.59	+ 3.480 + 3.310 + 3.136 + 3.238 + 3.694 + 3.162 + 20.514 + 5.003 + 3.633 + 3.503 + 3.503 + 3.503 + 3.503 + 3.666 + 3.741 + 3.666 + 3.741 + 3.415 + 3.723 + 3.723 + 3.777	0°57 3 0°25 1 0°00 3 0°22 1 0°53 1 0°53 1 0°64 1 0°64 1 0°67 1 0°67 1 0°42 1 0°44 1 0°53 1 0°67 1 0°42 1 0°44 1 0°53 1 0°42 1 0°44 1 0°53 1 0°42 1	-19° 6 53"19 -11 29 52"08 -3 21 6"91 -8 1 0"27 -27 42 46"89 -4 22 3"85 -86 6 4"83 7"61 -58 17 15"52 -25 16 21"87 -78 35 36"70 41"04 -19 43 30"43 -31 23 44"24 -23 8 23"85 -57 27 27"99 -28 59 11"28 -26 8 7"70 -16 19 17"62 -77 14 3"00 -31 16 4"88 -15 41 53"79 -27 56 19"11 -2 2 25"38 -29 39 29"96	- 9"68 - 9"59 - 9"59 - 9"39 - 9"27 - 9"17 - 9"10 - 9"05 - 9"02
807 808 809 810	1	7.00. 5.20.	55 I 52 2 24 3	_	+ 3.470 + 3.462 + 3.517	0°55 1 0°52 3 0°55 1	-19 40 5.47	- 7'43 - 7'39 - 7'34 - 7'35 - 7'39

No.	Star.	Magnitude. Fraction of Year.	No. of Obs.	Mean R. A. 1868 °c.	Annual Variation 1865°0.	Mean Dec. 1868 o. Annual Variation 1865 o.
811 812 813 814 815 816 817 818 819	a Trianguli Aust. S.P. B. A. C. 5614 B. A. C. 5633 B. A. C. 5637 B. A. C. 5646 B. A. C. 5655 B. A. C. 5663 B. A. C. 5663 B. A. C. 5676	,	3 1 1 1 1 1 1 1 1 1	h m s 16 34 43 16 38 46 42 16 41 42 47 16 42 32 05 16 44 6 68 16 44 46 54 16 45 37 71 16 46 38 88 16 47 32 52 16 48 24 82	+3.665 +3.642 +3.305 +4.932 +4.194	0.52 1 - 2 26 3.51 - 6.52
827 828	B.A.C. 5700 (2nd Star) & Ophiuchi	6·7 0·25 3·4 0·00 9 0·64 5·9 0·53 5·0 0·25 6·8 0·55 7·8 0·24	1 1 1 1 1 1 2	16 54 6·17 16 55 53·47 16 57 14·74	+3.518 +2.834 +3.435 +5.082 +3.163 +3.685 +3.320	0.53 1 - 57 31 1.16 - 5.79 0.25 1 - 25 30 25.53 - 5.55 0.24 2 - 10 53 59.94 - 5.44
831 832 833 834 835	B.A.C. 5774 Lalande 31166 η Ophiuchi B.A.C. 5784	6.6 o . 57 5.6 o . 63 7.0 o . 53 5.9 o . 25 7.3 o . 24 2.6 o . 47 7.3 o . 55	1 1 2 3	17 2 48·56 17 3 14·19	+3.092 +3.556 +3.436 +3.557	0.63 2 — 0 42 30.49 — 5.31 0.53 1 —57 51 6.66 — 5.23 — 0 54 — 5.08 0.24 2 —20 30 27.95 — 4.97 0.47 3 —15 33 29.93 — 4.86 0.55 1 —20 28 53.27 — 4.93
836 837 838 839 840	a Herculis	4.7 0.61 6.2 0.64 7.1 0.54 Var. 0.00 5.0 0.24	1 2 I		+3.681 +3.825 +4.628 +2.732 +3.078	0.61 1—26 24 17.87 — 5.71 0.64 1—30 3 17.24 — 4.58 0.54 2—50 3 38.81 — 4.52 — 14 33 — 4.42 0.24 2—0 17 36.81 — 4.37

350 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude.	£ 2	No. of Obs.		R.A. 8 o.	Annual Variation 1865°0.	Year	No. of Obs.		an Dec. 868 o.	Annual Variation 1865°0.
841	B.A.C. 5839	6.0	0.22	1	h m	12'41	+3.486	0.22		_17°	36′ 55"99	- 4°17
842	ν Serpentis	4'4	0.46	2	17 13	24.25	+3.372	0.46	. 2	1		- 4°05
843	θ Ophiuchi	3°4	0.00	6	17 13	54.25	+3.676	o.oo		-24	51 53.22	- 4.01
844	B.A.C. 5861	8.5	0.64	1	17 16	3.00	+3.785	0.64	ı	—28	31 33.07	- 3.84
845	B.A.C. 5890	4.6	0.29	1	17 19	37.76	+3.182	0.29	1	- 4	58 0.22	- 3·53
									Ì			
846	B.A.C. 5889	6.4	0.24	2	17 20	10.76	+5.082	0.24	2	56	48 40.86	- 3.49
847	B.A.C. 5905	7.5	0.28	2	17 22	54.05	+3.438	0.28	2	-15	31 44 23	- 3.25
848	B.A.C. 5910	5°4	0.64	1	17 23	36.32	+3.094	0.64	1	– •	57 3.21	- 3·18
849	B. A. C. 5920	7:0	0.29	1	17 25	18.31	+3.485	0.29	1	-17	23 51.89	- 3.04
850	a Ophiuchi	2.5	0.00	3	17 28	48.53	+2.781			+12	40	- 2.94
851	ξ Serpentis	3.7	0.46	2	17 30	1.77	+3.431	0.46	2	—15	18 44 49	- 2.68
852	B.A.C. 5948	6.8	0.52	1	17 30	1,91	+3.439	0.5	I	-15	29 12.61	- 2.63
853	B.A.C. 5947	4'9	0.24	2	17 30	12.58	+4.616	0.24	2	49	19 46.69	- 2.62
854	B.A.C. 5953	4'7	0.22	1	17 30	40.33	+3.529	0.22	1	8	2 8.24	- 2.57
855	B.A.C. 5976	4'4	0.64	1	17 33	59.86	+3.366	0.64	E	-12	48 6.81	- 2.33
1												
856	B.A.C. 5984	7.5	0.29	1	17 35	5.67	+3.440	0.29	1	-15	29 27.66	- 2'19
857	58 Ophiuchi	5.0	0.50	1	17 35	31.44	+3.592	0.47	2	2 ī	36 55.86	- 2'20
858	B.A.C. 5992	6.8	0.67	1 1	17 36		l	0.67		l	7 55.18	- 2.07
859	B.A.C. 5995	6.6	0.24	2	17 37	40.23	+5 538	1	i	l _	39 41 28	- 1.97
86o	B.A.C. 6015		0.28	1	17 40		+3.747		1	ı	55 27 93	- 1°75
	-							١				
86 r	B.A.C. 6023	7:5	0.64		17 41	53.50	+3.670	0.64	ı	-24	9 38.36	- 1·60
862	B.A.C. 6040		0.22		17 45	4.05	+5.410	•	[17 43 49	- 1.33
863	C.Z. XVII. 3281		0.23		17 47	-	+4.953			1		- 1.08
864	B.A.C. 6060		0.61	1	17 48	9.16	+3.226	1 .		1 -	46 31.34	- 1.05
865	B.A.C. 6059	-	0.67	1 1	17 48	9.97	+3.745	1 .			44 44 73	- 1.05
	,		′		, 4-	2 31	1,5,743				/3	'
866	B.A.C. 6066	7.2	0.64	ı	17 49	3.62	+3.662	o∙6₄	1	-23	55 1.67	- 0.97
867	C.Z. XVII. 3710		0.23	l i	17 54	-	+4.957			1	39 55.62	- 0.21
868	B.A.O. 6093	•	0.29		17 54	-	+5.50	i .				- o'47
869	B. A.C. 6102		0.64	1			+3.676	0.64	ł	-	21 37 43	- 0.39
870	B.A.C. 6111		0.67	1	17 57	4'92	+3.678	1		'	3, .3	- 0.34
		ر -			-, 3/	7 7**	135/5	<u> </u>	ت			

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean 186		Ann Varia 1865	ual tion	Fraction of Year.	No. of Obs.		n Dec. 68 o.	Annual Variation 1865'o.
872 873 874 875 876 877 878 887 888 881 882 883 884 885 886 887 888 889 891 892 893 894 895 896 897 898 899	B.A.C. 6128 B.A.C. 6165 B.A.C. 6165 B.A.C. 6189 B.A.C. 6210 B.A.C. 6219 21 Sagittarii A Sagittarii B.A.C. 6262 B.A.C. 6267 B.A.C. 6279 B.A.C. 6276 B.A.C. 6307 B.A.C. 6330 B.A.C. 6340 a Lyrse B.A.C. 6360 B.A.C. 6367 B.A.C. 6370 B.A.C. 6398 B.A.C. 6492 B.A.C. 6472 B.A.C. 6472 B.A.C. 6488 B.A.C. 6488 B.A.C. 6488 B.A.C. 6488	5.5 7.5.6 4.10 7.00 4.70 6.70		1 4 1 1 2 2 2 2 1 1 1 1 2 2 2 2 1 1 1 4 4 1 1	18 2 18 5 18 8 18 12 18 13 18 17 18 19 18 20 18 21 18 25 18 29 18 30 18 32 18 35 18 36 18 37 18 42 18 44 18 46 18 47 18 49	1.53 52.22 43.46 32.89 58.74 29.36 49.46 0.13 14.36 40.42 54.83 8.00 14.75 28.09 38.69 20.05 14.26 10.89 45.28 12.55 24.79 53.79 51.32 31.76 0.84	++++++++++++++++++++++++++++++++++++++	*742* *644* *584* *573* *452* *140* *574* *707* *516* *502* *419* *270* *099* *545* *880* *927* *268* *631* *771* *759* *604* *742* *815* *582* *741*	0.00 0.64 0.54 0.55 0.55 0.55 0.64 0.68 0.64 0.66 0.66 0.66 0.66 0.66 0.66 0.66	2 1 1 1 1 1 2 2 1 1 2 2 1 1 4 4 1 1 1 1	-89 1 -23 -21 -20 3 -15 5 -57 -20 3 -25 2 -47 1 -17 5 -14 3 -58 4 -17 2 +38 3 -65 1 -8 2 -49 4 -52 1 -52 -22 -27 -53 -21 1 -63 5 -15 2	7 37 12 6 43 50 8 46 99 5 25 87 5 4 50 2 58 00 9 27 84 6 33 59 9 29 01 7 59 47 2 38 06 8 50 23 7 35 58 5 39 96 1 9 71 5 22 68 0 24 26 9 45 16 2 32 33 4 10 81 5 51 74 5 16 37 4 59 76 4 23 07 3 3 16 6 26 06 6 36 92 8 1 63 7 57 15 5 20 87	+ 4°32 + 4°45 + 4°67

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		R.A. 58'0.	Annual Variation 1865'o.	Fraction of Year.	No. of Obs.		n Dec. 8 o.	Annual Variation 1865 o.
901 902 903 904 905	B.A.C. 6498 σ Sagittarii ζ Aquilæ π Sagittarii B.A.C. 6554	3°1	o*58 o*66	3 I I	18 56 18 59 19 1	52°55 46°41 20°76 54°79		0.28	3 1 1	-21 55 +13 40 -21 13	54'72 12'34 49'59	+ 4'82 + 4'88 + 5'05 + 5'35 + 5'42
906 907 908 909 910	B.A.C. 6557 B.A.C. 6559 B.A.C. 6564 B.A.C. 6580 B.A.C. 6590	6·7 6·7	o•65 o•65	1	19 4 19 5 19 10	8·67 31·16 17·67	+ 5.886 + 3.258 + 6.329	o·65 o·65	I	65 26 8 9 68 36	57.60 27.11 50.52	+ 5.46 + 5.52 + 6.03 + 6.14
911 912 913 914 915	B.A.C. 6614 p ¹ Sagittarii 8 Aquilæ	3°5	o • 67 o • 67	1 2 5	19 13 19 14 19 18	20,28 0,88 30,15	+ 2.814 + 3.197 + 3.488 + 3.024 + 3.417	o · 67 o · 73 o · 60	1 2	— 5 39 —18 5 + 2 51	35°74 33°93 14°14	+ 6.17 + 6.31 + 6.85 + 6.93
916 917 918 919 920	B.A.C. 6671 B.A.C. 6683 A ² Sagittarii	6.2 7.8 4.6	0.62 0.64 0.00	1 6	19 23 19 24 19 28	3.82 24.95 40.32	+ 3.422 + 3.567 + 3.656 + 5.874	o • 62 o • 64 o • 00	I -	—21 35 —21 47 —25 10	o·66 35·36	+ 7.01 + 7.10 + 7.57 + 7.56
921 922 923 924 925	B.A.C. 6708 B.A.C. 6738 c ² Sagittarii	6.6	 5 62 5 58	 1 5	19 31 19 34 19 34	32 21.77 58.01	+ 3°178 +11°503 + 3°648 + 3°439 + 4°929	0°75 0°62 0°58	1 -	81 40 25 9 16 25	17°55 50°74 49°96	+ 7.73 + 7.79 + 8.10 + 8.24
926 927 928 929		2.80	0.62 0.00	4	19 39 19 44 19 45	59°17 20°55 0°84	+ 3.506 + 2.852 + 2.927 + 6.283 + 7.108	 o•65		+10 17 + 8 31 -69 30	16.31	+ 8·33 + 8·47 + 9·19 + 8·85 + 8·64
<u> </u>	·	<u>1</u>	!					•				

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		an : 868	R.A.	Va 1	nnual riation 865°0.	Fraction of Year.	No. of Obs.		ean 1861	Dec. 8 °o.	Annual Variation 1865'o.
931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950	Star. « Pavonis S.P B.A.C. 6809 B.A.C. 6840 B.A.C. 6848 B.A.C. 6871 B.A.C. 6889 B.A.C. 6902 B.A.C. 6902 B.A.C. 6911 B.A.C. 6929 B.A.C. 6964 β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni β Capricorni ρ Capricorni ρ Capricorni β A.C. 7038 B.A.C. 7095 B.A.C. 7099 γ Capricorni	7°0 5°0 6°6 5°9 7°0 6°5 6°4 6°9 6°7 6°6 3°8 3°4 5°7 7°2 5°2 6°7 6°1	130814 64 55 65 67 69 65 65 67 69 65 65 67 69 69 69 69 69 69 69 69 69 69 69 69 69	10°0N 1 1 1 2 1 2 1 2 1 3 1 1	h 19 4 19 5 19 5 19 5 19 5 20 20 20 20 12 20 12 20 12 20 22 22 22 22 22 22 22 22 22 22 22 22	15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 1.63 27.86 18.49 34.83 35.83 36.8	V +++++ ++++ +++++ +++++	# 7.059 5.009 3.409 5.945 3.365 5.795 3.365 5.795 3.365 5.795 3.365 4.918 3.284 5.887 5.239 4.710 3.333 3.377 10.722 6.030 3.442 3.426 6.362 7.683	0.31 0.64 0.45 0.65 0.65 0.65 0.65 0.65 0.65 0.67 0.66 0.66 0.66 0.66	10.0N		156 50 9 43 40 546 50 18 27 57 11 43 29 38 14 37 38 21 59		
954 955	σ Pavonis B.A.C. 7231		o·75 o·74		_		19.38 15.89	++	5.679			-	-	15.93	+13.54 +13.65
956	1		0.34	1	20 5	2	_	+1	09.450			—89	27		+13.33
957	B Octantis S.P	1	0.34				6.50			0,34	4			8.22	•••
958	B.A.C. 7272		0.22	2	-	-	7.29		7:205		1	7 6	44	2.33	+13.42
959	B.A.C. 7293	- 1	0.13	1	_	_	19.00		6.372		1	—73	41	8 • 48	+13.88
960	θ Capricorni	4'3	0.36	1	20 5	8 3	31.37	+	3.382	0.36	1	-17	45	19.17	+14.05

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		an R.A. 868°0.	Annual Variation 1865 o.	Fraction of Year.	No. of Obs.	Mean Dec. 1868'o.	Annual Variation 1865 o.
	D 4 C					m 8				-59° 56 ′ 20″ 15	1
961 -60	B. A. C. 7329		0.16			_	1.				+14.18
962	B.A.C. 7339		0.42		21			0.75	1		十14.57
963	» Aquarii		0.22		l	2 24.06	1.	0.49	1 -	·	+14.33
964	B.A.C. 7355	•	0.43	'	21	5 11.53		0.73	1		+14.48
965	B.A.C. 7369	0 9	•••		21	0 12	T 4 //9	Γ″	•	-61 53 10.36	+14.67
966	ι Capricorni	4.4	0.63	2	21 1	4 53.65	+ 3.348	0.63	2	-17 23 40'91	+15.06
967	B.A.C. 7406		0.76		21 1		1.	0.76			+15.07
968	B.A.C. 7464		0.76		21 2	-	+ 4.556	1 .	1		+15.2
969	β Aquarii		0.00				+ 3.163	ł	ļ	_ 6 g	+15.62
970	λ Octantis	-	•				+10.023	•	4	-83 19 15.19	+15.70
								''			
971	λ Octantis S.P		0.37	2		20.82		b·38	5	18.2	
972	B.A.C. 7516	6.5	0.76	2	21 3	1 13.94	+ 4.288	0.46	2	—56 19 57:97	+15.96
973	γ Capricorni	3.8	0.21	3	21 3	32 46.50	+ 3.322	0.21	3	-17 15 24.49	+16.02
974	e Pegasi	2.4	0.00	2	21 3	37 42'18	+ 2.948		ļ	+ 9 16	+16.31
975	B.A.C. 7572	5.6	0.76	1	21 3	39 34.60	+ 5.218	o·76	1	-70 14 26·80	+16.39
								1			
976	ð Capricorni	3.0	0.21	3	21 3	39 45'20	+ 3.303	0.21	3	-16 43 27.58	+16.41
977	μ Capricorni	5.5	0.49	3	21 4	ı6 5∙86	+ 3.529	6.49	3	-14 10 16.97	+16.43
978	16 Pe gasi	5.0	0.00	1	21 4	7 3.24	+ 2.726			+25 18	+16.46
979	B.A.C. 7645	6.3	0.46	ļ.	21 9	51 22.20	+ 4.121	0.26	1 1	56 30 46.22	+16.97
980	B.A.C. 7656	4.8	0.80	1	21 5	53 14.95	+ 4.170	0.80	1	-57 19 33.12	+17.06
			İ					İ			
981	B.A.C. 7669	-	0.80	2	21 9	26 33.36	+ 4.372	0.80	2	60 16 21.33	+17.21
982	a Aquarii	3.5	0.00	2	21	29 0.19	+ 3.083	0.00	1	— o 57 30·21	+17.31
983	، Aquarii	4.3	0.49	4	21	59 18.41	+ 3.546	0.49	4	-14 30 31.92	+17.33
984	B.A.C. 7687	6.9	0.46	1	21	59 21.79	+ 5.937	6.46	I	-76 45 36.39	+17.33
985	a Gruis	1 9	0.00	1	21	59 54.14	+ 3.817	6.00		-47 35 54.97	+17.18
	D. G.						1.	1			1.
986	B.A.O. 7728		0.42	i	22		+ 4.057	0.42			+17.24
987	C Octantis		0.43	1	1	5 28.22	1	0.43		1	+17.66
988	C Octantis S.P		0.42		Į.	27.05	1	0.42		1	1
989	B. A.C. 7764				22		+ 3.965	1	1	-54 58 34°37	1+17.72
990	θ Aquarii	4.3	0.00	5	22	9 52.03	+ 3.170	lo. ∝	1	— 8 26 21·36	+17.75
<u> </u>			1	<u> </u>			1	<u> </u>	1		<u> ' '</u>

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean 186	R.A. i8 o.	Annual Variation 1865 °c.	Fraction of Year.	No. of Obs.	Mean Dec. 1868 c.	Annual Variation 1865°0.
992 993 994 995	B.A.C. 7785 B.A.C. 7801 B.A.C. 7811 B.A.C. 7831 σ Aquarii B.A.C. 7841 B.A.C. 7860	5°4 6°9 6°6 4°8	o.80 o.81 o.81	1 2 5	22 16 22 18 22 22 22 23	9.09 38.41 44.58 39.59	+ 5'411 + 4'027 + 4'012 + 6'040 + 3'182	o·85 o·85 o·85 o·55	1 1 5	-75 40 56 95 -58 27 6 08 -58 40 14 33 -79 26 57 05 -11 21 8 35 -62 39 29 19	+18.52 +18.13 +18.05
998 999	η Aquarii B.A.C. 7887 β Octantis S.P	4°2	o.82 o.00	5	22 28 22 32	34°42 5°72	+ 3.622 + 3.622	o . 82 o . oo	1	— o 47 46°40	+18.42 +18.60
1002 1003 1004	C Pegasi	6·9	o•85 o•85	1 2 1	22 35 22 38 22 40	43°23 9°01 12°54	+ 4.089 + 4.373 + 4.028	o•86 o•86	1 2 1	-64 38 40°35 -70 10 7°63 -64 24 49°83	+18.69 +18.71 +18.78 +18.85 +18.92
1007 1008 1009	B.A.C. 7956 B.A.C. 7965 A Aquarii © Piscis Australia B.A.C. 8022	3.8 9.3	o.25 o.25	1 9	22 45 22 45 22 50	25.83 43.61 21.07	+ 3.330 + 3.133 + 4.303	o • 75 o • 52 o • 00	1 1	—70 46 43°93 — 8 16 53°04 —30 19 14°77	+18.34 +19.00 +19.01 +18.34
1012 1013 1014	a Pegasi	5·6 6·4 5·6	o•52	1 1 12	22 58 23 5 23 6	16·72 56·76	+ 3.130 + 3.698	o·52 o·80	1 1 7	+14 29 45.22 8 24 18.98 63 24 6.28 88 12 18.69 21.01	+19.25 +19.33 +19.31
1017 1018 1019	φ Aquarii B.A.C. 8087 B.A.C. 8102 γ Piscium	6·6 5·2	o • 86 o • 86	2 I 2	23 7 23 10 23 10	39°94 0°42 19°38	+ 3.112 + 3.112	o·86 o·79	2 I 2	57 24 33°43 8 26 44°07 +- 2 33 42°06	+19.28 +19.23
								•			

No.	Star.	Magnitude.	ractio Yea	No. of Obs.		R.A. 58°0.	Annual Variation 1865 o.	Year	No. of Obs.		n Dec. 68°o.	Annual Variation 1865 o.
	↓ ³ Aquarii					2.21	1					+19".62
	B.A.C. 8142			11		43.73						+19.68
	B.A.C. 8143			1	_	-	+3.428			_		+19.68
	Lacaille 9455		0.88	i I	_	-	+3*429					+19.69
1025	« Piscium	2.0	0.00	3	23 20	10'04	+3.072	0.00	4	+ 0 3	z 0.83	+19.63
1026	B.A.C. 8207	7:3	0.87	3	23 27	39.74	+3.485	0.87	3	—65 z	5 7.52	+19.85
	B.A.C. 8208									1		+19.85
1028	B.A.C. 8219	6.4	0.80	1	23 30	7.71	+3.868	0.80	1	-77 3	5 56.47	+19.88
1029	B. A.C. 8226	6.8	0.80	1	23 31	19.18	+3.410	0.80	1	— 63 3	6 56.73	+19.90
1030	Piscium	4.3	0.00	5	23 33	9.69	+3.084	o.œ	4	+ 4 5	4 40.98	+19.47
1031	B.A.C. 8244	8.3	0.82	1	23 35	24.49	+3.310	p.82	1	58 4	1 36.94	+19.94
1032	B.A.C. \$253	5.2	0.82	3	23 36	54.59	+3.362	0.82	3	65	8 16.30	+19.95
1033	B. A.C. 8263	7.0	0.80	1	23 40	4.61	+3.379	0.80	1	 69	7 32.86	+19.08
1	B.A.C. 8264	- 1	-	Iί		-	+3.512	•	1			+19.98
1035	20 Piscium	5.4	0.63	2	23 41	9.30	+3.084	0.63	2	— 3 2	9 41.96	+19.99
1036	8 Sculptoris	4.6	0.00	3	23' 42	2.76	+3.133	o.œ	2	—28 9	1 35°42	+19.92
	B.A.C. 8283			1 1			+3.560		1			+20.00
1038	B.A.C. 8305	6.4	0.82	3	23 46	38.00	+3.255	o·87	3	66 4	1 3.10	+20.03
1039	B.A.C. 8327	6.8	0.80	2	23 51	33.40	+3.086	o.80	2	-16 3	4 55.12	+20.04
1 0 40	27 Piscium	5.0	0.20	3	23 51	54°97	+3.068	0.29	3	- 4 1	7 16.66	+19.92
1041	B.A.C. 8329	۲.۱	0.83	1	22 52	4*75	+3'137	0.83	1	-53 2	8 48.03	+20.04
	Lacaille 9688				23 54			1	1			+20.05
			0.67			11.40	1	1	1	l .		+20.01
	B.A.C. 8365								1	l		+20.06
1045	B.A.C. 8367	7.2	0.89	2	23 58	25.30	+3.086	0.89	2	-52 s	52 54.36	+20.06
1046	33 Piscium	4.6	0.67	3	23 58	34°75	+3.021	0.67	3	<u> </u>	16 44·66	+20.09

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

SEPARATE RESULTS

OF

MERIDIAN OBSERVATIONS OF STARS

MADE IN THE YEAR

1869.

REDUCED TO MEAN PLACE FOR 1869.0.

Date	۵.	Observer.	R,A,	N.P.D.	Date.	Observer.	R.A.	N.P.D.
			β Hydri.		. •	з Ну	lri S.P.—conti	nued.
Jan.	11	CF	h m s	0 , ,,	Apr. 29	JS	h m s	0 1 11
	19	JS	49.80	167 59 30.74	30	IF	49.58	167 59 35.13
l	23	G	49.71	•••	Nov. 8	G	49*27	32.63
Mar.	24	G	49*39	30.80	13	G	49'34	
	30	G	49.55	29.75	23	G	48.93	
	31	G	49.09		28	G	49.46	•••
Apr.	4	G	49.20	•••	29	G	49°35	
	11	G	49°42	•••	Dec. 15	G	49.06	***
	12	G	49°29		17	G	48.97	
	22	G	49.16	31.37	22	G	48.91	
l	28	G	49,11	•••	28	G	49.32	
	29	G G	49.20	•••			0 18 49.25	167 59 33.50
l	30		49*09				1	
May	2	G	49.18	31.91			10 Ceti.	
Nov.	13	G	49.09				10 000.	
	23	G	49°43	•••	June 30	G	0 19 54.39	90 46 30.40
	24	G	48.91			IF		
	25	G	49.16	•••	Sept. 20		54°34	30.48
Dec.	9	G	•••	31.52	Oct. 18	JS	•••	32.*17
	11	G IF	49*34			•	0 19 54.37	90 46 31.12
	13	G	49*11	30.83				'
	10	•					12 Ceti.	
			0 18 49.29	167 59 30.95	L			
					Sept. 20	IF		94 40 53.31
			₿ Hydri S.P.	·	Oct. 18	JS		52.88
Jan.	5	IF	0 18(49.74)	167 59(35.66)	Dec. 11	G	 	55.36
İ	11	OF	49.40				0 23 21	94 40 53.82
	30	G	49.22				-, 	77 77 33 72
Mar.	24	G	49.46	32.22				-
l	31	G	49*29	•••			13 Ceti.	
Apr.	12	G	49*37	33°14		I		_
	21	IF	49.00	33'43	Aug. 24	IF	0 28 30.21	94 18 52.16
•	22	J8	49.53	•••	Nov. 14	JB	30.32	51.78
	23	IF	49.53	32.33	15	G	30.42	20.99

Date.	Observer.	R, A.	N.P.D.	Date.	Observer.	B. A .	N.P.D.
	13	Ceti-continu	ed.		μ Pi	ecium <i>—contin</i>	ued.
Dec. 11	G JS	o 28 30.40	94° 18′ 51° 35 49° 86	Nov. 15	G IF	1 23 19'49 19'44	84 31 55.80 84 31 55.80
		20 Ceti.			<u></u>	Piscium.	
June 30 Aug. 24 25 Nov. 14	G IF G JS G	0 46 18·88 18·86 18·74 18·85	91 51 20°32 22°44 21°78 21°63 22°49	Aug. 25 Oct. 19 20 Nov. 15 16	G G J8 G		85 10 34*42 34*92 35*00 34*35 34*24 85 10 34*59
		33 Ceti.		<u> </u>	•	• Piscium.	·
July 28 Oct. 19 Dec. 12	Js G Js	1 3 49°18 49°22	88 15 8 77 6 83 8 64 88 15 8 08	Oct. 19 20	G J8	 1 38 28·82 1 38 28·82	81 30 9.20 81 30 9.19
	İ	38 Ceti.	30 13 0 00			ξ¹ Ceti.	
July 28	JS	1 8 7.91	91 40 31.95	Aug. 27 Nov. 16	IF IF	2 6 3.60 3.71	81 46 7.93
		f Piscium.		17	JS	2 6 3.64	7·28 81 46 7·77
Oct. 19 Dec. 12	G JS	1 11 2.67	87 4 33.65 32.61			ξ ^a Ceti.	
	<u> </u>	μ Piscium.		Aug. 27 Nov. 16	IF IF JS	•••	82 7 42.89 40.35
Aug. 25	G	1 23 19.28	84 31 57.48			2 21 12	82 7 41 58

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	B. A.	N.P.D.
		μ Ceti.				B. A. C. 1077.	
Sept. 24	J8	h m s 2 37 51'90	80° 26′ 26"29	Jan. 5	IF	3 21 30.83 h m s	132° 5′ 49″53
Oct. 20 Dec. 15	JS JS	51.85	24°33 24°83	, .		f Tauri.	
		2 37 51.85	80 26 25.12	Aug. 27	IF	3 23 38 74	77 30 51.48
		λ Ceti.				B. A. C. 1094.	
Sept. 24	JS	2 52 41.80	81 36 57 24	Jan. 13	IF	3 25 0'72	159 47 41.21
Nov. 17	JS JS	41.74	58°43 58°36			B. A. C. 1108.	
		2 52 41.76	81 36 28.01	Jan. 5	IF	3 27 48.98	167 11 48.95
		B. A. C. 996.			!	B. A. C. 1131	
Jan. 5	IF	3 6 11.78	139 13 46'25	Jan. 13	1	3 32 56 72	
	·	B. A. C. 1027	,		<u> </u>	B. A. C. 1160.	
Jan. 5	IF	3 11 54.30	149 59 53*99	Jan. 5	IF	3 37 57.78	136 22 35.12
		B. A. C. 1048.	•			η Tauri.	
Jan. 13	IF	3 14 56.06	153 4 37 19	Jan. 22	CF	3 39 42	66 18 6.53
		ξ Tauri.				s Tauri.	
Jan. 22	CF	3 20 4.39	80 43 31.61	Dec. 15	JS	3 41 5'25	79 15 43.28
Aug. 27	IF	4.40	34*04			B. A. C. 1198	
Nov. 17	JS	3 20 4'32	80 43 32.49	Jan. 13	IF	3 41 33.22	168 44 37 57

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		Lacaille 1285.		γ Tauri.				
Jan. 5	IF	3 45 4.18	160° 25′ 31″08	Jan. 22	CF G	h m s 4 12 20 42 20 49	74° 41° 26° 26 26° 51	
		γ Hydri S.P.		Aug. 29	Js	20.50	28.03	
Mar. 5	J8 G		164 38 29·42 25·66			B. A. C. 1359.	74 41 26.93	
		λ Tauri.	104 30 2/ 34	Jan. 5	IF	4 16 10.89	156 59 59.13	
Sept. 24 Nov. 19	J\$	3 53 25.21	77 52 55°33 54°86	•	l an	ð³ Tauri.	1	
		3 53 25.21	77 52 55'10	Jan. 22 23	G G	4 17 54 73 54 77	72 22 24.66	
		B. A. C. 1248.				4 17 54 75	72 22 25.40	
Jan. 13	IF	3 54 22.58	153 50 35 94			· Tauri.		
		B. A. C. 1283.		Oct. 23 Dec. 17	js I F		71 6 44 34	
Jan. 13	IF IF	4 3 9.66	139 58 47°29 48°96			4 20 58	71 6 45'11	
		4 3 9.66	139 58 48.13			a Tauri.		
		48 Tauri.		Feb. 19 20	IF JS		73 45 22.29	
Aug. 29	Js	4 8 20.08	74 55 46.42	Mar. 19 Oct. 23	IF JS		23.35	
	B. A. C. 1325.			Nov. 19	IF		22.30	
Jan. 13	IF	4 11 8.87	148 21 12.92	Dec. 17	IF	4 28 24	73 45 22.67	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		B. A. C. 1454.		n Tauri.				
Aug. 27	G	h m s 4 32 41 08 40 84	171°52′22"08	Nov. 20	J8	h m s 4 59 42°56	71° 31′ 58"71	
, ,		4 32 40.96	171 52 22.08			l Tauri.		
В. А. С. 1454 S.P.				Oct. 23	JS	5 0 3.59	69 45 25°70	
Aug. 27	G G	4 32 41'34	171 52 23'70			15 Orionis.		
28 30 31	G	41'01 41'42 41'42		Jan. 23	G	5 2 12.26	74 34 20·84 21·62	
		4 32 41 25				5 2 12.17	74 34 21 23	
		B. A. C. 1499.		В. А. С. 1600.				
Jan. 5	IF	4 44 32.10	134 12 37 82	Jan. 13	IF	2 3 16.01	147 39 6.79	
		4 Aurige.		ß Orionis.				
Jan. 23	G	4 48 27.87	57 3	Jan. 24	G	5 8 14.49		
		B. A. C. 1548.		Oct. 24	G	5 8 14.24	98 21	
Jan. 5	IF	4 53 18.60	156 53 3.25			n Tauri.	-	
		B. A. C. 1556.		Sept. 27	G	5 11 24 40	68 2 30.52	
Jan. 13	Jan. 13 IF 4 55 18.23 162 37 26.20					B. A. C. 1652.		
11 Orionis.				Jan. 13 IF 5 12 37.75 142 19 40.6				
Jan. 23	G G	4 57 5·16 4°99	74 46 50°35 49°62			B. A. C. 1697.		
		4 57 5.08	74 46 49 99	Jan. 13	IF	5 18 54.92	150 54 30.14	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		115 Tauri.		(Tauri—continued.				
Oct. 23 24	JS G	h m s 5 19 31 '71 31 '61 5 19 31 '66 o Tauri.	72 9 10°16 10°36	Sept. 27 Nov. 20 Dec. 17 18	G J8 IF G	5 29 49 00 49 03 48 70 49 03	26°48 24°43	
Dec. 17	IF G	5 19 45 93 46 · 13	68 10 40°53 39°92	Jan. 20	IF	a Columbee.	1	
Feb. 20	Js	119 Tauri. 5 24 31°96	71 30 20 13	24 Dec. 18	G G	54.51		
	1	8 Orionia.		χ¹ Orionis.				
July 18	G	5 25 18 · 84 a Leporis.	90 24	Jan. 24 25 Nov. 20	18 G	5 46 37.53 37.62 37.55	69 45 3.90 2.96 4.25	
Jan. 24 July 18	G	5 26 57°12 57°16				5 46 37 57	69 45 3.40	
	<u> </u>	e Orionia.		July 18 Oct. 24	G G	5 48 4.81		
Jan. 24 July 18	G	5 29 33°87 33°97 5 29 33°92	 91 17	-		5 48 4 80	82 37	
Feb. 20	Js	ζ Tauri. 5 29 49'05	68 56 23.79	Jan. 24 Oct. 24	G G	6 o 5.20 2.23		

							,	
Date.	Observer.	R.A.	N.P.D.	Date,	Observer.	R.A.	N.P.D.	
		η Geminorum.		a Canis Majoris—continued.				
Sept. 27	G	h m s 6 6 58.25	67° 27' 28": 30	16 6 22:22				
Oct. 24	G IF	58*15	27°59 30°08	Nov. 22	IF	22.46		
Dec. 18	G	58.25	29.65			6 39 22.38	106 32	
		6 6 58.52	67 27 28 91					
					•	Geminorum.		
		μ Geminorum.		Jan. 25	JS	6 56 20.18	69 14 22.73	
Jan. 24	G	6 15 2.02	•••	26	IF	20'17	23.30	
Sept. 27	G		67 25 19.32	Nov. 22	IF	20.21	25.66	
Oct. 24	G	2.11	17.80			6 56 20.29	69 14 23.90	
Dec. 18	IF G		19.26			λ Geminorum.		
19	JS		18.10			v Geminorum.		
		6 15 2.07	67 25 18.73	Jan. 25	JS IF	7 10 33.29	73 13 30.86	
	<u> </u>	» Geminorum.				7 10 33.69	73 13 30.13	
Jan. 24	G	6 21 10.94	69 42 27 98			8 Geminorum.		
25 Mar. 21	JS G	11,11	 28·37	Mar. 21	G		67 46 (49.45)	
Nov. 22	IF	11.10	27.80	22	IF		45*93	
		6 21 11.06	69 42 28.05	Dec. 19	JS	7 12 18	67 46 44.60	
·		γ Geminorum.				<u> </u>	, , , ,	
					6	3 Geminorum	•	
Dec. 19	JS	6 30 9	73 29 30.52	Feb. 23	G	7 19 57 73	68 17 21 27	
	a	Canis Majoris		Mar. 22	lF	57.84	21.31	
<u> </u>				Nov. 22	IF	57.65	23.30	
Jan. 26 Feb. 3	IF IF	6 39 22.37		Dec. 19	JS	57.63	22.10	
Feb. 3	1.0	22.41	•••			7 19 57.71	68 17 21.97	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
	s! Geminorum.					A Octantis.	
Feb. 23	G	h m s	57° 50′′′	Apr. 27	G	h m s	
a Canis Minoris,			A Octantis S.P.				
Feb. 23	G	7 32 26.40	•••	Apr. 26	G	8 14 30.80	178 29 8.92
Aug. 2	G	26.2		27	G	32.24	4.50
6	G G	26·56				8 14 31.67	178 29 6.56
13	G	26.29				<u>'</u>	
15	G	26.28	•••			d^1 Cancri.	
24	G	26.65		•			
Nov. 22	i.	26.59		Jan. 26	IF	8 12 21.29	71 14 57.68
		7 32 26.56	84 26				
				η Cancri.			
		g Geminorum.		Mar. 22	IF		69 6 56.94
Nov. 22	IF	7 38 32.35	71 10 24 43	23	G	8 25 7.87	55.4
				Nov. 23	JS		57.04
		μ^2 Cancri.		Dec. 21	J8		57.69
Apr. 19	JS	8 0 3.24	68 2 24 64			8 25 7.87	69 6 56.85
	<u>'</u>	15 Argûs.				γ Cancri.	
Mar. 23	G	8 1 57·83	113 56	Nov. 23	JS	8 35 42.01	68 3 45.54
(Cancri.				8 Cancri.			
Jan. 26	IF	•••	71 5 7 32 °7 7	Mar. 23	G	8 37 14.26	71 21 55'16
Mar. 22	IF	8 4 41 • 83	35*02	Apr. 19	J8	14.51	54*99
23	G	41.90	32.88	20	G	14.31	55.91
Apr. 19	JS	41.77	34°90	Dec. 21	JS	14.36	56.00
		8 4 41.83	71 57 33.89			8 37 14.26	71 21 55.22

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
	-	e Hydræ.				β Argûs S.P.			
Mar. 23	G	9 39 50.30 h m s	83°6′″	Oct. 15 IF 9 11 159 16					
	o² Cancri.					€ Hydræ.			
Jan. 28	CF	8 50 16.19	73 55 0'73	Dec. 22 G 9 21 8 94 98					
Apr. 19	JS	8 20 16.19	73 55 2.52			o Leonis.			
		<u> </u>	•	Jan. 1	JS	9 34 10	79 30 47*28		
		π² Cancri.	1			ψ Leonis.			
Jan. 28	CF.	9 7 59.86	74 30 59 40	Amm	IF	9 36 35.66	75 22 48.27		
. Mar. 23	G	59.85		Apr. 21 Dec. 21	JS				
24	JS	59.77		22	G	35.84	47°83 47°35		
		9 7 59.83	74 30 59.66			9 36 35.74			
		83 Cancri.		18 Leonis.					
Jan. 28	CF		71 44 25 75	Feb. 25	G	9 39 19.70	77 35 15.60		
Mar. 23	JS JS	9 11 40.07				<u>'</u>			
Dec. 21	JS	•••	26.94			ν Leonis.			
22	G	 40*07	27°77	Feb. 25	G	9 51 10.44	76		
		9 11 40.07	71 44 26.58	Mar. 24	JS	9 51 10 44	76 55 52·73		
	<u> </u>		·	Apr. 21	IF	10.52	51.98		
		β Argûs.		-	İ	9 51 10.39			
May 19	IF	9 11 (44.09)	159 10 38.20		•	a Leonis.			
Oct. 14	G	44*93	39.67		1	<u> </u>	i		
Nov. 17	JS	45.18	•••	Jan. 28	CF		77 23 36.87		
		9 11 45.06	159 10 38.94	Mar. 24	JS		35.09		

Date.	Observer.	B.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	a I	Leonis—contina	ued.	l Leonis—continued.				
May 10 Dec. 2:	2 G	10 I 23.59 23.79	77 23 35 97 36 32 34 86 77 23 35 82	Apr. 21	IF JS	h m s	78° 45' 43"75 43°74 78 45 43°86	
		γ¹ Leonis.		Mar. 26	Js	χ Leonis.	81 57 21-56	
Jan. 2 Feb. 2 Sept. 1	5 G	10 12 44 95 44 77 44 79	 	June 16 Dec. 23	lF	10 28 12,29	22.83 21.95	
Oct.	- I	44.89 44.87 44.75	 	D	179	8 Leonis.	40. 4	
Dec. 2	3 IF	10 12 44.84	69 30	Dec. 23	ır.	8 Hydræ.	68 46	
		ρ Le onis.		Dec. 23	IF	11 12 47 48	104 4	
Jan. 2	T		80 1 11.19			σ Leonis.		
Feb. 2	6 IF		11.63	Mar. 26	JS	11 14 22.69	83 15	
Apr. 2 May 1	i		11.72			ι Leonis.		
Dec. 2	G IF	10 25 54·72 54·57 10. 25 54·65	80 1 11.90 80 1 11.90	June 16 Dec. 23	IF IF	11 17 5°79 5°65	78 44 57 84 59 18	
		l Leonis.				ν Virginis.		
Feb. 2	5 G 6 IF		78 45 43 66 44 28	Feb. 26	IF JS	7.68	82 44 12.10	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	Vi و	rginis—contini	ued.	β Corvi.				
Apr. 22	J8 IF	h m s 11 39 7.62	82°44′ 11″17 11°58	Oct. 24	G	h m s	112 40 "	
May 20	JS		10.83		γ \	Virginis (1st St	ar).	
		11 39 7.64	82 44 11.56	Jan. 30	G	12 35 1'29	90 43 45.66	
		β Virginis.		31 Feb. 27	G J8	1,30	46°37 45°28	
June 17	JS	11 43 52	87 29 50.09			12 35 1.31	9° 43 45°77	
		b Virginis.			y Vir	ginis (as one n	1885).	
June 17	JS	11 53 14	85 36 53.54	Apr. 23	IF	12 35 1.37	90 43 48 18	
		w Virginis.		July 15	G	1'42	52.07	
Feb. 26	IF JS	9.69	82 39 17·61 16·64			12 35 1'40	90 43 50'13	
Apr. 22	JS IF	9.2	18.62			38 Virginis.		
. 23		9.71	82 39 17.30	Feb. 27 Apr. 23	J8 IF	28.73	92 50 25·91	
		10 Virginis.		July 15	G	28.78	27.25	
Mar. 26	Js		87 21 59:07			12 46 28 77	92 50 26.48	
27	IF	58.65	56.04 87 21 57.56			k Virginis.	,	
	<u>'</u>	η Virginis.		Jan. 31 Mar. 27	G IF	12 52 54·64 54·64	93 6 16.35	
Jan. 30	G	12 13 12	89 56 17.84			12 52 54.64	93 6 16.54	
c Virginis.				48 Virginis.				
Mar. 27	IF	12 13 42	85 57 25.09	Jan. 31	G	12 57 9.64	92 57 25.55	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
	48 V	irginis—contin	rued.	94 Virginis.				
Mar. 27 28 June 18	IF G IF	9°37 	92° 57′ 27" 54 26·68 28·49	Mar. 28 29 June 18	G JS IF	13 59 21.72 13 59 21.72	98 15 55.12 98 15 55.15	
66 Virginis.						κ Virginis.		
July 15	G	13 17 44 17	94 28 42.51	Feb. 2 Mar. 28	CF G	14 5 54°73 14 5 54°73	99 39 44*15	
Oct. 24	G	a Virginis.	100 29	ι Virginis.				
		7 Virginis.		Feb. 2 June 18	CF IF	9.01 9.01	95 22 25·67 25·53	
Mar. 1 July 15 16	G G IF	9°31 9°64	95 34 41°17 42°99 42°20			14 9 9 00 a Boötis.	95 22 25.60	
		13 25 9 45	95 34 42'12	Mar. 1	G	14 9 41 '22	70 8	
Mar. 1	G	80 Virginis.	94 43 39°02			2 Libræ.		
-		η Boötis.		Apr. 26 July 16 17	IF JS	22.89 22.94	50.62	
Mar. 1	G	13 48 26 · 83 τ Virginis.	7° 57			ρ Boötis.	101 6 50.07	
Mar. ı	G	13 54 58.91	87 49	Mar. 1	G	14 26 11.05	69 3	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		z Octantis.		ξ² Libræ.			
July 15	G	h m s 14 26 59:09	177° 36′ 21″11				
16 17	JS	59°70 57°82	21°41		<u> </u>	8 Libræ.	
19 20	G G	56°74 58°02	 20°96	Mar. 1	G	14 53 58.58	97 59 48-14
23 24	J8	59°55	20.13		i		77.33
		14 26 58.79	177 36 20.69		1	β Libræ.	1
		Octantis S.P.		Feb. 2	OF		98 23 20.98
July 15	G G	14 26 59·59 58·36		Dec. 16	G	15 9 57°54 15 9 57°54	98 23 20.98
19	G G	57.37			<u> </u>	<u>. </u>	
22 23	IF	61.00 26.23	···			ρ Octantis.	
Aug. 2	G		177 36 24.84	Aug. 11	1	15 13 30.41	•••
		14 26 58.59	177 36 24.84	12 14	G	30°76	
		e² Boötis.		15	G	30.22	
	_	l		16	1F	12 13 30.48	174 1 11.44
Mar. t	G	14 39 16.18	62 22			15 13 30 78	174 1 11.44
		a² Libræ.	·			o Octantis S. P	•
Feb. 2	CF		105 29 42.63	Aug. 10	G	15 13 30.66	
Mar. 1	G	14 43 38.09	105 29 42.63	11	G	30.46	174 1 10.85
	L	14 43 38 09	105 29 42 03	15	G	30.89	
		ξ¹ Libræ.		16	G	30,81	
Apr. 26	Js	14 47 16.36	101 21 41.63			15 13 30.77	174 1 10.85
July 16	IF	16.45	42.31	o ² Libre.			
17	J8	16.38	101 21 42 16	July 17	. Js	15 15 43'54	104 39 50.79

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		€ Libræ.		θ Libræ.				
Aug. 14	G	h m s	99° 50′ 56"91	Mar. 2	JS IF	h m s 15 46 22'16 22'15	106° 20′ 32″00	
	•	√¹ Libræ.		Aug. 14	G	22.19	32.20	
Apr. 26	JS IF	15 20 52°24 52°25	106 15 26°02			48 Libræ.	100 20 32 20	
		15 20 52.25	106 15 26.56	Mar. 2	JS IF	15 50 51.33	103 53 55.51	
		37 Libræ.		Aug. 14	G G	51.39 21.45	55.83 55.83	
Aug. 14	G	15 27 1.34	99 36 47 98			15 50 51.37	103 53 55.52	
		γ Libræ.			1	49 Libræ.		
Apr. 26	J8 IF	15 28 12.03	104 21 0.84	Mar. 31	IF	15 52 58.86	106 8 41.40	
July 17	J8	12.02	0.42			β¹ Scorpii.		
	-	Coronse Boreal		Dec. 16	G	15 57 49°52 49°36		
Dec. 16	G	15 29 8.50	•••			o Ophiuchi.	109 27	
20 22	G	8·44 8·47	62 51	Dec. 16	G G	16 7 28·94 28·96		
	<u> </u>	<u> </u>	_			16 7 28.95	93 21	
Dec. 16	G	a Serpentis.]	B. A. C. 5412.		
20	G G	49.11	***	Aug. 27	G G	16 12 43'94 44'20	176 6 14°83	
		15 37 49'05	83 10			16 12 44.07	176 6 14.83	

Date.	Observer.	R.A.	N.P.D.	Date,	Observer.	R.A.	N.P.D.		
	B. A. C. 5412 S.P.					В. А. С. 5579.			
Aug. 27	IF	h m s 16 12 45 04	176° 6′ 18"50	June 22	IF	16 33 59.80 y m s	107°29′ 8″38		
	♦ Ophiuchi.		July 18 19	JS G	59°96	8·19			
Mar. 3	IF	16 16 26.30	109 43 42.91			16 33 59.95	107 29 8:29		
•		χ Ophiuchi.		•	a Ti	rianguli Austra	alis.		
Apr. 27	IF	16 19 25.96	108 9 22 36	Jan. 3	G G	16 34 48·64 48·85			
		a Scorpii.		8 Feb. 18	G	48·58 48·61			
July 19	G	16 21 22 66	•••	21	G	48.40			
Dec. 16	G	22·66 22·74	 	Mar. 1	G IF	48°57 (49°25)	 158 46 55.63		
		16 21 22.69	116 8	Dec. 27	G	48 · 69 48 · 88	54·84 		
		φ Ophiuchi.		29	G	48.85	55.61		
Mar. 31	IF	16 23 38.63	106 19 27:20			16 34 48.71	158 46 55.36		
Apr. 27	IF JS	38.20	28°40 26°91		. Tris	nguli Australi	is S.P.		
July 18	JS G	38.69	'	Jan. 5	IF IF		158 46 (60·51)		
			106 19 27.28			16 34 48	158 46 53.10		
	B. A. C. 5510.								
Aug. 30	G	16 24 25.82 26.04	 167 14 11°44	July 19	G	16 51 28.15	80 25		
·	16 24 25.93 167 14 11.44					29 Ophiuchi.			
B. A. C. 5510 S.P.				Mar. 31	IF	16 54 11.81	108 41 22.31		
Aug. 30	G	16 24 25.92		Apr. 1	JS	11.92	22.18		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	B. A.	N.P.D.	
	2 9 O	phiuchi—conti	nusd.		58 O	phiuchi— <i>conti</i>	nued.	
Aug. 15	G IF	16 54 11.23 16 54 11.23	108° 41° 24°73 23° 60 108° 41° 23° 18	July 19 20 Aug. 16 17	G IF IF G	h m s 17 35 34 93 34 90 34 83	59°34 58°87 111 36 58°47	
Mar. 31 Apr. 1	1	22.29	48°49 111 22 48°35	Sept. 13	Js G	B. A. C. 5936.		
July 19	G	α Herculis.	; ; 75 27	16	JS G	17 37 41°33 40°77 17 37 41°05	177 39 11.50	
	<u> </u>	ξ Ophiuchi.		B. A. C. 5936 S.P. Sept. 16 JS 17 37 49 11 177 39				
Apr. 28 29 May 26	JS JS IF	9°32 9°29	9.86		:	B. A. C. 6098.		
July 19	G	9 29	9°10	Sept. 13	JS	17 54 48°40 σ Octantis.	110 44 0.40	
Aug. 15	· G IF	9.27	10°42 9°77 110 58 9°30	Sept. 21	G	18 4 34	179 16 44.19	
		17 13 9.25	110 28 9.30		1	μ¹ Sagittarii.	1	
July 19	G	a Ophiuchi.	77 21	Apr. 1 29 May 26	JS JS IF		24°43 24°43	
	1	58 Ophiuchi.		July 21	JS IF		23°57 24°09	
Apr. 28	JS JS	34·86 34·86	111 36 58·44 	17	G	18 5 56	24°35	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		21 Sagittarii.		d Sagittarii.					
Apr. 1 29 30 May 26 27 Sept. 13	JS JS IF IF JS JS	h m s 18 17 32 86 32 86 32 89 32 99 32 99 32 99	30.82 30.82 31.68 30.19 32.05 31.68	May 27 28 July 21	J8 IF J8	h m s 19 9 58·21 58·10 19 9 58·14 ρ¹ Sagittarii.	109 10 59°95		
Aug. 17	G	18 17 32 91 a Lyree.	51 20	Apr. 30 May 27 28 Sept. 14	IF J8 IF IF	19 14 4°52 4°34 4°10 4°39	108 5 27*09 27*85 28*20 27*85 28*11		
Apr. 29	JS IF	ξ ² Sagittarii.	111 16 32.55	-,		19 14 4'34 f Sagittarii.	108 5 27.82		
30 Sept. 13 14	J8 IF	54.89 54.87 54.64 18 49 54.80	33°59 33°45 33°31 111 16 33°23	Apr. 30 Aug. 18 Sept. 14	IF IF G	19 38 43°16 43°04 42°91 43°19	24°39 23°76 24°73		
Aug. 17	G	o Sagittarii.	111 55 49'60			19 38 43 08	110 4 24 00		
18	IF	18 56 49.85	49°83	May 28	IF	57 Sagittarii. 19 44 35 19	109 22 30.77		
Inly 4:	Ja	# Sagittarii.		Aug. 18	IF	35.10	29'74		
July 21 Aug. 17 18	G IF	19 1 58.23 58.27 58.20	43°28 44°38	Apr. 12	G	e Pavonis.	163 15		
	_			<u> </u>	<u> </u>		·		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		e Pavonis S.P.		υ Capricorni—continued.					
Apr. 12	G J8	h m s	163 15 4°35 4°33	Sept. 15	G JS	h m s 20 32 35'45 35'47 20 32 35'52	108 35 52.51 108 35 25.51		
		σ Capricorni.		θ Capricorni.					
May 28 July 23 Oct. 12	IF J8 IF	20 11 50 00 49 96 49 95 49 95 20 11 49 97	109 31 30.86 29.26 31.00 109 31 30.86	May 2 July 23 24 Aug. 20 Oct. 13	JS IF JS IF IF	20 58 34 82 34 63 34 86 34 90 34 72 34 86	107 45 5°35 5°21 3°95 5°56 6°12 4°66		
		ρ Capricorni.		Nov. 10	Js	20 58 34.80	5.02		
May 1 2 July 23	JS JS IF		108 14 40°25 39°85 40°52]	4 Capricorni.			
Sept. 15 16 Oct. 12	G JS JS	 	40.85 40.83 40.09	May . 2 July 23 24	JS IF JS	21 14 57°00 56°90 57°04	107 23 24°95 25°89 24°88		
13	IF	20 21 23	38.61	Sept. 16	J8 IF	57°06	25°46 26°54		
·		τ ² Capricorni	•	Oct. 13	G G	56.42	24.42		
May 1	js js	20 31 56·69 56·47 20 31 56·58	105 24 44 97 41 50 105 24 43 24			21 14 56 97 λ Octantis.	107 23 25'43		
		υ Capricorni.		May 27 28 30	JS IF JS	21 30 31°04 29°79 	173 18 59°97 60°68		
Aug. 20	IF	20 32 35.64	108 35 52.13	_		21 30 30'42	173 19 0°33		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R, A.	N.P.D.		
		A Octantis S.P.	,		ıΔ	quarii—contin	ued.		
May 27	G G	30.21 30.21 30.21	° "	Oct. 14	G IF	h m s 21 59 21.64 21.67 21 59 21.68	104 30 13.98		
		γ Capricorni.		e³ Aquarii.					
Aug. 20 Sept. 16 17 Nov. 10	IF JS IF JS G	21 32 49°84 49°84 49°90 49°89	9°59 7°97 8°22 8°19	Sept. 17 18 Oct. 14	IF G G IF	22 3 37 24 37 19 37 20 37 18 22 3 37 20	102 12 29°32 29°03 28°48 27°22 102 12 28°51		
		21 32 49 87 8 Capricorni.	107 15 8.42	C Octantis. May 27 JS 22 5 40.79 176 37 45.29					
May 30 31 Aug. 20 Nov. 10	IF IF J8	21 39 48°39 48°42 	106 43 12.46 12.43 13.44	28 30 June 1	IF JS JS	22 5 40 94	45° 37 46° 52 176° 37° 45° 73		
) II	G	48.50 21 39 48.48 μ Capricorni.	12.48	May 27	G	22 5 41°10 40°89 22 5 41°00			
May 30 31 July 24	JS IF JS	21 46 9°15 21 46 9°15	0.40 0.83 0.49 0.40	Nov. 11	G IF	50 Aquarii. 22 17 25 84 25 97 22 17 25 91	104 11 32.34		
July 24	Js	"	104 30 13.69	σ Aquarii.					
Sept. 17	IF	21.69	13.26	May 31	IF	22 23 42.88	101 50 20.63		

Date.	Observer.	R.A.	N. P.D.	Date.	Observer.	R.A.	N.P.D.			
	σ	Aquarii—cont	inued.			τ Octantis.				
June 1	JS	h m s	101° 20' 50"78	June 4	G	h m s	178° 11' 61"83			
Oct. 15	IF	42.80	48.48	5	JS	···	60.97			
16	G	42.80	51.26	6	JS		58.55			
Nov. 11	G	42.67	51.26	7	G	0.03	(55.40)			
12	IF	42.65	49.57	9	G	1.60	(55.42)			
		22 23 42 75	101 30 50.38	10	G	1,38				
	l 	1		13	JS		59.62			
		70 Aquarii.		17	JS		58.89			
		,				23 7 0.81	178 11 59.91			
Oct. 15	ı	22 41 36.28	101 14 44.63		-		<u> </u>			
16	G	36.28	46.87	τ Octantis S.P.						
		22 41 36.28	101 14 45.75	June 5	G	23 7 0.73	178 11 60.48			
		-9 Ait		7	G	0.83				
		τ° Aquarii.	,	8	G	0.31	61.03			
May 31	IF	22 42 39 37	104 16 61.23	9	G	1.40				
June 1	JS	39.24	58.68	10 14	G JS	. 1 . 40	60.35			
	""			17	JS	•••	60.39			
		22 42 39.31	104 16 59.96	18	IF	2'41	59.44			
		λ Aquarii.				23 7 1.18	178 12 0.28			
Sept. 18	G JS	22 45 46.77	98 16 32.85		<u> </u>	ψ¹ Aquarii.				
1 19	93		33.81	June 1	JS	23 9 1.24	99 48 3.70			
		22 45 46.77	98 16 33.33	Sept. 18	G	1.76	5.38			
	a	Piscis Australi	8.	Nov. 12	IF	1'44	1.78			
<u> </u>	1	1	1	13	G	1,20	3.46			
Mar. 22	G	22 50 24.34	120 19			23 9 1.28	99 48 2.83			
		λ¹ Aquarii.		∳³ Aquarii.						
Nov. 12	l .	22 58 19.80	98 23 56.59	Oct. 16	G	23 11 5.69	99 53 49 53			
13	G	19.86	60.18	17	J8		49.51			
		22 58 19.83	98 23 58.39			23 11 5.69	99 53 49 37			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
· · · · · · · · · · · · · · · · · · ·		96 Aquarii.				29 Piscium.	
June 1	J8	h m s	95° 50′ 22″61	Aug. 23	JS IF	23 55 6.65 6.79	93 45 23 ^{*8} 7 23°90
		κ Piscium.				23 55 6.72	93 45 23.89
Aug. 23	JS	23 20 13	89 27 39*44			30 Piscium.	
Oct. 16	G	20 Piscium.	93 29 21 34	Sept. 20 Nov. 13	IF G JS	23 55 14·62 14·40 23 55 14·53	96 44 31.40 31.12 30.26
•		27 Piscium.			1	33 Piscium.	30 14 3. 04
Aug. 23	JS IF	23 51 58 °03 58 °04 23 51 58 °04	94 16 58·20 57·17 94 16 57·69	Nov. 13	G JS	23 58 37 84 37 79	96 26 24°67 25°18 96 26 24°67

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

CATALOGUE

OF

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS,

FOR

1869'0,

OF

STARS OBSERVED IN THE YEAR 1869.

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		n R.A.	Anni Varia 1865	nal tion 'o.	Fraction of Year.	No. of Obs.		an 869	Dec.	Annus Variati 1865 c	ion
1 2	β Hydri β Hydri S.P	-	0.00	1 1		49°25			o. o o		l	59	30°.95	+20"1	25
3	10 Ceti			1		54.37	1					46	31,15	+19.8	8
4	12 Ceti		1		0 23		I						53.82	+19.8	
5	13 Ceti					30.40							21.13	+19.8	1
6	20 Ceti					18.83							21.43	+19.6	55
7	33 Ceti					49.30							51.65	+19.5	8.
8	38 Ceti					7.91	+3.0	054	0.22	1	— ı	40	31.95	+19.4	
9	f Piscium					2.67							26.87	+19.c	9
10	μ Piscium	5.2	0.80	3	1 23	19.40	+3.	138	0.80	3	+ 5	28	4.50	+18.2	58
11	ν Piscium	4.2	,		I 34	27	+2.	112	0.00		+ 4	40	25'41	+18.3	22
12	o Piscium			1 1		28.82							20.20		
13	ξ¹ Ceti												22.73		-
14	ξ ² Ceti												18.42		
15	μ Ceti												34.85	+15.4	
	·				_										
16	λ Ceti	4.6	0.85	3	2 52	41.76	+3.	214	0.85	3	+ 8	23	1.99	+14.6	55
17	B.A.C. 996	6.0	0.01	1	3 6	11.48	+1.4	947	0.01	1	—49	13	46.5	+13.8	30
18	B.A.C. 1027	7.1	0.01	1	3 11	54.30	+1.	352	0.01	1	—59	59	53.99	+13.4	13
19	B.A.C. 1048	5.8	0.03	ı	3 14	56.06	+1.0	092	0.03	1	63	4	37.19	+13.5	13
20	ξ Tauri	3.8	0.23	3	3 20	4.35	+3*:	242	0,23	3	+ 9	16	27.21	+12.8	35
	PAC	٠				****						_			,
21	B.A.C. 1077		1										49.53	+12.8	
22	f Tauri					38.74							8·22 41·51	+12.6	
24	B.A.O. 1108	ı				48.98	1						48.95	+12.5	
25	B.A.C. 1131					56.45							58:51	+12.0 +15.3	
_,		 	ر ا		, ,-	J- /=		-73	,				JJ•	' '	
26	B.A.C. 1160	6.7	0.01	1	3 37	57.78	+1.	931	0.01	1	— 46	22	35.12	+11.6	66
27	η Tauri	3.0	¦		3 39	42	+3.	551	0.00	1	+23	41	53.77	+11.4	18
28	c Tauri			1	1	5*25							16.45	+11.3	
29	B.A.C. 1198					33.2							37.57	+11.3	
30	Lacaille 1285	ı	1	1		4.18							31.08	+11.1	

No.	Star.	Magnitude. Fraction of Year.	1860.0	Annual Variation 1865 o.	Fraction of Year.	1860.0	Annual Variation 1865 o.
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	γ Hydri S.P λ Tauri B.A.C. 1248 B.A.C. 1283 48 Tauri B.A.C. 1325 γ Tauri B.A.C. 1359 δ ³ Tauri ε Tauri Β.Α.C. 1454 B.A.C. 1454 S.P. B.A.C. 1499 λ Aurigæ B.A.C. 1548 B.A.C. 1556 11 Orionis π Tauri τ Tauri	3'1 Var. 0'73 6'0'03 7'20'03 6'40'66 7'40'03 3'90'26 7'50'01 4'20'06 3'7 5'80'66 0'66 6'70'01 2'70'00	h m s 3 49 18 1 3 53 25 51 1 3 54 22 58 1 4 3 9 66 1 4 8 20 08 1 4 11 8 87 3 4 12 20 47 4 16 10 89 2 4 17 54 75 4 20 58 1 4 28 24 2 4 32 40 96 4 1 25 4 44 32 10	*** -1'021 +3'316 +0'748 +1'684 +3'397 +1'143 +3'407 +0'239 +3'461 +3'492 +3'435 -5'634 +1'841 +3'894 +0'070 -1'033	0°18 2 0°81 2 0°66 1 0°04 2 0°66 1 0°06 2 0°06 6 0°65 1 0°06 1 0°06 1 0°06 1 0°06 2 0°06 1 0°06 1 0°06 1	-74 38 27 54 +12 7 4 90 -63 50 35 94 -49 58 48 13 +15 4 13 58 -58 21 12 92 +15 18 33 07 -66 59 59 13 +17 37 34 60 +18 53 14 89 +16 14 37 33 -81 52 22 08 23 70 -44 12 37 82	+10°.92 +10°.46 + 9°.80 + 9°.40
51 52 53 54 55 56 57 58 59 60	B.A.C. 1600 B.A.C. 1600 π Tauri B.A.C. 1652 B.A.C. 1697 115 Tauri σ Tauri σ Tauri ε Orionis	4 7 0 ° 03 0 ° 3 0 ° 00 5 ° 2 0 ° 74 7 ° 0 ° 03 7 ° 5 0 ° 03 5 ° 4 0 ° 81 4 ° 8 0 ° 96 4 ° 6 0 ° 14	1 5 3 16.01	+1'015 +2'880 +3'600 +1'377 +0'707 +3'494	0.03 I 0.74 I 0.03 I 0.03 I 0.81 2	+15 25 38.77 -57 39 6.79 - 8 21 +21 57 29.73 -52 19 40.62 -60 54 30.14 +17 50 49.74 +21 49 19.77 +18 29 39.87 + 0 24	+ 5.03 + 5.03 + 4.49 + 4.16 + 4.12 + 3.58 + 3.53 + 3.55 + 3.12 + 3.00

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean R.A. 1869 o.	Annual Variation 1865 o.	Year	No. of Obs.	Mean Dec. 1869 o.	Annual Variation 1865'o.
					h m s				o , ,,	. "
61	a Leporis		0,00	l	5 26 57.14	+ 2.646		•••	—17 55	+ 2.90
62	e Orionis		0,00	ı		+ 3.041			— 1 17	+ 2.66
63	Calconha		0.24	-	5 29 48.96	+ 3.286		5	+21 3 35.27	+ 2.63
64	a Columba	•	0,00	~	5 34 54.20	+ 2.178		``	-34 9	+ 2.50
65	χ¹ Orionis	4.2	0.34	3	5 46 37.57	T 3 552	34	3	+20 14 56.30	+ 1.00
66	a Orionis	Var.	0.00	2	5 48 4.80	+ 3.246			+ 7 23	+ 1.06
67	p Orionis		0.00			+ 3.426		- 1	+14 47	- 0.01
68			0.84	1 1		1		ı	+22 32 31.09	o.eo
69	μ Geminorum		0.00	-			0.00	- 1	+22 34 41.27	- 1.42
70	- Geminorum	_	l	1				71	+20 17 31 95	- 1.84
		•	•							
71	γ Geminorum	2.0			6 30 9	+ 3.466	ö•00	1	+16 30 29.78	- 2·57
72	α Canis Majoris	-1.4	0.00	5	6 39 22.38	+ 2.645	<i></i>]	16 32	- 4.64
73	ζ² Geminorum		0.34			+ 3.266	o·34	3	+20 45 36.10	4.88
74	λ Geminorum	3.6	0.02	2	7 10 33.69	+ 3.457	0.02	2	+16 46 29.87	6.06
75	ð Geminorum	3.7			7 12 18	+ 3.292	0.00	2	+22 13 15.40	- 6.53
								ı		
76	63 Geminorum	5°3	0.26	4	7 19 57 71	+ 3.22	0.26	4	+21 42 38.03	6.91
77	a Geminorum	3.5	0.00	1	7 26 13.86	+ 3.843			+32 10	— 7.43
78	α Canis Minoris	0.2	0.00	8	7 32 26.56	+ 3°≅4 5	•••	۰'	+ 5 34	- 8.89
79	g Geminorum	2.1	0.89	1	7 38 32.35	+ 3.481	0.89	I	+18 49 35.27	- 8.38
80	μ ² Cancri	5.3	0.30	1	8 0 3.54	+ 3.243	0.30	1	+21 57 35.36	-10.04
									_	
81	15 Argûs	-	0.00	1 1	J. J	1.		- !	—23 56	-10,10
82	Cancri	-	0.32	۱ ۱	8 4 41 83	+ 3.456	0.30	4		-10.47
83	A Octantis	-	0.35	1 1	8 14 31.71	-38.362		•••	88 1 9	-11.34
84	A Octantis S.P		0.35	1 1	31.67	1	0.35	2	6.26	•••
85	d¹ Cancri	2.9	o :07	I	8 15 51.59	+ 3.448	0.07	1	+18 45 2.32	-11.19
86	η Cancri				90-	L	اء.۔۔	إ		
87	γ Cancri		0.80	. 1		+ 3.479	•		+20 53 3°15 +21 56 14°46	-11.01
88	8 Cancri		0.42	1 1		1:	0.45	- 1	+18 38 4.48	-12.03
89	€ Hydræ		0.00	1 1		1		- 1	+ 6 54	-12.01
90	o ² Cancri	_	0.10	1 1	i	1.		- 1		-13.31
الخوا	o omitimination	, 0		[1	0 30 10 10	7 3 0/8		_	1 - 5 + 3/ 40	3.
			-							

No.	Star.	Magnitude. Fraction of Year.	Mean R.A. 1869 o.	Annual Variation 1865 o.	No. of Obs. 1869.0.	Annual Variation 1865 o.
91 92 93 94 95	\$ Argûs S.P \$ Hydræ	6.6 o.oo 1.7 o.83 2.00.00	2 9 11 40°07 2 9 11 45°06 1 9 21 8°94 9 34 10	+3'323 +3'356 +0'689 +2'949 +3'226	0·17 3 +15 29 0°34 0·00 5+18 15 33°72 0·58 2—69 10 38°94 0·79 1 44°16 — 8 6	14.63 15.04 14.79
97 98 99 100	ψ Leonis	1.40.00	1 9 39 19.70 3 9 51 10.39 1 9 39 19.70	+3.503 +3.532 +3.540	0.12 3+13 4 44.40 0.12 3+13 4 6.61 0.00 5+12 36 24.18	-16·25 -16·36 -16·96 -17·41
102 103 104 105	γ ¹ Leonis	4°00°00 5°3 4°70°00		+3.008 +3.128 +3.199	+20 30 0 0 0 7 + 9 58 48 34 0 0 0 4 +11 14 16 14 0 0 0 3 + 8 2 37 89 +21 14	-18.41 -18.41 -18.41
106 107 108 109 110	σ Leonis	4°10°23 4°00°71 4°20°23		+3.082 +3.130 +3.088	+ 6 45 o'71 2+11 15 1'49 o'26 5+ 7 15 48'74 o'46 1+ 2 30 9'91	-19°45 -19°67 -19°76 -20°03 -20°29
111 112 113 114 115	π Virginis	4'40'23 6'10'23 4'1	2 12 2 58.61	+3.04 +3.04 +3.065	0·46 1 + 4 23 6·46 0·23 4 + 7 20 42·70 0·23 2 + 2 38 2·44 0·00 1 + 0 3 42·16 0·23 1 + 4 2 34·91	-20°03 -20°06 -20°06 -20°08
	γ Virginis (one mass)	2.8 0.00 3.6 0.00	3 12 35 1.31	+3°037 +3°037	0.00 3 — 0 43 42.72 0.00 2 — 0 43 20.13 0.33 3 — 2 20 26.48	-19.87 -19.87 -19.68 -19.49
		1 1	1	1		

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean 186	n R.A. 69°0,	Annual Variation 1865'o.	Fraction of Year.	No. of Obs.		an Dec. 869 o.	Annual Variation 1865 o.
121	48 Virginis	6.6	0.36	,	h r	n 8	+ 3.086	0.32	4	_ °	57 27 07	—ı9°46
122	l						į.				28 42.31	-18.94
123	a Virginis			1			+ 3.120					-18.94
124	l ² Virginis		0.41		_	-	+ 3.117	1			-	-18.75
125	80 Virginis		1	1 1			1 .	1				-18.48
126	η Boötis	•••	0:00		72.49	26.82	1 2.868				•	-18.31
127	l	-	1	1 1			1 .	1		+ 2		-17.66
128	94 Virginis		1				+ 3.168				15 55,15	-17.39
129	κ Virginis		0.00	1			+ 3.192	1			39 44.12	-17.10
130			0.58				+ 3.136	1		-	22 25.60	-17.38
130	r viiginis	4 4	20	1	14 9	, 9 00	7 3 130	20	1	_ ,	22 25 00	
13 i	a Boötis	0.0	0.00	1	14 9	41.52	+ 2.734			+19	52	-18.92
132	2 Libre	6.3	0.46	3	14 16	22.94	+ 3.519	0.46	3	-11	6 50.07	-16.41
133	ρ Boötis	3.6	0.00	1	14 26	11.02	+ 2.282			+30	57	-12.08
134	z Octantis	6.2	0.22	7	14 26	58.79	+21.750	0.24	5	87	36 20.69	-16.50
135	z Octantis S.P		0.24	5		58.29	•••	0.28	1		24.84	
136	e ² Bootis	2.7	0.00	1	14 39	16.18	+ 2.619			+27	38	-15.41
137	α ² Libræ	3.0	0.00	1	14 43	38.09	+ 3.305	0.00	1	-15	29 42.63	-15.53
138	ξ¹ Libræ	5.9	0.46	3	14 47	16.40	+ 3.542	0.46	3	—ı ı	21 42'16	-14.97
139	ξ ² Libræ	5.8	0.16	1	14 49	39*79	+ 3.543	0.16	1	-10	52 43.17	-14.81
140	8 Libræ	4*9	0.16	1	14 53	58.28	+ 3.192	0.19	1	— 7	59 48.14	-14.57
141	β Libræ	2.2	0.00		16 0	57.54	+ 2.518	0.00		8	62 60.0 8	-13.28
	Octantis		0.62				+12.634					-13.35
	ρ Octantis S.P		1		1	30.72		0.61	ı		10.85	
	o² Libræ		0.24	I i			+ 3.333		i i		_	-13.18
	e Librae						+ 3.540		1 1			-13.52
146	ζ¹ Libræ	6			15 30		+ 3.376	0.11		16	16 26.66	
	37 Libræ		l				ı		1 1			-12·67
	γ Libræ		i	1 1					1 1			-12·33
	α Coronæ Borealis								1 1	+27		-15,32
	a Serpentis						+ 2.949	1	l i	+ 6	-	-11.65
. 50	w ~or possess	- /	,5 50	5	• 5 5/	47 °5	לייל - דון		· · · ·	' "	, -	52

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.			R. A.	A Va	nnual riation 865°0.	Fraction of Year.	No. of Obs.	Mean Dec. 1869 o.	Annual Variation 1865 o.
151	6 Libræ				15		22.17					16° 20'.32" 20	-10°.93
152	48 Libræ		0.39	i I	-	-	51.37	1	3°349				-10.4
153	49 Libræ	-	0.34	ı	-	-	58.86		3.323		l		-10.94
154	β¹ Scorpii		0.00	1 1	_	-	49.44		3°477				-10.73
155	8 Ophiuchi	2.8	0.00	2	16	7	28.95	+	3.136			— 3 21	- 9.29
	D . G												
156				1 1	İ	12		ı			1	-86 6.14.83	- 6.10
157	B.A.C. 5412 S.P.		0.62	l i	l		45.04	ı		0.62		1	
158	♦ Ophiuchi		0.12	1	ı		26.30	1			ı	-19 43 42.91	- 8.83
159	χ Ophiuchi	•	0.35	1 !	1		25.96	ı	3.470			t.	- 8.23
160	a Scorpii	1,1	0.00	3	16	21	22.69	+	3.666		···	—26 &	- 8.41
			1	1	_		_	١.					1
161	,		1	1	ł	-	38.22		_			-16 19 27.28	1
162			0.66	1		24	25.93	Ι'	8.377	l	I	-77 14 II·44	- 8.23
163	B.A.C. 5510 S.P.	1	0.66				25.92	١.	•••				•••
164	B.A.C. 5579	1	0.25	1 -			29.95		3'462		1 -		
165	a Trianguli Aust.	1,6	0.00	9	16	34	48.41	+	6.577	0.00	3	68 46.55*36	- 7.39
							_						
166			1		16					0.00		""	
167.	i •	-	i	1	:	-	28.12				1	+ 9 35	- 2,90
168	29 Ophiuchi	l	0.43				11.43		_	1	1	1	1
169	3, 3		0.5	i	i	-	22.67	1			1		1
170	α Herculis	Var.	0.00	1	17	8	40.22	+	2.432	···		+14 ⋅33	— 4.42
1								١.		١.		1 .	İ
171	· •	ì	0.47	1 1	17	-	9.25	1 -	_		1	—20 58. 9°30	i i
172	•		0.00		1		51.56	1.		1		+12 39.	- 2.94
173	58 Ophiuchi	1 -	0*48	-			34.84	Ι.	3.292		1	1 -	1
174	B.A.C. 5936	1	0.41	1	1	37		1	35°375	0.20	3	-87 39 11.50	- 2'04
175	B.A.C. 5936 S.P.	•••	0.41	I			40,11	1	•••	•••	•••	•••	•••
	D. C. C.		1				•						
176	i -	ı	1	1			48.40				•	20 44 0'70	- 0.48
177			•••		18		34	١.	109 742	ł			- 0.10
178	μ¹ Sagittarii	١.		ı	l	-	56	+			1	1	+ 0.49
179	21 Sagittarii	' '	1 .	1			32.01	1.	3°574	1	1		1: *
180	a Lyræ	0.3	0.00	1	18	32	30.02	+	2.030	l	•••	+38 40	+ 3.11
										-			

No.	Star.	racti Yea	No. of Obs.	Mean B. A. 1869'o.	Annual Variation 1865'o.	o con Mean Dec. 1869 o. 1869 o.	Annual Variation 1865 o.
181 182 183 184 185 186 187 188	§ ² Sagittarii o Sagittarii # Sagittarii d Sagittarii p¹ Sagittarii f Sagittarii c Pavonis S.P	3.90.23 3.10.60 4.90.42	2 3 3 4 4 2	19 14 4°34 19 158°23 19 14 4°34	+ 3°599 + 3°574 + 3°515 + 3°488 + 3°506 + 3°491 + 7°108	0.45 3—19 10 59.95 0.51 5—18 5 27.82 0.59 4—20 4 24.00	+ 4°32 + 4°88 + 5°35 + 6°02 + 6°41 + 8°33 + 8°68 + 8°74
190 191 192 193 194 195	σ Capricorni ρ Capricorni τ² Capricorni υ Capricorni θ Capricorni λ Octantis	5°0 5°30°63 5°30°68 4°40°63	3 6 2 7	20 21 23 20 31 56.58 20 32 35.52 20 58 34.80 21 14 56.97	+ 3.426 + 3.363 + 3.423 + 3.385 + 3.349	0.68 3 —18 35 52.21 0.64 7 —17 45 5.13 0.64 7 —17 45 5.13	+10'90 +11'58 +12'30 +14'05 +15'08
196 197 198 199 200	λ-Octantis S.P γ Capricorni ε Capricorni μ Capricorni ι Aquarii ι Aquarii	0.40 3.8 0.73 3.0 0.58 5.2 0.46 4.3 0.71 5.4 0.75	2 4 4 3 4 4	30.66 21 32 49.87 21 39 48.48 21 46 9.15 21 59 21.68	 + 3'333 + 3'320 + 3'277 + 3'246 + 3'214	1 '	+15.70 +16.04 +16.11 +16.73 +17.28 +17.52
203 204 205. 206 207 208 209	C Octantis C Octantis S.P Aquarii Aquarii Aquarii Aquarii Aquarii Aquarii	4.8 0.69 6.3 0.41 4.1 0.41	2 2 6 2 2	41'00 22 17 25'91 22 23 42'75 22 41 36'58 21 42 46'77	+ 3.182 + 3.164 + 3.182 + 3.133	0.86 2—14 11 32.62 0.69 6—11 20 50.38 0.79 2—11 14 45.75	+17.66 +18.39 +18.88 +19.01
310	a Piscis Australis	1,30,00				30 19	+18.96

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.	Mean 186	R.A. 9°0.	Annual Variation 1865 o.	Fraction of Year.	Mean Dec.	Annual Variation 1865'o.
211 212 213 214 215	 τ Octantis τ Octantis S.P ψ¹ Aquarii 	5°6 4°5	o·43	5 6 4	23 7 23 9	1.28 1.18 0.81	+13.130	0'44 0'44 0'71	2 — 8° 23′ 58″ 39 5 — 88 11 59 91 6 60 58 4 — 9 48 2 83 2 — 9 53 49° 37	+19°55
217 218 219	96 Aquarii	5°0	 0°79 0°64	 1 2	23 20 23 41 23 51	12.26 58.04	+ 3°075 + 3°084 + 3°068	o • 64 o • 64	1 — 5 50 22.61 1 + 0 32 20.56 1 — 3 29 21.34 2 — 4 16 57.69 2 — 3 45 23.89	+19.85 +19.88 +19.83
22 I 22 Z		ł .	,				1	1 1	3 - 6 44 31.04 - 6 26 24.93	1

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

SEPARATE RESULTS

OF

MERIDIAN OBSERVATIONS OF STARS

MADE IN THE YEAR

1870

REDUCED TO MEAN PLACE FOR 1870'0.

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		o Octantis.	,	β Hydri 8.P.—continued.				
June 30	G	h m s	179 5 "	Mar. 16	G	h m s	0 1 11	
	-			31	G	52'46		
				Apr. 13	JS	•••	167 59 12.17	
		β Hydri.		25	G	52*24	•••	
Feb. 9	G	0 18 52.70	167 59 9.61	26	G	52.28	•••	
10	G	53.08		May 10	IF	52.67		
Mar. 30	G			July 13	G	52.17	•••	
31	G	52°63	•••	14	G	52.58		
		52 03	•••	15	G	52*25		
Apr. 12	JS G		11,01	Nov. 23	G	52.09	13.06	
25	G	52°33 52°46		24	G	•••	11'41	
26	G	52.40	•••			0 18 52.38	167 59 12.33	
May 9	G	52.55					L	
10	G	52.35				12 Ceti.		
July 14	G	52.35	•••	July 17	JS		94 40 34 27	
17	JS	53.16	11.46		JS			
Sept. 10	J8	52.79	•••	Sept. 10		•••	34*35	
Oct. 7	IF	52.64		Oct. 7	IF		31.40	
Nov. 4	G	52.23	10.92			0 23 24	94 40 33*44	
17	G		9*85			13 Ceti.		
21	IF	•••	12.20				, <u></u>	
23 24	G JS	52°66	10°44 10°26	July 17	JS	0 28 33.49	94 18 31.57	
25	IF	52.20	11'20	Sept. 10	JS	33°37		
28	J8	52.69	9.70	Oct. 7	1 F	33.44	30.03	
Dec. 2	IF	52.86	9.41			0 28 33.43	94 18 31'25	
		0 18 52.28	167 59 10.61				I	
	<u> </u>	·	<u> </u>			B. A. C. 221.		
		₿ Hydri S.P.		Aug. 14	Js	0 41 33.93	85 23 17.10	
Feb. 8	G	0 18 52.56				33 Ceti.		
16 18	G JS	52.42	167 59 12.68	∆ ug. 14	Js	1 3 52.11	88 14 47 97	
	1	ļ	, ,, 30		~~	1 , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

Date.	Observer.	R.A.	N. P.D.	Date.	Орвегчег.	.R.A.	N.P.D.			
		B. A. C. 398.		• Piscium.						
Nov. 29	G	hms	157° 5′ 0"91	Oct. 10	Oct. 10 G h m s 81 29 50					
Dec. 2	IF G	1 12 32°50 32°70	0.85		ξ Piscium.					
13	IF	32°50	157 5 0.84	Aug. 16	JS	1 46 49°57	87 27 17*99			
	-	• Andromedæ.	1		·	a Hydri.				
		Andromedæ.	<u></u>	¥0	10					
Nov. 29	G		45 15 56.88	Nov. 18	JS G	1 54 40.12	152 12 10.22			
Dec. 8	G	1 19 53.33	56.49	23	G	40.10	10'51			
13	IF	53*53	51.47	24	JS	40.37	10.43			
16	IF	53.44	52.23	25	IF	40.45	10,31			
1		1 19 53'43	45 15 54.42	29	G		9.37			
	1	7 33 43	43 -3 34 +-	Dec. 2	IF	40.27	10.13			
				8	G	40.44	10.02			
	5	1 Andromeds		12	G	40.37	10.03			
	<u> </u>	1	Ī	13	IF	40.12	10.04			
Nov. 29	G	•••	42 1 54.95	14	G	40.12	9.46			
Dec. 8	G	1 30 1.60	53.81			1 54 40.27	152 12 9.93			
12	G	1.43	20.29		l	<u> </u>	<u> </u>			
. 16	IF	1 30 1 47	42 1 52.69	ļ		ξ¹ Ceti.				
	<u> </u>			Oct. 10	G	2 6 6.21	81 45 51.92			
		a Eridani.	540 TTTT T 12.			ξ ^a Ceti.	•			
Nov. 17	G	•••	147 53 51.54	Jan. 11	G		82 7 24 91			
21	IF G	•••	50.88 20.19		1	•••	82 7 24.91			
22 25	1 1			Aug. 16	JS		25.26			
,			147 53 50.82		4	2 21 15	82 7 25.24			
	» Piscium.					B. A. C. 779.				
Aug. 16	JS	1 34 40	85 10 15.55	Nov. 28	JS G ;	2 25 2°44 	154 52 49°62 49°70			

Date.	Observer.	.R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
1	В. А.	C. 779—conti	nued.	к Persei—continued.					
Dec. 1 2 7 8	JS IF JS G	h m s 2 25 2.28 2.25 2.31 2.46	154° 52′ 50°13 50°82 51°15 50°48	Dec. 6 7 8	G JS G	h m s 3 0 44 26 44 36 44 36	45° 38' 15' 69 16' 60 17' 02 12' 20		
12 13 14 16	G IF G IF	2°34 2°37 2°43	49°90 50°51 50°37 49°20	16 19 27	IF G G	44°31 44°19 44°34	12·66 14·95 		
		2 25 2°36	154 52 50*19			α Persei.			
Jan. 11	G	2 29 3.59	. 84 58 31"18	Dec. 1 6	JS G JS	3 15 3°25 3°40 3°32	40 36 12·24 15·08 11·53		
	, ,	31 Arietis.		16 19	IF G	3.41 3.41	6.99		
Oct. 10	G IF	2 29 32.60 32.85	78 7 4°57 3°48 78 7 4°03	27	G	3'41	40 36 11.54		
	-	μ Ceti.		ξ Tauri.					
Aug. 16	JS	2 37 55.00	80 26 10.75	Jan. 11	G	3 20 7'62	80 43 19.41		
Oct. 10	G IF	55°09 54°99	11,41	Jan. 11	G	f Tauri.	77 30 39'24		
		2 37 55°03 α Ceti.	80 26 10.88	Oct. 11	IF IF	42.04	38.28		
June 7	G	2 55 29 17	86 25			3 23 41 92	77 30 38.56		
		κ Persei.		Lacaille 1164.					
Dec. 1	JS IF	3 0 44.09	45 38 15°93 12°49	Dec. 1 6	JS G JS	32°17 32°17 3 29 31°95	156 55 47°12 47°32 47°18		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
1	acail	le 1164—conti	nued.	γ Tauri.				
Dec. 12 16	G IF G	h m s 3 29 32°30 32°12	156° 55′ 47°23 46°30 47°32	Jan. 12	IF G	h m s 4 12 23 71 23 80 4 12 23 76	74 41 17 76 18 12 74 41 17 94	
27	G	3 29 32.14	45.60			a Reticuli.		
	TP	s Tauri.		Dec. 12	G G	4 12 45 28	152 47 57°94 58°35	
Oct. 11	3 41 8·75 γ Hydri.	79 15 30.23	4 12 45°27 152 47 58°1.					
Mar. 21	JS G	3 49 16.77	164 38 13.79	Feb. 9	J8 G		71 6 35°52	
Dec. 1 7	J8 G	16·63 16·56	11.49	Sept. 15 16	J8 IF	4 21 2	37.42 35.82 71 6 36.21	
		3 49 16.72			`	a Tauri.		
		λ Tauri.		Feb. 9	JS G		73 45 15°96	
Jan. 12 13 Sept. 15	IF G J8	3 53 28.77 28.78 28.70	77 52 44.71 43.85 41.58 77 52 43.38	June 6 Sept. 15 16	G JS IF	4 28 27 76	 13°54 15°37 73 45 15°07	
	L	μ Persei.				i Tauri.		
Dec. 6	G G	4 5 21.66 21.66	41 55 26·68 21·54 26·93	Jan. 14	IF	4 43 46°24	71 23 0'12	
		4 5 21 70	41 55 25°05	Jan. 14	IF	4 55 19.64	68 35 51.05	

Dațe.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N,P,D.	
		≀ Tauri.		χ⁴ Orionis.				
Oct. 14	IF	h m s 5 0 7°03	69° 45′ 19"51	Jan. 14	IF	2 26 11.02 p m s	69°51′39"05	
		a Aurige.				7 Geminorum		
Dec. 19	G	5 7 5°24	44 8 15.58	Oct. 14	IF	6 7 1.66	67 27 30.45	
		₿ Orionis.				μ Geminorum.	•	
June 10	G	5 8 17.46	98 21	Feb. 11	IF J8		67 25 21.45	
		119 Tauri.		Oct. 14	IF		19*44	
Feb. 10	G IF	5 24 35.52 35.40	71 30 17°56	•		6 15 6	67 25 20 00	
Sept. 16	IF	35.26	18.95			▶ Geminorum.		
		5 24 35.59	71 30 18'08	Feb. 11	IF	6 21 14.75	69 42 32.37	
		ζ Tauri.		12	JS	14.40	30'42	
Feb. 10	G		68 56 19.69			6 21 14.73	69 42 31 40	
11	IF	5 29 52°54 52°49	23.11			Geminorum.		
Sept. 16	IF	52.28	23*75	Jan. 15	G	6 56 23.82	69 14 29.82	
	<u> </u>	5 29 52.24	68 56 22.18		!	•		
		a Columbe.			,	ð Geminorum.	:	
Feb. 11	IF	5 34 56.54		Feb. 12	JS	•••	67 46 50.25	
Oct. 14	IF	56.40	•••	Mar. 11	IF		48.26	
		5 34 56.62	124 9			7 12 21	67 46 49.41	
-		χ^1 Orionis.		a Canis Minoris,				
Jan. 14	IF	5 46 40.87	69 45 1.97	Feb. 13	G	7 32 29.71		
15	G	41.11	1.80	Apr. 9	G	29.78		
		5 46 40.99	69 45 1.89			7 32 29 75	84 27	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		« Geminorum.	,	ξ Cancri.				
Feb. 12	JS G	h m s 7 36 35 78 35 99	65° 17' 34"73	Mar. 14	IF	h m s	67° 25′ 50" 63	
Mar. 12	JS	<u></u>	33.23	π ² Cancri.				
		7 36 35.89	65 17 33'40	Feb. 14	1F	983	74 31 15.87	
Apr. 9	G	β Geminorum. 7 37 21 49	61 40			83 Cancri.		
		μ ² Cancri.	01 40	Apr. 11	IF	9 11 43.45	71 44 40°23	
Mar. 12	JS	8 0 7	68 2 32.96	β Argûs.				
		15 Argûs.		Mar. 15 Oct. 5	G J8	9 11 45.63	159 to 56.99	
Apr. 9	G	8 2 0.49	113 56	10	G	45°80 45°92		
		η Cancri.		13	G	9 11 45.84	159 10 55.49	
Feb. 13	G IF		69 7 10.11			β Argûs 8.P.		
Apr. 9	G	8 52 11.30	8.29	Oct. 5	JS IF		159 10 54°31 59°62	
		γ Cancri.		12	JS		159 10 56.79	
Feb. 13	G G	8 35 45.63 45.67	68 3 58·47 58·56			a Hydræ.		
y		8 35 45.65	68 3 58.2	Арг. 11	IF	9 21 11.99	98 6	
		8 Cancri.		ψ Leonis.				
Mar. 14	IF	8 37 17.66	71 22 9'01	Apr. 11	IF	9 36 39.09	75 23 5.09	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		ν Leonis.		l Leonis—continued.					
Mar. 14	IF JS	9 51 13.60 9 51 13.61	9.78	May 9	JS IF	h m s 10 42 25 39 10 42 25 35	78 46 4 71 1 94 78 46 3 23		
		a Leonis.		χ Leonia.					
Feb. 15 Mar. 14 15 Apr. 11 May 9	JS IF JS IF JS	 10 1 26*93 	77 23 55°33 57°10 54°09 55°49	Mar. 15 16 Apr. 12 May 9 10	JS G J8 IF	 10 58 18·60 18·63	81 57 41°31 41°17 41°89 42°11 40°24 81 57 41°34		
	<u> </u>	37 Leonis.				8 Hydræ.			
May 9	Js	10 9 41.96	75 37 28.12	Mar. 16 May 10	G IF	11 12 50°59 50°65			
May 9	J8	γ¹ Leonis.	69 30			σ Leonis.			
	1	ρ Leonis.		Feb. 16	G IF	11 14 25 99 25 93	31.01 83 12 30.78		
Feb. 15 Apr. 11	JS IF G	 10 25 57 79 	80 1 30.33 30.30 31.00 80 1 30.30	Apr. 12 13 June 7		25.89 25.98	31°10 30°94 29°28 83 15 30°52		
		l Leonis.	'	υ Leonis.					
Mar. 15 16 Apr. 11	IF	 10 42 25°37 25°30	78 46 3.63 2.25 3.34	Mar. 16 May 10 June 7	G IF G	17.54 17.61	·		
12	G		3.60			11 30 17.57	90 6		

Date.	Observer.	R. A.	N.P.D.	Date.	Орветтог.	R.A.	N.P.D.
		Virginis.			ηV	irginis —contin	ued.
Feb. 16 Mar. 16 May 10 June 7	Mar. 16 G 10.61 31.74 May 10 IF 10.71 30.67					h m s 12 13 15°31 12 13 15°31 γ Muscæ S.P.	89 56 38.11 89 56 38.11
Mar. 16	G	& Virginis.	87 30 9.84	Nov. 18 28 Dec. 2	JS JS IF		161 24 54·48 54·49 56·79
May 10	IF G	# Virginis. 11 54 12.74	82 39 38 83 40 72 82 39 39 78	June 7	G G	β Corvi.	
June 7	G	e Corvi.			г –	12 27 33 73 Tirginis (1st St	ar).
Nov. 28	JS IF	hamæleontis 8	168 35 30·19 26·39	Feb. 17	y Vir	ginis (as one n	90 44 7.73
Feb. 17	IF	12 10 46 η Virginis.	89 56 38.29	Apr. 13	JS JS IF	 4'42 12 35 4'43	9.68 7.80 9.25 90 44 8.62
18 Apr. 13	JS JS IF		37°26 38°96 38°73	June 8	i	irginis (2nd S	90 44 II · 36

Date.	Observer.	R,A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.	
		β Crucis.				65 Virginia.		
Nov. 18	G	h m s	148° 58′ 38″ 18	Apr. 14	IF	h m s 13 16 34 84	94 14 35 77	
22	G	8.36	38 · 09			a Virginis.		
24	G	12 40 8.19	38·35	June 8	1	13 18 20.78		
	<u> </u>	β Crucis S.P.	· · · · · ·	9	IF	13 18 20.80	100 29	
Nov. 18	JS		148 58 41.03					
22	G	•••	47*24	Nov. 25	IF		1	
23 24	JS		41°14 41°14	28	JS		175 7 3.12	
25 29	IF G		30°46 44°88			13 20 24	175 7 3.77	
Dec. 2	IF		31.36	Lacaille 5566 S.P.				
		12 40 8	148 58 39.59	Dec. 8	G	1	154 57 41.16	
		37 Virginis.		16	IF		37 97	
Mar. 18	IF	12 45 0'04	86 14 11.08			13 24 34	154 57 39°57	
		48 Virginis.				Virginis.		
Mar. 18	IF	12 57 12.74	92 57 45.61	June 8	G IF	13 28 4.24 4.52	89 55 48°77 48°55	
	1	θ Muscæ S.P.				13 28 4.25	89 55 48.66	
Nov. 29	G	12 59 45	154 36 36.48			m Virginis.		
		θ Virginis.					98 2 47 37	
Apr. 14	IF		94 50 38.46	β Centauri.				
June 8	G	13 3 13.25	38.26	Nov. 16	G	•••	149 44 36.32	
9	IF	13.30	39°42	17	G	13 54 40	36.11	
		13 3 13.58	94 50 30-01			-3 37 40	: -49 44 30 22	

Date.	Observer.	R.A.	N.P.D.	Date, by R.A. N.			N.P.D.	
•	β Centauri S.P.					λ Virginis.		
Nov. 17	G IF	h m s	149° 44' 40"29 37°97	June 9	IF JS	h m s 14 12 4'79 4'82	102° 46′ 15″ 50	
		13 54 40	149 44 39 13			14 12 4.81	102 46 15.79	
		τ Virginis.			1	s Octantis.	1	
June 9	IF	13 55 1.93	87 50	July 18	G	14 27 20 49	177 36 35.64 38.30	
		95 Virginis.		14 27 20 49 177 36				
Mar. 18	IF	13 59 50.41	98 41 29 07	z Octantis S.P.				
	L	scaille 5836 S.	Р.	July 18 G 14 27 21 00 177 36				
Nov. 28	TO			α¹ Centauri.				
	JS G		155 5 26·32 28·20			al Centauri.		
29 Dec. 8	G G	 	28·39 24·86	June 8	G	al Centauri.	150 17 41.84	
29	G		28°39 24°86 24°35 (18°57)		G	1	150 17 41.84	
29 Dec. 8	G G		28°39 24°86 24°35		G	14 30 46	150 17 53.55	
29 Dec. 8	G G		28°39 24°86 24°35 (18°57)	May 10 20	IF IF	14 30 46 g ² Centauri. 14 30 46.91 46.80	150 17 53°55 55°07	
29 Dec. 8	G G		28°39 24°86 24°35 (18°57)	May 10 20 June 8 9	IF IF G IF	14 30 46 a ² Centauri.	150 17 53 55 55 ° 07 52 ° 96 54 ° 34	
Dec. 8 12 14	G G G	 14 4 37 & Virginis. 14 5 57*82 57*93	28°39 24°86 24°35 (18°57) 155 5 25°98	May 10 20 June 8 9	IF IF G IF G	14 30 46 a ² Centauri. 14 30 46 91 46 80 47 44 47 29	150 17 53 55 55 07 52 96 54 34 53 09	
June 9	G G G	 14 4 37 & Virginia.	28°39 24°86 24°35 (18°57) 155 5 25°98	May 10 20 June 8 9	IF IF G IF	14 30 46 a ² Centauri. 14 30 46.91 46.80 47.44 47.29	150 17 53 55 55 ° 07 52 ° 96 54 ° 34	
June 9	G G G J J S	 14 4 37 & Virginis. 14 5 57*82 57*93	28°39 24°86 24°35 (18°57) 155 5 25°98 99 40 1°38 1°72 99 40 1°55	May 10 20 June 8 9 11 July 13	IF G IF G IF	14 30 46 a ² Centauri. 14 30 46.91 46.80 47.44 47.29 46.96	150 17 53 55 55*07 52*96 54*34 53*09 52*87	
June 9	G G G J J S	 14 4 37 & Virginis. 14 5 57*82 57*93 14 5 57*88	28°39 24°86 24°35 (18°57) 155 5 25°98 99 40 1°38 1°72 99 40 1°55	May 10 20 June 8 9 11 July 13 Nov. 16 17 21	IF G IF G G	14 30 46 a ² Centauri. 14 30 46.91 46.80 47.44 47.29 46.96	150 17 53 55 55 07 52 96 54 34 53 09 52 87 52 80 53 15 51 94 52 33	
June 9	G G G Js	 14 4 37 & Virginis. 14 5 57*82 57*93 14 5 57*88	28°39 24°86 24°35 (18°57) 155 5 25°98 99 40 1°38 1°72 99 40 1°55	May 10 20 June 8 9 11 July 13 Nov. 16 17 21	IF G IF G G G G	14 30 46 a ² Centauri. 14 30 46.91 46.80 47.44 47.29 46.96	150 17 53 55 55 07 52 96 54 34 53 09 52 87 52 80 53 15 51 94	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	a	² Centauri S.P	•		γΤ	rianguli Austr	alis.
Nov. 22	G	h m s	150 17 48 17	Nov. 22	G	h m s	158 11 44 26
23	G		21.09	23	G		45'12
24	JS		60.26	24	G		44.52
25	IF		53.84	29	IF		45.11
		14 30 47	150 17 53'42	Dec. 1	G	15 6 48.56	
						15 6 48 56	158 11 44.69
		a Circini.		i		<u> </u>	1
Nov. 29	IF	·	154 24 21 78	7	, Tris	nguli Australi	is S.P.
Dec. 6	G	14 32 1.58	23*73	Nov. 17 G 158			158 11 47*79
Dec. 0	"			22	G		45.20
		14 32 1.28	154 24 22'76	23	G		42.79
				25	48.95		
1		a Circini S.P.		28	JS		49.62
	1	1		29	G		48.05
Nov. 28	J8		154 24 32.40	Dec. 1	JS		48.93
29	G		27.11	2	IF		49°23
Dec. 2	IF		24.10	6	G		47.96
6	G		26.68	. 7	JS		45.64
7	JS		25*54	19	G	•••	46.43
12	G		24.18			15 6 48	158 11 47 34
13	IF		22.46			<u> </u>	
		14 32 2	154 24 26 07			ß Libræ.	
		a² Libræ.		June 11	G	15 10 0.90	98 .54.
Mar. 20	J8		105 29 59.64			ρ Octantis.	
May 10	IF	14 43 41'34		Ang 6	G		174 1 25'44
June 9	IF	41.30		Aug. 0	1	15 13 44 26	
		14 43 41 32	105 29 59.64	-		15 13 44.26	174 1 25'44
		≠¹ Libræ.		ρ Octantis S.P.			
Mar. 20	JS	14 59 22.68	105 45 3.31	Aug. 8	IF		174 1 25.64

Date.	Observer.	R.A.	N.P.D.	Date.		N.P.D.		
ρ	ρ Octantis S.P.—continued.					e Libre.		
	<u> </u>	h m s	0 , ,,		l	h m s	0 1 11	
Ang. 10	1	15 13 44.54		Mar. 20	1	15 46 25.48	106 20 44 25	
14	JS		174 1 25.77	21	IF	25.71	43°39	
i		15 13 44.54	174 1 25.71			15 46 25.60	106 20 43.82	
	-	o² Libræ.				49 Libræ.		
	_			Mar. 20	JS	15 53 2.08	106 8 52.65	
Feb. 21	G	15 15 46.93	104 40 3.19	21	IF	2.30	52.22	
						<u> </u>	<u>-</u>	
		γ Libræ.		. 15 53 2 14 106 8 52				
77.1	<u> </u>			β¹ Scorpii.				
Feb. 21	G	15 28 15'43	104 21 13.01			B. Scorbii.		
Apr. 16	JS	15,41	13.31	Feb. 21	G		109 26 50.00	
June 11	G	15.23	13.14		· ·			
		15 28 15.46	104 21 13'15	June 11	G	15 57 52.83	20.08	
			. , , ,			15 57 52.83	109 26 50.04	
		a Serpentis.			1	9		
	1	ì	1			» Scorpii.		
June 11	G	15 37 51.96	83 10	Feb. 21	G	16 4 26 60	109 7 13.46	
				June 11	G	26.57	12.57	
	βТ	rianguli Austr	alis.			16 4 26.29	109 7 13.02	
	<u>~</u>	<u> </u>				10 4 20 33	109 / 13 01	
Dec. 11	G G	15 43 42.60	153 1 28.36			• O-1:1:		
22	u u	42.75	33,31			8 Ophiuchi.		
		15 43 42.68	153 1 30.84	June 11	G	16 7 32.07	93 21	
	Tris	inguli Australi	s S.P.	& Apodis S.P.				
Dec. 1	JS		153 1 29.97		Ī			
6	G		34.12	Dec. 12	G	16 24 35	167 14 23.70	
7	JS		33.86	<u> </u>				
12	G		32.88			φ Ophiuchi.		
19	G	•••	37*40		1	<u> </u>		
		15 43 42	153 1 33.65	Aug. 6	G	16 23 42.04	106 19 36.74	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N,P.D.	
		B. A. C. 5579	•			29 Ophiuchi.		
Aug. 6	G	16 34 3.46 h m s	107 29 15 44	Mar. 21	ır	h m s 16 54 14.96	108 41 28.30	
	α Τ	rianguli Austra	alis.	ų Ophiuchi.				
Jan. 12	l	16 34 55.31		Mar. 21	IF	17 2 55.37	105 33 40.89	
Feb. 10	G IF IF	55.41 25.30			В.	A. C. 5794 8	.р.	
14 Mar. 21	1F	 (55°77)	4°22 	Sept. 12	G	17 7 11	170 43 47*27	
Dec. 11	G	55°18 55°37	3·17			• Ophiuchi.	·	
14	G	55.20	0.84	Aug. 6	G	17 14 2	114 51 59.99	
19 22 23	G G	55.36 52.11	2.05 2.77 2.05		1	58 Ophiuchi.	<u> </u>	
-3	ľ	16 34 55.29	158 47 2.45	Aug. 6	G	17 35 38·45	111 37 1.16	
a	Trie	nguli Australi	s S.P.			B. A. C. 5936.	<u> </u>	
Feb. 10	G IF		158 47 7.68 4.32	Sept. 21		17 38 18.32	177 39 12'94	
14 Dec. 12	IF G		4'21 7'42		В.	A. C. 5936 S.	P.	
19 23	G G		· 9.06	Sept. 20		17 38 15.87		
27	G		4.81	21	G	17 38 14.84	177 39 15°35	
	L	acaille 6998 S.1		σ Octantis.				
Dec. 19	G G		154 59 32·27 25·46	Sept. 21	G JS	18 6 27 71	179 16 41°95 42°76	
		16 45 38	154 59 28.87	-,		18 6 27 . 71	179 16 42.36	

Date.	N.P.D.	8		B. ▲.	N.P.D.	
σ Octantis S. P	.			f Sagittarii.		
Sept. 20 G h m s 18 6 24 96 21 G 26 55 18 6 25 76	179 16 44.85 44.79 179 16 44.82	Apr. 20 Aug. 8	IF IF	19 38 46.45 46.58	110 4 15°56 15°24	
μ¹ Sagittarii.				e Pavonis.	•	
Apr. 20 IF 18 5 59	III 5 22.97	Oct. 4	IF	19 45 30.96	163 14 52.45	
21 Sagittarii.				σ Capricorni.		
Apr. 20 IF 18 17 36.56	110 36 31.09	May 18 July 13				
€ ² Sagittarii.				20 11 53.21	109 31 18.20	
Aug. 8 IF 18 49 58 40	111 16 29.55			ρ Capricorni.		
o Sagittarii.		June 16 July 13	IF		108 14 28 40	
Aug. 8 IF 18 56 53.45	111 55 44.95	Sept. 6	JS		27.99	
π Sagittarii.				20 21 26	108 14 27 93	
May 18 JS 19 2 1.91	111 14			υ Capricorni.		
ρ¹ Sagittarii.		June 16 Aug. 10	IF JS	38.82	108 35 38·37 38·97	
Apr. 20 IF 19 14 8'20	108 5 26.35	20 32 38.87 108 35				
	, , , , , , ,	θ Capricorni.				
Aug. 8 IF 19 28 47	115 10 4.52	May 20 July 13	IF IF	38.78	107 44 49·38	

Digitized by GOOGLE

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	0 Ca	pricorni <i>—conti</i>	nued.		5 Ca	pricorni— <i>conti</i>	inued.
Sept. 6 7 Oct. 4	JS IF IF	h m s 38.42 38.42 38.42	107 44 51 10 50 83 51 36	Oct. 4	IF JS	21 39 51.48 21.39 51.48 21.42	106° 42′ 56″87 56° 53
	 	4 Capricorni.		May 20	IF	4 Aquarii.	104 29 55.68
May 20 July 13 Sept. 6	IF IF JS	0°42 0°36	10,32	July 15 Sept. 7	JS IF	24.82	55.84 55.65 104 29 55.72
7 Oct. 4	IF IF	0°46 0°48 21 15 0°41	12.33	Sept. 7	IF	e ² Aquarii. 22 3 40.63	102 12 10'90
		γ Capricorni.			!	θ Aquarii.	l
June 16 Aug. 10	IF JS IF	23,10	52.89 52.88	July 15	Js	1	98 25 45.85
		κ Capricorni.	107 14 52.60	Aug. 11	IF	σ Aquarii.	101 20 31.28
Oct. 4	IF JS	21 35 23.90	109 27 27°31 25°94		i	τ² Aquarii.	1
		δ Capricorni.	109 27 26.63	Aug. 11 Oct. 5	JS G	42°35 42°43	40.69 40.14
May 20 June 16	IF IF	21 39 51.75	106 42 53°50 57°04			22 42 42 43 λ Aquarii.	104 16 40.36
Aug. 10	JS IF	21.82	57°4°	July 15	JS	22 45 49 92	98 16 14.40

	.; -				er.		
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N .P.D.
	λΔ	quarii—contin	ued.			ψ¹ Aquarii.	
Sept. 8	G	h m s	98° 16′ 12″95	Aug. 13	G	h m s	99 47 43 96
9	IF	50.05	12.69	Sept. 8	G	4.70	42.63
		22 45 49.92	98 16 13.35	9	IF	4.80	42.29
		74 Aquarii.				23 9 4.81	99 47 42.96
Oct. 5	JS	22 46 37.87	102 18 25.48			B. A. C. 8239.	
6	G.	37.98	24.82	Aug. 13	G	23 34 25 33	102 24 5.84
		22 46 37.93	102 18 25.15	Oct. 6	G	25.26	4'27
		Dissis Assault		7	IF	25.42	4.16
	a	Piscis Austral	l s.			23 34 25 34	102 24 4.76
Feb. 10	JS		120 18 36.47			1	1
Mar. 16	G	22 50 27.82	•••		,	B. A. C. 8266.	·
Apr. 8	G	27.75		Oct. 6	G	23 40 34.55	102 37 46.63
		22 50 27.79	120 18 36.47	7	IF	34.34	47.31
		a Pegasi.				23 40 34.58	102 37 46.97
Apr. 8	G	22 58 17.23	75 30			27 Piscium.	
		λ¹ Aquarii.		Jul y 17	JS	23 22 1.10	94 16 38.65
July 15	JS	22 58 22.80	98 23 39.08			30 Piscium.	
		τ Octantis.		Aug. 13	G	23 55 17.57	96 44 10.25
June 8	G	23 7 15.29	178 11 38.56	Sept. 9	IF	17.51	9.15
9	IF	14.23		10	JS	17.57	8.69
		23 7 14.91	178 11 38.56			23 55 17.55	96 44 9.36
		r Octantis S.P.		33 Piscium.			
June 7	G		178 11 41.87	Aug. 13	G	23 58 40.85	96 26 4.83
3 une 7	_	23 7 13.91		Sept. 9	IF	41.00	4*55
9	G	15.46		10	JS	40.90	5.36
		23 7 14.69	178 11 41.87			23 58 40.92	96 26 4.88

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

CATALOGUE

OF

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS,

FOR

1870'0,

OF

STARS OBSERVED IN THE YEAR 1870.

408 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude. Fraction of Year.	No. of Obs.	Mean R.A. 1870'o.	Annual Variation 1865 o.	N Mean Dec. 1870.0.	Annual Variation 1865 o.
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	μ Persei	4.2 0.94 3.9 0.03 3.4 0.95 3.7 1.0 0.00 5.1 0.04 4.7 0.04 5.5 0.78 0.2 0.00 4.6 0.31 2.7 0.00 4.7 0.04 4.8 0.04 Var. 0.78 3.2 4.0 0.12 Var. 0.04 3.7 0.5 0.00 3.6 0.12	3 3 2 2 3 1 1 1 2 2 2	h m a 4 5 21 70 4 12 23 76 4 12 45 27 4 21 2 4 28 27 76 4 43 46 24 4 55 19 64 5 0 7 03 5 7 5 24 5 8 17 46 5 24 35 59 5 29 52 54 5 34 56 62 5 46 40 99 5 56 11 95 6 7 1 66 6 15 6 6 21 14 73 6 56 23 82 7 12 21 7 32 29 75	** +4'376 +3'407 +0'754 +3'492 +3'582 +3'545 +4'421 +2'880 +3'517 +3'586 +2'178 +3'552 +3'652 +3'652 +3'652 +3'654 +3'592 +3'145	0.94 3 +48 4 34.95 0.03 2 +15 18 42.06 0.95 2 -62 47 58.15 0.00 4 +18 53 23.79 0.00 4 +16 14 44.93 0.04 1 +18 36 59.88 0.04 1 +18 36 59.88 0.04 1 +21 24 8.95 0.78 1 +20 14 40.49 0.00 1 +45 51 44.42 8 21 0.31 3 +18 29 41.92 0.31 3 +21 3 37.82 34 9 0.04 2 +20 14 58.11 0.04 1 +20 8 20.95 0.04 1 +20 8 20.95 0.04 2 +20 17 28.60 0.04 1 +20 45 30.18 0.00 12 2 +20 17 28.60 0.04 1 +20 45 30.18 0.00 2 +22 13 10.59 + 5 33	1865.0. + 9.62 + 9.07 + 9.10 + 8.38 + 7.64 + 6.54 + 5.57 + 5.18 + 4.19 + 2.63 + 2.20 + 1.09 + 0.37 - 0.60 - 1.42 - 1.84 - 4.88 - 6.22 - 8.89 - 8.23
52	β Geminorum	3.00.00		7 36 35.89	i .	0.14 3 +24 42 26.60	•
53 54	μ ² Cancri	5.3		7 37 21.49 8 0 7	+3.682	0.19 1 +28 20	- 8·30
55	15 Argûs	2.90.00		8 2 0.49	+2.222		-10,10
56	η Cancri	2.20.00	1	8 25 11.30	+3.479	0.00 3 +20 22 21.08	-11.91
57	γ Cancri	4.80.50	2	8 35 45.65	+3.483		-12·61
58	δ Cancri	4.30.50	1	8 37 17 66	+3.423	0.50 1 +18 37 20.66	-12.93
59	₹ Cancri	5.50.50	1	9 1 52,82	+3.462	0.50 1 +55 34 6.34	-14.25
60	ѫ² Свисті,,,,,,,,	5.6		983	+3.323	0.15 1 +12 58 44.13	-14.63
		<u> </u>	-		<u> </u>		

410 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.		Mean R.A. 1870'0.	Annual Variation 1865°0.	Mean Dec. 1870 o Ope. 1870 o.	Annual Variation 1865 o.
61 62 63 64 65 66 67 68 69	83 Cancri	1'40'00 5'90'35 2'40'00	4 9 11 45.84 1 9 21 11.99 1 9 36 39.09 2 9 51 13.60 1 10 1 26.93 1 10 9 41.96 1 10 12 48.17	+0.689 +2.949 +3.276 +3.235 +3.203 +3.229 +3.317	0°27 1 +14 36 54°99 0°20 2 +13 3 49°56 0°00 4 +12 36 4°56 0°35 1 +14 22 31°88 +20 30	-14.7915.39 -16.2517.41 -17.80 -18.04
70 71 72 73 74 75	P Leonis	5°30°00 4°70°00 3°90°00 4°10°24 4°50°00	3 10 42 25 35 2 10 58 18 62 2 11 12 50 59 4 11 14 25 95 3 11 30 17 57	+3.158 +3.098 +2.995 +3.069	0.00 3 + 9 58 29.07 0.00 6 + 11 13 56.77 0.00 5 + 8 2 18.66 14 5 0.25 5 + 6 44 29.48 0 6	—18·93 —19·40 —19·45 —19·86
77 78 79 80 81 82	β Virginis π Virginis ε Corvi β Chamseleoutis S.P. η Virginis γ Muscæ S.P	3'7 0'20 4'40'36 3'10'00 4'3 4'10'00 4'0	1 11 43 55'44 2 11 54 12'71 1 12 3 26'52 12 10 46 1 12 13 15'31 12 24 44	+3.128 +3.074 +3.075 +3.357 +3.065	0°20 1 + 2 29 50°16 0°36 2 + 7 20 20°2221 54 0°00 2 -98.35 28°29 0°00 6 + 0 3 21°89 0°90 3 -71 24 55°29	-20°29 -20°06 -20°05 -20°00
83 84 85 86 87 88 89	β Corvi γ Virginis (1st Star) γ Virginis (2st Star) γ Virginis (2st Star) β Crucis β Crucis S.P 37 Virginis	3.6 o.eo 3.6 o.eo 1.5 o.89		+3°037 +3°037 +3°037 +3°447	—22 41 0'00 1 — 0 44 6'26 0'00 4 — 0 44 11'36 0'89 4 —58 58 38'13 0'90 7 39'59 0'21 1 + 3 45 48'92	-19.87 -19.87 -19.78
90	48 Virginis		1 12 57 12 74	+3.086	4	

91	Annual Variation 1865 o.	Mean Dec. 1870'o.	Fraction of Year. No. of Obs.	Annual Variation 1865°0.	Mean R.A. 1870'o.	No. of Obs.	13.8	Magnitude.	Star.	No.
93 65 Virginis	-19 ["] ·38				12 59 45			1 -		1
94 a Virginia	-19.34		,						"	1 1
95 & Octantis S.P 5.7 13 20 24	18.96					1 1		1		
100 1. 100	—18. 94	•			(,		•	l ''
97 (Virginis	-18.90	85 7 3°77	0.91 2	+ 8.376	13 20 24		7	5.2	α Octantia S.P,	95
97										١.
98 m Virginis	-18.45						1 1		1	
99 β Centauri	-18.24	+ 0 4 11.34					-)		-	
100 β Centauri S.P	-18.36	11 11	. , ,			1	٠, ا			1 ′
101 τ Virginis	17.68	59 44 36.52	o.88 z	十 4.128	13 54 40		B¦	0.8	l .	1 ''
102 95 Virginis 5'70'21 I 13 59 50'41 + 3'161 0'21 1 - 8 41 29'07 103 Lacaille 5836 S.P. 6'9 14 4 37 + 4'555 0'92 465 5 25'98 104 α Virginis 4'30'44 2 14 5 57'88 + 3'197 0'44 29 40 1'55 8 Octantis S.P. 4'1 14 6 24 + 8'720 0'93 283 4 7'89 106 λ Virginis 6'50'54 I 14 27 20'49 +21'750 0'56 287 36 36'97 107 z Octantis S.P 0'54 I 14 27 20'49 +21'750 0'56 287 36 36'97 108 z Octantis S.P 0'54 I 14 30 46 + 4'032 0'43 160 17 41'84 110 α² Centauri 0'30'43 5 14 30 47'08 + 4'032 0'66 1260 17 53'06 111 α² Centauri S.P 0'90 4 53'42 112 α Circini S.P	•••	39.13	0.92 2		•••			•••	β Centauri S.P	100
102 95 Virginis 5'70'21 I 13 59 50'41 + 3'161 0'21 1 - 8 41 29'07 103 Lacaille 5836 S.P. 6'9 14 4 37 + 4'555 0'92 465 5 25'98 104 α Virginis 4'30'44 2 14 5 57'88 + 3'197 0'44 29 40 1'55 8 Octantis S.P. 4'1 14 6 24 + 8'720 0'93 283 4 7'89 106 λ Virginis 6'50'54 I 14 27 20'49 +21'750 0'56 287 36 36'97 107 z Octantis S.P 0'54 I 14 27 20'49 +21'750 0'56 287 36 36'97 108 z Octantis S.P 0'54 I 14 30 46 + 4'032 0'43 160 17 41'84 110 α² Centauri 0'30'43 5 14 30 47'08 + 4'032 0'66 1260 17 53'06 111 α² Centauri S.P 0'90 4 53'42 112 α Circini S.P										
103 Lacaille 5836 S.P. 6 '9 14 4 37	-17.66						1		_	
104 π Virginis	-17.38	— 8 41 29·07	0'21 1	+ 3.191	13 59 50.41	1	1 1		''	
105 δ Octantis S.P. 4 ' I 14 6 24 + 8 ' 720 0 ' 93 2 -83 4 7 ' 89 106 λ Virginis 4 ' 6 0 ' 44 2 14 12 4 ' 81 + 3 ' 239 0 ' 44 2 -12 46 15 ' 79 107 z Octantis S.P. 6 ' 5 0 ' 54 I 14 27 20 ' 49 + 21 ' 750 0 ' 56 2 -87 36 36 ' 97 108 z Octantis S.P. 0 ' 54 I 4 30 46 + 4 ' 032 0 ' 43 I -60 17 41 ' 84 110 α² Centauri 0 ' 30 ' 43 5 14 30 47 ' 08 + 4 ' 032 0 ' 66 12 -60 17 53 ' 06 111 α² Centauri S.P. 0 ' 90 4 -60 17 53 ' 06 112 α Circini 3 ' 40 ' 93 I 4 32 I ' 58 + 4 ' 752 0 ' 92 2 -64 24 22 ' 76 113 α Circini S.P.	-17.12		- -							103
106 λ Virginis 4.6 0.44 2 14 12 4.81 + 3.239 0.44 212 46 15.79 107 z Octantis S.P 6.5 0.54 1 14 27 20.49 + 21.750 0.56 287 36 36.97 108 z Octantis S.P 0.54 1 14 30 46 + 4.032 0.43 160 17 41.84 110 α² Centauri 0.3 0.43 5 14 30 47.08 + 4.032 0.66 1260 17 53.06 111 α² Centauri S.P 0.90 4 53.42 112 α Circini 3.40.93 1 14 32 1.58 + 4.752 0.92 264 24 22.76 113 α Circini S.P 0.93 7 26.07 114 α² Libræ 3.00.00 2 14 43 41.32 + 3.305 0.00 115 29 59.64 115 p¹ Libræ 3.00.91 1 15 6 48.56 + 5.480 0.90 468 11 44.69 117 γ Trianguli Australis 3.00.91 1 15 6 48.56 + 5.480 0.90 468 11 44.69 117 γ Trianguli Australis 3.00.91 1 15 10 0.90 + 3.218 8 54	-17'10					ΙI		_	, ,	•
107 z Octantis	-17.13	-83 4 7.89	0.93 2	+ 8.720	14 6 24		ا ··· ا	4.1	8 Octantis S.P	105
107 z Octantis			1							
108 z Octantis S.P. 0°54 1 21°00 <th>-16.80</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>1</th> <th>106</th>	-16.80								1	106
109 a¹ Centauri 2.8 14 30 46	-16.30	8 ₇ 36 36·97	0.26 5	+21.750	14 27 20'49	1	5 0.24	6.2	l	107
110 a ² Centauri 0'30'43 5 14 30 47'08 + 4'032 0'66 1260 17 53'06 111 a ² Centauri S.P 0'90 4 53'42 112 a Circini 3'40'93 I 14 32 I'58 + 4'752 0'92 264 24 22'76 113 a Circini S.P 0'93 7 26'07 114 a ² Librae 3'00'00 2 14 43 41'32 + 3'305 0'00 I15 29 59'64 115 p ¹ Librae 5'40'21 I 14 59 22'68 + 3'332 0'21 I15 45 3'31 116 γ Trianguli Australis 3'00'91 I 15 6 48'56 + 5'480 0'90 468 II 44'69 117 γ Trianguli Australis 3'00'91 I 15 10 0'90 + 3'218 8 54	•••	•••			21.00	1	0.24			108
111 α ² Centauri S.P	-15.04								α¹ Centauri	109
112 α Circini	-15.04	-60 17 53·06	0.66 12	+ 4.032	14 30 47 08	5	30.43	0.3	α ² Centauri	110
112 α Circini			1 11							
113 a Circini S.P	•••	53.42	0.90 4					•…	α ² Centauri S.P	111
114 a ² Librae	—16·06	-64 24 22.76	0.92 2	+ 4.752	14 32 1.58	1	40.93	3.4	a Circini	112
115. pl Libree	•••	26.07	0.93 7		. •••				a Circini S.P	113
116 γ Trianguli Australis 3.0 0.91 1 15 6 48.56 + 5.480 0.90 468 11 44.69 117 γ Trianguli Aust. S.P 0.91 11 47.34 118 β Libres	-15.53	—15 29 59·64	0.00 1	+ 3.305	14 43 41 32	2	0.00	3.0	a ² Librae	114
117 γ Trianguli Aust. S.P	-14.27	-15 45 3.31	0:21 1	+ 3.332	14 59 22.68	1	40.51	5'4	pl Libræ	115,
117 γ Trianguli Aust. S.P	-13.81	-68 11 44:60	0.00 4	± 5.480	15 6 48.56		10.00	3.0	y Trianguli Australis	116
118 & Libra 2.70.00 1 12 10 0.30 + 3.518 8 24	•			1 1			1 (1 -	117
1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -	—13.28 …		1	1	16 10 0,00			1	,	1 '
119 Pp Octantis 5'7 0'61 1 15 13 44'26 +12'634 0'59 1 -84 1 25'44									P Octantis	110
120 ρ Octantis S.P 0.61 1 44.24 0.61 2 25.71	-13.35		1 1	1					1.	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•••	25 71	[47 44					l

412 Catalogue of Mean R.A. and Dec. of Stars, observed at

No.	Star.	Magnitude.	Fraction of Year.	No. of Obs.		R.A.	V:	nnual ariation 865°o.	Fraction of Year.	No. of Obs.		n Dec. 70°0.	Annual Variation 1865'o.
123 124 125 126 127 128	γ Libræ	4.0 2.7 3.1 4.3 5.6 2.9	0 · 29 0 · 96 0 · 22 0 · 20	2 2 1	15 28 15 37 15 43 	46.93 15.46 51.96 42.68 25.60 2.14 52.83	+++ +++	3°346 2°949 5°216 3°414 3°353 3°477	0 * 2 9 0 * 9 9 0 * 2 2 0 * 2 2	3 2 5 2 2 2	-14 2 + 6 5 -63 -16 2 -16 2	30.84 33.65 0 43.82 8 52.44 6 50.04	-10.53 -10.64
131 132 133 134	p Scorpii p Ophiuchi p Apodis S.P B.A.C. 5579 Trianguli Australis Trianguli Aust. S.P.	2·8 4·4 4·2 5·2 1·9	o.00 o.29 o.29	1 1 10	16 23 16 24 16 34 16 34	35 3°46 55°29	+ +++	3°136 3°424 8°377 3°462 6°277	o·59		- 3 2 -16 1 -77 1 -17 2 -68 4	9 36°74 4 23°70 9 15°44	— 9.68 — 9.59 — 8.24 — 8.53 — 7.34 — 7.39
136 137 138 139 140	29 Ophiuchi η Ophiuchi Β. A. C. 5794 S. P. θ Ophiuchi	6·8 2·6 6·0 3·4	0 · 22 0 · 22 	1 	17 2 17 7 17 14	14.96 55.37 11 2	++++	3°503 3°436 11°034	0'22 0'70 0'0	l I	—18 4 —15 3 —80 4 —24 5	9 28.87 1 28.30 3 40.89 3 47.27 1 59.99	- 6.43 - 5.69 - 4.86 - 4.76 - 4.01
142 143 144 145	B.A.C. 5936 B.A.C. 5936 S.P. σ Octantis σ Octantis S.P	5°2 5°5	0°72 0°72 0°72	1 2 1 2	17 38 18 6	18·35 14·84 27·71 25·76	+1	35°375 109°742	0 ' 72 0 ' 72 0 ' 00	1 I 2 2 2	—87 3 —89 1	9 12·94 15·35 6 42·36 44·82	2.04
147 148 149 150	21 Sagittarii	3.2	o • 60	1	18 49 18 56	58·40 53·45	++	3 . 582	o . 60	1	21 1	6 29·55 5 44·95	+ 1.20 + 4.32 + 4.88 + 5.35

ROYAL OBSERVATORY,

CAPE OF GOOD HOPE.

SEMIDIAMETERS

AND .

RIGHT ASCENSIONS AND DECLINATIONS

OF THE

SUN, MOON & PLANETS,

DEDUCED FROM THE OBSERVATIONS

AND

COMPARED WITH THE NAUTICAL ALMANAC

OB

BERLINER JAHRBUCH,

1866-1870.

416 Semidiameters of Sun and Planets from Observations

SEMIDIAMETERS OF THE SUN.

Date.		Observer.	Semidiamet	er from	Correction	Semidiamet	Correction	
			Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1866.			m s		8	, ,,	"	
March	7	G	1 4.99	2,01	- o.oz	16 8 ['] ·76	8".71	+ 0.02
İ	8	G	1 4.89	4 '95	0.06	16 8.98	8.41	+ 0.22
	9	CF	1 4.84	4'90	- 0.06	16 11.05	8.51	+ 2.84
	10	G	I 4°79	4.85	— o.oe	16 8.02	7.91	+ 0.14
i	12	G	1 4.28	4.46	+ 0.05	16 7.44	7.31	+ 0.13
i	13	G	1 4.85	4.45	+ 0.13	16 9.52	7.11	+ 2.41
	16	G	1 4.60	4.61	- 0.01	16 7.07	6.51	+ o.86
	17	G	1 4.21	4.28	— o.o ²	16 5.46	6.01	- o.22
i	19	G	1 4.49	4.23	- 0.04	16 5.58	5.41	- o.13
İ	20	G	1 4.48	4.21	- o.o3	16 5.81	2.11	+ 0.40
	21	G	I 4.24	4'49	+ 0.02	16 6.80	4.91	+ 1.89
	22	G	1 4'43	4.47	- o'04	16 4.94	4.61	+ 0.33
	23	G	1 4.60	4.46	+ 0.14	16 6.18	4.31	+ 1.87
İ	24	G	1 4.21	4.45	+ 0.06	16 5.63	4'01	+ 1.62
i	26	G	1 4.42	4.44	- 0.03	16 3.66	3.21	+ 0.12
i	27	G	1 4'39	4.44	- 0.02	16 3.15	3.51	- o.oe
	28	G	I 4.37	4.45	- o.o8	16 3.16	2.91	+ 0.25
	29	G	I 4'43	4.46	- 0.03	16 2.87	2.21	+ 0.16
June	8	G	z 8·64	8.73	- 0.09	15 46.71	47.30	- 0.29
	9	G	1 8.21	8.76	- o.o2	15 47 49	47.20	+ 0.59
ļ	11	G	1 8.74	8.83	- 0.09	15 47 29	47.00	+ 0.59
	16	G	1 8.81	8.94	- 0.13	15 46.53	46.20	+ 0.03
i	18	G	1 8.88	8.96	- o.o8	15 46.72	46.40	+ 0.32
	19	G	1 8.89	8.96	- o'o7	15 46.83	46.30	+ 0.23
	20	G	1 8.93	8.97	- 0.04	15 46.32	46.30	+ 0.02
1	22	G	1 8.89	8.96	- o·o7	15 45.72	46.50	- o·48
i	23	G	1 8.87	8.95	- o.o8	15 46.47	46.10	+ 0.37
	25	CF	1 8.95	8.93	+ 0.02	15 46.92	46.10	+ 0.82
l	26	CF	1 8.97	8.91	+ 0.06	15 47 55	46.00	+ 1.55
	27	G				15 46 47	46.00	+ 0.47
ĺ	28	G				15 45.89	46.00	- 0.11
	29	G	1 8.74	8.84	- 0.10	15 44 52	46.00	- 1.48

March 7, 24, 29, June 20, 27, 28. Diffused.

March 12, 13, 20, 21, June 22, 25. Very diffused and tremulous.

March 22, 23. Very bad definition.

June 18. Very tremulous; cloudy.

June 19. Limbs boiling.

at the Royal Observatory, Cape of Good Hope, 1866-70. 417

Date.	761.	Semidiamet	er from	Correction	Semidiamet	er from	Correction	
Date.	Observer.	Observation. N.		to N.A.	Observation.	N.A.	to N.A.	
1866—contd. July 4	G	m s	8 8·65	- 0.02 *	15 45 01	46"00	— °".99	
5	G	1 8.24	8.61	- 0.01	15 45.24	46.00	— o·46	
September 7	G	1 4.14	4.19	- o.o2	15 54.88	54*90	- 0°02	
13	CF	1 4.06	4.07	- 0.01	15 56.57	56.40	+ 0.17	
14	G	1 4.04	4.06	- 0.03	15 57.25	56.40	+ 0.22	
15	G	1 4.03	4.02	- 0.03	15 56.57	57.00	- o·43	
17	G	1 4.00	4.02	+ 0.04	15 56.87	57*50	- o·63	
18	G	1 3.99	4.05	— o·o6	15 57.38	57.80	- 0°42	
20	G	1 3.99	4.06	— o°o7	15 57 73	58.40	— o·67	
·21	G	1 4.01	4.08	- o.o2	15 58.14	58.60	- o·46	
24	G	1 4'21	4.13	+ 0.08	15 60.46	59.20	+ 0.96	
25	G	1 4'14	4.12	- 0.01	15 59.03	59.40	- o·67	
26	CF	1 4.10	4.18	- o.o8	16 0.03	0.00	+ 0.03	
27	G	1 4'21	4.31	0,00	16 0.43	0.30	十 0.43	
28	G	1 4.33	4.54	+ 0.00	16 1.70	0.60	+ 1.10	
29	G	1 4.53	4'27	- 0.04	16 0.66	0.80	- 0.14	
October 1	G	1 4.36	4.35	+ 0.01	16 1.96	1*40	+ 0.26	
2	G	I 4'39	4.40	- 0.01	16 1.62	1.60	+ 0.05	
4	G	I 4'35	4.20	- o.12	16 1.35	2.50	- o.88	
December 7	G	1 10.41	10.75	- o.o4	16 16·16	16.60	- 0.44	
8	G	1 10.86	10.82	+ 0.04	16 19.28	16.40	+ 2.58	
10	G	1 11'14	10.94	+ 0.20	16 19:24	17.00	+ 2.24	
11	G	1 11.02	10,99	+ 0.03	16 18.76	17.10	+ 1.66	
. 12	G	1 11.11	11'04	+ 0.07	16 17.61	17.20	+ 0.41	
13	CF	1 11.76	11.09	+ 0.17	16 19.29	17.30	+ 1.99	
14	G.	1 11.56	11.13	+ 0.13	16 20.84	17.40	+ 3.44	
15	G	1 11.32	11.16	+ 0.16	16 19 94	17.20	+ 2.44	
17	G	1 11.51	11.55	- o.oı	16 18.45	17.70	+ 0.75	
19	G	1 11.30	11.27	+ 0.03	16 19.18	17.90	+ 1.58	
20	CF	1 11.23	11.58	+ 0.52	16 19.78	17.90	+ 1.88	
21	G		•••		16 18.68	18.00	+ 0.68	
22	J8		•••		16 19.21	18.00	+ 1.51	

July 4, September 17, 27, October 2, December 11, 17, 22. Diffused.
September 13, 20, December 21. Very tremulous.
September 14, 24, 25, 28, December 8, 10, 14, 15, 20. Diffused and tremulous.
September 26, December 7. Cloudy.

418 Semidiameters of Sun and Planets from Observations

Data		rer.	Semidiamet	er from	Correction	Semidiamet	Correction		
Date.		Observer.	Observation. N.A.		to N.A.	Observation.	N.A.	to N.A.	
1866—contd. December 24		G	m s	8 11°28	8	16 19"24	18.10	+ 1.14	
December	٠,	G G	1 11.45		+ 0.12		18.50	+ 1.30	
	27	-	1 11'35	11'24	+ 0,11	16 19.29	18.50	1 : -	
i	31	G	1 11.56	11'12	+ 0.14	16 20.43	18-20	+ 2.53	
1867.		~=					.0	1 - 16 -	
January	3	CF	1 11.52	10.98	+ 0.37	16 21.80	18'20	+ 3.60	
	4	G	1 10.99	10.93	+ 0.06	16 20.43	18.30	+ 2.23	
March	7	G	1 5.04	5.03	+ 0.01	16 9.78	8.70	+ 1.08	
{	8	G	1 4.98	4.97	+ 0.01	16 8.92	8.40	+ 0.2	
	13	G	1 4.69	4.73	- o'04	16 7.22	7.50	+ 0.05	
	14	G	1 4.74	4.69	+ 0.02	16 8.25	6.90	+ 1.35	
	15	CF	1 4.77	4.66	+ 0.11	16 8.77	6.60	+ 2'17	
	16	G	1 4.63	4.62	+ 0.01	16 7.67	6.40	+ 1.27	
Ì	18	C F	1 4.29	4.26	+ 0.03	16 6.43	5.80	+ 0.63	
	19	G	1 4.61	4.24	+ 0.07	16 6.98	5.60	+ 1.38	
l	20	G	I 4'47	4.2	- 0.02	16 6.51	5.30	+ 0.61	
	22	G	1 4.41	4.48	- o·o7	16 4.14	4.40	- o·56	
	23	G	1 4.21	4.47	+ 0.04	16 6.14	4.20	+ 1.64	
1	25	G	1 4.50	4.45	+ 0.02	16 5.10	3.90	+ 1.50	
İ	26	G	I 4.37	4.45	- 0.08	16 4.64	3.60	+ 1.04	
	27	G	1 4.44	4.45	0.01	16 3.99	3.30	+ 0.69	
1	28	G	1 4.46	4.45	+ 0.01	16 2.26	3.00	- o'44	
i	29	G	1 4.40	4.45	- o.o2	16 3.06	2.80	+ 0.26	
	30	G	1 4'42	4.46	- 0.04	16 2.66	2.20	+ 0.16	
April	1	G	1 4.21	4.48	+ 0.03	16 3.22	1.00	+ 1.65	
	2	G	1 4.47	4.20	- 0.03	16 2.35	1.60	+ 0.45	
	3	G	1 4.48	4.2	- 0.04	16 1.45	1.40	+ 0.02	
	,	~	- 4 40	7 3-	0 04		- 43	' ' ' '	
June	7	G	1 8.61	8.68	- 0.07	15 47 48	47.40	+ 0.08	
	8	G	1 8.69	8.72	- o.o3	15 46.74	47.30	- o·56	
l .	11	G	1 8.82	8.82	0.00	15 46.39	47.00	- o.ei	
	12	G	1 8.82	8.85	- 0.03	15 46.83	46.90	- 0.07	
	15	G	1 8.88	8.92	- 0.04	15 45.64	46.40	— 1.06	
				<u> </u>		ıl	1	1	

December 24, January 3, March 15, 26, 28, April 3. Diffused and tremulous. December 27, 31, March 18, June 11. Very tremulous. January 4, March 7, 16, 19. Diffused.

March 14, 23. Very diffused and unsteady.

March 20, June 15. Very faint; cloudy.

June 12. Limbs boiling

June 12. Limbs boiling.

at the Royal Observatory, Cape of Good Hope, 1866-70. 419

Date.		.er.	Semidiamet	er from	Correction	Semidiamet	Correction	
		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1867—con			m 8	8	8	15 46.66	46.50	+ 016
June	17	G G	1 8.89	8.95	— o.oe	15 46 34	46.20	- o.16
	18	G	1 8.92	8.96	- 0'04	15 46 34	46.40	+ 0.39
}	19	_	1 8.92	8.96	- 0'04	12 46.14	46.10	+ 0.04
	24	G	1 8.87	8.94	0.00	15 47 46	46.00	+ 1.46
	28	CF.	1 8·87	8.87	0.00	15 4/ 40	40 00	1 2 40
July	1	G	1 8·77	8.78	- 0.01	15 45.24	45.90	- 0.19
	2	G	1 8·70	8.74	- 0.04	15 46.01	45.90	+ 0.11
	3	G	1 8·67	8.40	- o.o3	15 46.21	45.90	+ 0.61
	4	G	1 8.64	8.66	— o.oz	15 45.73	45.90	- 0.12
September	12	G	1 4.03	4.07	- o·o4	15 55.24	56.40	- o·86
	14	G	1 4.08	4.06	+ 0.03	15 56.50	56.40	- 0'20
	16	G	I 4'04	4.04	0.00	15 58.61	57.20	+ 1.41
	17	G	1 4'22	4.04	+ 0.18	15 59.57	57.20	+ 2.07
	19	G	1 3.06	4.05	- 0.00	15 57.89	58.00	- 0.11
	20	OF	1 4.08	4.06	+ 0.02	15 57:29	58.30	- 1.01
	21	JS	1 4.06	4.07	- 0.01			
	26	G	1 4.08	4.16	- o.o8	15 60'04	59.90	+ 0.14
	27	G	1 4'15	4.19	0.04	15 59.76	60.10	- 0.34
October		G				16 1.05	1,30	+ 0.62
COLOGE	1 2	G		•••		16 1.58	1,20	- o.33
	-	ď	•••	•••				
December	12	G				16 18.73	17.50	+ 1.23
	13	G				16 17.87	17.30	十 0.22
	16	CF	1 11.30	11.19	+ 0.01	16 16.27	17.60	- 1.33
}	17	G	1 11.32	11.33	+ 0.10	16 17.38	17.60	- 0'22
	18	G	1 11.37	11.54	+ 0.13	16 18.87	17.70	. + 1.17
	19	G	1 11.33	11.56	+ 0.07	16 19.39	17.70	+ 1.69
	20	G	1 11.40	11.52	+ 0.13	16 18.60	17.80	+ 0.80
	21	G	1 11.58	11.58	0.00	16 18.60	17.90	+ 0.40
	23	G	1 11.36	11.59	+ 0.02	16 18.83	18.00	+ 0.83
	24	G	1 11.36	11.78	+ 0.08	16 18.90	18.00	+ 0.00
	27	G	1 11.56	11'24	+ 0.03	16 19.79	18.10	+ 1.69
	· 		<u> </u>		<u> </u>	i		

June 18, September 13, 16. Very tremulous.
July 3, September 20. Diffused and unsteady.
September 17, December 17, 18. Very bad definition.
October 1, 2, December 19, 20, 21, 23. Limbs boiling.

June 28. Diffused. September 14. Cloudy.

420 Semidiameters of Sun and Planets from Observations

Duta		rer.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1867—con December		G	m 8	8 11'22	8 + 0°05	16 18. 90	18,10	+ 0".80
'	30	G	1 11.30	11.16	+ 0.04	16 20.23	18.30	+ 2.03
	31	G	1 11.06	11,13	- 0.02	16 17.71	18.30	- 0.49
1868. March	7	G	· 1 4'96	4'99	- 0.03	16 9.40	8.60	+ 0.80
March	9	G	1 4 90	4 99	+ 0.11	16 8.10	8.10	0.00
ł	10	G.	1 4'95	4.83	+ 0.15	16 9.27	7.80	+ 1.77
1	11	G	1 4'71	4.78	— o'07	16 7.16	7.60	- 0.44
	12	G				16 8.04	7:30	+ 0.4
ł	13	G	1 4.75	4.70	+ 0.02	16 8.40	7.00	+ 1.40
l .	17	G	1 4.28	4.22	+ 0.01	16 6.62	2.90	+ 0.42
1	18	G	1 4.28	4.24	+ 0.04	16 6.65	5.60	+ 1.05
	19	G	1 4'49	4.2	- 0.03	16 5.46	2,30	+ 0.16
	20	G	I 4.22	4.20	+ 0.02	16 6.43	2.00	+ 1.43
Į.	21	G	I 4'49	4.48	+ 0.01	16 4.80	4.80	0.00
1	23	G	1 4 49	4.46	+ 0.03	16 3.82	4.50	o · 38
ł	24	G	I 4'44	4.45	- 0.01	16 3,66	3.90	+ 0.00
	28	G	1 4 44	4'45	- 0.01	16 3.47	3.80	+ 0.62
l	30	CF				16 2.95	2.30	+ 0.65
	31	G	1 4.2	4.48	+ 0.04	16 2.86	2.00	+ 0.86
ļ	3-	-	. + ,-	7 7	1 0 04			' ' '
April	1	G	I 4.2I	4.20	+ 0.01	16 2.74	1.80	+ 0.94
	2	G				16 2.29	1.20	+ 0.49
	3	G	I 4.24	4.54	0,00	16 2.25	1,30	+ 1.35
					l			
June	8	G	1 8.73	8.75	- 0.03	15 47:35	47.30	+ 0.02
	9	G	1 8.48	8.79	- 0.01	15 47.31	47.30	+ 0.11
1	10	G	1 8.76	8.82	- 0.06	15 47 49	47.10	+ 0.39
	11	G	1 8.76	8.85	- 0.09	15 49'10	47.00	+ 2.10
1	12	G	1 8.91	8.87	+ 0.04	15 48.48	46.90	+ 1.28
	13	G	1 8.79	8.89	- 0.10	15 46.86	46.80	+ 0.06
	15	G	1 8.79	8.93	- o'14	15 46.52	46.60	- o.o8
1	18	G	1 8.86	8.96	- 0.10	15 46.69	46.40	+ 0.59
	19	G	1 8.94	8.96	- 0.03	15 47 01	46.30	+ 0.41
			<u> </u>	1	!	<u> </u>	<u> </u>	<u> </u>

December 30, March 12, 30.

March 20. Limbs boiling.

June 9. Very bad definition.

Diffused and unsteady.

March 24, 31. Very unsteady.

June 12. Diffused.

at the Royal Observatory, Cape of Good Hope, 1866-70. 421

		.91.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Ohservation.	N.A.	to N.A.
1868— <i>con</i> June	td. 20	G	m s	8 8•96	8 0'07	15 46 27	46.20	+ 0.07
June	22	G	1 8.36	8.95	+ 0.01	15 45.87	46.10	- 0.53
		G	1 8.88	8.94	- 0.09	15 46.39	46.10	+ 0.50
	23	G	1 8.77	8.82	- 0.02	15 45.60	46.00	- 0.40
	29	G	1 8.72	8.79	- 0.04	15 46.39	46.00	+ 0.39
1	30	u	1 0 /3	0 /9	_ 0 04	15 40 39	40 00	T ~ 39
July	2	G	r 8.68	8.71	- o.o3	15 46.56	46.00	+ 0.56
September	7	G	1 4.16	4.17	- 0.01	15 54.86	55.10	- 0°24
^	8	G	1 4.09	4.12	- o·o6	15 54.95	55.40	- 0.45
	9	G	1 4.13	4.13	+ 0.01	15 55.40	55.60	- 0.30
	10	G	1 4.09	4.10	- 0.01	15 56.68	55.90	+ 0.78
	11	G	1 4'01	4.08	- 0.07	15 56.46	56.10	+ 0.36
	12	CF				15 57.08	56.40	+ 0.68
	14	G	1 4.08	4.05	+ 0.03	15 57 90	56.90	+ 1.00
1	15	G	1 3.99	4.04	- 0.02	15 56.38	57.10	- 0.72
	18	G	1 4.06	4.05	+ 0.01	15 59.20	57.90	+ 1.30
	19	G				15 58.09	58.20	- 0.11
	21	G	1 4.06	4.08	0.03	15 59.17	58.80	+ 0.37
	23	G	1 4.12	4.11	+ 0.01	15 58.30	59.30	- 1.00
l	24	G	1 4'13	4.14	- 0.01	15 59.43	59.60	- 0'17
İ	25	G		 .		15 59.98	59.90	+ 0.08
	28	G				16 2.13	0.40	+ 1.43
	29	G	1 4'34	4.30	+ 0.04	16 0.23	1.00	- 0.47
	30	G	1 4.58	4'33	- 0.02	16 0.90	1.30	- 0.40
October	1	G	1 4.39	4.32	+ 0.03	16 2.42	1,20	+ 0.92
001000	2	G	1 4.60	4.42	+ 0.18	16 3.83	1.80	+ 5.03
		J8	I 4'42	4.47	- 0.02	16 3.52	2.10	+ 1.12
	3 5	G	1 4.2	4.28	- 0.01	16 2.08	2.60	+ 0.38
	,	_	- 7 3/	','		- ,-		' ' ' '
December	7	G	1 10.91	10.29	+ 0.13	16 18.06	16.40	+ 1.36
	8	G	1 10.89	10.82	+ 0.04	16 18.42	16.80	+ 1.62
	10	G	1 10.99	10.97	+ 0.03	16 17.71	17.00	+ 0.21
	12	G	1 11.13	11.02	+ 0.06	16 18.23	17.30	+ 1,03
1			<u> </u>		·	<u> </u>	1	<u> </u>

September 7, 24, October 5, December 7, 10, 12. Very unsteady.
September 9, 10, 19. Diffused. September 11, 12. Cloudy.
September 14, 21, 25, 28, October 2. Very bad definition.
September 30. Limbs boiling. December 8. Bad definition.

422 Semidiameters of Sun and Planets from Observations

Date.		ver.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1868—con		G	m s	8		16 18.33		
December	17	G	1 11'27	11.53	+ 0.04		17.60	+ 0.73
		G	1 11.53	11.52	- 0'02	16 18.81	17.70	+ 1.11
	19	G	1 11.34	11.27	+ 0.02	16 19:49	17.80	+ 1.69
	21	G	1 11.36	11.59	+ 0.07	16 18.31	18.00	+ 0.41
		G	1 11.43	11.59	+ 0'14	16 19.33		+ 1,33
	23	_	1 11.36	11.50	+ 0.07	16 20'12	18.00	+ 2.12
	24	G	1 11.45	11.78	+ 0'17	16 20 16	18.10	+ 2.06
	28	G	1 11.39	11.50	+ 0.10	16 20.60	18.50	+ 2'40
	29	G	1 11.52	11.12	+ 0.08	16 18.92	18.50	+ 0.2
	30	G	1 11.18	11.14	+ 0:04	16 19.22	18.30	+ 1.02
	31	G	1 11,01	11,10	- 0.09	16 18.39	18.30	+ 0,18
1869. January	4	G	I 10*97	10.80	+ 0.04	16 19*87	18.30	+ 1.67
March	8	G	1 4.98	4.94	+ 0.04	16 9.03	8.30	+ 0.43
	10	G	1 4.88	4.84	+ 0.04	16 7.99	7.80	+ 0.10
	12	G	1 4.76	4.75	+ 0.01	16 7.02	7.30	- 0.18
	13	G	1 4.73	4.41	+ 0.03	16 7.74	7.00	+ 0.74
	15	G	1 4.75	4.63	+ 0.15	16 7.37	6.40	+ 0.64
	16	G	1 4.24	4.60	- o.oe	16 4.87	6.50	- 1.33
	17	G	1 4.29	4.22	+ 0.05	16 6.81	5.90	+ 0.61
	18	G	1 4.26	4.22	+ 0.01	16 6.68	5.60	+ 1.08
	20	G	1 4'43	4.20	- o.o2	16 4.70	5.10	- 0.40
	22	G	1 4.46	4'47	- 0.01	16 4.08	4.20	- 0'42
	23	G	1 4.46	4.46	0.00	16 4.11	4.30	- 0.19
I	24	G	1 4.48	4.45	+ 0.03	16 4.18	4.00	+ 0.18
l	25	G	1 4.42	4.45	- 0.03	16 4.86	3.40	+ 1.16
1	27	G	1 4.40	4.45	- 0.02	16 2.00	3.50	- 1.30
•	30	G	1 4.39	4.46	- o.o2	16 1.80	2.40	- 0.60
	3 t	G	I 4.24	4.48	+ 0.06	16 2.27	2.10	+ 0.47
April	1	G	1 4.57	4.20	+ 0.04	16 2.36	1.80	+ 0.26
]	2	G	1 4'49	4.2	- 0.03	16 3'07	1.20	+ 1.22
		<u> </u>	1 7 79	1 , , ,	1	<u> </u>	,,	' ' ' '

December 17, January 4, March 10, 12. Very unsteady.
December 18, 22, 23, 30, March 15. Very bad definition.
December 24, March 8. Limbs boiling.
December 31, March 16. Cloudy.
March 23. Very tremulous.

March 22, 2
April 1, 2.

March 22, 27. Faint; cloudy. April 1, 2. Diffused and tremulous.

Date		ver.	Semidiame	ter from	Correction	Semidiamet	er from	Correction
Date		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
	4.3							
1869—∝ May	mia. 7	J8	m s	8 6·55	- 0.01 8	' "	"	"
],	11	JB	1 6.80	6.88	- 0.08			•••
i	12	JS	1 6.90	6.96	- 0.06		•••	
	18	Js	1 7.35	7:45	- 0.10	•••	•••	•••
	20	J8	1 7.52	7.61	- 0.00	•••		•••
ŀ		0.5	- / 3-	' "	_ 0 og	•••	"	•••
June	7	G	1 8·65	8.70	— o·os	15 45.16	45:30	
	8	G	1 8.41	8.74	- 0.03	15 46.66	47.30	- 2'14
	9	G	1 8.74	8.78	- 0.04	15 48 08	47.10	+ 0.8 + 0.8
	10	G	1 8.80	8.81	- 0.01	15 46.62	47.10	1 -
	11	G G	1 8.77	8.84	- 0°07		47.00	+ o·60
	12	G.	1 8.48	I	,	15 47.50	46.90	.
	14	G	I 8.99	8.87	+ 0.08	15 46.66	46.80	- 0'14
		G	1 8 99	8.91	,	15 48 32	46.40	+ 1.62
	16	G	1 8.00			15 46.06	46.60	- 0.24
		_	1	8.94	+ 0.01	15 46.72	46.20	+ 0.55
i	17	G	1 8.88	8.95	- 0.01	15 45.72	46.20	- o.48
	18	G			•••	15 45.79	46.40	- 0.61
	19	G	1 8.94	8.97	- 0.03	15 46.22	46.40	- 0.18
	25	G	•••	•••	•••	15 45 37	46.10	— o. ²³
		_						
July	2	G	1 8.75	8.72	+ 0.03	15 46.12	46.00	+ 0,13
	5	G	1 8.23	8.29	- 0.06	15 45.15	46.00	- o.85
١, , ,		_					į	
Septemb		G.	1 4.12	4'21	- 0.06	•••	•••	•••
	7	G	1 4.16	4.18	- 0.05	12 23.99	22.∞	- 1.01
	8	J8	1 4.04	4.12	- 0.11	•••		•••
	9	JS	1 4.08	4.13	- o.o2	15 54.67	22.20	- o.83
	10	JS	I 4.02	4.11	- 0.04	15 55.97	55.80	+ 0.12
İ	13	G	1 3.08	4.07	- 0.09	15 55.22	56.60	- 1.38
	15	G	I 4'03	4.05	- 0'02	15 57.38	57.10	+ 0.58
	17	G		•••		15 58.69	57.60	+ 1.00
1	18	G	1 4.11	4.02	+ 0.06	15 59.46	57.90	+ 1.26
	20	G	1 4.05	4.07	- 0.03	15 58.27	58.20	- 0.53
1	21	G	1 4.08	4.08	0.00	15 58.66	58.40	- 0.04
	27	G	I 4.32	4.55	+ 0.02	16 0.42	0.30	+ 0.13
		<u>' </u>	<u> </u>	1	1	II	! <u></u>	

June 10. Very tremulous.

June 11, 15, September 6, 7, 13. Faint; cloudy.

June 14. Diffused and tremulous.

June 25. Cloudy; unsatisfactory observation.

September 18, 20. Diffused.

424 Semidiameters of Sun and Planets from Observations

Date.		rer.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1869—conta September 2		G	m s	8 4°25	- o.o2	16 0.65	o"60	+ 6.05
	29	G	1 4.27	4.58	- 0.01	16 1.20	0.00	+ 0.60
3	30	G	I 4.33	4.35	+ 0.01	16 1.11	1.10	+ 0.01
October	2	G	I 4 45	4.41	+ 0.04	16 2.39	1.40	+ 0.69
ŀ	4	G	1 4.52	4.21	+ 0.01	16 2.46	2.30	+ 0.56
	8	JS	1 4.62	4.74	- 0.13		•••	•••
December	8	G				16 18.30	16.80	+ 1.40
	9	G	1 10.03	10.00	+ 0.02	16 17:20	16.90	+ 0.30
,	10	G	1 10.08	10.96	+ 0.03	16 17:32	17.00	+ 0.32
,	11	G	1 10.94	11.01	— o'07	16 18.13	17.10	+ 1.03
,	13	G	1 11'04	11.10	— o.oe	16 17.09	17.30	- 0'21
,	6	G	1 11.51	11.50	+ 0.01	16 18.50	17.60	+ 0.00
,	8	G	1 11.34	11.5	+ 0.00	16 18.58	17.70	+ 0.88
	10	G	1 11.38	11.58	+ 0.10	16 18.99	17.90	+ 1.09
	21	G				16 18.58	18.00	+ 0.28
] a	24	JS	1 11.43	11.58	+ 0.12	16 19.48	18.10	+ 1.38
	8	G	1 11'22	11'21	+ 0.01	16 19.25	18.30	+ 1.05
] 2	29	G	1 11.25	11.18	+ 0.01	16 20 08	18.30	+ 1.88
] 3	30	G	1 11.12	11'14	+ 0.01	16 19.50	18.30	+ 1'30
3	32	G	1 11.10	11,10	+ 0.00	16 20.18	18.50	+ 1.08
1870. February 2	22	G	1 6°04	5*99	+ 0.02	16 12.01	11.80	+ 1.11
March	10	G	1 4.96	4.85	+ 0.11	16 9.12	7.80	+ 1.32
,	11	G	1 4.86	4.80	+ 0.06	16 8.58	7.60	+ 0.68
,	12	G	1 4.86	4.76	+ 0.10	16 7.95	7°30	+ 0.65
,	16	G	1 4.63	4.61	+ 0.03	16 6.22	6.30	+ 0.27
,	17	G	1 4.60	4.58	+ 0.03	16 6.69	6.00	+ 0.69
1	81	JS	I 4'53	4.22	— o'02	16 6.47	5.40	+ 0.77
] ,	19	G	1 4.26	4.23	+ 0.03	16 5'42	5.20	- 0.08
2	2.1	JS	1 4.48	4.49	- 0.01	16 3.86	4.90	- 1.04
1	12	G	1 4.2	4 ' 47	+ 0.02	16 4.79	4.60	+ 0.10

September 28. Very tremulous.
December 8, February 22. Very bad definition.
December 9, 10, 18, 30, 31, March 12. Diffused.
December 13, 21. Faint; cloudy.
December 20. Diffused and tremulous.
December 28, 29, March 10, 22. Diffused and unsteady.

		ēr.	Semid	liamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observa	ation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1870 <i>—con</i> March	td.	G		8 - '47	8 4·46	+ 0.01	16 4.65	4.30	+ 0".35
магон	25	G	•	7/		`	16 3'27	3.80	— 0.23
	26	G	1 4	.37	4'44	— 0°07	16 2.43	3,20	- o.44
	29	G	' '	3/	* **		16 3,10	2.70	+ 0.40
l	30	G	1 1	*49	4.46	+ 0.03			"
	31	G		*47	4'47	0.00	16 2.65	2.10	+ 0.22
l	٠,	•	' '	7/	7 7/				1 33
April	4	G	1 4	*54	4.22	— o.oi	16 1.27	1,00	+ 0.52
June	10	G	1 8	8 · 8 z	8.81	0.00	15 48 06	47.10	+ 0.96
1	11	G	1 2 8	3 · 85	8.84	+ 0.01	15 47.89	47.00	+ 0.89
1	15	JS	x 8	3.90	8.93	- 0.03	15 46.32	46.40	- o·38
	16	G	x 8	8 • 80	8.94	- 0'14	15 46.30	46.60	- 0.30
	17	G	x 8	3.94	8.95	- 0.01	15 46.72	46.20	+ 0.55
	22	G	1 8	3.91	8.96	- 0.02		·	
	24	G	1 1 8	3 · 87	8.94	- 0.02	15 46.23	46.10	+ 0.13
	28	JS	1 1	8.84	8.86	- 0.03			
	29	G	1 1	8 • 86	8.83	+ 0.03			
	30	G	1 8	3.79	8.80	— o.oz	•••		
July	1	G	1 1	B •77	8.77	0.00			
August	6	G	1 6	5.12	6.30	- 0.08			•••
September	7	G	1 4	, 2 0	4.19	+ 0.01	15 56.69	55.00	+ 1.69
	8	G	1 1	4.53	4.16	+ 0.01	15 56.21	55.30	+ 1'21
	9	G	1 4	†. 11	4.14	- 0.03	15 56.64	\$5.20	+ 1.14
	10	G	1 4	t. 02	4.15	- 0.02	12 52.88	55.80	+ 0.08
	12	JS	1 4	4°04	4.08	- 0.04			
1	13	G	1 4	4.00	4.07	- 0.02	15 56.80	56.20	+ 0.30
	17	G	1 1	4.05	4.05	0.00	15 58.86	57.60	+ 1.76
	19	G	"	•			15 58.70	28.10	+ 0.60
1	21	G	1 .	4.10	4.07	+ 0.03	15 58.96	58.60	+ 0.36
1	22	G	1 .	4.08	4.08	0,00	15 59.20	58.90	+ 0.60
	23	JS	1 .	4 °02 	4,10	— o.og	15 59.77	29.10	+ 0.67

March 23, July 1. Very tremulous. March 26, June 16, 22, 24. Cloudy. September 8, 19. Bad definition. March 25, June 29. Limbs boiling. March 29. Hurried observation. September 22. Diffused and tremulous.

426 Semidiameters of Sun and Planets from Observations

Date.		ver.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
		JS JS G	m 8 1 4.15 1 4.16	8 4°17 4°20 4°23	8 0.05 0.04	," 15 59 95 16 0 75	" 60°20 0°50	 - 0.25 + 0.25
	30	JS	I 4°25	4.31	— o.oe	16 1.15	1.10	+ 0.03
October	3 4 5 7	18 18 G	1 4.42 1 4.46 1 4.48 1 4.62	4°45 4°50 4°55 4°67	- 0.03 - 0.04 - 0.02	16 3.36 16 3.13 16 3.36	1°90 2°20 2°50 3°00	+ 0.46 + 0.72 + 0.63 + 0.36
·	3 7 12 14 16 17 19 20 24 29 31	G G G G G G G G G G G G G G G G G G G	1 10°50 1 10°70 1 11°03 1 11°06 1 11°20 1 11°22 1 11°36 1 11°36 1 11°36 1 11°36	10.46 10.76 11.05 11.13 11.19 11.26 11.27 11.28 11.19 11.12	+ 0.04 - 0.06 - 0.02 - 0.07 + 0.01 - 0.04 + 0.05 + 0.08 + 0.04	16 17 42 16 18 59 16 16 75 16 18 68 16 19 09 16 18 67	16·70 17·20 17·40 17·50 17·60 17·70	 + 0.72 + 1.39 - 0.65 + 1.07 + 1.08 + 1.39 + 0.87

SEMIDIAMETERS OF MARS.

Date.	ver.	Semidiamet	er from	Correction	Semidiamet	Correction	
Da te.	Observer	Observation.	N.A.	to N.A.		N.A.	to N.A.
1866. November 26	G	m s	8	8	8.″38	7.05	+ 1"33
1867. January 7	JS				9.20	8.70	+ 0.80

SUN.

September 26, December 14. Cloudy. December 7, 20. Very tremulous. December 17. Very bad definition.

MARS.
November 26. Bad definition.

October 5. Bad definition. December 12, 24. Diffused. December 19. Limbs boiling.

SEMIDIAMETERS OF JUPITER.

70.4		rer.	Semidiamet	er from	Correction	Semidiamet	er from	Correction
Date.		Observer.	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1866.		_	8	8	8	"	"	. "
July	9	G	1.45	1.43	0.00	24 ["] 55	22".30	+ 2".25
	10	CF	1.45	1.43	0.00		•••	
	12	G		•••		23.85	22'40	+ 1.45
	16	G	1.44	1.43	+ 0'04	24'13	22.40	+ 1.73
	17	CF	1.22	1.43	+ 0.04	24.12	22.40	+ 1.75
	27	CF	1,64	1.43	+ 0.51	25.01	22.40	+ 2.61
August	25	JS	1.21	1.67	+ 0.04			
November	19	CF	1.06	1.36	- 0.30	•••	•••	
1867. September	3	IF		•••	•••	25'54	23.10	+ 2.44
	6	IF		•••		27.00	23.00	+ 4.00
October	15	CF		•••		19.97	21.30	- 1.33
	29	CF		•••		22.74	20.30	+ 2'44
1868.						·}		
April	23	G	1.00	1.16	- o.16	15.03	15.99	— o.96
	24	G	1,06	1.16	- 0.10	16.58	19.01	+ 0.52
	26	G	1.08	1.16	— o.o8	16.75	16.10	+ 0.62
1870. July	13	G	1,11	1.18	- 0.02	14.99	15.85	— o.86

SEMIDIAMETERS OF SATURN.

Data		787.	Semidiamet	er from	Correction	Semidiameter from		Correction
Date.		Observ	Observation.	N.A.	to N.A.	Observation.	N.A.	to N.A.
1867. July	3	G	s 0.67	s o'60	+ o'07			
August	28	IF				6.78	7'40	- o·62

JUPITER.

¹⁸⁶⁶ July 9, 16, 1867 September 3. Diffused. 1866 July 10, 1868 April 24. Cloudy. 1866 July 27, 1867 October 29. Bad definition. 1868 April 23. Faint; cloudy. 1870 July 13. Extremely faint.

R.A. AND DEC. OF SUN.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular B. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866. d h m s Mar. 7 o 11 14.8 8 o 11 o 0 9 o 10 44.8 10 0 10 29.3 12 o 9 57.2 13 o 9 40.8 16 o 8 50.0 17 o 8 32.6 19 o 7 57.2 20 o 7 39.3 21 o 7 21.2 22 o 7 3.0	G G G G G G G G G G G G G G G G G G G	h m 8 23 10 59 02 23 18 21 92 23 22 2 98 23 29 23 74 23 33 3 94 23 47 41 74 23 54 59 60 23 58 37 98 0 2 16 51 0 5 54 80	8 58.89 21.86 2.83 23.83 3.90 41.70 59.36 37.92 16.35 54.67	* +0.13 +0.06 +0.15 -0.09 +0.04 +0.24 +0.06 +0.16 +0.13		40'92 19'73 54'63 26'09 20'04 43'47 43'38 61'30 36'30 54'18 47'27 27'55	+0°46 +0°79 +0°70 +0°95 +0°08 +2°25 +0°88 +1°66 +0°42 +1°38 +2°11 +1°17
23 0 644.7 24 0 626.3 26 0 549.3 27 0 530.8 28 0 512.2 29 0 453.7 June 723 58 40.0	G G G G	0 9 32'72 0 13 11'08 0 20 27'02 0 24 5'02 0 27 42'97 0 31 20'86	32.86 10.96 26.97 4.92 42.87 20.84	+0.12 +0.02 +0.02 +0.07	+ 1 2 7.76 + 1 25 45.40 + 2 12 51.84 + 2 36 21.53 + 2 59 48.50 + 3 23 10.37 +22 51 9.75	6.34 43.33 50.39 19.66 45.73 8.22	+1'42 +2'07 +1'45 +1'87 +2'77 +2'15 +1'52
8 23 58 51 4 10 23 59 15 2 16 0 0 18 0 18 0 0 43 9 19 0 0 56 9 20 0 1 9 9 22 0 1 35 8 23 0 1 48 6 25 0 2 14 2 26 0 2 26 8 27 0 2 39 2 28 0 2 51 5	G G G G G CF CF	5 9 9.46 5 17 26.52 5 38 12.23 5 46 31.08 5 50 40.79 5 54 50.38 6 3 9.65 6 7 19.13 6 15 37.67 6 19 46.87 6 23 55.90 6 28 4.75	9'49 26'44 12'20 31'26 40'83 50'42 9'53 19'02 37'70 46'87 55'90 4'77	0.03 +0.08 +0.03 0.18 0.04 +0.12 +0.11 0.03 0.00 0.00	+22 56 23 33 +23 5 35 76 +23 21 34 42 +23 25 5 36 +23 26 11 75 +23 26 56 57 +23 26 36 74 +23 24 20 71 +23 22 36 68 +23 20 25 74 +23 17 51 15	21'56 35'65 33'26 3'80 11'97 55'25 7'42 36'17 19'51 34'17 24'13 49'59	+1.77 +0.11 +1.16 +1.56 -0.22 +1.32 +0.54 +0.57 +1.20 +2.51 +1.61 +1.56
29 0 3 3.6	G	6 32 13.47	13.44	+0.03	+23 14 50.77	50.46	+0.31

Very diffused and tremulous.

March 7, 24, 29, June 20, 27, 28. Diffused.
March 12, 13, 20, 21, June 22, 25. Very diffused
March 22, 23. Very bad definition.
June 18. Very tremulous; cloudy.
June 19. Limbs boiling.
June 27, 28. Only second limb observed in R.A.

Tin	ape Mean ne of Transit of Centra.	Observer.	Observed R.A.	Seconds of Tabular R.A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
July	5—continued. d h m s 4 0 4 0 6 5 0 4 11 2	G G	h m s 6 52 53.47 6 57 0.59	8 53.42 0.61	8 +0°05 -0°02	+25 23 20.23 +55 23 20.23	49°46 24°90	+1.07
Sept.	6 23 57 56 7 9 23 56 55 6	G G CIF	11 3 4.62 11 13 52.95 11 24 40.05	4.60 52.95 40.05	+0.02 0.00	+ 6 5 17.09 + 4 57 24.34 + 3 48 42.50	15.97 21.72 41.83	+1·12 +2·62 +0·67
	13 23 55 32 2 14 23 55 11 2 16 23 54 28 9	G G	11 39 1.65 11 31 51.08 11 28 15.23	1.21 20.08 12.22	-0.05 -0.09	+ 3 25 40'77 + 3 2 35'88 + 2 16 14'67	40°03 34°52 13°62	+0.74 +1.36 +1.05
	17 23 54 7'7 19 23 53 25'4 20 23 53 4'4 23 25 1'6	0 0 0	11 42 37.09 11 49 47.88 11 53 23.27 12 4 9.85	37.04 47.73 23.15 9.89	+0.02 +0.12 +0.13	+ 1 52 60.74 + 1 6 24.60 + 0 43 3.90 - 0 27 5.08	57 '94 23 '06 2 '43 6 '33	+2.80 +1.54 +1.47 +1.25
	24 23 51 41 °0 25 23 51 20 °5 26 23 51 0 °2 27 23 50 40 °1	G CF G G	12 7 45.84 12 14 58.02 12 18 34.37	45°73 57°94 34°37	0.00 +0.08 	- 2 0 44.19 - 1 13 53.02 - 1 0 44.19	30°52 54°63 18°65 42°08	+0.83 +1.61 +1.32
Oct.	28 23 50 20°3 30 23 49 41°5	G G			+0°05 	— 2 24 3.59 — 3 10 44.51 — 3 34 1.65	4.64 45.65	+1.67
Dec.	3 23 48 45.6	G G	 		•••	- 4 20 29 91 -22 37 33 43	31.40	+1.49
	7 23 52 4.6 - 9 23 52 58.7 10 23 53 26.4 11 23 53 54.4	G G G	 17 8 41.80 17 13 6.16 17 17 30.79	41.78 6.08	 +0°02 +0°08 +0°04	-22 44 4'97 -22 55 45'94 -23 0 57'04 -23 5 38'67	5°58 47°05 57°16	+1.11 +0.15 +1.11
	12 23 54 22 7 13 23 54 51 4 14 23 55 20 3	CF G G	 17 26 21°09 17 30 46°48	 21 '04 46 '60	+0.02	-23 13 42.76 -23 17 0.4	54°99 42°33 1°94	-0.43 -0.43
	16 23 56 18 8 18 23 57 18 0 19 23 57 47 8 20 23 58 17 6	G G CF G	17 39 38*40 17 48 30*87 17 52 56*94	38·36 30·83 57·22	+0°04 +0°04 0°28	-23 25 38·81 -23 26 39·03 -23 27 10·82	17°32 40°02 38°97 9°72	-0.67 +1.51 -0.06 -1.10

July 4, September 16, 26, October 1, December 10, 16. Diffused.
September 9. Only South limb observed in Dec.
September 12, 19, December 20. Very tremulous.
September 13, 23, 24, 27, December 7, 9, 13, 14, 19. Diffused and tremulous.
September 25, December 6. Cloudy.

Tir	Cape Mean ne of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
186	6—continued.		_	i				
Dec	d h m s 21 23 58 47 5	JS	hms	8	8	-23° 27′ 11″·60	10.46	_o"84
	23 23 59 47 4	G	18 10 43.31	43*31	0.00	-23 25 51.14	52.09	+0.02
	27 0 116.6	G	18 24 2'36	2'51	-0.12	-33 30 30.05	19.93	-0.99
1	31 0 3 13.6	G	18 41 46.00	46.06	+0.03	-23 6 22·87	23.14	+0.30
1	3. 6 3.3 0	ľ	10 41 40 09	40 00	7003	23 0 22 0/	-3 -/	1030
Jan.	1867. 3 0 4 38 6 4 0 5 6 3	CIF G	•••		···	22 51 4'52 22 45 2'94	3°98 2°87	-0.04 -0.24
Mar.	7 011 18.8	G	23 10 5.53	5.16	+0.02	— 5 21 19·74	20'11	+0.37
l	8 011 4.1	G			·	- 4 57 58.10	59.32	+1'22
	13 0 945.6	G	•••			- 3 0 24 56	25.64	+1.08
	14 0 9 28 9	G	•••		•••	- 2 36 46.63	47.63	+1,00
	12 0 9 11.9	CF			•••	- 2 13 7.80	8.19	+0.39
1	16 0 8 54.7	G	23 43 9.78	9.64	+0'14	- I 49 27 05	27.64	+0.29
i	18 0 8 19.5	CF	•••		•••	— I 2 3·23	4.48	+1.25
	19 0 8 1.7	G	23 54 6.19	6.12	+0.04	- 0 38 22.22	22.28	+0.36
ļ	20 0 743.6	G	•••			- 0 14 40 27	40.96	+0.69
l	22 0 7 7.2	G	•••		•••	+ 0 32 41.57	40.36	+1.31
i	23 0 648.8	G			•••	+ 0 56 20.52	19.12	+1.40
	25 0 612.0	G	0 15 55.45	55.45	0.00	+ 1 43 32.76	31.45	+1.04
	26 0 553.5	¦ G	•••		•••	+ 2 7 6:59	4*74	+1.85
1	27 0 5 35.0	G	0 23 11.47	11.45	+0.05	+ 2 30 36.68	35.09	+1.29
l	28 0 5 16.5	G	0 26 49.59	49.22	+0.02	+ 2 54 3 90	2.45	+1.42
l	29 0 458.1	G	0 30 27.68	27.60	+0.08	+ 3 17 27 45	26.44	+1.01
· •	30 0 4 39.7	G	•••		•…	+ 3 40 47 14	46.74	+0.40
Apr.	1 0 4 3.3	G	•••		•••	+ 4 27 16.69	14.90	+1.79
	2 0 3 45 2	G	•••		•••	+ 4 50 22.62	21.96	+0.66
1	3 0 3 27 3	G	0 48 39 32	39.58	+0.04	+ 5 13 24 12	23.92	+0.50
June	6 23 58 28 7	G	4 59 55*96	, 55 .63	+0.03	+22 44 10'15	8.09	+2.06
1	7 23 58 39 8	G	•••		•••	+22 49 52.60	51.32	+1.28
	10 23 59 14 6	G	5 16 28.28	28.55	+0.06	+23 4 38.47	36.19	+2.58
 		1				1, 1		·

December 21, January 4, March 7, 16, 19. Diffused.
December 27, 31, March 18, June 10. Very tremulous.
December 23, January 3, March 15, 16, 26, 28, April 3.
March 14, 23. Very diffused and unsteady.
March 20. Very faint; cloudy. Diffused and tremulous.

1867 -continued d h m s June 11 23 59 26 7	Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	iSeconds of Tabular Dec.	Correction to Tabular Dec.
15 0 0 4 0 G	dhms					0 , "		
17 0 0 29 1 G 5 41 22 31 22 23 +0 08 +3 3 23 8 70 5 73 +2 9 18 0 0 41 9 G +3 24 46 49 44 34 +2 1 19 0 0 54 8 G +2 3 25 59 84 58 24 +1 6 24 0 1 59 3 28 0 2 49 8 OF 6 27 5 40 5 45 -0 05 +2 3 18 29 77 27 40 +2 3 July 1 0 3 26 1 G 6 39 31 61 31 54 +0 07 +2 3 8 35 41 33 56 +1 8 2 0 3 37 8 G +2 3 4 27 12 26 91 +0 08 3 0 3 49 2 G 6 47 47 69 4 77 6 -0 07 +2 2 59 57 01 56 14 +0 8 4 0 4 0 0 3 G 6 51 55 44 55 44 0 0 00 +2 2 55 2 0 4 1 37 +0 6 Sept. 10 23 56 40 4 G +4 40 6 87 4 29 +2 3 15 23 55 37 3 G +3 31 17 86 16 75 +1 13 15 23 54 54 9 G +3 31 17 86 16 75 +1 13 16 23 53 9 1 JS +2 2 15 6 24 54 54 68 +1 5 19 23 53 30 1 OF 14 88 54 89 54 78 +0 11 +1 12 (12 12 51) 6 0 24 (+6 22 52 23 51 25 7) G +0 48 46 60 45 73 +0 8 10 20 23 59 40 70 G +0 48 46 60 45 73 40 8 Deo. 11 23 53 46 2 G +0 48 46 60 45 73 15 8 24 25 30 23 49 47 0 G1 31 37 57 38 41 +0 8 25 23 51 25 7 G +0 48 46 60 45 73 40 80 80 80 80 80 80 80 80 80 80 80 80 80			5 20 30.90	30.84	4-0.00	11 : " " 1		
18 0 0 41'9 G	-		•••					
19 0 0 54 *8 G		1 1	5 41 22.31	22.23	+0.08			1
24 0 1 59'3 G +23 25 58'19 55'34 +2'8 28 0 2 49'8 CF 6 27 5'40 5'45 -0'05 +23 18 29'77 27'40 +2'3 July 1 0 3 26'1 G 6 39 31'61 31'54 +0'07 +23 8 35'41 33'56 +1'8 3 0 3 49'2 G 6 47 47'69 47'76 -0'07 +23 8 35'41 33'56 +1'8 4 0 4 0'3 G 6 51 55'44 55'44 -0'07 +22 59 57'01 56'14 +0'8 4 0 4 0'3 G 6 51 55'44 55'44 -0'00 +22 55 2'04 1'37 +0'8 Sept. 1023 56 40'4 G +4 40 6'87 4'29 +2'3 15 23 54 54'9 G +3 31 17'86 16'75 +1'3 18 23 55 31'2 G +2 21 56'24 54'68 +1'5 1923 53 30'1 JS +2 13 52'57 24'73 +0'8		l		•••	•••			
28 0 2 49 8 OF 6 27 5 40 5 45 —0 05 +23 18 29 77 27 40 +2 3 July 1 0 3 26 1 G 6 39 31 61 31 54 +0 07 +23 8 35 41 33 56 +1 8 2 0 3 37 8 G +23 4 27 12 26 91 +0 2 3 0 3 49 2 G 6 47 47 69 47 76 -0 07 +22 59 57 01 56 14 +0 8 4 0 4 0 3 G 6 51 55 44 55 44 0 0 00 +22 55 2 04 1 37 +0 6 Sept. 10 23 56 40 4 G +4 4 0 6 87 4 29 +2 3 12 23 55 8 8 5 G +3 54 18 35 16 85 +1 3 13 23 55 37 3 G +2 45 7 18 5 42 +1 7 16 23 54 54 9 G +2 45 7 18 5 42 +1 7 18 23 53 51 2 G +2 45 7 18 5 42 +1 7 18 23 23 53 30 1 CF +1 35 25 57 24 73 +0 8 20 23 53 9 1 JS +1 12 (12 51) 6 24 (+6 2 2 2 2 3 51 25 7) G +0 48 46 60 45 73 +0 8 26 23 51 5 5 G1 8 11 36 13 58 +2 2 26 23 51 5 5 G1 8 11 36 13 58 +2 2 26 23 51 5 5 G1 3 37 57 38 41 +0 8 26 23 54 44 3 G2 3 8 54 41 54 72 +0 8 15 23 55 40 6 G2 3 8 54 41 54 72 +0 3 15 23 55 40 6 CF2 3 19 10 48 13 40 +2 9 17 23 56 39 4 G2 3 24 33 59 43 84 +0 2 18 23 57 9 9 1 G			•••	•••	•••	11	•	
July 1 0 3 26.1 G 6 39 31.61 31.54 +0.07 +23 8 35.41 33.56 +1.8 3 0 3 49.2 G 6 47 47.69 47.76 -0.07 +22 59 57.01 56.14 +0.8 4 0 4 0.3 G 6 51 55.44 55.44 0.00 +22 55 2.04 1.37 +0.6 Sept. 10 23 56 40.4 G +4 4 0 6.87 4.29 +2.3 12 23 55 8.5 G +3 54 18.35 16.85 +1.3 13 23 55 37.3 G +2 45 7.18 5.42 +1.7 16 23 54 33.7 G +2 45 7.18 5.42 +1.7 18 23 53 51.2 G +2 21 56.24 54.68 +1.5 19 23 53 30.1 CF +2 21 56.24 54.68 +1.5 26 23 51 25.7 G +0 48 46.60 45.73 +0.8 26 23 51 5.5 G +0 48 46.60 45.73 +0.8 26 23 51 5.5 G1 31 37.57 38.41 +0.8 30 23 49 47.0 G2 3 28 24.39 26.98 +2.5 Deo. 11 23 53 46.2 G3 28 24.39 26.98 +2.5 Deo. 12 23 54 14.3 G23 19 10.48 13.40 +2.9 17 23 56 39.4 G				i .		1		
2 0 3 37.8 G	28 0 2 49 8	OF	0 27 5.40	5.45	-0.02	+23 18 29.77	27.40	+2.37
3 0 3 49 2 G 6 47 47 69 47 76 -0 07 +22 59 57 01 56 14 +0 8 40 4 0 3 G 6 51 55 44 55 44 0 0 00 +22 55 2 0 4 1 37 7 +0 6 8 12 23 55 8 5 G +4 40 6 87 4 29 +2 3 5 12 23 55 58 5 G +3 54 18 35 16 85 +1 3 13 23 55 37 3 G +2 45 7 18 5 42 +1 7 16 23 54 33 7 G +2 45 7 18 5 44 54 8 16 23 54 33 7 G +1 35 25 57 24 7 3 4 18 23 53 51 2 G +1 35 25 57 24 7 3 4 18 23 53 51 2 G +1 35 25 57 24 7 3 40 8 41 5 2 5 2 2 3 51 25 7 G +1 35 25 57 24 7 3 40 8 41 5 2 5 2 2 3 51 25 7 G +1 1 25 12 5 15 6 24 (+6 2 2 2 3 51 3 5 5 G	July 1 0 3 26 1	G	6 39 31.61	31.24	+0.02	+23 8 35.41	33.26	+1.85
3 0 3 49 2 G 6 47 47 69 47 76 —0 07 +22 59 57 01 56 14 +0 8 4 0 4 0 3 G 6 51 55 44 55 44 0 0 00 +22 55 2 04 1 37 +0 6 Sept. 10 23 56 40 4 G +4 40 6 87 4 29 +2 3 12 23 55 58 5 G +3 54 18 35 16 85 +1 3 13 23 55 37 3 G +3 31 17 86 16 75 +1 3 15 23 54 54 9 G +2 45 7 18 5 42 +1 7 16 23 54 33 7 G +2 21 56 24 54 65 8 +1 5 19 23 53 30 1 CF 11 48 54 89 54 78 +0 11 +1 12 (12 51) 6 24 (+6 2 20 23 53 9 1 JS +0 48 46 50 45 73 +0 8 25 23 51 25 7 G +0 48 46 50 45 73 30 23 49 47 0 G1 31 37 57 38 44 +0 8 30 23 49 47 0 G	2 0 3 37 8	G			•••	+23 4 27 12	26.91	+0.51
Sept. 10 23 56 40 4 G + 4 40 6 ·87 4 ·29 +2 ·3 12 23 55 58 ·5 G + 3 54 18 ·35 16 ·85 +1 ·5 13 23 55 37 ·3 G + 3 54 18 ·35 16 ·85 +1 ·5 15 23 54 54 ·9 G + 2 45 7 ·18 5 ·42 +1 ·7 16 23 54 33 ·7 G + 2 45 7 ·18 5 ·42 +1 ·7 18 23 53 51 ·2 G + 2 21 56 ·24 54 ·68 +1 ·5 19 23 53 30 ·1 CF 11 48 54 ·89 54 ·78 +0 ·11 + 1 12 (12 ·51) 6 ·24 (+6 ·2 20 23 53 9 ·1 JS + 0 48 46 ·60 45 ·73 +0 ·8 25 23 51 25 ·7 G + 0 48 46 ·60 45 ·73 +0 ·8 30 23 49 47 ·0 G1 8 11 ·36 13 ·58 +2 ·2 26 23 51 5 ·5 G	3 0 349.5	G	6 47 47.69	47.76	-0.07	+22 59 57:01		+0.87
Sept. 10 23 56 40 4 G + 4 40 6 ·87 4 ·29 + 2 ·3 12 23 55 58 ·5 G + 3 54 18 ·35 16 ·85 + 1 ·3 15 23 54 54 ·9 G + 2 45 7 ·18 5 ·42 + 1 ·7 16 23 54 33 ·7 G + 2 21 56 ·24 54 ·68 + 1 ·3 18 23 53 51 ·2 G + 1 35 25 ·57 24 ·73 + 0 ·8 19 23 53 30 ·1 JS + 1 12 (12 ·51) 6 ·24 (+6 ·2 - 2 ·4 ·73 + 0 ·8 26 23 51 5 ·5 G - 1 8 11 ·36 13 ·58 + 2 ·2 26 23 51 5 ·5 G - 1 8 11 ·36 13 ·58 + 2 ·2 26 23 51 5 ·5 G - 1 8 11 ·36 13 ·58 + 2 ·2 30 23 49 47 ·0 G - 3 28 24 ·39 26 ·98 + 2 ·5 <t< td=""><td>4 0 4 0.3</td><td>G</td><td>6 51 55.44</td><td>55.44</td><td>0.00</td><td>+22 55 2'04</td><td>1.37</td><td>+0.67</td></t<>	4 0 4 0.3	G	6 51 55.44	55.44	0.00	+22 55 2'04	1.37	+0.67
12 23 55 58 5 G 13 23 55 37 3 G 15 23 54 54 9 G 16 23 54 33 7 G 18 23 53 51 2 G 19 23 53 30 1 CF 19 23 53 51 25 7 G 26 23 51 5 5 G 30 23 49 47 0 G 10 12 23 54 14 3 G 15 23 54 14 3 G 16 23 54 14 3 G 16 23 56 39 9 G 17 23 56 39 4 G 18 23 57 39 0 G 17 51 50 76 50 77 —0 01 19 23 57 39 0 G 17 51 50 76 50 77 —0 01 18 3 54 18 35								
12 23 55 58 5 G + 3 54 18 35 16 85 + 1 5 13 23 55 37 3 G + 3 54 18 35 16 85 + 1 5 13 23 54 54 9 G + 2 45 7 18 5 42 + 1 7 16 23 54 33 7 G + 2 45 7 18 5 42 + 1 7 18 18 23 53 51 2 G + 1 2 15 6 24 54 35 4 54 68 + 1 5 18 23 53 51 2 G + 1 35 25 57 24 73 + 0 8 19 23 53 30 1 JS + 1 12 (12 51) 6 24 (+6 2 2 2 2 3 53 9 1 JS + 0 48 46 60 45 73 + 0 8 25 23 51 25 7 G 1 8 11 36 13 58 + 2 2 2 23 51 25 7 G 1 8 11 36 13 58 + 2 2 2 23 34 47 0 G 3 5 6 59 8 57 + 1 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Sept. 1023 56 40'4	G				+ 4 40 6.87	4.39	+2.28
13 23 55 37 3 G	_	G				+ 3 54 18.35		+1.20
15 23 54 54 9 G + 2 45 7 18 5 42 +17 16 23 54 33 7 G + 2 45 7 18 5 42 +17 18 23 53 51 2 G + 1 35 25 57 24 73 +0 8 19 23 53 30 1 CF 11 48 54 89 54 78 +0 11 + 1 12 (12 51) 6 24 (+6 2 20 23 53 9 1 JS + 0 48 46 60 45 73 +0 8 25 23 51 25 7 G1 8 11 36 13 58 +2 2 26 23 51 5 5 G1 8 11 36 13 58 +2 2 26 23 51 5 5 G3 5 6 59 8 57 +1 9 Oct. 1 23 49 28 0 G3 5 6 59 8 57 +1 9 Dec. 11 23 53 46 2 G3 28 24 39 26 98 +2 5 Dec. 12 23 54 14 3 G23 19 10 48 13 40 +2 9 15 23 55 40 6 CF23 19 10 48 13 40 +2 9 17 23 56 39 4 G	13 23 55 37 3	G					16.75	+1.11
18 23 53 51 2 G + 1 35 25 57 24 73 + 0 8 19 23 53 30 1 JS + 1 35 25 57 24 73 + 0 8 25 23 51 25 7 G + 0 48 46 60 45 73 + 0 8 25 23 51 25 7 G 1 8 11 36 13 58 + 2 2 26 23 51 5 5 G 1 8 11 36 13 58 + 2 2 26 23 51 5 5 G 3 5 6 59 8 57 + 1 9 Oct. 1 23 49 28 0 G 3 5 6 59 8 57 + 1 9 Dec. 11 23 53 46 2 G 3 28 24 39 26 98 + 2 5 Dec. 12 23 54 14 3 G 23 8 54 41 54 72 + 0 3 15 23 55 40 6 CF23 19 10 48 13 40 + 2 9 17 23 56 39 4 G	15 23 54 54 9	G				+ 2 45 7.18		+1.76
18 23 53 51 2 G	16 23 54 33 7	G	•••		•••	+ 2 21 56.24	54.68	+1.26
20 23 53 9°1	18 23 53 51 2	G			•••	! . 1	24.73	+0.84
20 23 53 9 1 JS + 0 48 46 60 45 73 + 0 8 25 23 51 25 7 G1 8 11 36 13 58 + 2 2 26 23 51 5 5 G1 8 11 36 13 58 + 2 2 26 23 51 5 5 G3 5 6 59 8 57 + 1 9 Oct. 1 23 49 47 0 G3 5 6 59 8 57 + 1 9 Dec. 11 23 53 46 2 G3 28 24 39 26 98 + 2 5 Dec. 11 23 53 46 2 G	19 23 53 30 1	CF	11 48 54.89	54.78	+0.11	+ 1 12 (12.51)	6.24	(+6.27)
25 23 51 25 7 G	20 23 53 9 1	JS			•••	+ 0 48 46.60	45.73	+0.87
26 23 51 5'5 G	25 23 51 25.7	G	•••		•••		13.28	+2.55
Oct. 1 23 49 28 0 G -3 28 24 39 26 98 +2 5 Dec. 11 23 53 46 2 G 17 16 25 00 24 87 +0 13 -23 4 32 74 32 99 +0 2 15 23 55 40 6 CF -23 8 54 41 54 72 +0 3 15 23 55 40 6 CF -23 19 10 48 13 40 +2 9 16 23 56 9 9 G -23 21 43 59 43 84 +0 2 17 23 56 39 4 G -23 25 19 01 20 32 +1 3 18 23 57 9 1 G -23 26 24 58 26 28 +1 7	26 23 51 5.5	G			•••	— 1 31 37·57		+0.84
Oct. 1 23 49 28 0 G -3 28 24 39 26 98 +2 5 Dec. 11 23 53 46 2 G 17 16 25 00 24 87 +0 13 -23 4 32 74 32 99 +0 2 15 23 55 40 6 CF -23 8 54 41 54 72 +0 3 16 23 56 9 9 G -23 19 10 48 13 40 +2 9 17 23 56 39 4 G -23 21 43 59 43 84 +0 2 18 23 57 9 1 G -23 25 19 01 20 32 +1 3 19 23 57 39 0 G 17 51 50 76 50 77 50 77 -0 01 -23 26 24 58 26 28 +1 7	30 23 49 47 0	G			•••	- 3 5 6·59	8.57	+1.98
Dec. 11 23 53 46 2 G 17 16 25 00 24 87 +0 13 -23 4 32 74 32 99 +0 2 12 23 54 14 3 G23 8 54 41 54 72 +0 3 15 23 55 40 6 CF23 19 10 48 13 40 +2 9 16 23 56 9 9 G23 21 43 59 43 84 +0 2 17 23 56 39 4 G23 23 43 43 46 18 +2 7 18 23 57 9 1 G23 26 24 58 26 28 +1 7								
Dec. 11 23 53 46 2 G	Oct. 1234928.0	G			•••	- 3 28 24.39	26.98	+2.29
12 23 54 14'3 G <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
12 23 54 14'3 G <t< td=""><td>Dec. 11 23 53 46 2</td><td>G</td><td>17 16 25.00</td><td>24.87</td><td>+0.13</td><td>-23 4 32.74</td><td>32.99</td><td>+0.52</td></t<>	Dec. 11 23 53 46 2	G	17 16 25.00	24.87	+0.13	-23 4 32.74	32.99	+0.52
15 23 55 40.6 CF	12 23 54 14 3	G	•••			-23 8 54.41		+0.31
17 23 56 39 4 G	15 23 55 40.6	CF	•••			-23 19 10.48	13.40	+2.92
17 23 56 39 4 G	16 23 56 9.9	G				-23 21 43.59	43.84	+0.25
18 23 57 9'1 G		G				-23 23 43 43	46.18	+2.75
1		G	•••			ll i	20.32	+1.31
1 2021 68 810 G	19 23 57 39 0	G	17 51 50.76	50.22	-0.01	23 26 24.58	26.58	+1.40
1 20 23 58 8 9 G -23 27 2 87 3 94 +1 6	20 23 58 8.9	G	•••			-23 27 2.87	3.94	+1.07

June 11, September 30, October 1, December 18, 19, 20. Limbs boiling.

June 15. Very faint; cloudy.

June 28. Diffused.

July 3, September 12, 15. Very tremulous.

July 3, September 19. Diffused and unsteady.

September 16, December 16, 17.

North limb observed.

December 11. Only second limb observed in R.A.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued. d h m s	0	h m s	8	8	-23° 26' 53".45	54*44	+0"99
Dec. 22 23 59 9°1	G	18 5 10.82	10.77	+0.02	11		
23 23 59 39 2	G	18 9 37 44	37.48	-0°04	-23 26 6.49	7.19	+0.40
27 0 1 9'0	G	18 22 57.24	57.26	-0.03	-23 20 55.50	26.18	+0.68
28 0 1 38.7	G	•••	•••	•••	-23 18 16.33	12.08	-o.32
30 0 2 37 5	G	•••		•••	-23 11 31.91	31.42	-0.19
31 0 3 6.2	G	•••		•••	23 7 28.11	27.68	-0.43
1868. Mar. 7 011 6'9	G				— 5 3 46·54	46.62	+0.08
9 0 10 36.4	G	23 20 14.65	14.65	0.00	- 4 16 55.34	57.09	+1.75
10 0 10 20 6	CF	'			- 3 23 30.08	27'34	-2.24
11 010 4.2	G	23 27 35.81	35.78	+0.03	- 3 29 53°13	54*77	+1.64
12 0 9 48 1	G				- 3 6 10.00	19.68	+o·68
13 0 931'4	G	23 34 55 74	55.23	+0.01	- 2 42 40.59	42.39	+1.80
17 0 8 22 5	G	23 49 32.92	32.83	+0.09	— 1 7 56·96	59.21	+2.25
18 0 8 4.8	G	23 53 11.70	11.63	+0.02	- 0 44 14.88	16.41	+1.83
19 0 746.9	G			•••	— o 2o 33·07	34.30	+1'23
20 0 7 29 0	G				+0 3 9.65	7.63	+2.05
21 0 7 10 9	G				+ 0 26 50.85	48.88	+1.97
23 0 6 34 4	G				+ 1 14 8.49	7.54	+0.92
24 0 6 16.1	G	•••			+ 1 37 46.20	43.05	+3.12
28 0 5 2.6	G	0 29 34.64	34.20	+0.14	+ 3 11 45.39	43.78	+1.61
30 0 4 26 0	CF			•••	+ 3 58 23.82	22.70	+1.15
31 0 4 7.7	G	0 40 29 15	29.10	+0.02	+ 4 21 36.16	35.54	+0.62
Apr. 1 0 349.6	G			•••	+ 4 44 45.19	43.60	+1.29
2 0 331.2	G	0 47 45.83	45.87	-0.04	+ 5 7 48.34	46.47	+1.87
3 0 3 13.2	G	0 51 24.43	24.42	+0.01	+ 5 30 45.52	43'79	+1.73
June 7 23 58 47 4	G	5 7 10.16	10.14	+0.03	+22 53 55.44	54°57	+0.84
8 23 58 58 9	G	5 11 18.30	18.55	-0.03	+22 58 57.46	55°32	+2.14
9 23 59 10.6	G	5 15 26.55	26.22	0.00	+23 3 32.93	31.76	+1.12
10 23 59 22 6	G	5 19 35.16	35.11	+0.02	+23 7 42.85	44.01	-1.16
11 23 59 34.8	G	•••	•••	•••	+23 11 33.01	31.26	+1.52
12 23 59 47 2	G	5 27 52.86	52.88	-0.03	+23 14 56.31	55.12	+1.19
	i .	l	<u> </u>		<u> </u>		

December 30, March 12, 30. Diffused and unsteady.
December 23, March 20. Limbs boiling.
March 24, 31. Very unsteady.
April 2. Only second limb observed in R.A.
June 8. Very bad definition.
June 11. Diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1868—continued. dhms	G	h m s	8	8	+23° 20' 29" 60	27.95	+1".65
June 15 0 012.4	G			-1 0:08	11		
1 , ,	G	5 48 40'02	39'94	+0.08	+23 25 43 73	42.16	+1.57
19 0 1 4.3	G	5 52 49.84	49.60	+0.54	+23 26 40'07	37 37	+2.70
20 0 1 17 4	G	5 56 59.39	29.30	+0.00	+23 27 9'77	7.70	+2.07
22 0 143.6	G	•••		•••	+23 26 56.76	54.29	+2.47
23 0 1 56.6			•••		+23 26 11.24	10.32	+0.92
24 0 2 9.5	OF				+23 25 3.35	1.69	+1.66
29 0 3 11.2	G	6 34 22.70	22.40	0.00	+23 13 9.79	8.10	+1.69
30 0 3 23.3	G	6 38 31.07	31.09	-0.03	+23 9 33.83	31.85	+1.08
July 2 0 346'1	G	6 46 47 13	47.07	+0.06	+23 1 7.86	6.44	+1.42
Sept. 6 23 57 46 0	G		 		+ 5 53 46.71	45.89	+0.82
7 23 57 25 6	G		 		+ 5 31 12.39	11.09	+1.30
8 23 57 5'1	G	•••			+ 5 8 32.14	30.22	+1.2
9 2 3 5 6 44 4	G				+ 4 45 45.22	44.73	+0.49
10 23 56 23 6	G	•••			+ 4 22 56.29	53.89	+2.40
11 23 56 2.7	CF	•••			+ 3 59 59.13	58.24	+0.89
13 23 55 20 8	G				+ 3 13 56.17	54.44	+1.73
14 23 54 59 7	G				+ 2 50 46.99	46.92	+0.02
17 23 53 56 5	G				+ 1 41 6.63	5.95	+0.68
18 23 53 35.5	G	11 48 2.58	2.24	+0.04	+ 1 17 47 90	47.25	+0.65
20 23 52 53 6	G	11 55 13.69	13.61	+0.08	+031 5.46	4.61	+0.85
22 23 52 12 0	G			•••	- o 15 40·63	42.82	+2.19
23 23 51 51 3	G	12 6 0.97	0.87	+0.10	- o 39 7·97	7.41	-o·56
24 23 51 30.8	G			•••	- 1 2 29·92	32.11	+2'19
27 23 50 30 4	G	•••	•••		- 2 12 40.53	43'42	+2.89
28 23 50 10.7	G		•••	•••	2 36 4.32	5.19	+0.87
29 23 49 51 2	G				- 2 59 23.36	25.38	+2.02
30 23 49 32 0	G	12 31 17'04	17'01	+0.03	- 3 22 42·55	43.69	+1'14
		•	•)	
Oct. 1234913'1	G			•••	- 3 45 57 07	59.71	+2.64
2 23 48 54.5	JS	12 38 32.28	32.23	+0.02	- 4 9 11.43	13.16	+1.43
4 23 48 18 4	G	12 45 49.48	49°45	+0.03	- 4 55 30.00	30.90	+0.90

June 24. Only South limb observed.
September 6, 23, October 4. Very unsteady.
September 8, 9, 18. Diffused. September 10, 11. Cloudy.
September 13, 20, 24, 27, October 1. Very bad definition.
September 18. Only second limb observed in R.A.
September 29. Limbs boiling.

Cape Meau Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1868—continued.					<u> </u>		
d h m s Dec. 6235151.2	G	hm s	8	8	-22° 40' 56'.80	59.08	+2"28
_	G	17 2 8.91	8·94	-0:00	!!	16.56	+1.53
7 23 52 17 8	G			-0.03	-22 47 15 03		
9 23 53 12 2	G	17 10 56.77	56.67	+0.10	-22 58 27.64	29.84	+2.50
10 23 53 40 1	G	17 15 21.15	21'17	-0°02			
11 23 54 8.3	G	17 19 45 93	46.05	0'12	—23 7 52°44	54°37	+1.63
16 23 56 34 0	G	17 41 54.83	54.88	-0.02	-23 23 19.23	20.22	+1.59
17 23 57 3 7	G	_	21.23	+0.02	-23 25 0.84	1.76	+0.65
18 23 57 33 6	G	17 50 47 63	47.73	-0.10	-23 26 13.81	14.62	+0.81
20 23 58 33.5		17 59 41 02	40.93	+0.00	-23 27 14.07	15.63	+1.26
21 23 59 3.5	G G	18 8 34.13	7.55	+0.02	-23 27 1'52	3.28	+2.06
22 23 59 33 4	G	3. 3	34.18	—o.o2	-23 26 21'77	23.13	+1.36
24 0 0 3 5		18 13 0.62	0.41	-0.09	-23 25 12·93	14.49	+1.26
28 0 2 1.8	G	18 30 45.70	45.72	-o.oz	-23 15 56.10	57.38	+1.58
29 0 2 31 0	G	18 35 11.49	11,21	-0°02	-23 12 26.31	27.81	+1.20
30 0 2 59.9	G	18 39 37.17	37.07	+0.10	-23 8 28·62	30.44	+1.82
31 0 3 28.2	G	•••		•••	-23 4 3.90	5.35	+1.35
1869. Jan. 4 o 5 19*9	G	19 1 40.54	40.31	+0.03	—22 41 48·49	49°47	+0.98
Mar. 8 0 10 55.0	G				- 4 46 7.34	8.90	+1.26
19 0 10 24 2	G				— 3 59 10.97	12.95	+1.08
12 0 9 52 1	G				— 3 12 4'42	5.01	+0.29
13 0 9 35.6	G				- 2 48 26.80	27.61	+0.81
15 0 9 1.9	G				- 2 I 6.46	7.95	+1.49
16 0 8 44 6	G			<i></i>	- I 37 24 79	26.19	+1.40
17 0 8 27 2	G				- 1 13 42.83	43.81	+0.08
18 0 8 9.5	G				- 0 49 59.87	61.31	+1'44
20 0 7 33 7	G				- o 2 35·57	36.77	+1.50
22 0 6 57 3	G			,	+ 0 44 45.01	44.57	+0.74
23 0 6 38 9	G	0 10 30.76	30.4	+0.03	+ 1 8 24.09	22.66	+1.43
24 0 6 20 5	G	0 14 8 74	8.80	-0.06	+ 1 31 60.38	59.07	+1.31
25 0 6 2.0	G				+ 1 55 34.44	33.09	+1.35
27 0 524.9	G				+ 2 42 33.68	32.91	+0.77
		!	1	<u> </u>	<u> II </u>	<u> </u>	<u> </u>

December 6, 9, 11, 16, January 4, March 10, 12. Very unsteady.

December 7. Bad definition.

December 10. Only second limb observed in R.A.

December 17, 21, 22, 30, March 15. Very bad definition.

December 24, March 8. Limbs boiling.

March 22, 27. Faint; cloudy.

December 31, March 16. Cloudy.

March 23. Very trenulous.

	1	1	ن ے ا	34		ه. وع	\$.:
Cape Mean Time of Transit	ver.	Observed	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed	Seconds of Tabular Dec.	Correction to Tabular Dec.
of Centre.	Observer.	R.A.	Secon	Sorre	Dec.	Secon	Sorrec
1869—continued.	 	<u> </u>	-		11		
dhms		hms	8	8	+ 3° 52′ 36′ 94	37.18	⊸ ".24
Mar. 30 0 4 29 3	G				11	_	
31 0 4 10 9	G	0 39 34.93	34.46	+0.12	+ 4 15 51.22	50.21	+0.41
Apr. 1 0 3 52.7	G	0 43 13.03	13.00	+0.03	+ 4 38 59.76	59.25	+0.21
2 0 3 34.6	G	0 46 51.46	51.40	+0.06	+ 5 2 4.73	3,10	+1.63
May 17 23 56 11 6	JS	3 40 48.76	48.65	+0.11		•••	
June 6235832.4	G	5 2 0'99	1.00	0.01	+22 47 3'35	6.03	-2.67
7 23 58 43 7	G	5 6 8.91	8.91	0.00	+22 52 38.35	37.05	+1.30
8 23 58 55.3	G	5 10 17.09	17'11	-0.03	+22 57 44 77	43 '97	+0.80
9 2 3 5 9 7 2	G	5 14 25.62	25.26	+0.06	+23 2 28.60	26.83	+1.77
10 23 59 19.3	G	5 18 34.52	34.53	-0.01	+23 6 47.05	45*39	+1.66
11 23 59 31 . 6	G	5 22 43 29	43.09	+0.50	+23 10 41.53	39.24	+1.99
13 23 59 56 6	G				+23 17 15.56	14.25	+1.31
15 0 0 9.3	G				+23 19 55.13	54.72	+0.41
16 0 0 22 ' 1	G	5 39 20.02	20.00	+0.03	+23 22 10.92	10.40	+0.2
17 0 0 34 9	G				+23 24 3.38	1.52	+2'11
18 0 047.9	G	5 47 39.02	38.95	+0.02	+23 25 28.95	27.44	+1.21
19 0 1 0.8	G			•••	+23 26 29.91	28.74	+1.12
25 0 217.7	G				+23 23 56.81	55.5	+1.26
July 2 0 341.9	G	6 45 45.28	45.27	+0.01	+23 2 17.54	15.53	+2.31
5 0 4 14.5	G	6 58 7.71	7.63	+0.08	+22 46 55'19	54.12	+1.07
Sept. 6235751'1	G			•••	+ 5 59 16.87	15.36	+1.21
7 23 57 30 8	JS	11 7 39.03	38.90	+0.13			•••
8 23 57 10 4	JS	11 11 15.04	14.94	+0.10	+ 5 14 2.15	1.21	+0.64
9 23 56 49 7	JS			•••	+ 4 51 17.66	16.57	+1.09
12 23 55 47 1	G				+ 3 42 33 24	33.28	-0.04
14 23 55 4 9	G	11 32 48.46	48.47	-0.01	+ 2 56 24.63	24.52	+0.38
16 23 54 22 5	G	11 39 58.96	59.04	-o.o8	+ 2 10 3.30	2.32	+0.95
17 23 54 1 3	G	11 43 34.37	34'31	+0.06	+ 1 46 46.93	47.37	-0'34
19 23 53 18 9	G	•••			+ 1 0 12.08	10.67	+1.41
20 23 52 57 . 8	G	•••		•••	+ 0 36 50.40	49.74	+0.96
			<u> </u>		·		

April 1, 2, June 13. Diffused and tremulous.
June 9. Very tremulous.
June 10, 15, September 6, 12. Faint; cloudy.
June 18, September 16. Only second limb observed in R.A.
June 25. Cloudy; unsatisfactory observation.
September 17, 19. Diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1869—continued. d h m s Sept. 26 23 50 54 1	G	h m s		8	- i 43 31.15	,,	+1"30
27 23 50 34 1	G	12 19 32.19	32.11	+0.08	- 2 6 54·30	32°45 55°89	+1.20
28 23 50 14 4	G		,		- 2 30 16·8 ₂	18.56	+1,44
29 23 49 55.0	G		I .		-	_	
.,-,,,,,				•••	— 2 53 37·71	39.46	+1.75
Oct. 1234917.0	G	12 34 1'10	1,03	+0.02		-61-4	
3 23 48 40 4	G	12 41 17:34	1 -		— 3 40 14·99	16'24	+1.52
3-34-4-4	ľ	12 41 1/ 34	17.37	-0.03	- 4 26 42'09	43°32	+1.53
Dec. 7 23 52 11 · 8	G				-22 45 48:22	10.16	٠.٠٠
8 23 52 38 7	G	17 5 29.05	29.03	٠٠٠	-22 45 48 32	50.46	+2'14
9 23 53 6.1	G	' ' ' '	'	+0'02	-22 51 47 23	47.52	+0.39
10 23 53 33.8	G	•••	•••	•••	-22 57 16.53	17.40	+0.87
12 23 54 30.5	G	•••	•••	•••	-23 2 19·68	20.00	+0.32
	G			•••	-23 11 2.26	2.74	+0.18
15 23 55 57 °O	G	17 36 23.66	23.68	-0.02	-23 20 37.18	38.54	+1.06
	G	17 45 15 74	15.86	-0'12	-23 24 41.64	41.93	+0.59
19 23 57 55 3	G	17 54 8.54	8.60	-0.06	-23 26 52.00	52.83	+0.83
20 23 58 25.2	JS			•••	-23 27 12.93	15.88	+2.95
21 23 58 55 1	JS	18 3 1.64	1.65	0.01		•••	•••
23 23 59 54 9	I 1		•••		-23 25 34.63	35.33	+0.40
28 0 153.9	G	18 29 40.28	40.52	+0.03	-23 16 44'17	45.72	+1.22
29 0 2 23 2	G	18 34 6.59	6.54	+0.02	-23 13 23.73	23.10	-0.63
30 0 2 52 4	G	18 38 32.05	32.06	-0.01	-23 9 32.26	32.49	+0.53
31 0 321,3	G	18 42 57 67	57.61	+0.06	-23 5 12.50	14.04	+1.84
1870.	_						
Feb. 22 01342.6	G	22 22 17.95	18.03	0.08	-10 10 14.18	15.97	十1.29
Mar. 10 0 10 27 '9	G						1
11 0 10 12.0	G	•••		•••	- 4 4 56·16	57.49	+1.33
12 0 955.8	G		""	•••	- 3 41 24·69	25.82	+1.13
16 0 8 47 9	G	23 44 6.62	6.72		- 3 17 52.03	51.65	-0.38
17 0 8 30.4	G	23 47 45 74		-0.10	— I 43. I4·87	17.24	+2.37
18 0 8 12 . 6	JS		45.65	+0.09	- I 19 34'48	35.97	+1.49
	G	•••		•••	- o 55 55.05	54.58	-0.11
19 0 7 54.7	G		"	•••	- 0 32 12.55	12.57	+0.32
2					<u>'</u>		

September 27. Very tremulous.

December 7, February 22. Very bad definition.

December 8, 9, 17, 30, 31, March 12. Diffused.

December 12, 20. Faint; cloudy.

December 21. Only second limb observed.

December 19, 28, 29, March 10. Diffused and unsteady.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
	් ව		2 4	उद्ध		% E	Tal
1870—continued. d h m s		h m s	8			,,	
Mar. 21 0 7 18.4	J8	•••		•••	+ 0 15 8.96	9.20	-o"·54
22 0 7 0'1	G	•••		•••	+ 0 38 49.70	49.46	+0.54
23 0 641.8	G	•••		•••	+ 1 2 28.43	28.03	+0.40
25 0 6 5.0	G	•••	···	•••	+ 1 49 40.12	39 94	+0.51
26 0 5 46.5	G	•••	•••		+ 2 13 12.59	12.48	+0.11
28 0 5 9.7	G	•••	•••	•••	+ 3 0 10.42	9.08	+1.34
29 0 451.3	G	•••		•••	+ 3 23 32.22	32.47	+0.08
31 0 4 14.7	G	0 38 41.19	41.10	+0.09	+ 4 10 8.89	7*40	+1.49
Apr. 4 0 3 2 9	G	0 53 15.31	15.34	+0.02	+ 5 42 20.45	19*78	+0.67
June 92359 4.6	G	5 13 25.48	25.21	0.03	+23 I 24.07	23.74	+0.33
10 23 59 16.5	G	5 17 33'92	33.96	-0.04	+23 5 47.80	47.69	+0.11
15 0 0 5.8	J8	•••		•••	+23 19 20.29	19.35	+0.94
16 0 0 18.5	G	•••		•••	+23 21 42.48	40.80	+1.68
17 0 0 31 '3	G	5 42 28 32	28.30	+0'02	+23 23 39.10	37.56	+1.24
24 0 2 2 1	G	•••			+23 25 44.33	41.37	+2.96
27 0 2 40 3	G	6 24 3.21	3.56	-0.02		•••	
29 0 3 5.1	G	6 32 21.22	21.53	-0.01		•••	
30 0 3 17.3	G	6 36 29.91	29.90	+0.01		•••	
July 1 0 329.0	G	6 40 38.49	38.34	+0.12		•••	
Aug. 6 0 5 39 7	G	9 4 45*31	45.40	-0.09			
Sept. 6 23 57 57 4	G				+ 6 4 34.55	33.84	+0.21
7 23 57 37 0	G	11 6 47.64	47.40	-0.06	+ 5 42 3.95	2.03	+1.93
8 23 57 16.5	G				+ 5 19 25.78	24.20	+1 '28
9 23 56 55 7	G				+ 4 56 41.93	41.26	+0.37
12 23 55 52.9	G				+ 3 48 4.30	3.81	+0.49
15 23 54 49 4	JS	11 35 31.96	32.04	-0.08	+ 2 38 47 01	48.76	-1.75
16 23 54 28 2	G				+ 2 15 37.71	36.92	+0.29
18 23 53 46.0	G	11 46 18.11	18.02	+0.04	+ 1 29 5.84	5.98	-0.14
20 23 53 3.9	G	11 53 29.16	29.03	+0.13	+ 0 42 25.44	24'37	+1.07
21 23 52 43 1	G	11 57 4.71	4.66	+0.02	+ 0 19 2.45	1.24	+1.18

March 22. Diffused and unsteady.

March 25, June 29. Limbs boiling.

March 26, June 16, 24. Cloudy.

March 28. Only North limb observed. Very faint; cloudy.

March 29. Hurried observation.

June 27, September 15, 18. Only second limb observed in R.A.

September 7, 18. Bad definition. September 15. Only South limb observed in Dec.

September 21. Diffused and tremulous.

October 4. Bad definition.

December 11, 23. Diffused.

December 16. Very bad definition; only second limb observed in R.A.

December 18. Limbs boiling.

R.A. AND DEC. OF MOON.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866.	1						
dhm s Jan. 1123947.8	G	hms 72518.79	18.69	+0.10 8	+16 57 12.63	10.4	+189
)	JS	8 23 32.24	32.50	-0.02	+14 27 46.38	46.42	-0.04
2 13 33 55.8	G	9 18 35.40	32.68	+0.03	+11 13 13.66		+1.75
3 14 24 54 3	JS			0.00		10.01	
4 15 12 54 2	G	10 10 40 02	40.02	-0.03	+ 7 29 40·68	39'45	+1.53
5 15 58 28 9	G	, ,	18.75	l .	+ 3 31 22.92	22.28	+0.34
22 454 18.1	1	1 1 20.78	20.18	+0.10	+ 6 21 36.32	33.86	+2.46
23 5 46 58.5	G	1 58 5.85	5.73	+0'12	+10 31 46.45	43.92	+2.23
25 7 36 53 0	JS	3 56 11.22	11.46	+0.06	+16 41 41.38	41.74	-0.36
26 8 33 45 3	G	4 57 9 77	9.28	+0.18	+18 14 11.85	11.03	+0.85
29 11 21 43 0	G	7 57 24 72	24.43	0.00	+15 43 18.19	17.26	+0.83
30 12 13 45.9	CF				+12 52 14.47	14.07	+0.40
	-			١.			
Feb. 5 16 46 7.4	CF	13 50 18.27	18.34	+0.03	- 9 21 65.11	58.75	-3.36
6 17 30 14.8	JS	14 38 29.53	29.27	-0.04	-12 56 20.96	20.37	-0.29
7 18 15 34.8	CF	15 27 53.53	53.66	-0.13	-15 27 9.80	11.07	+1.52
22 6 29 20.4	JS	4 38 51.38	51.51	+0.12	+17 41 29.45	26.87	+2.28
23 7 25 36.4	CF	5 39 13.20	13.13	+0.02	+18 24 46.40	49*47	-2.77
24 8 21 3.4	JS	6 38 45.78	45.93	-0.12	+17 57 48.70	47°44	+1.56
26 10 642.3	JS				+13 58 20.82	18.02	+2.22
							l
Mar. 1 12 29 15.5	CF	11 7 21.41	21.49	—o.o8	+ 3 12 49.62	44.69	+4.93
2 13 13 39.5	JS	11 55 49.35	49.44	-0.09	- 0 47 38·90	38.45	-0.42
3 13 57 21 7	CF	12 43 35.27	35.28	-0.35		•••	
5 15 24 51 7	CF	14 19 12.71	12.86	-0.12	-11 36 29.46	26.11	-3.32
9 18 31 21 . 5	CF	17 41 59.38	59.43	0.02		•••	•••
21 423 4.2	CF	4 18 41.38	41.35	+0.03		•••	
22 5 20 40 2	CF	5 20 23.35	23'41	0.06			
24 7 11 32 . 5	JS	7 19 26.93	26.95	-0.03	+16 53 64.44	58.65	十5.29
25 8 3 34 . 7	CF	8 15 34.29	34.41	-0.13	+14 44 6.38	3.64	+2.74
26 853 8.3	G	9 9 12.55	12.20	+0.02	+11 49 12.80	9.95	+2.85
27 9 40 27 1	JS	10 0 35.71	35.87	o·16	+ 8 21 59.70	55.33	+4.37
28 10 25 58 7	CF	10 50 11.34	11'41	-0.04	+ 4 34 28.66	26.13	+2.54
29 11 10 14 8	JS	11 38 31.50	31.63	-0.43			
]				l		

January 3. Diffused and tremulous; very bad definition.

January 22. Very faint; sunshine. January 23. Sunshine.

January 29, March 28, 29. Very bad definition.

March 1. Worst possible definition.

March 5. Foggy; limb rugged and tremulous. March 9. Bright sunsh

March 24. Bad definition; diffu March 9. Bright sunshine.
March 27. Bad definition; diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular B. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866—continued. d h m s Mar. 30 11 53 50°3	G	h m 8	10.20	-0.16	- 3° 17′ 10° 58	14.58	+4.00
31 12 37 16.5	CF	13 13 40.35	40.43	-o·o7	— 7 I 25°12	31.35	+6.53
Apr. 11321 1.8	JS	14 1 29 35	29.55	-0.30	—10 25 63·09	29.91	-3.18
5 16 25 2 1	G	17 21 46.15	46.34	-0.19	-18 12 18.36	19*24	+0.88
7 18 2 58.3	G	19 7 51.48	21.66	-0.18	***	•••	•••
20 5 5 25 0	CF	6 59 25.70	25.97	-0.5		•••	
21 559 33.6	JS	7 57 39.67	39.81	-0.14	+15 33 12'40	9.23	+2.87
22 6 50 35 8	G	8 52 46 79	46.89	-0.10	+12 49 15.69	11.27	+4'12
23 7 38 47 5	CF	9 45 3.02	3.16	-0.14	+ 9 29 46.33	44.07	+2.26
24 8 24 42 0	G	10 35 1 64	1.65	-0.01	+ 5 47 38 04	35.11	+2.93
28 11 18 49 4	JS	13 45 23.81	23.87	0.06	— 9 20 49·58	53.89	+4°31
May 1133414'9	JS			•••	—16 57 7·03	10.73	+3.40
5 16 47 19.0	G	19 42 23.32	23.33	0.0 1	-16 13 41.31	44.18	+2.87
6 17 36 25 6	CF	20 35 34.23	35.06	0.23	—13 50 36·72	38.43	+1.21
20 5 34 31 0	JS	9 26 53.11	53.41	-0.30	+10 52 43.80	40'41	+3.39
21 622 7.8	G	10 18 34.30	34.44	-0°24	+ 7 12 42.48	39*44	+3.04
22 7 7 25.6	CF	11 7 56.02	56.56	-0'24	+ 3 18 31.67	26.10	+5.2
23 75113.2	G	11 55 47 42	47.65	-0.53	- 0 39 15.92	21.22	+5.65
24 8 34 18.0	CF	12 42 55.79	55.98	-0.19	- 4 31 39°25	43*31	+4.06
25 9 17 22 3	JS	13 30 3.40	3 · 87	-0.17	- 8 10 26.11	29.79	+3.68
26 10 1 1.2	JS	***	•••	•••	-11 27 41'00	46.33	+5.33
June 4171058'1	G	22 4 22.96	23.52	-0.59	— 8 24 25°08	27.88	+2.80
5 17 59 52.6	JS	22 57 22.03	22.62	-0.29	— 4 18 18·95	31.01	+2.06
8 20 34 50 1	JS	1 44 34.66	35.39	—0. 23		•••	
21 7 15 6.5	G	13 13 54.91	55.12	-0.51	- 6 45 17.47	20.18	+2.71
22 7 58 34.0	CF	14 1 26.10	26.43	 0.33	-10 12 54'22	58.51	+3.99
23 8 42 47 0	G	14 49 42.95	43.17	-0,33	-13 13 42.69	45.80	+3.11
24 9 28 10.0	G	15 39 9.93	10.16	-0.33	-15 40 14.79	17.97	+3.18
25 10 14 54 5	OF	16 29 58.62	58.83	-0'21	-17 25 10.91	13.58	+2:37
28 12 41 30.3	CF	19 8 48.12	48.16	-0.04	-17 32 21.69	23.12	+1.46
29 13 31 5.3	JS	20 2 27 86	28.02	-0.19	-15 44 46·40	47.67	+1.52

March 31, April 23. Diffused and tremulous; cloudy. April 1, 5, May 22, June 8. Bad definition. May 5, June 24, 28. Tremulous. May 23, 24. Very tremulous. June 4, 21. Very diffused and tremulous. June 22. Very bad definition; foggy.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular B.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866—continued. d h m s July 18 5 10 42 9 19 5 54 30 1	G JS	h m s 12 55 37 93 13 43 28 89	8 37 99 29 03	8 0.06	- 5° 3′ 28′ 90 - 8 42 8 92	31°03	+2".13
20 6 38 34 5	CF G			•••	-11 55 51.19	53.50	+2.01
21 7 23 28 1	G.	15 20 34°53 16 10 44°32	34°70 44°38	-0°17	-14 37 40.68 -16 40 47.42	42°77 50°09	+2.09
23 8 57 0°0 24 9 45 41°9	JS G	17 55 1.39	1,40	-0.01 -0.55	-18 52 8.65 -12 28 34.39	36·35 9·34	+0.25 +1.86
26 11 25 27°3	JS CF	20 32 11,28 10 45 29.34	26.28	-0°17	-14 11 13.91	59°47 16°66	+1·80
28 13 5 33 5	G	21 31 12*04	12.48	-0.44	—II 3 I4·05	15.75	+1.40
Aug. 19 64951.2	JS	16 41 12°26	12.33	0.01	-17 22 3.51	4°96 18°51	+1.45 +2.69
21 8 26 36 4 21 8 26 36 4	CF CF	18 26 6.46	6·54	-0.58	-17 8 20.20	41.68	+1.12
23 10 6 40 5 25 11 47 44 9	JS G	20 14 20 04 22 3 34 15	20°10	-0.06	-15 13 10·92	10.91 9.81	-0.03 -1.11
29 15 13 44 4	CF	I 45 53.76	54.13	-o·37	+ 8 35 52.82	49.69	+3.13
Sept. 15 4 42 59 7 16 5 29 56 9	G G	16 20 26.83	26·96	+0.03		•••	•••
17 6 17 48°7 18 7 6 29°1	JS CF	18 3 24 48	24.23 9.29	-0.02	—17 36 22.88 —18 10 10.16	12.43	+2.27
19 7 55 48 7	G	19 49 33 72 20 43 28 06	33.82	-0.10	-16 8 6·47	6.14	-0.33 -0.38
21 9 35 53 9	G	21 37 48.48	48.23	-0.02 -0.11	—13 46 28·44 —10 35 28·97	29°30	+0.33
22 10 26 39 0	CF	23 28 10.15	38.26	-0.12 -0.12	- 6 42 49 83 - 2 20 2 37	49°94 0°89	-1.48 +0.11
24 12 10 32 9 26 13 59 40 2	JS CF	0 24 42.23	1.12	-0.36	+ 11 0 19.66	31.10	+1.64 +1.64
28 15 54 28·6	J8 CF	3 22 57°91	1.42	-0.38	+14 25 18·24 +16 49 23·58	13.64 20.58	+3.30
Oct. 17 6 35 26.5	JS	20 19 21.75	22.15	o·37	14 58 18 57	16.99	-1.28
20 9 3 44.5	JS	22 59 53 75	23.90	-0.12	— 4 37 46°47	47.52	+1.02

July 22, 28. Very diffused and unsteady.
July 27, October 20. Very bad definition.
August 21, 23, 29, September 22, 26, 28. Cloudy.
August 25, September 18, 26, 27. Very tremulous.
September 19. Diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866—continued			I				
d h m s Oct. 21 955 13.	₂ JS	h m s	27.79	_o.30	- ° 6′ 57″ 36	57.59	+0":23
22 10 48 29	1	0 52 49 06	49'14	-0.08	+ 4 33 2.62	1.53	+1.39
23 11 43 55.	-	1 52 21.08	21.47	-0.39	+ 9 2 10.97	10.56	+0.41
24 12 41 39		2 54 10.76	11.10	-0.34	+12 57 54.32	51.85	+2.47
26 14 41 51	1	5 2 (36.00)	35.65	(+0.32)	+17 46 14.42	9.67	+4.75
Now as a second	o G	** ** ****					
Nov. 13 429 38	- 1	19 59 39.48	39.59	-0.11	•••	•••	•••
14 5 17 8		20 51 14'46	14.77	-0.31	_ 6 40 68.04		
16 6 52 48		23 28 11.58	3.60	-0°26	- 6 43 38·94	36.2	-2·42
17 741 52°	_	1 -	i -		+ 2 1 39.78 + 5 1 39.43	59.36	l
19 9 25 38	- 1	1 20 8.09	8.31	-0.13	+ 6 35 57.25 + 2 1 39.58	38.14 38.14	+0.64
51 11 50 33.		3 23 15.39	15.41	-0.03	+14 30 7.33	6.49	+0.84
22 12 21 58.	-	4 28 46.75	46.99	-0'24	+17 3 58.12	56.68	+1.47
24 14 26 17		6 41 19.09	19.38	-0.50	+18 5 54.04	53.94	+0.10
25 15 25 40	1	7 44 48.51	48.45	-0.54	+16 34 62.66	59.78	+2.88
26 16 21 37	-	8 44 50.94	51'14	-0.50	+14 0 23 33	22.21	+0.62
3 ,		1 44 30 34			1 -4 - 23 33	,-	
Dec. 14 5 35 24	3 CF	23 7 49.83	50.36	-0.23			
15 621 18.	9 G				— o 8 8.08	9.90	+1.82
17 8 5 36.	o CF	1 50 15.91	16.08	-0.12	+ 8 38 44.62	44.69	0.07
19 95950.	4 G	3 52 42.51	42.33	-0.13	十15 44 47 99	49.24	-1.52
20 11 122	6 J8	4 58 21.03	21.15	0.09	十17 47 27:30	28.03	-0.45
21 12 4 13.	1	6 2 19.11	19.14	0.03	+18 27 22.37	20.43	+1.64
22 13 6 26.	o CF	7 11 38.15	38.12	0.00	+17 40 34.14	31.61	+2.23
23 14 6 11.	2 CF	8 15 29.72	29.79	0.04	+12 32 28.13	53°34	+4.79
24 15 2 26.	ı G	9 15 50.40	20.02	+0.32	+12 31 12.18	13.42	-1.54
28 18 15 59.	3 JS	•••		•••	- 3 31 32.26	31.62	-o·64
1867.							
Jan. 14 6 50 35	5 JS	2 25 26.66	26.67	-0.01	+10 49 8.71	8.37	+0.34
15 74528.	6 CF	3 24 25.36	25.22	-0.19	+14 15 13.61	15.56	-1.65
16 8 43 22.	5 G	4 26 25.35			+16 48 43.08		0. 08
17 9 43 41.	9 JS	2 30 21.12	51.12	-0.03	+18 12 14.31	16.11	—ı .80
October 21, 2	. Ver	y bad definition. Very tremulous.		October 22	October 22, 26, Very diffused		
November 16. Worst possible definition; observation worthless.							
November 21. Tremulous. November 24. Bad definition. December 15. Very tremulous; cloudy. December 17. Diffused; very							
bad defin	ition.	December	21. I	Diffused.	December	23. Dif	fused
and tren	ulous.			annary 1	 Worst possible 	le d efini tio	on.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued. d h m s Jan. 181045 7.4	CF	h m s 6 36 23 36	8 23.67	-0.31 8	+18 14 40.54	36°·66	+388
19 11 45 56.6	JS	7 41 19.05	19.37	-0.35	+16 54 41.41	41.26	-0.12
20 12 44 36 4	CF	8 44 5.08	2.13	-0.02	+14 22 35.91	34.22	+1.36
22 14 32 31 '0	CF	10 40 10.26	10.76	-0.30	+ 6 55 54.54	54.07	+0.47
23 15 21 57 2	G	11 33 41.38	41.21	-0.13	+ 2 40 53.46	52.15	+1.34
24 16 9 9 2	JS	12 24 57 71	57.78	-0.07	- 1 33 25.43	24.64	-0.49
25 16 54 52.4	CF	13 14 44 97	45'17	-0.30		•••	
Feb. 12 6 35 10.0	IF	4 4 18*74	18.73	+0.01	+15 50 58.09	56.30	+1.79
13 7 32 28.2	CF	5 5 42.89	43.64	-0.75	+17 39 42.12	47.46	-5·34
14 8 31 15.8	IF	6 8 36.71	36.99	-o.58	+18 16 33.59	33.16	+0.43
15 9 30 21 .8	JS	7 11 49 04	49.39	-o.32	+17 36 12.97	7.21	+5.46
16 10 28 30.2	G	8 14 3.76	3.93	-0.12	+15 41 59.05	53.40	+5.65
17 11 24 40'2	CF			•••	+12 45 20.35	18.98	+1.37
21 14 45 44 4	JS	12 51 42.79	42.86	0.04	- 3 36 19.78	21.16	+1.38
22 15 32 0'1	G	13 42 2.23	2.48	-o.5e	- 7 31 2·99	3.22	+0.26
23 16 17 46 4	CF	14 31 52.91	23.10	-0.19	-10 58 41.44	41.06	o·68
:							
Mar. 13 625 16.8	CF	5 48 43.98	43.92	+0.03		•••	
14 723 0'0	JS	6 50 33.16	33.09	+0.02	十17 54 58.57	54.12	+4'40
15 8 19 52.7	CF	7 51 31.75	31.95	-0.50	+16.28 50.83	47.80	+3.03
16 9 15 7.5	G	8 50 52.53	52.19	+0.04	+13 59 21.67	17.28	+4.09
17 10 8 17 6	G	9 48 7.57	7.68	-0.11	+10 39 41.01	36.94	+4.07
18 10 59 20.7	J8	10 43 15.67	12.93	0.36	+ 6 45 33.01	30.87	+2.14
21 13 23 8.7	JS	13 19 16.92	17.19	-0°27	- 5 46 33.79	32.61	-1.18
22 14 9 29 9	CF	14 9 42.58	42'31	-0.03	- 9 29 6·39	6.19	-0.30
l							
Apr. 10 5 18 21 '7	J8	6 32 1.32	1.41	-0.09	+18 10 46.47	43°43	+3.04
11 61543'9	CF	7 33 29 45	29.88	-0.43		•••	
12 711 5'3	IF	8 32 56.58	56.93	0.32	+14 54 42.33	40.68	+1.65
13 8 4 3'4	JS	9 29 59.86	60,13	—0.3 2	+11 51 32.23	29'12	+3.41
14 8 54 41 7	CF	10 24 43.09	43°39	-0.30	+ 8 10 45.99	41.69	+4'30
15 9 43 23 1	G	11 17 28 97	29'11	0.14	+ 4 7 16.13	12.13	+4.∞
16 10 30 38 .6	J8	12 8 48.84	49.03	-0.10	- 0 4 51.27	54.06	+2.29
17 11 17 2.3	CF	12 59 16.65	16.91	-0.36	- 4 12 36.78	41.29	+4.81
January 18. W	orat	possible definitio	n.				

January 18. Worst possible definition.

January 20, February 14, 16, April 17. Diffused and tremulous.

January 22, February 15, April 14. Diffused.

February 12. Bad definition; limb tremulous.

February 17. Cloudy; very bad definition.

March 17. Very unsteady.

April 12. Unsteady.

April 15. Cloudy.

Tir	Sape Mean ne of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
186	7—continued.	රි		S.E.	उँह		R. T.	। इ.स.
	d h m s	JS	h m s 	8		-18° 20' 42"·12	44.79	+2".67
	24 16 44 14 6	CF	18 54 58.64	58.21	-0.07	-17 59 46.12	54.40	+8.38
May	9 5 620.6	OF.	8 14 18.32	18.22	-0.5	+15 53 21.01	19.41	+1.60
	10 6 0 59.8	JS	9 13 3.03	3.51	0.18	+13 2 16.34	14.10	+2.54
	12 74142.4	G	11 1 55.25	55.37	-0.13	+ 5 30 43.07	39.04	+4.03
	13 8 28 50.8	JS	11 53 8.00	8.05	-0.02	+ 1 20 32.94	31.14	+1.80
	12 10 0 11.0	IF	13 32 36.24	36.26	-0.35	- 6 45 53.73	54°94	+1.51
	16 10 45 36.4	G	14 22 5.69	5.94	-0.52	-10 21 18.48	21.16	+2.68
	17 11 31 26.2	CF	15 11 59.54	59.65	-0.11	-13 25 56.96	59*47	+2.21
	22 15 26 50.7	CF	19 27 45.50	45.80	-0.30	—17 31 43°37	45.62	+2.5
June	10 7 13 45 2	G	12 28 13.64	13.90	o·26	- 1 21 19·11	22'10	+2.99
	11 7 59 13.1	В	13 17 45.2	45.41	+0.11	- 5 24 58.98	63.79	+4.81
	12 8 44 17 8	CF	•••		•••	- 9 9 8.29	15.77	+7.48
	17 12 36 31 4	CF	18 19 28.67	28.68	0.01	-18 35 4.40	8.35	+3.65
	19 14 10 58.7	В	20 2 4.66	4.21	-0.02	16 39 28.31	33.51	+4.90
	23 17 14 26 3	CF	23 21 48.58	48.89	-0.31	- 4 19 46.79	49°43	+2.64
	24 18 0 53.1	JS	0 12 19.28	20.01	-0.43	- o 8 17·67	18.10	+0.43
July	8 5 56 37 9	В	13 1 17.21	17.35	-0.14	- 3 50 5·27	9.67	+4.40
	9 6 42 22.0	IF	13 21 2.39	5'40	0.01	- 7 45 43°24	44*97	十1.43
	10 7 27 46.2	G	14 40 33.29	33.41	-0.15	-11 14 33.62	37.12	+3.20
	11 8 13 33.1	J8	•••			-14 9 31.94	32.88	+0.94
	15 11 21 8.6	CF	18 54 17.16	17.32	-0.19	-18 19 19.41	21.36	+1.82
	19 14 27 31 . 5	В	•••			- 9 29 22.23	22.72	+0.49
	50 12 15 29.8	JS	23 6 29.24	29.65	-0.41	- 5 45 54.24	54°59	十0.32
	21 15 58 42.0	JS	•••		•••	- 1 42 23.71	23.88	+0.12
Aug.		JS	14 22 16.61	16.80	-0.19	- 9 49 23·05	26.77	+3.2
	7 6 9 32.6	G	15 12 30.76	30.62	-0.51	-13 0 45.11	48.49	+3.38
l	10 8 29 39.8	JS	17 44 50.63	50.48	-0.16	-18 17 49 99	51.2	+x.23
	11 9 17 6.1	JS	18 36 21.24	21.37	-0.13	-18 24 51.76	52.36	+1.10
	12 10 4 36.4	G			 	-17 39 49 97	52.01	+2.04
	13 10 51 54.2	В	•••			-16 4 16.19	18.75	+2.26

April 23, July 15. Worst possible definition.

April 24. Very diffused and tremulous; observation unsatisfactory.

May 12, July 10. Very diffused and tremulous.

May 15, Aug. 7. Very tremulous.

May 17, Very tremulous.

June 11, 17, 19. Very bad definition.

August 13. Very bad definition; cloudy.

May 17. Very diffused. June 12, July 11. Cloudy.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued. d h m s	*10	h m s	8	8	—13°42′ 2′·07	" 2°02	
Aug. 14 11 38 47 0	IF	21 10 15.07	15.33	-0.36	li ' ' '		-0.02
15 12 25 11 .6	JS	22 0 43.87	44 47	-o.60	-10 39 1.54	2.88	+1.64
17 13 57 20 0	G	23 41 0.53	0.95	-o·42	- 3 3 59.92	61.58	+1.36
18 14 43 51.4	G	0 31 36.09	36.39	-o.3o	+ 1 7 62 10	59.67	+2 43
21 17 12 17 2	CF	3 12 15.92	16.52	-o.32	+12 56 17 02	13.90	+3.13
23 19 3 21 4	IF	•••		•••	+17 42 36.66	36.86	-0.30
Sept. 5 5 36 36.0	JS	16 33 48.76	49'10	-o·34	—16 39 5·16	6.97	+1.81
6 6 23 52 2	IF	17 25 9.30	9.29	-0.29	-17 57 32.34	33.85	+1.21
7 7 11 17 2	G	18 16 38.59	38.73	-0'14	-18 24 57 36	59.55	+2.19
11 10 19 51.0	IF	21 41 29 59	29.98	-0.39	-11 52 18.42	20.03	+1.61
12 11 6 26.6	JS	22 32 9.35	9.64	0.59	- 8 26 43·75	44.63	+0.88
13 11 53 6.4	CF	23 22 53.42	53.60	-0.18	- 4 32 20°13	24.09	+3.96
15 13 28 15.9	G	1 6 11.66	11.96	-0.30	+ 3 58 25.74	25.45	+0.59
16 14 17 44 6	JS	1 59 45.02	45.65	-o·63	+8 8 26.21	26.45	+0.06
17 15 9 7.3	IF	2 55 12.69	13.16	-0.47	+11 54 53.22	52.68	+0.24
18 16 2 39 8	В	3 52 50.59	50.48	0.19	+15 1 63.16	55.27	+7.89
19 16 58 18.7	G	4 52 35.12	35.47	0.32	+17 14 36.45	30.21	+5.94
20 17 55 36.4	CF	5 53 58.81	58.97	-0.16	+18 20 18.55	15.42	+3.13
Oct. 7 7 25 39 1	JS	20 29 19:43	19.70	-0.37	-15 41 48.76	49.21	+0.75
8 8 12 10.2	1F	21 19 55.04	55.33	0.59	-13 12 3.95	5.49	+1.24
9 8 58 33.5	G	22 10 21 87	22.18	0.31	—10 1 52·86	52.29	-o·57
10 945 6.1	В			•••	- 6 18 2·89	0.43	-2·46
13 12 10 18.4	G	1 38 24.81	25.26	-0.42	+ 6 34 10.31	7.68	+2.23
14 13 2 12.6	JS	2 34 24.06	24.40	-0.64	+10 38 33.69	32.01	+1.68
16 14 52 44 4	В	4 33 7:17	7.62	-0.4 2	+16 44 55.05	51.36	+3.69
Nov. 4 6 445'3	JS	20 58 35.78	35.61	+0'17	-14 32 10.28	12.05	+1.77
9 9 58 6.4	G	1 12 18.04	18.30	-0.36	+ 4 26 14.66	14.2	+0.14
12 12 40 25 1	JS	4 6 53.07	53'54	-0.47	+15 50 43.55	44.83	—ı ·28
13 13 39 45 7	CF	5 10 20.00	19.91	+0.09	+17 56 34.95	31.79	+3.16
14 14 40 14.8	IF	6 14 55.55	56.59	0.74	+18 44 18.57	20'22	-1.65
15 15 40 22 0	JS	7 19 9.15	9.60	-0.45	+18 9 56.20	54.00	+2.50
16 16 38 41 .8	IF				+16 19 10.86	8.96	+1.60
17 17 34 22 3	IF	•••			+13 25 37.68	33.09	+4.29

August 17. Very diffused and tremulous. August 18, 21, 23, September 11, 18, 19, October 10, November 13. Very bad definition.

September 7, 15. Very tremulous. September 13, 20. Cloudy.

September 17, October 8. Tremulous and unsteady.

October 9. Diffused. October 16. Worst possible definition.

November 14. Bad definition. November 16. Very bad definition; daylight.

Very faint; daylight.

November 17.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued. d h m s Dec. 2 44451.2 3 52939.6 5 65938.6 6 74614.4 7 835 0.6 8 92644.7 9 102159.2 10112045.2	JS CF B IF JS JS G CF	h m 8 21 28 52 12 22 17 44 44 0 46 31 38 1 39 22 11 2 35 11 27 3 34 31 41 4 37 23 63 5 42 59 66	8 52°30 44°60 31°56 22°36 11°41 31°58 23°81 60°32	8 -0.18 -0.16 -0.18 -0.14 -0.17 -0.18 -0.66		3.09 29.57 37.92 43.16 12.31 58.33 9.21 8.42 32.24	+1"36 +1'99 +0'51 +2'20 +1'59 +1'81 -0'81 +2'54 +1'95
1868. Jan. 4 7 14 2 4 5 8 5 35 0 6 9 0 51 6 7 9 59 54 5 8 11 1 53 4 9 12 5 5 8 10 13 7 29 8 12 15 3 53 9 14 16 47 30 4 16 18 23 10 4 31 5 8 36 0	IF IF B JS G IF CF G CF JS CF	4 3 34°05 5 6 43°20 6 12 48°89 7 20 8°22 8 26 39°03 10 31 15°32 12 23 2°00 14 6 50°82 1 49 14°22	34°24 43°22 48°73 8°80 39°15 15°58 2°34 51°37	0.19 -0.02 +0.16 -0.58 -0.12 -0.26 -0.34 -0.55	+ 8 27 25 97 +12 18 38 81 +15 33 9 04 +17 50 18 59 +18 50 55 17 +18 23 9 52 + 9 19 57 18 + 0 16 57 94 - 8 14 34 41 + 6 47 3 63	21°24 36°59 7°15 18°05 52°71 6°60 49°26 55°87 35°56 2°61	+4'73 +2'22 +1'89 +0'54 +2'46 +2'92 +7'92 +2'07 +1'15 +1'02
Feb. 1 5 57 6 5 2 6 48 37 0 3 7 43 34 6 4 8 41 55 3 5 9 42 49 6 6 10 44 46 8 7 11 46 3 4 9 13 41 36 2 12 16 15 55 2 27 3 6 57 9	JS G CF IF B JS G CF	2 41 49°22 3 37 24°75 4 36 27°99 5 38 54°76 6 43 55°62 7 49 59°62 8 55 22°80 10 59 7°75 13 45 41°72 1 33 43°08	49°31 24°72 28°02 54°76 55°66 60°19 22°97 8°09 42°27 43°05	-0.09 +0.03 -0.03 0.00 -0.04 -0.57 -0.17 -0.34 -0.55 +0.03	+10 40 10°13 +14 5 23°57 +16 46 9°54 +18 24 44°00 +18 45 39°49 +17 40 48°03 +15 13 32°58 + 7 18 49°65 - 6 28 21°12	8.85 23.09 9.82 43.65 36.81 44.76 29.97 46.70 21.94	+1·28 +0·48 -0·28 +0·35 +2·68 +3·27 +2·61 +2·95 +0·82

December 6. Diffused.

December 3. Very bad definition. December December 8, 11, January 4, 12. Cloudy; very bad definition. December 9. Bad definition. December January 6. Worst possible definition. January 1 January 31. Very faint and tremulous; very bad definition. February 2, 12. Cloudy. December 10. Very tremulous.

January 14. Very diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1868—continued. d h m s Mar. 2 6 31 32 7 4 8 28 24 2 5 9 27 58 5 6 10 26 40 4 8 12 18 35 4 9 13 11 34 7 10 14 2 58 5	IF B JS IF G B JS	.h m s 5 14 37.76 7 19 41.51 8 23 22.20 9 26 10.29 11 26 16.77 12 23 21.31 13 18 51.06	8 38.03 41.79 22.36 10.62 16.97 21.56 51.48	8 0'27 0'28 0'16 0'33 0'20 0'25 0'42	+17 53 44 77 +18 20 19 68 +16 35 4 31 +13 36 60 16 + 5 9 7 97 + 0 22 13 46 - 4 18 31 35	45°46 17°34 2°38 56°49 3°70 14°12 32°08	-0.69 +2.34 +1.93 +3.67 +4.27 -0.66 +0.73
11 14 53 16 9 12 15 42 52 0 15 18 9 21 7 31 6 20 57 5	IF G IF JS	14 13 13·27 15 6 53·12 17 45 36·56 6 58 20·73	14.04 53.51 37.19 20.82	-0.77 -0.39 -0.63 -0.09	- 8 36 9'19 -12 17 44'97 -18 31 3'31 +18 44 6'87	11.91 46.65 8.22 3.56	+2.72 +1.68 +4.91 +3.31
2 8 15 49 7 3 9 11 33 8 4 10 5 40 7 6 11 49 44 4 7 12 40 27 4 8 13 30 45 4 11 16 0 32 6 28 5 14 22 4 9 6 11 20 3	B CF JS IF CF JS G IF B	8 0 13.46 9 1 25.00 10 1 14.72 10 59 27.07 12 51 40.95 13 46 27.84 14 40 51.67 17 22 53.16 9 42 20.72	13.87 25.26 14.79 27.24 41.56 28.73 52.12 53.68 	-0'24 -0'26 -0'07 -0'17 -0'61 -0'89 -0'45 -0'52	+15 0 36.74 +15 0 36.74 +11 32 21.51 + 7 19 23.05 - 2 3 52.47 - 6 36 23.87 - 10 40 41.24 - 18 15 51.52 + 18 10 49.44 + 16 4 37.50 + 12 55 54.03	31.95 11.84 19.22 54.58 23.56 41.70 55.36 49.02 32.80 50.78	+0.97 +9.67 +3.83 +2.11 -0.31 +0.46 +3.84 +0.42 +4.70 +3.25
May 1 7 59 50 8 2 8 51 25 8 4 10 31 29 7 7 13 0 46 5 10 15 30 8 6 12 17 5 22 1 13 17 51 5 4 14 18 35 49 7	JS G JS CF IF CF IF JS JS	10 39 43 51 11 35 23 47 13 23 36 94 16 5 7 94 21 19 53 81 22 8 42 01	43°59 23°70 37°15 8°23 54°63 42°62	-0.08 -0.23 -0.21 -0.29 -0.82 -0.61	+ 8 59 49'32 + 4 33 13'20 4 42 48'63 15 42 52'55 19 7 54'74 16 44 51'53 14 22 27'11 11 21 19'11	45.05 10.16 51.79 55.98 54.11 53.44 27.52	+4·27 +3·04 +3·16 +3·43 -0·63 +1·91 +0·41 +0·30
28 5 57 13.6	100	10 23 13.16	13.57		+10 27 46.45	44.26	+1.89

March 2, 6, 12. Very unsteady.

March 4, April 11, May 2, 7. Very bad definition.

March 15, May 10. Cloudy.

April 2. Tremulous.

April 20, May 13. Diffused and tremulous. Bad definition.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1868—continued. d h m s June 1 9 16 25.8	CF	h m s	8	8	- 7° 26′ 51″ 90	55.55	+3"65
2 10 5 0.4	В	14 51 23 37	23.89	-0.2	-11 22 31·63	39,30	+7.67
3 10 54 3.1	IF	15 44 30 72	31.34	-0.62	—14 39 50°54	21.51	+0.62
5 12 33 25 6	JS			•••	—18 43 5·37	6.93	+1.22
7 14 11 55 1	G	19 18 41.46	41.84	-o·38	-18 57 4.53	5.45	+1.49
8 14 59 38 3	В	20 10 29 03	29'29	-0.36	-17 40 52.56	55.75	+3.19
9 15 45 58.0	IF	21 0 52.88	53.64	-o·76	-15 36 26·38	27.22	+0.84
10 16 30 20.1	G	21 49 57 93	58.36	-0.43	—12 50 43·08	44*20	+1.13
11 17 14 59 1	JS	22 38 1.79	3.32	-o·56	- 9 31 8·74	10,11	+1.37
12 17 58 30.8	CF	23 25 37 15	37.38	-0·23	- 5 45 3 57	7.34	+3.22
28 7 14 48 4	G	13 43 13.95	14.12	-0·22	- 5 59 11.14	15.22	+4.41
30 8 51 6.2	G	15 27 40.67	40.96	-0'29	-13 34 31.75	34.02	+2.32
' '							
July 1 9 39 46.5	CF	16 20 25.51	26.03	-o·52	-16 20 28.20	30.56	+2.06
6 13 42 6 1	В	20 43 7.68	8.30	-0·62	-16 33 13.30	15.96	+2.76
7 14 27 37 . 8	G	21 32 43.49	43.96	-0.47	-14 3 0'10	1.16	+1.06
8 15 11 5440	JS	22 21 3'44	4.03	-0.29	-10 56 18·88	17.67	-1.51
9 15 55 16.6	G	23 8 29.78	30.13	-0.35	- 7 21 3·64	5.67	+2.03
25 5 11 21 5	IF				— 4 21 56.08	58.24	+2.16
26 6 021.6	IF	14 18 58.46	58.73	-0.27	- 8 41 3.78	4.97	+1.19
27 6 48 55 4	G	15 11 36.79	37.07	-0.58	-12 25 53.51	57.76	+4.5
28 7 37 29 1	CF	16 4 15.02	15.72	-0.40	-15 27 38.29	43*37	+5.08
31 9 59 57 1	IF				-19 17 33.19	38.11	+4.92
Aug. 91648 7'2	G	2 3 42.25	42.65	-0.40	+ 7 26 34.68	34.03	+0.65
24 5 33 2 2	JS	15 45 54.64	55.04	-0.40	-14 27 21.29	24.19	+2.90
25 62230.6	G	16 39 27 77	28.14	-0.37	—16 59 25·37	27.43	+2.06
27 8 0 43 1	JS	18 25 49.48	49.73	-0.5	-19 15 48.31	49.22	+0.01
28 849 I'8	CF	19 18 12.68	12.97	-0.39	—18 58 38·81	42.49	+3.68
29 9 36 26 5	G	20 9 41 73	42.05	-0.33	-17 47 45.64	44'37	—1·27
30 10 22 45 2	G	21 0 4.60	4.93	-0.33	-15 47 47.23	47.30	-0.03
Sept. 11152 3'4	G	22 37 30.55	30.62	0'42	- 9 48 8·11	8.83	十0.2
2 12 35 27 . 8	IF	23 24 58.65	60.04	-0.39	- 6 4 33·45	34.29	+0.84
7 16 20 35.5	IF				+13 36 5.14	6.12	-1.01
	<u> </u>			<u> </u>	<u> </u>		<u></u>

June 1, 30, September 7. Cloudy.

June 2, 3, 11, July 9. Very bad definition.

June 9. Very bad definition; diffused and unsteady.

June 12, July 6. Worst possible definition.

July 31. Very diffused and unsteady. September 2. Very bad definition; cloudy. September 1. Very faint; cloudy.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tebular R. A.	Observed · Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1868—continued.		h			1		
Sept. 918 526.5	CF	hms 	8	8	+18° 25' 47".70	45.76	+i".94
23 555 14.8	IF	18 6 27 50	27.87	-o·37	-19 11 5·32	6.58	+0.96
24 644 23 3	G	18 59 40.26	40.80	-0°24	—19 16 34·03	36.38	+2.35
25 7 32 24 3	JS	19 51 46.08	46 46	-o.38	-18 23 29.48	28.01	-1.47
27 9 4 42 0	G	21 32 11.97	12.19	-0.55	-14 9 57·47	55.72	-1.75
30 11 16 18.8	JS	23 56 0.10	0.32	-0.32	- 3 26 42.72	43.12	+0.43
		_					
Oct. 1115958.5	IF	0 43 43.52	43.81	-o.59	+ 0 44 24.72	25.99	-1.27
2 12 44 27 1	CF	1 32 15.99	16.33	-0·34	+ 4 57 37 56	35.03	+2.23
7 16 56 0.2	IF	6 4 13.10	13.74	—o·64	+19 18 47.80	44.78	+3.02
22 5 25 52 8	IF	19 31 20.70	21'10	—o·40	-19 3 30.40	33.97	+3.52
26 8 28 26 . 5	JS	22 50 10.60	11.19	-o.29	- 9 I 0.29	0.13	—o·46
30 11 25 27 . 3	CF	2 3 26.62	27.12	-o.20	+ 7 34 37.22	36.40	+0.25
Nov. 2135631'1	JS	4 46 44 93	45 . 30	o·37	+17 38 8.58	5.83	+2.75
4 15 48 23 1	G	6 46 48 46	48.62	-0.16	+19 41 38.94	40.50	-1,32
5 16 45 31 . 6	CF				+18 20 9.31	10.61	-1.30
6 17 42 4.0	IF	8 48 41.07	41.26	—o·49	+16 43 62.64	59.63	+3.01
23 7 6 9.7	JS	23 18 3.83	4'13	-0.30	— 7 I 36.22	37.79	+1.54
24 749 6.4	CF	0 5 4.08	4.41	-o·33	- 2 57 47.01	48.09	+1.08
25 8 32 34 8	IF	0 52 36.12	36.41	-0·26	+ 1 18 19.26	16.41	+2.85
26 9 17 22 5	G	1 41 27.78	28.18	0.40	+ 5 37 12.50	12.60	-0.10
27 10 4 16.6	IF				+ 9 47.28.49	27.25	+1'24
28 10 53 54.8	JS	3 26 9.13	9.41	-o·28	+13 34 46.19	46.37	-0.18
30 12 42 22 2	CF	5 22 47 44	47.72	-o·28	+18 53 5.20	1.62	+3.88
1							. ,
Dec. 1134017'0	JS	6 24 48 24	48.77	-0.23	+19 51 17.39	18.60	-1.51
2 14 39 6.2	IF	7 27 43 73	44'14	-0.41	+19 28 37.19	36 . 27	+0.92
4 16 33 56.8	CF	9 30 46.26	46.60	-0.34	+14 50 40.87	41.97	-1.10
7 19 11 19.4	JS	12 20 24 36	24.98	-o·62	+ 1 42 39.56	37.25	+2.31
24 7 54 9 4	JS				+ 7 41 29.70	28.58	+1.12
25 8 41 36.9	CF.	2 59 56.49	56.26	0.04	+11 40 28.66	27.96	+0.40
27 10 26 40 7	CF	4 53 10 67	11.03	o·36	+17 54 43.16	45.76	-2.60
28 11 24 23 3	G	5 54 59°34	59.43	-0.09	+19 34 1·∞	1.09	-0.09
29 12 24 23 9	JS	6 59 6.34	6.40	-o·36	+19 53 11.71	12.85	-1.14
	1	<u> </u>			<u> </u>		<u> </u>

September 9, November 5. Cloudy.

September 27, October 1, November 4, 25. Very bad definition.
October 2. Worst possible definition.
October 22. Bright sunlight; very bad definition.
November 25, 27. Bad definition.
November 26. Very unsteady. September 23. Unsteady.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1869. d h m s Jan. 1152158-2	JS	h m s	8	8	+12° 37′ 58′ 76	57.51	+1".25
22 7 19 45.0	CF	3 28 14.74	15.03	0.59	+13 28 13.08	13.05	+0.03
23 8 10 50.5	G	4 23 24 91	24.87	+0.04	+16 33 40.22	39.82	+0.40
24 9 5 40 3	G	5 22 20.55	20.65	-0.10	+18 47 11 35	12.70	-1.35
25 10 3 57.6	JS	6 24 43 96	44.03	-0·07	+19 51 16.64	14.34	+2.30
26 11 4 35.6	IF	7 29 28.49	28.90	-0.41	+19 31 45.71	44.01	+1.40
28 13 6 10·1	CF	9 39 16.07	16.53	-0.16	+14 34 32.88	23.06	+9.82
30 14 59 46 . 2	G	11 41 3.98	4.35	-o·37	+ 5 30 16.48	16.40	+0.08
31 15 53 1.0	G	12 38 24.04	24.21	0 °47	+ 0 23 57 97	56.59	+1.68
Feb. 2173514'7	CF	14 28 47 69	48.17	0.48	- 9 10 28·39	32.50	+3.81
19 6 1 3.0	IF	•••			+15 21 13.94	12.33	+1.61
20 6 52 21.2	JS	4 55 6.81	6.86	<u>_0.02</u>	+17 54 42.81	42.39	+0'42
25 11 44 16 2	G	10 7 32.58	32.48	-0.50	+12 46 62.14	59.71	+2'43
26 12 42 9.0	IF	11 9 31.15	31.62	-0.20	+8831.71	28.38	+3.33
27 13 38 9.6	JS	12 9 37 44	37.77	-0.33	+ 2 57 44.45	43.66	+0.18
Mar. 1152540.5	G.	14 5 19.13	19.62	-0.49	— 7 19 8·47	11.18	+2.21
2 16 18 7.2	JS	15 1 50.94	51.48	-0.24	-11 43 18.05	19.12	+1.07
3 17 10 10 4	IF	•••			-15 17 57.60	61.54	+3.94
19 44621.3	IF	4 35 12.85	13.46	-o·61	+17 15 11.73	8.26	+3.47
20 2 38 23.1	JS	5 31 19.69	19.86	-0.12		•••	•••
21 633 4.1	G	6 30 6.30	6.61	-o.31	+20 2 8.42	6.21	+1.91
22 7 29 50.2	IF	7 30 58.25	58.53	-0.58	+19 38 34.76	33.99	+0.44
23 8 27 45.2	G	8 32 59.29	59.44	-0.12	+17 54 58.55	55.29	+3.56
24 9 25 47 9	JS	•••			+14 53 37.45	34.11	+3:34
27 12 14 51 7	IF	12 36 29:30	29.60	-0.30	+ 0 29 20.67	18.57	+2.10
28 13 9 29 6	G	•••			- 4 49 45.85	49.73	+3.88
29 14 3 44 4	JS				- 9 44 3·62	4.91	+1.59
31 15 51 41 0	IF	16 29 40'49	41.03	-0.24	-17 4 52·08	54.79	+2.21
Apr. 11645 4.0	JS	17 27 8.74	9.38	o·64	—19 9 24·92	28*40	+3.48
i9 6 19 22·7	JS	8 10 42.61	42.81	-0.50	+18.55 7.70	5.40	+2.00
21 8 11 1.8	IF	10 10 33.14	33.35	-0.51	+12 49 16.39	15.22	+1 17
22 9 545.3	JS	11 9 22.23	22.36	-0.13	+ 8 18 42.37	40.20	+1.87
							

January 1. Faint.

January 22, 26, 28, February 2, 19, March 19, 22. Very bad definition.

January 30. Bad definition.

March 27. Very unsteady.

March 28. Unsatisfactory observation.

March 29. Limb boiling.

March 20. Diffused

March 29. Limb boiling. April 21. Cloudy.

March 28. Unsatisfa March 31. Diffused.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1869—continued.	i		i	· · · · · · · · · · · · · · · · · · ·	i		
dhms	IF	hm 8	8	 0.48	+ 3 12 35 23	31.42	+3.81
Apr. 23 9 59 47 3	JS	15 1 42.76	43.18	-0.42	-11 57 53·78	57.00	+3.55
27 13 36 33 9	IF	16 0 38.13	38.40	-o.28	-15 46 28·61	33.19	+4.22
28 14 31 33 5	JS	16 59 43.78	43.84	 0∙56	-18 30 19.45	22.08	+3.23
29 15 26 3.8	JS				-20 2 14·06	15.92	+1.86
30 16 19 15 9	IF	18 55 36.20	36.83	0.33	-20 21 50°06	51.87	+1.81
		20 33 30 30	30 03	- 33		J/	'
.							
May 1 17 10 31.2	JS	19 50 56.73	57.14	-0.41	-19 34 23.60	25.20	+1.00
2 17 59 27 3	JS	20 43 57 43	58.03	-0.29	-17 48 34 14	35.55	+1.41
19 6 59 39 0	IF	10 49 22.17	22.45	-0.58	+10 10 40.49	37.82	+2.67
20 7 52 8.6	JS	•••		•••	+ 5 21 50.61	48.69	+1'92
26 13 12 11.3	IF	17 30 31.26	32.09	-0.23	-19 32 33.17	32.31	+2'14
27 14 6 49 3	JS	18 50 12,15	15.20	0.38	-20 32 2.68	3.42	+0.74
28 15 0 0.6	IF	19 26 31.76	32.45	-0.69	-20 I5 56.06	57.03	+0.97
30 16 39 27 .6	JS	21 14 8.19	8.29	-0.40	-16 37 49°53	49.86	+0.33
31 17 25 27 1	IF	22 4 11.75	12.03	-0.52	—13 37 30°35	29.98	0°37
June 118 924.3	JS	22 52 12.73	13.15	-0.39	—10 4 0·73	0.47	0.56
16 5 49 22 3	IF	11 29 17.56	17.76	-0.30	+ 7 3 39.12	37.28	+1.84
18 7 31 21 4	IF	13 19 26.48	26.73	0'25	- 3 6 42.93	45.40	十2.47
22 11 0 58.1	IF	17 5 23.89	24.23	0.64	-18 48 42.38	43.21	+1.13
24 12 49 7.6	JS	•••			-20 36 14·46	13.10	-1.36
30 17 29 23 9	G	0 6 25 90	26.08	-0.18	- 3 47 56.20	57.19	+0.99
					_		
July 15 529 2°3	G	12 2 14:00	14.64	-0:37	- 1 28 14·52	18.84	+4.32
16 6 19 45.3	IF	13 58 2.54		-0.18	- 6 29 46·98	50.45	+3.47
1	JS		2.42		—11 4 56'92	59.38	+2.46
17 7 10 40 1	JS	14 53 1'96	2.32	1	ll	36.02	+1.13
_	G	15 48 45 71	46.03	-0'32	-14 58 34.92		+2.01
19 8 54 52 0	IF	16 45 24 12	24.44	-0.33	-17 57 37·39	40.30	
20 9 48 4 6	JS				-19 52 19'09	-	+0.36
21 10 41 16.1	IF	18 39 58.76	59.18	-0.42	•	9'24	+0.62
23 12 24 13 5	JS	20 31 6.19	6.76		-18 42 59'91	60.26	-0.83
24 13 12 40 3	JS	21 23 37.57	38.06	-0.49	-16 18 50.44	49.61	-
28 16 7 7.5	913	0.34 10.28	20.30	-0.43		•••	

April 23, July 16. Very unsteady.
April 27, 28. Very diffused and tremulous.
April 29, June 24. Very faint; cloudy.
May 26, July 15. Very diffused.
May 26, July 15. Very diffused.
June 18. Very tremulous.
June 30. Bad definition; diffused and tremulous.

May 19. Cloudy.
May 28, July 23. Very bad definition.
June 22. Limb boiling and diffused.
lous. July 20. Barely visible.

Cape Mean Time of Trausit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1869—continued.	1		1	l	i !		
dhms		lım s	8	8	٠, ١	60.50	+4"19
Aug. 14 5 59 11.8	G	15 31 45.50	45 95	-0.45	-13° 52′ 56′·01		
15 65134.8	G	16 28 13.63	14.09	—o·46	-12 10 13.95	16.02	+2.10
16 744 19.0	IF	17 25 3.07	3.80	-o·73	-19 24 37 76	39.48	+1.45
17 8 37 0.9	G	18 21 50.16	20.22	-0.39	-20 30 49.10	50.77	+1.67
18 929 0.7	IF	19 17 55.06	55.28	-0.25	-20 28 3.45	4.2	十1.07
20 11 8 22.2	IF	21 5 26.02	26.37	-0.32	-17 14 36.66	37 49	+0.83
23 13 22 38 8	JS	23 31 54.29	54.68	-0.39	- 6 56 28·59	28.09	-0.20
24 14 4 33 . 6	IF				- 2 45 37'10	34*57	-2.23
25 14 46 2'0	G	I 3 24 34	24.62	o · 28	+ 1 31 24.99	23.49	+1.20
27 16 10 38 6	IF	2 36 7.93	8.59	o·66	+ 9 47 44 99	45.57	-o·28
29 17 42 30 4	JS	4 16 7.96	8.41	-0.45	+16 36 54.34	52.34	+2.00
					·		
Sept. 13 6 33 14.8	JS	18 4 10.68	11.11	— 0.43	-20 24 49.96	50.83	+0.92
14 7 25 46.5	IF	19 0 47.57	48.20	0. 63	-20 42 34.91	35.40	+0.18
15 8 16 47.5	G	19 22 23.21	53°97	-o·46	-19 53 13·74	10.94	2·80
16 9 5 50.9	JS	20 49 1.22	1.88	0.3 6	-18 3 60.24	59.78	—o∙96
17 9 52 46 4	IF	21 40 2.38	2.26	-0.58	-15 24 29.01	29.50	+0.19
18 10 37 43 9	G	22 29 2.67	3.00	-0.33	—12 5 o·84	0.26	-0·28
20 12 3 7.7	IF	0 2 33.28	34.07	-0.49	- 4 7 41.66	38.87	-2.79
24 14 52 28 2	JS	3 8 8.13	8.54	-0.41	+12 26 57.18	56.41	+0:47
27 17 17 25 2	G	5 45 18-61	18.80	-0.19			•••
1							
Oct. 12 6 12 23 1	JS	19 37 35.23	35 94	-0.41	-20 30 9.53	8.60	—o.93
13 7 244 3	IF	50 35 1.23	2.19	o.99	-18 57 47.18	45.50	-1.08
14 7 50 35 7	G	21 23 57.37	57.85	0.48	-16 31 18.93	17.27	—ı.66
15 8 36 6.8	IF	22 13 32.26	33.31	-o.42	-13 21 40.65	40.94	+0.59
16 9 19 44 0	G	23 1 13.39	13.49	0.40	- 9 39 27.22	26.82	-0.40
18 10 43 35.3	JS			•••	- 1 16 4·75	4.41	0.34
191125 8.9	G				+ 3 6 17.08	20.27	-3.19
20 12 7 21 3	JS	2 5 4.2	4.92	-0.40	+ 7 23 8.60	9.49	0∙89
23 14 23 44 7	JS	4 33 39 94	40.36	-0.42	+17 53 41.67	39.95	+1.72
24 15 13 39 1	G	5 27 39 10	39.34	-0.54	+19 58 36.33	34.49	+1.84
25 16 5 43 3	IF			•••	+21 1 52.93	54.90	—r·97
1							•
Nov. 10 545 36.4	JS	•••		•••	-17 47 28.08	29.39	+1.31
11 6 32 39.4	G	21 56 11.76	12.06	-0.30	-14 49 6.86	5.86	1.00
A	L	<u> </u>	0 T):0		<u> </u>		011

August 16. Very unsteady. August 18. Diffused and tremulous. August 20. Cloudy.
August 24, October 13. Tremulous.

bad definition. September 14, 17. Diffused.
September 16, October 16. Bad definition.
September 24. Limb boiling; cloudy.
bad definition. October 15. Very diffused and tremulous; bad definition.
October 19. Very faint, cloudy; bad definition.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1869—continued. d h m s		h m s	8	8	0 , ,,	"	°,.18
Nov. 12 7 17 13 2	JF	22 44 49.52	49.91	-0.39	-11° 14′ 24″ 22	24.04	
13 7 59 57 2	G	23 31 37 08	37.42	-0·34	- 7 13 28.38	58.97	+0.29
14 8 41 36.7	JS	0 17 19.98	20.33	-0.32	- 2 57 13.69	13.25	-0.44
15 9 22 59.8	G		•••		+ 1 27 6.49	6.96	-0·47
16 10 4 52.2	IF	1 48 42.25	42.64	-0.39	+ 5 50 5.78	4.87	+0.91
17 10 47 59 2	JS	2 35 52.89	53.34	0.4 2	+10 1 51.76	53.5	-1.99
19 12 20 18.3	IF	•••	•••	•••	+17 6 26.08	25.39	+0.69
20 13 10 6.9	JS	5 10 13.26	13.87	-0.31	+19 33 31.11	39.91	8.80
22 14 55 54 1	IF	7 4 11.30	11.69	0.39	+21 17 51.62	52.48	-o.86
23 15 50 19.7	JS	8 2 42.35	42.82	-0.47	+20 19 59.88	61.25	-1.67
		,					
Dec. 11 6 37 59 4	G	23 59 49 35	49.69	-0.34	- 4 51 4.89	5.47	+0.28
12 7 19 21 . 5	JS	0 45 14.84	15.10	-0.56	- 0 27 22.40	22.73	+0.33
15 9 27 10.0	JS	3 5 13 97	14.35	-0.35	+12 18 18.04	15.81	+2.53
17 11 254.2	IF	4 49 6.99	7.66	-0.67	+18 43 2.13	2.99	⊸ 0.86
18 11 54 58 9	G	5 45 16.79	17.01	-0.55	+20 38 28.49	27.21	+1.58
19 12 49 17 8	JS	6 43 41 19	41.26	⊸ 0.37	+21 25 3.52	1.58	+2.24
21 14 40 22 0	JS	8 42 56.76	57.16	-0.40	+19 5 35.46	34.52	+1.19
22 15 34 53 4	G	9 41 33.71	33.95	-0.24	+16 4 32.94	33.51	-0.52
23 16 27 53.6	IF	10 38 39.16	39.69	-0.23	+12 3 45.79	42'19	+3.60
3 733		3 37					
1870.							
Jan. 11 720 9.7	G	2 44 19.84	20.01	-0.12	+10 31 34.87	35.93	-1.06
12 8 5 0.2	IF	3 33 14.31	14.43	-0.15	+14 17 31.88	32.03	-0'14
13 8 52 34.7	G	4 24 53.12	53.29	-0.12	+17 28 53.67	54.48	-0.81
14 9 43 15 1	IF	5 19 38.44	39.09	-o·65	+19 51 59.92	59.27	+0.65
15 10 36 55.7	G	6 17 24 43	24.22	-0.15	+21 12 21.82	18.36	+3.46
Feb. 9 642 1'7	JS	4 7 25.88	26.05		+16 10 56.76	55.92	+0.84
, , ,	G	4 1 25.88		-0.12	+18 54 42.51		-3.52
10 7 31 19 1	IF	4 53 47 81	48.19	-0·38	+20 44 21.05	45.46	—3°04
11 822 41.6	JS	5 49 15.23	15.20	—0·27	+21 26 30.22	24.09	-3 04
12 9 16 56 3	G	6 47 35.42	35.68	—0·26	:	28.33	
13 10 13 17 6	IF	7 48 2.29	2.75	-0.16	+20 50 8·27	6.33	+1.64 +2.69
14 11 10 34 9	1.P	***	<u> </u>	•••	+18 50 34.64	31.95	72 09

November 12, February 11. Diffused.
November 16. Tremulous.
November 19, January 13, February 13.
November 22, December 23, February 13.
December 17, 22, January 14, February 10.
Very unsteady.
February 12.
Bad definition.

November 19, January 13, February 13.
Diffused and tremulous.
January 11.
January 12.
Diffused and tremulous.
January 12.
Diffused and tremulous. November 15. Very bad definition; cloudy. November 19, January 13, February 14. Cloudy.

January 12. Diffused and tremulous; cloudy.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1870—continued. d h m s	Js	h m s	8	8	+15° 31′ 52″.90	50.08	+2".82
Feb. 15 12 7 34'9	1 1	9 50 31.40	31.82	-0.15	1	-	
16 13 3 26 . 8	G IF	10 50 29 34	29.65	0.31	+11 7 16.63	12.23	+4·40
17 13 57 54 1	JS	11 49 2.18	2.26	-0.38	+ 5 56 42.91	40.77	+2.14
18 14 51 11.7	1 1	•••	•••		+ 0 23 48.84	45.06	+3.48
21 17 29 55.5	G	15 37 24.65	25.52	-0.60	-14 41 5.49	9.59	+3.80
Man	IF	6 0		0			
Mar. 11 7 3 47 4	JS	6 20 31.28	31.86	o·28			
12 7 57 47 4	IF				+21 26 35'18	34.77	-
14 9 49 44 6	JS	9 18 45.72	46.07	-0.32	+17 29 32.04	30.32	+1.67
15 10 45 55.6	G	10 19 2.48	2.43	-0.5	+13 35 60.85	58.05	+2.80
16 11 41 28 6		11 18 41.15	41.39	-0'24	+ 8 41 57 or	53.41	+3.60
18 13 30 53.6	IF	13 16 17.21	17.63	-0'42	- 2 39 25·13	29.39	+4.56
20 15 20 48 4	JS	15 14 23 20	23.79	-0.29	—13 13 2°14	3.81	+1.62
21 16 16 44.5	IF	16 14 25.09	25.95	—o∙86	-17 13 16.22	15.05	-1.47
Ann 0 6 47 4640	G						٠
Apr. 9 64146.0	IF	7 52 46.65	47.08	—o·43	+21 6 11.58	9.21	+2.07
11 8 30 31.2	G	9 49 43 12	43.45	-0.33	+15 49 43 96	41'01	+2.95
12 9 24 51 4	1 1	10 48 8.43	8.68	-0·25	+11 27 44 30	40.52	+3.48
13 10 19 0.9	JS TF				+ 6 13 43.08	40.16	+2.92
14 11 13 18 2	IF	12 44 46.18	46.23	-o.32	+ 0 28 7.59	5.14	+2.45
16 13 4 19 6	JS	14 43 58 94	29.12	-0.51	-10 54 40.31	43 77	+3.46
20 16 56 27 . 7	IF	18 22 31.39	31.85	-o·46	-21 57 2·82	6.03	+3.51
May o z	JS				1		
May 9 7 14 32 7	IF	10 23 55.27	55.45	-0.18	+13 38 4.40	2.60	十1.80
10 8 6 42 8	JS	11 20 10.52	10.68	-0.16	+ 8 52 42.17	38.30	+3.84
18 15 40 8.0	IF	19 26 22 62	23.05	-0.43		48.00	0:04
20 17 27 37 9	LF	21 22 3.29	3.91	-0.62	-17 51 48.37	48.03	0.34
Iuna a 6 ar agus	G		28.22			£:05	ا ۔ ، ، ۔ ا
June 7 6 51 48 9 8 7 42 29 0	G	11 55 27 93	28.03	-0.10	+ 5 43 9.38	5.63	十3.45
	IF	12 50 12.91	13.13	-0.55	+ 0 12 18.63	15.52	+3.11
9 8 34 13 6	JS	13 46 2.50	2.65	-0.12	- 5 25 53·80	54.66	+0.86
10 9 27 53 4	G	14 43 47 68	47.91	-0.53	-10 49 26 04	28.41	+2.37
11 10 24 3'1	JS	15 44 3.51	3.21	-0.30	-15 33 54°03	57.41	+3.38
12 11 22 42 1	IF				-19 14 46.23	47.66	+1.43
16 15 16 41 .0	1.F	20 57 11.93	12.24	-0.61	-19 17 42.32	42.48	+0.46

February 17, April 9, 14. Diffused.
March 21, June 8, 9. Unsteady.
April 12, 20. Very bad definition; diffused.
May 10. Very unsteady; bad definition.
June 12. Very faint; cloudy.

March 14, 18. Limb boiling.
April 11. Diffused and tremulous.
April 13, May 18. Bad definition.
May 20. Faint, cloudy; unsteady.
June 16. Very bad definition.

Cape Mean Time of Transit of Centre.	Observer.	. Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1870—continued. d h m s		h m s	8	8		"	,,
July 13 13 2 57.6	IF	20 29 33.64	33.97	-o.33	-20° 28° 36° 01	35.17	-o".84
15 14 46 32 1	JS	22 21 18.32	18.90	o.28	-14 7 10.21	11.03	+0.31
17 16 17 7.3	JS	0 0 1.49	1.93	-0'44	- 5 21 37 04	34.75	-2.59
						•	
Aug. 6 7 59 13.6	G	16 59 37.11	37.59	0.48	-19 50 2.37	6.23	+4.16
8 9 54 39 6	IF	19 3 15.17	15.22	0.40	-22 14 44'52	45.05	+0.23
10 11 45 52.9	JS	21 2 39.81	40.31	-0.40	-19 2 31.40	29.77	-1.63
11 12 37 9.4	IF	21 58 1.38	2.09	-0.21	-15 45 59.84	59.27	— 0∶57
13 14 10 32.8	G	53 39 33.51	33.26	0.32	- 7 16 46.09	48.52	+2.43
14 14 53 47 0	JS	0 26 51.00	51.22	-0.22	- 2 34 12.50	12.13	o·o ₇
16 16 17 28 5	JS	1 58 39.43	39.91	o·48	+ 6 41 54.31	54.40	-0.39
Sept. 6 9 39 13 9	JS	20 42 6.95	7.31	0.36	-20 2 22'17	22.43	+0.56
7 10 30 43.7	IF	21 37 41.77	42.54	-0°47	-17 7 17.93	16.28	-1.32
8 11 19 17 2	G	22 30 19.85	20.56	-0.41	-13 21 58.65	54.67	3.98
9 12 5 10.5	lF	23 20 16.97	17.63	o·66	- 9 2 14·62	12.36	-2.36
10 12 48 57 6	JS	0 8 8.02	8.25	0°4 7	- 4 22 54.38	53.21	-o·8 ₇
15 16 22 23 3	JS	4 1 51.65	52.23	o·58	+17 2 16.87	14.44	+2.43
16 17 8 49 1	IF	4 52 21.60	22.18	0.28	+19 47 55.95	56.40	-0.75
					1		
Oct. 4 8 27 45 1	IF	21 20 49.94	50.38	-o.44	-18 17 24.02	21.90	-2.13
5 9 16 33.0	JS	22 13 42.44	42.88	-0.44	-14 46 19.99	17.73	-2.56
6 10 2 34.9	G	23 3 48.40	48.40	-0.30	-10 36 39.25	38.08	-1.12
7 10 46 25 6	lF	23 51 42.83	43*30	-0.47	- 6 2 33·62	32.84	 0.48
10 12 52 14.5	G	2 9 42.15	42.68	-o·53	+ 8 4 38.20	37.75	+0.75
11 13 34 42 2	IF	2 56 13.32	13.43	-0.41	+12 19 27.99	27.97	+0.05
14 15 51 28.0	IF	5 25 11.52	11.63	-0.38	+21 20 44.64	41.86	+2.48
			<u> </u>	<u> </u>	ji		L

July 13, August 11, September 9, October 14. Unsteady. August 8, October 4, 6, 7, 11. Very bad definition.

August 10, September 15. Bad definition.

August 10, September 15. Bad definition.

definition; cloudy.

September 7. Bad definition; very unsteady.

September 8. Worst possible definition; blurred and unsteady.

September 16. Cloudy; limb boiling.

R.A. AND DEC. OF MERCURY.

Tin	Sape Mean ne of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
Dec.	1866. d h m s 23 22 25 54 3	G	h m s	8 34°70	8 +0°14	—19°41′44′33	43 *45	~ °88
	25 22 25 23 6	G	16 43 57 21	57.10	+0.11	-20 II 21.05	20.02	-1.00
	30 22 28 35 9	G	17 6 52.82	52.66	+0.16	-21 29 6.67	6.45	-0.55
	1867.							ı
Jan.	2 22 32 42	CF	•••	•••	•••	-22 12 12.49	13.88	+1.39
	3 22 34 20	CF	•••	•••	•••	-22 25 21.99	21 . 58	-0.21
	8 22 44 5	В		•••	•••	-23 18 20.45	22.99	+2.52
	9 22 46 17	IF	•••		•••	-23 26 7.18	4.60	-2.28
	25 23 28 25	G			•••	-22 44 3.33	3.26	+0.53
	27 23 34 15	JS		•••	•••	-22 14 33.84	34.90	+1.06
Apr.	10 22 39 21	G	•••		•••	- 1 12 19.83	21.60	+1.44
1	11 22 36 29	G		•••		- 1 19 41.48	43.95	十2.12
l	23 22 20 47 4	G	0 28 30.12	30.03	+0.13	+ 0 11 24.00	21.87	+2.13
ŀ	24 22 20 43	JS		•••	•••	+ 0 31 45.76	44.51	+1.22
May	8 22 34 25 7	G	1 41 18.99	18.87	+0.13	+ 7 41 39.62	36.60	+3.03
	16 22 54 23.7	G	2 32 52.69	52.65	+0.04	+13 9 26.16	22.11	+1.02
1	17 22 57 36	G		••	•••	+13 52 54.80	51.96	+2.84
	1868.							
Apr.	26 22 51 10.6	G	1 13 46.97	46.88	+0.00	+ 5 19 45.18	42.91	+2.52
i	28 22 56 15.9	G	1 26 46.16	45.99	+0.12	+ 6 49 21.92	18.75	十3°=7
	29 22 58 59.4	G	1 33 26.69	26.64	+0.02	+ 7 35 11.42	9*58	+1.84
	1869.	_						
Mar.	30 22 37 54 3	G	23 13 3.97	3.86	+0.11	— 7 35 7.82	9.41	+1.89
	31 22 39 25 3	G	23 18 31.76	31.67	+0.00		•••	
Apr.	1 22 41 0'9	G	23 24 4 14	4*05	+0.00			

¹⁸⁶⁶ Second and South limbs observed; 1867 January, centre; in other cases second and North limbs.

¹⁸⁶⁶ December 23, 1867 April 23, 1868 April 26. Very unsteady. 1866 December 25, 30, 1867 May 8, 16, 17. Diffused and tremulous. 1867 April 10. Very faint. 1868 April 28. Very bad definition.

R.A. AND DEC. OF VENUS.

·			1	\$ ₹	11 1		<u>ئ</u> ئ
Cape Meau	rer.	Observed	Seconds of Tabular R.A	Correction 1 Tabular R. A.	Observed	Seconds of Tabular Dec.	Correction to Tabular Dec.
Time of Transit of Centre.	Observer.	R.A.	onla	Tec	Dec.	con parle	par la
	ဝိ		8 E	84		8 <u>F</u>	35
1866. d h m s		1					
June 22 2 10 1.6	CF	hm 8	56.24	+0.12	+21 47 7.43	5 .41	+2":02
23 2 11 7.6	JS	8 16 59.22	59.19	+0.03	+21 31 38.86	38.30	+0.26
30 2 18 13 6	JS	8 51 42.27	42.12	+0.15	+19 27 38.06	37.38	+o [:] 68
					:		
July 2 2 20 2	JS		•••	•••	+18 47 27.68	24.96	+2.25
7 2 24 11 0	JS	9 25 16.54	16.21	+0.03	+16 58 34.74	32.38	+2.36
9 2 25 40 5	JS	9 34 39:34	39.46	-0.15	+16 11 55.05	53.37	+1.68
10 2 26 23 3	JS	9 39 18.84	18.88	-0.04	+15 47 58.47	56.80	+1.67
11 2 27 4.7	JS	9 43 56.88	56.95	-0.07	+15 23 38.26	36.65	+1.61
12 2 27 44 7	JS	9 48 33.59	33.67	—o.o8	+14 58 55.13	53.22	+1.61
14 2 29 0.8	JS	9 57 43 04	43.09	0.02	+14 8 24.27	21.64	+2.63
17 2 30 45 3	JS	10 11 17.45	17.48	-0.03	+12 49 59.75	59.88	0.13
Oct. 4 2 45 51	IF				-23 13 6.22	8.85	+2.63
Oct. 4 24551 6 24556'1	JS	 15 45 51°57	51.63	o·06	-23 13 6·22 -23 13 6·22	6.81	+2.02
8 2 45 57 9	JS	15 53 46.47	46.60	-0.13	-24 19 3·38	4.92	+1.24
9 2 45 57	IF				-24 34 17·09	18.13	+1.04
11 245 52.0	IF	16 5 30.18	30.54	-o·o6	-25 3 9·37	11.2	+2.12
20 2 43 58	В			•••	-26 46 50.43	56.10	+5.67
22 243 4.8	В	16 46 4.63	4.88	-o·25	-27 3 57.61	62.63	+5.05
24 241 59'3	IF	16 52 52.04	51.79	+0.5	-27 18 55.58	58.66	+3.08
						-	
Nov. 2 23335-9	G	17 19 56.25	56.35	-0.10	-27 59 26.82	29.66	+2.84
Dec. 19 22 59 32 0	CF	16 54 31.85	31.34	+0.21	-19 49 52.59	53.12	+0.23
21 22 48 17	JS	•••		•••	-19 19 21.30	51.10	0'20
23 22 37 40 1	G	16 48 22.60·	22'19	+0.41	-18 52 50·26	49*89	-o·37
30 22 2 39.3	G	16 43 52 46	52.08	+0.38	-17 45 23°56	23.28	+0.03
1867.							
Jan. 2215425	C F	•••		•••	—17 29 35·96	36.52	+0.59
3 21 50 59	CF	•••			-17 25 58.32	58.36	+0.04
I					ı,		'

R.A. First limb observed to 1866 November 2; second limb 1866 December 19 to 30.

DEC. North limb 1866 July 2 to November 2; South limb 1866 June 23 and 30,

December 19 to 1867 January 3; centre of light on 1866 June 22.

1866 June 22, July 14, October 4, 11, 20, 22, 24, December 19. Very bad definition.

Tin	cape Mean ne of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
186; Jan.	7—continued. d h m s 8 21 36 3	В	• h m s	s 	8	+17° 18′ 38′ 03	43.67	+5":64
May	8 21 41 44 2	G	0 48 28.81	28.67	+0.14	+ 3 17 25.05	23.23	+1.2
	10 21 42 38 . 8	G	0 57 16.68	16.28	+0.10	+ 4 10 55.28	54.01	+1.22
	16 21 45 32 4	G	1 23 50.11	20.03	+0.08	+ 6 50 7.00	5.41	+1.59
	17 21 46 3	G	•••	•••	•••	+ 7 16 22.06	19.12	+2.94
	192147 6	G				+ 8 8 26.32	24.36	+1.96
	21 21 48 12	G				+ 8 59 56.97	55.05	+1.92
	31 21 54 29	JS	•••		•••	+13 5 60.45	58.62	+1.83
Jul y	8 22 33 42 4	G	5 4¤ 5°53	5.48	+0.02	+22 50 41.65	41.40	+0.52
Mar.	1868. 26 24125.8 31 24441	CF CF	2 58 30°21 	29°55 	+o·66	+18 29 19·21	20°79	1·58
Apr.	24 3 1 58 8	G	5 13 26.61	26.83	-0.55	+26 0 52.90	53.82	-0.92
	25 3 2 39	G		•••		+26 7 41.85	44.04	-2.19
	27 3 3 57 4	G	5 27 15.20	15.43	-0.53	+26 19 32.41	34.09	-1.68
	28 3 4 15	IF	•••			+26 24 38.08	34*14	+3.94
Мау	1 3 6 20	IF	•••			+26 35 58.05	55.40	+2.65
	2 3 6 53	CF	•••			+26 38 27.91	30.02	-2.14
	4 3 7 52	CF			•••	+26 41 54.97	52.32	+2.65
	5 3 8 20	CF	•••			+26 42 41.04	40.21	+0.23
	6 3 8 4 5	CF	•••			+26 42 55.01	53.40	+1.61
	7 3 9 9	JS				+26 42 33.90	32.78	+1.12
June	3 3 0 16	CF				+23 33 4.23	1.10	+3.43
		CF	I	l		+22 19 24.55	23.25	+1.30
	9 2 50 39		•••	1	,	> -+ J5	-3 -3	1 - 30

R.A. Second limb 1867 May 8 to July 8; first limb 1868 March 26 to April 27.

DEC. North limb 1867 January 8 to May 31; South limb 1867 July 8; South limb 1868 April 24 to 27; North limb April 28 to May 2; centre of light in other cases.

1867 January 8. Tremulous. 1867 May 8, 10, 1868 April 25. Very unsteady.

1867 May 17, 19, July 8, 1868 April 24. Diffused.

1868 March 26, May 1. Bad definition. 1868 April 28. Of little value.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1870. d h m s Feb. 9 12544'7 10 12024	JS JS	h m s 22 43 16 80 	8 16.94	8 0'14 	° 48' 11".67 ° 43 33'93	13°59	+1":92
July 13 21 29 16 1	G	4 57 15*34	15.35	-0.01	+20 59 28:40	25.41	+2.99

First and South limbs observed 1870 February 9; second and North limbs July 13; South limb only on February 10.

July 13. Bad definition.

R.A. AND DEC. OF MARS.

Tin	Cape Mean ne of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.		
Oct	1866. d h m s 3 18 6 18 3	CF	h m s 6 56 55°31	55·36	-0.02	+23° 20' 47".95	47.35	+0.60		
Nov.	25 15 51 47	CF	•••			+22 27 24.89	23.76	+1.13		
	26 15 48 13	G	•••	•••		+22 29 6.93	7.01	-0.08		
	28 15 40 51	G	•••	•••		+22 33 4.49	6.30	-1.41		
	30 15 33 17	В	•••	•••	•••	+22 37 45.95	49 93	-3. 98		
Dec.	7 15 4 57	IF	•••			+23 0 21 48	18.36	+3.15		
	11 14 47 27	CF	•••	•••	•••	+23 17 9.79	8.37	+1.45		
	14 14 33 42	IF	•••	•••		+23 31 24.65	28.25	-3.60		
	18 14 14 32	IF	•••	•••		+23 52 28.44	29.57	-1.13		
	1914 936	G	•••	•••	•••	+23 58 7.01	2.16	+4.85		
	20 14 443.5	JS	8 2 12.10	12.39	-0.39	+24 3 36.46	40.23	-4.0 2		
	23 13 49 28	CF	•••	•••	•••	+24 21 3.12	2.90	+0.55		
	1867.									
Jan.	4 12 44 25	IF	•••			+25 31 2.36	3*45	—ı ·09		
	7 12 27 31	JS	•••	•••		+25 46 50.24	48.17	+2.07		
	8 12 21 51	G	•••			十25 51 47 72	45.32	+2.40		

R.A. Centre of light observed 1866 October 3; first limb December 20.

DEC. South limb 1866 November 28, December 14, 18, 20, 1867 January 4; North limb 1866 December 7, 19; and centre of light in other cases.

1866 December 7, 20, 1867 January 4. Very bad definition.

1866 December 19. Very unsteady.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued.		1					
d h m s Jan. 10121031	G	hms	8		+26 1 11.51	9°23	+2"28
11 12 451'3	JS	7 28 44 42	44.26	-0'14	+26 5 37.83	34 '99	+2.84
14 11 47 54 6	Js	7 23 34.64	34.65	0.01	+26 17 42.47	42.63	-0.16
15 11 42 17	CF				+26 21 21.53	20.75	+0.78
16 11 36 41	G			•••	+26 24 48.50	46.66	+1.84
17 11 31 3.7	JS	7 18 33.35	33.42	-0·07	+26 27 63.41	59.98	+3.43
18 11 25 33	CF				+26 31 3.21	60.85	+2.36
19 11 20 1.8	JS	7 15 20.01	20.03	-0.03	+26 33 50.52	49.03	+1.19
22 11 4 39 4	В	7 11 44 73	44.46	+0.52	+26 40 56.62	58.08	—ı ·46
23 10 58 16	IF			•••	+26 42 57:17	56.40	+0.77
24 10 52 56	JS			•••	+26 44 42.56	42.52	+0.04
28 10 32 1	В		•••		+26 49 52.14	50.42	+1 72
29 10 26 54	IF				+26 50 39.89	39.57	+0.35
30 10 21 51	CF			•••	+26 51 20.03	18.36	+1.67
31 10 16 51	IF				+26 51 45.94	46.96	I .05
Feb. 1 10 11 52 7 2 10 7 1 4 9 57 25 2 5 9 52 42 6 9 48 3 10 9 30 1 11 9 25 40 12 9 21 22 13 9 17 7 14 9 12 56 15 9 8 48 4 18 8 56 46	B G CF JS IF IF CF IF JS B	6 58 17 26 6 55 34 79	16·85 34·60 	+0'41 +0'19	+26 52 7'20 +26 52 17'95 +26 52 9'42 +26 51 52'68 +26 51 26'85 +26 48 31'10 +26 47 34'21 +26 46 26'66 +26 45 15'35 +26 43 58'77 +26 42 37'61 +26 37 58'86	5.66 14.95 6.54 49.50 24.47 31.34 31.35 25.46 13.82 56.77 34.40 58.45	+1.54 +3.00 +2.88 +3.18 +2.38 -0.24 +2.86 +1.20 +1.53 +2.00 +3.21 +0.41
25 8 30 32	В		•••	•••	+26 24 45.71	43.79	+1.65
27 8 23 30 Mar. 4 8 6 42	В				+26 20 23.21	21.98	+3.08
14 7 36 11 . 5	JS	7 3 46.86	46.98	-0.13	+25 39 47 02	45.15	+1.87
		1					السينا

R.A. First limb observed January 11, 14, 17, 19, February 15, March 14; second limb in other cases.

DEC. North limb January 11, 17, 19; South limb January 14, 22, 24; centre of light

January 9, 15, 23, 28, 29, February 1, 10, 14. Very bad definition. January 31, February 18, 27. Cloudy.

in other cases.

R.A. AND DEC. OF CERES (1).

		,									
Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.				
1867. d h m s Apr. 17 14 33 44 5 26 13 53 12	CF JS	h m s	8 30·48	+o·73	-13 33 48 40	%.12 36.56	-12·14				
June 3 10 50 42 3	JS IF	15 38 10.48	9.22	+1.33	-13 52 60°18	46°33	-13.82 -13.82				
5 10 41 11 · 3 6 10 36 27 · 4 7 10 31 44 · 3	G B CF	15 36 30 98 15 35 42 85 15 34 55 58	29.88 41.60 54.29	+1.10	-13 55 56.09 -13 57 29.40 -13 58 65.91	42.06 16.07 54.09	-14.03 -11.85				
17 945 34 7	CF	15 28 3.98	2.94	+1.04	-14 19 16.10	5.07	-11.03				
June 6, 17. Very bad definition.											
	R.A. AND DEC. OF PALLAS (2).										
Apr. 17 14 9 9 0	CF JS	15 51 51.68 	52 48	-o.80	+21 6 8·31 +23 3 36·68	2°13 34°66	+6.18				
May 22 11 24 30 4	CF JS	15 24 45 47	46°50 53°82	1	+26 14 61·56 +26 23 40·76	56°47 43°25	+5·09				
June 3 10 28 34 9 4 10 24 0 8	JS IF	12 12 20.38	1	'-	+26 20 6.00	37°53 2°02	+2.45				
		Observed over br	ight wi	res April	17, June 4.						
R.A. AND DEC. OF JUNO 3.											
Feb. 15 13 28 7 3 22 12 55 19 3	CF G J8	11 4 56.03	11·8 ₃	+1.68	+ 1 18 2.58 + 2 22 33.45	6°20	-3.65				
25 12 41 7.8 Mar. 6 11 58 25.5	JS	10 22 11.20	9.88	+1.65	+ 4 20 37.28	34*04	-1.02				
	<u></u>				<u>"</u>		' -				

February 25. Cloudy.

R.A. AND DEC. OF VESTA (1).

Tin	Cape Mean ne of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.				
Aug.	1866. d h m s 9 13 55 33°9	Js	h m s	8	s 	-15° 20′ 31"·70	<i>"</i>					
Sept.	41152 6.0	CF CF	22 47 21°50 22 38 37°36	25.52	l '	-18 47 68·82 -19 43 79·06	40°03 52°43	-28·79				
September 4. Very bad definition.												
			R.A. AND	DEC.	ог не	BE (6).						
June	7 13 32 17 7	JS	18 36 56.24			- 4 56 14·51	2.40	-t1.8				
	8 13 27 36.9	CF	18 36 11.36	1	1	- 4 56 63·40	50.03	-13.3				
	21 12 25 10.0	JS	18 24 49.24	49.05	+0.19	<u> </u>	•••	•••				
Jolv	4 11 21 14 3	JS	18 11 58.39	58.26	+0.13	- 6 28 52.98	41.13	-11.8				
uu	10 10 21 22.0	CF	18 6 13.62	13.43	1 .	- 7 8 33·88	19.79	-14.0				
	13 10 37 24 7	CF	18 3 30.26	30.68	-0.13	- 7 30 26·31	16.23	- 9.7				
	14 10 32 36 9	JS	18 2 38.57	38.39		- 7 37 65.50	51.40	-13.8				
	16 10 23 3.9	G	18 0 57.06		·	- 7 53 42.63	·	<u></u>				
	17 10 18 18 9		18 0 7.86			- 8 1 39.29						
	23 9 50 17 . 6	JS	17 55 41.35		<u></u>	- 8 51 54.33						
		June 8, July 4, 17. Bad definition.										
			June 8, July	4, 17.	Bad defi	nition.						
			June 8, July									

R.A. AND DEC. OF FLORA (1).

Cape Mean Time of Transit of Centre,	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.				
1866. d h m s July 9 12 42 35 4 10 12 37 38 5 11 12 32 40 2 12 12 27 41 8 16 12 7 41 2	G G G G G	h m 8 19 53 15.65 19 52 14.51 19 50 9.22 19 45 51.53	8 11.81 10.48 8.33 5.39 47.82	+3.84 +4.03 +3.52 +3.83 +3.71	-21 15 18 83 -21 21 25 25 -21 27 39 59 -21 33 51 42 -21 58 43 52	18'-38 28:42 39:85 52:16 48:62	-0°45 +3°17 +0°26 +0°74 +5°10				
R.A. AND DEC. OF PARTHENOPE (1).											
Aug. 9131720.5 JS 22 30 19.68											
	September 4. Bad definition.										
	R.A	A. AND DEC	. OF	MELPO	MENE (18).						
June 7 14 25 31 .8 8 14 22 33 .7 21 13 22 20 .2 July 4 12 19 41 .8	JS CF JS	19 30 19 12 19 31 17 08 19 22 8 93	13.86	-5.00	- 8 14 43 59 - 8 20 3 74 - 8 22 19 26 - 9 4 20 82	29.82					
17 11 15 28 5 14 11 15 28 5	JS CF JS CF	18 57 26.90	33°94 32°91	-4·77 -4·89	— 9 52 51 11 — 9 52 51 11 — 9 54 4 56 — 10 18 44 20	11,03	+4.78 +5.29 +6.47 +5.63				
R.A. AND DEC. OF MASSILIA (20).											
June 8 12 35 50°1 CF 17 44 15°90 11°02 +4°88 -22 29 57°06 56°17 -0°89 -3°11 31 38°3 JS 17 30 48°76 43°83 +4°93 -22 20 60°07 56°25 -3°82											
		June 8	. Bad	definition	•						

R.A. AND DEC. OF CIRCE 3.

	_										
Tir	Cape Mean ne of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.			
Oct.	1866. d h m s 1213 458.7	CF	h m s	8	8	+14° 4'46".93	<i>"</i>	"			
Nov.	6 12 8 41 . 3	CF	3 12 22.32	21.40	+0.92	+11 53 52.25	75°49	23.54			
R.A. AND DEC. OF LEUCOTHEA (35).											
July	9 10 39 4.5	G	17 48 84.39	57.51	+27.18	-36 3 81·15	8.34	-72·81			
R.A. AND DEC. OF NYSA (4).											
Oct.	7 12 17 21 0	CF	1 22 46.88	48.32	-ı ·44	+ 2 27 27.56	25.28	+1.08			
	912 741.8	JS	1 20 59.17	60.21	-1.34	+ 2 14 14.41	19.68	—5.5 2			
	10 12 251.5	CF	1 20 4.62	2.99	-1.37	+ 2 7 42.33	49.05	-6.45			
	16 11 33 45.8	CF	1 14 33.51	34.98	-1.47	+ 1 29 46.03	20.11	-4.08			
Nov.	4 10 2 22.5	CF	0 57 49 72			o 2 38·28	•••				
		0	ctober 9, Novem	iber 4.	Very bad	l definition.		_			
		R	a.a. AND DE	C. O	F EUGE	CNIA (15).					
June	7 11 47 15.8	JS	16 51 37.13	33.41	+3.45	-11 53 70.82	59.79	-11.03			
	8 11 42 27 9	CF	16 50 44.96	40.80	+4.16	-11 53 54.57	41.05	-13.22			
	21 10 40 44 1	JS	16 40 6.52	2.30	+3.95	-11 59 46.63	33.29	-13.04			
	June 7.	Very	faint.			June 8. Bad de	efinition.				
R.A. AND DEC, OF MELETE 66.											
Oct.	22 14 39 40 6	G	4 44 38 10			+14 33 1.49	•••				
Nov.	8 13 22 2.8	G	4 33 48 99	•••		+13 10 14.37	•••	·•••			

R.A. AND DEC. OF EURYDICE. (75).

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866. d h m s July 912 2 9'9 12114727'4 16112748'1	G G	h m s 19 12 43 43 19 5 51 96		 	-32 13 50.53 -32 11 0.04 -32 7 47.89	 	

R.A. AND DEC. OF JUPITER.

Cape Mean Time of Transit of Centre.	Observer.	Observed R.A.	Seconds of Tabular R. A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866. d h m s June 21 14 11 56 9 29 13 37 6 9	18 18	h m s 20 11 53°72 20 8 30°49	29.81 53.08	**************************************	-2° 26′ 43′ 45 -2° 38 36°04	48 ['] ·99 43 ['] 34	+ 5.54 + 2.30
July 4 13 15 5 4 9 12 52 55 1 10 12 48 28 1 11 12 44 0 7 12 12 39 33 13 12 35 6 0 16 12 21 42 3 17 12 17 14 2 26 11 37 0 9	JS G CF G CF G CF	20 6 8 · 15 20 3 37 · 02 20 3 5 · 83 20 2 34 · 30 20 1 31 · 17 19 59 54 · 99 19 59 22 · 70 19 54 31 · 77	7.55 36.19 5.05 33.68 30.32 54.11 21.83 30.89	+0.60 +0.83 +0.78 +0.62 +0.85 +0.88 +0.88	-20 46 38 21 -20 54 54 61 -20 58 17 96 -20 59 56 35 -21 1 35 13 -21 6 39 73 -21 8 19 37 -21 23 0 73	44.85 62.63 24.13 65.13 46.03 48.33 28.63 8.00	+ 6.64 + 8.02 + 6.17 + 8.78 + 10.90 + 8.60 + 9.26 + 7.27
27 11 32 33 1 Aug. 9 10 34 54 3 25 9 25 42 1 Oct. 30 5 13 54 0 Nov. 1 5 7 6 4	JS JS IF B	19 53 59 79 19 47 26 72 19 41 8 05 19 48 50 99 19 49 55 39	58°94 25°92 7°04 50°21 54°45	+0.85 +0.80 +1.01 +0.78 +0.94	-21 24 33'43 -21 43 10'59 -21 59 55'71 -21 41 30'10 -21 38 43'46	41.80 16.36 61.04 37.59	+ 8·37 + 5·77 + 5·33 + 7·49 + 7·48

R.A. Both limbs observed July 9, 10, 16, 17, 27, August 25; first limb in other cases.

DEC. Both limbs observed July 9, 12, 16, 17, 27; North limb July 13, October 30 and November 1; South limb in other cases.

July 4, 27. Bad definition.

July 9, 16, November 1. Diffused. 1866 July 10. Cloudy.

-								
Tin	Cape Mean ne of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
186	6-continued.			i —	1	il		i
Nov.	dhms	IF	h m s	8	8 	-21° 32′ 47″ 54	53.71	+6.17
l	6 45017.4	В	19 52 46.47	45.57	+0.90	-21 31 12.02	19.43	十7:41
	7 446 57.5	IF	19 53 22.56	21.24	+1.02	-21 29 36.86	43.15	+6.59
l	9 440 19.5	CF	19 54 36.59	35.15	+1.44	-21 26 18.62	24.57	+5.95
	29 3 35 40.0	CF.	20 8 (37.56)	40.01	(-2.45)	-20 45 58.48	62.03	+3.24
July	1867. 30 13 59 18 · 5	JS	22 32 1.39	1.67	-0.58	—10 34 19·77	22.79	+3.05
Aug.	5 13 33 21.0	В	22 29 38.94	38.96	-0.03		•••	
ı	13 12 58 21	В	•••			-11 11 42.79	49.09	+6.30
ł	14 12 53 56 9	IF	22 25 37.30	37.42	-0.15	—11 14 36·01	41.23	十5.25
	15 12 49 32.5	JS	22 25 8.73	9.03	0.30	-11 17 34.54	34.89	+0.32
l	22 12 18 38	JS	•••			11 38 1.33	5.11	十3.48
	28 11 52 3.0	IF	22 18 45.04	45.56	-0.33	-11 55 37.35	39.03	+1.68
Ì	29 11 47 37 5	JS	22 18 15.34	15.36	-0.03	—11 58 26·98	32.23	+5.22
Sept.	3 11 25 29 9	IF	22 15 46.86	47.30	0°44	—12 12 40·84	43.10	+2.26
"	5 11 16 40.6	JS	22 14 49 17	49.16	+0.01	-12 18 9.37	12.85	+3.45
	6 11 12 15.8	IF	22 14 20.58	20.42	-0.14	-12 20 52·33	54.95	+2.62
	13 10 41 32 4	CF	22 11 7.64	7.13	+0.21	-12 38 54.58	49.21	-4.77
1	16 10 28 26.8	JS	22 9 49 53	49.60	— 0. 02	-12 45 48.52	52.16	+3.64
1	17 10 24 6.0	IF	22 9 24 64	24.60	+0.04	—12 48 0·79	7:30	+6.21
	20 10 11 5.6	CF	22 8 11.67	12.32	-o·68	-12 54 25.74	34.76	+9.02
1	24 9 53 53 5	CF	22 6 43.03	43.12	-0'12	-13 2 18.72	25.49	+6.22
	26 9 45 21	JS				-13 5 55.81	59.96	+4.12
						j i		
Oct.	4 9 11 32.8	CF	22 3 41.89	41 .88	+0.01	-13 17 45.19	47.10	+1.91
1	8 8 54 56 8	IF	22 2 48.32	48.18	+0.14	-13 21 59·90	65.50	+5:30
1	10 84642.5	В	22 2 25.75	25.63	+0.15	-13 23 44.86	49.24	+4.68
1	14 8 30 23 6	JS	22 1 49.42	49.41	+0.01	-13 26 25.26	28.00	+2.74
i	15 8 26 19.4	C F	22 1 42.10	42.53	-0.13	-13 26 56·06	57.05	+0.99
	18 8 14 14 .8	IF	22 1 25.31	25.53	-0.03	-13 27 55.32	58.76	+3.44
	23 7 54 22 4	IF	22 1 12'31	12.30	+0.01	-13 28 12.34	16.44	+4.43
1-	D A D-AL 12-		1 044 NT			1 1: 1 06	~	

R.A. Both limbs observed 1866 November 29; second limb 1867 September 13,

October 10; first limb in other cases.

DEC. Centre observed 1866 November 9, 29; both limbs 1867 September 3, 6, October 15; South limb 1867 August 15, 28, October 4; North limb in other cases. 1866 November 6. Tremulous.

1866 November 7, 1867 August 14, September 3, 6, 20, 24, October 10, 23. Very bad definition.

Cape Mean Time of Transit of Centre. Cape Mean Time of Transit of Cen	Seconds of Tabular Dec.	Correction to Tabular Dec.
1867—continued.		-
dhms hms ss	02 7.62	+2".60
29 7 30 57 3 CF 22 1 22 67 22 51 +0 16 -13 26 15	53 17.02	+1'49
30 7 27 8·7 B 22 1 27·05 26·94 +0·11 -13 25 37		+4.96
Nov. 1 7 19 25 2 JS 22 1 38 36 38 13 +0 23 = 13 24 18	48 19.60	+1.12
4 7 8 0.0 JS 22 2 0.01 0.45 +0.10 -13 21 42.		+1.97
12 6 38 5 6 JS 22 3 34 00 34 09 -0 09 -13 11 49		+1.44
	11 2.24	+1.43
21 6 524.9 B 22 6 14.19 14.09 +0.10 -12 22 39		+2'11
1868.		
Apr. 11 22 31 39.6 G 23 55 4.42 4.69 -0.27		
23 21 54 25 ·8 G 0 5 3 · 14 3 · 34 -0 · 20 - 0 38 27 ·	_ _	-0.53
24 21 51 18 4 G 0 5 51 74 52 00 -0.56 - 0 33 19		-1.09
26 21 45 3°0 G 0 7 28°44 28°70 -0°26 -0°23 7°	15 6.04	-1.11
July 13 17 22 52.9 JS 0 52 6.63 7.02 -0.39 + 4 5 58.	42 61.88	-3.46
14 17 19 12 IF + 4 7 3	12 13.63	-10.21
Oct. 1115244'2 IF 0 36 28'14 28'85 -0'71 + 2 8 48'	27 52.03	-3.46
14 10 55 21 IF + 1 29 7	72 12:37	-4.65
Nov. 18 8 26 26 0 IF 0 18 50 50 50 97 -0 47 + 0 23 43	48 47.35	-3.84
24 8 2 14.6 CF 0 18 14.46 14.81 -0.32 + 0 21 41.	70 43.95	-2.52
1870.		
July 13 21 27 6.9 G 4 55 5.77 5.31 +0.46 +22 1 39.	56 41.21	-2.12
	1	

R.A. Second limb observed 1867 October 30, November 21, 1868 November 24, both limbs, 1868 April 23, 24, 26, 1870 July 13; first limb in other cases.

DEC. Both limbs observed 1867 October 29, 1868 April 23, 24, 26, 1870 July 13; centre on 1867 November 21, 1868 July 13 to November 24; North limb in other

1867 October 29, 30, November 1, 21, 1868 October 1. Very bad definition. 1868 April 11, 1870 July 13. Very faint.

R.A. AND DEC. OF SATURN.

Cape Mean Time of Transit of Centre.	Observer.	Observed R. A.	Seconds of Tabular R.A.	Correction to Tabular R.A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866. d h m s May 25 10 9 52°	ı Js	h m s	8 42°12	+0.02	—11° 25′ 46″ 19	52.93	+6".74
July 19 6 27 50		14 16 54.80	54.20	+0.10	—II 9 54.24	64.45	+9.21
20 62358	CF	***		•••	11 10 31.74	40.33	+8.29
1867. May 912 740	ıs				—15 38 56·44	63.17	+6.23
	CF		•••	•••	-15 27 42·52		+8.01
19 11 25 22	.		···	٠	-15 24 28·54	36·26 50·53	+7.23
27 10 51 36	.	15 12 54.84	54°79 28°60	+0.02	-12 10 18.11	24.58	+6.17
2/103130	"	15 11 29.17	20 00	TO 3/	_15 19 10 11	24 20	1 40 1/
June 3102210.	7 JS	15 9 34.17	33.95	+0.55	-15 12 32.06	39.07	+7.01
4 10 17 59	·	15 9 18.71	18.50	+0.42	-15 11 38.93	44.21	+5.48
5 10 13 48	. _	15 9 3.36	2.84	+0.2	-15 10 43.74	51.41	+7.67
610 936	i	15 8 47 77	47.60	+0.12	-15 9 54.15	59.51	+5.06
7 10 5 25	·	15 8 32.79	32.27	+0.22	-15 9 1.34	7.95	+6.61
17 9 23 50	1	15 6 16.30	15.80	+0.40	-15 I 32.52	39.81	+7.54
July 3 8 18 18 .	9 G	15 3 38.69	38 · 16	+0.23	—14 54 17·09	24.80	+7.21
9 7 54 7	ı IF	15 3 2.31	1.67	.+0.64	-14 53 16.33	23.51	+6.88
27 6 42 52	4 G	15 2 33.85	33.17	+0.68	-14 56 5.56	11.87	+6.31
29 635 4	8 G	15 2 38.15	37.65	+0.20	-14 56 55.96	63.38	+7.42
Aug. 2 6 19 34	9 IF	15 2 51.89	51.58	+0.61	-14 58 59.03	65.61	+6.28
7 6 021	- 1	15 3 17.62	16.98	+0.64	-15 2 8.17	14.11	+5 °94
20 5 11 4	В			•••	-15 13 13.47	17.96	+4:49
28 441 14.	6 IF	15 6 45.85	45.55	+0.63	-15 21 56.63	61.17	+4.24
1868.							
June 12 10 31 5.		15 56 57.96	57.48	+0.48	-18 18 20.17	25.09	+4.92
17 10 10 5.	3 CF	15 55 37.54	37.01	+0.23	-18 15 6.00	10.40	+4.40

R.A. Both limbs observed 1867 July 3; second limb 1867 June 6; first limb in other cases.

DEC. South limb 1866 May 25, 1867 June 6; both limbs 1867 August 28; centre 1866 July 20, 1867 May 19, June 7, 17, 1868 June 12, 17; North limb in other cases.

¹⁸⁶⁷ June 6, 17, July 29, August 7. Very bad definition. 1867 August 20. Cloudy.

at the Royal Observatory, Cape of Good Hope, 1866-70. 469

R.A. AND DEC. OF URANUS.

Time of C	Mean f Transit entre.	Observer.	Observed R. A.	Seconds of Tabular B. A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
Dec. 4	366. hm s 13 37 35.8	Js	h m s 6 31 55.04	8 70°97	—15·93	+23° 33′ 5″.74	21.11	+0"63
7	13 25 18.2	IF	6 31 25.03	40.80	-15.44	+23 34 19 43	17.01	+2.42
	1313 0	JS	•••			+23 34 46.38	43.11	+3.52
11	13 8 52.8	CF	6 30 43.52	29.16	-15.94	+23 34 55.58	21.81	+3.77
	12 44 12.8	В	6 29 38 45	54.36	-12.91	+23 35 45 73	43.61	+2.15
20	12 31 51.8	JS	6 29 5.15	21.12	-16.02	+23 36 11.90	9.31	+2.29
٠,	867.							
	11 17 44 2	JS	6 25 43.36	59.55	-16.19	+23 38 32.44	32.33	+0.11
9	11 9 30.6	JS	6 25 21.58	37.64	—16·06	+23 38 49.64	46.43	+3.51
22	10 16 10.5	В	6 23 7.57	23.54	15.67	+23 40 7.13	7.55	-0·42
23	10 12 5	IF	•••		•••	+23 40 11.82	12.95	-1.13
24	10 8 0	В	•••			+23 40 18.32	18.25	+0.01
25	10 353.7	IF	6 22 38.81	54.81	-16.00	+23 40 23.95	23'45	+0.20
28	9 51 55	В				+23 40 38.13	38.02	+0.08
29	9 47 35	IF	•••			+23 40 42.48	42.75	-0.52
31	9 39 25 3	IF	6 21 45.65	61.65	16.00	+23 40 52.56	21.65	+0.01
72.1		O.E.			0.		9105	8
Feb. 4	•	CF	6 21 13.52	29.32	-15.80	1.	8.05	-1.48
6	9 16 2.6	IF	6 20 58.50	74.19	-15.69	+23 41 14'10	15.45	—1,32
11	8 54 48 8	В	6 20 23.89	39.54	-15.65	+23 41 32 40	31.88	+0.25
18	8 26 37 4	В	6 19 43.81	59.23	-15.42	+23 41 49 17	49.48	+0.30 -0.31
19	• •	IF	6 19 38.71	54.30	-15.29	+23 41 51.88	21.28	-1.11
21		IF B	6 19 29.55	45.05	-15.20	+23 41 54'07	55.18	+0.08
25	7 58 36.1	IF	6 19 13.77	29.16	-15.39	+23 42 1'32	•	-0.46
26	7 54 36.7	В	6 19 10.26	25.73	—15°47	+23 42 2'04	2.20	-2'44
27	7 50 37 7	ן ע	6 19 7.10	22.23	-15.43	+23 42 1'06	3.20	~ **
Mar. 4	7 30 45 5	В	6 18 54.43	69.93	-15.20	+23 42 6.33	7.30	 0`97
5	7 26 47 9	IF	6 18 52.77	68.10	-15.33	+23 42 7.55	7.70	-0.12
7	7 18 53 1	IF	6 18 49 72	65.13	-15.41	+23 42 9.26	8 . 30	+1.06
l .								
I	168. 11 30 52°4	IF	6 45 49.24	65.05	-15.81	+23 24 52.90	45.18	+7.72

1866 December 4, 7, 10, 1867 January 29, February 11, 18, 27, March 5. Bad definition. 1867 February 25. Faint and unsteady.

R.A. AND DEC. OF NEPTUNE.

Cape Mean Time of Transit of Centre.	ime of Transit		Seconds of Tabular R.A.	Correction to Tabular R. A.	Observed Dec.	Seconds of Tabular Dec.	Correction to Tabular Dec.
1866. d h m s		h m. s	8	8			,,
Oct. 3115459°7	CF	0 44 35.69	37.83	- 2.14	+ 3 2 29 41	4 ² '-47	-13°06
5 11 46 56	CF	•••			十3 1 15.78	23.77	- 7.99
7 11 38 51.5	CF	0 44 11'05	13.54	— 5.19	+ 2 59 54.30	65.17	-10.62
12 11 18 41 . 5	CF	0 43 40.21	42.64	- 5.13	+ 2 56 40.47	50.82	-10.40
16 11 2 33.5	CF	0 43 16.06	18.48	- 2.42	+ 2 54 5.56	18.22	-13.01
17 10 58 31 .9	JS	0 43 10.37	12.21	- 2'14	+ 2 53 26.89	41.01	-14'12
21 10 42 24 9	JS	0 42 46.89	48.94	- 2.02	+ 2 51 1.61	13.35	11.24
Nov. 4 9 46 5.7	CF	0 41 30'21	32.35	- 2'14	+ 2 43 11.43	22'34	-10.01
29 8 6 9.0	IF	0 39 50.96	52.96	- 2.00	+ 2 33 31.88	43 * 94	-12.06
30 8 2 10.4	CF	0 39 48 28	50.58	- 2'00	+ 2 33 19.08	29.64	-10.26
Dec. 4 7 46 17 3	OF	0 39 38.82	40.2	— 1.90	+ 2 32 28.03	39.95	—11.92
5 7 42 20	IF	•••			+ 2 32 17.13	29.49	-12.36
7 7 34 23 8	CF	0 39 33.03	34.79	- 1.76	+ 2 31 59.71	70.99	-11.58
1867.							
Oct. 7 11 48 23.4	JS	0 52 46.89	49.36	-2.47	+ 3 52 6.33	20.97	-14.64
14 11 20 9.4	JS	0 52 4.09	6.36	-2.27	十 3 47 35 78	50.02	-14.50
29 10 19 42 . 5	CF	0 50 35.61	37.96	-2.32	+ 3 38 30.84	43'22	-12.38
Nov. 110 738.4	JS	0 50 19.15	21.44	-2.35	+ 3 36 48.90	62.88	-13.98
4 9 55 35	JS				+ 3 35 13.31	26.30	-12.99
21 8 47 26.6	В	0 48 45.23	47.57	-2.34	+ 3 27 35.28	48.31	-13.03
22 8 43 27 0	IF	0 48 41.26	43.77	-2.51	+ 3 27 13.03	26.81	-13.48
1868.						1	
Nov. 16 9 12 54'3	CF	0 57 33 37	36.06	-2.69	+ 4 20 44.26	59.29	-12.03
25 8 36 55.2	IF	0 56 57.35	29.45	-2.32	+ 4 17 18.28	33.79	-15.51

¹⁸⁶⁶ October 5, November 30. Cloudy.
1866 December 4, 5, 1867 October 29, November 21, 1868 November 16. Very bad definition.
1867 November 22. Observed in dark field with wires illuminated.

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

RIGHT ASCENSIONS AND DECLINATIONS

OF

THE MOON'S LIMB

AND

MOON-CULMINATING STARS,

1866-1870.

R.A. AND DEC. OF MOON'S LIMB AND MOON-CULMINATING STARS.

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1866. Jan. 1		G _.	h m s 6 56 11.63 7 12 8.97	7	m s	1 , 3 ,	1
	Moon IIS 1 Cancri 5 Cancri		7 26 28·32 7 49 24·59 7 53 53·72	7 7 7	—I 9.23	+16 41 14.87 +16 49 7.51	r
2	r Canori	Js	 8 24 39 91 8 51 11 03 9 0 30 77	7 7 7	—ı 7·67	+16 8 33.45 +16 49 7.54 +14 12 0.75 +12 16.08 +11 12 8.62	+15 45.63
3	a Cancri	G	8 51 10.80 9 0 30.71 9 19 41.43 9 53 9.16 10 1 15.09	7 7 7 7	—ı 5.43	+12 22 14.60 +11 12 8.60 +10 57 40.09 + 8 40 57.11 +12 37 3.35	+15 32.57
4	# Leonis	JS	9 53 9.12 10 11 44.05 10 35 43.49	7 7 7	—ı 4·03	+ 8 40 59.23 +12 37 2.45 + 7 14 20.86 + 4 16 48.29 + 4 20 1.47	1 5 +15 19*82 1
5	34 Sextantis d Leonis Moon II	G	10 35 43,45 10 53 39,42 11 1 21,42	7 7 7 - 7	—1 2·72	+ 4 16 48.59 + 4 20 2.62 + 3 16 14.50 - 2 15 57.03	1 +15 8.42
22	e Piscium	G	0 55 59°76 1 0 12°78	7 7 7	+1 7.20	 + 6 5 27 77 + 8 28 54 75	
23	o Piscium Moon I μ Ceti	G	1 38 19.76 1 56 57.49 2 37 42.96		+1 8.36	+ 8 28 54.29 +10 15 36.98 + 9 32 44.58	7 +16 9.47

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1866. Jan. 24	Moon I	G	h m s 2 55 12 49 3 23 29 97	7	m s	•		. "
	e Tauri		3 40 56.83	4		٠		
25	e Tauri	JS	3 40 56.76	6		+10 43 36.60		
	Moon I		3 55 1.35	7	+1 10.14	+16 52 33.92	7	+16 7.46
	e Tauri		4 30 49.10	7		+18 52 44.65	1	
	a Tauri		4 28 15.57	7		+16 14 7.91	1	
26	€ Tauri	G	4 20 49 14	6	•	+18 52 45.00	1	
	a Tauri		4 28 15.54	7		+16 14 7.40	1	
	Moon I		4 55 59'19	7	+1 10.28	+17 58 7.51		+16 4.34
			5. 29 40*26	7		+21 3 18.46	1	
20	λ Geminorum	a	7 10 25.38	7				
	68 Geminorum		7 25 59'41	7		+16 6 30.61		
	Moon IS		7 56 16.66	7	+1 8.06	+15 27 33.13	•	+15 45.06
	29 Cancri		8 21 10.61	7	•	+14 38 52 84		. , ,
	A¹ Cancri		8 35 51.02	7	• • •	+13 9 18.13	1	
30	A¹ Cancri	CF	•••			+13 9 18.45		
	MoonN		•••		•••	+13 7 50.07		<u>—15 25.60</u>
l l	h Leonis		,			+10 18 4.42		
	o Leonis		•••			+10 29 47.83	I	
Feb. 5	a Virginis	CF	13 18 9.23	7		—10 27 41 · 20	,	
ا ا	Moon II		13 51 20.41	7	—I 2·14	-10 6 50·80	1 1	+14 48·69
	κ Virginis		14 5 46.22	7		- 9 38 55.86		
	λ Virginis		14 11 52.91	7		—12 45 9·68	1	
6	κ Virginis	JS	14. 2 46.06	7		- 9 38 54.80	ı	
ŀ	λ Virginis		14 11 52.85	7		—12 40 8.66		
	Moon II		14 39 32.35	7	-1 2·82	—13 11 9·26	7	+14 48.30
	a ² Libræ		14 43 29.20	7		•••		
7	Librae	CF	15 4 36.09	7		—19 16 49·68	1	
	Moon IIS		15 28 57.29	7	-1 3.76	-15 42 0.60	7	+14 50.80
	β Scorpii		15 57 39°54	7		-19 26 3.11		

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1866. Feb. 22	γ Tauri	JS	h m s	7	m s	+15° 17' 59".65		, ,,
	• TauriS		4 20 48.65	7	+1 10.19		7	+16 2°43
	ζ Tauri	CIT	5 29 39.83	7	; !	+21 3 20.83		
23	(Tauri	O.F	5 24 22.89	7		+18 29 20.91	1 1	
	Moon IS		5 38 3 29	7	+1 0.01	+18 8 21.62		+12 55.05
	P Orionis				1. 9 9.	+14 46 41.69		1 -3 33 -3
24		JS	5 59 56.83	7		+14 46 41.74	1	
	γ Geminorum		6 29 59.79	7		+16 30 26.80		
	Moon IS		6 37 36.68	7	+1 9.10	+17 42 1.34	ł	+15 47.36
	Geminorum		6 26 11.13	7		+20 45 39.77		
	8 Geminorum		7 12 8.85	7		+22 13 23.89	1	
26	•	JS				+18 2 44.71	1 .	
	d¹ Cancri		•••			+18 45 23.12		
	MoonN		•••			+14 13 52.03		—15 31.52
	a Cancri		•••			+12 22 13.37	1 1	
	κ Cancri		•••			+11 12 5.28	I	
Mar. 1		C F	10 53 50.05	5		+ 6 48 59 93		
	χ Leonis		10 58 8.79	7		+ 8 3 22.59		
	Moon IIN		11 8 24 04	7	—1 2·63		1 1	—15 7°12
	υ Leonis		11 30 7.23	7		- o 5 16·24	1 1	
	β Virginis		11 43 44 92	7		+ 2 30 59.38	I	
2	υ Leonis		11 30 7.34	7		— o 5 16.98		
	β Virginis		11 43 45.01	7		+ 2 30 58.48	1 1	
	Moon IIS		11 26 21.36	6	-1 2.01			+12 0.00
	η Virginis		•••		•••	+ 0 4 28.97		
	γ Virginis (lst Star)		•••		••• ~	— o 42 58·16	1	
3	η Virginis	C F	12 13 5.09	7		+ 0 4 29 45	1	
	Moon II		12 44 37.05	7	-1 1.48	***		•••
5	λ Virginis	CF	, ,	7		•••		
	Moon II8		14 20 15'10	l	-I 5.39	-11 51 16.42		+14 46.96
	5 Libræ		14 38 36.21			-14 53 36.01		
	α ² Libræ,		14 43 29.86	7		-15 28 59.67	1	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- di a meter.
1866. Mar . 9	η Ophiuchi Moon II	CF	h m s 17 2 42.83 17 43 5.20	7	m s	—15° 33′ 15"74	ı	
21	Moon L	CF	4 17 30.35	7	+1 11.03			
22	Moon I	CF	5 19 12.71	7	+1 10.64			
24	ζ Geminorum		6 56 10·87 7 10 24·77 7 18 18·67 7 53 7·74 7 57 37·98	7 7 7 7	+1 8.56	+20 45 39 91 +16 46 34 32 +17 9 46 64 +17 40 11 99 +13 29 38 11	1 7 1	—15 42°20
25	3 Cancri	CF	7 53 7.98 7 57 38.00 8 14 27.65 8 35 50.84 8 51 11.06	7 7 7 7 6	+1 6·64	+17 40 12·19 +13 29 40·00 +14 59 37·70 +13 9 18·80 +12 22 14·43	1 7 1	—15 31 ·3 2
26	A¹ Cancri	G	8 35 50.79 8 51 10.96 9 8 7.50 9 12.00	7 7 7 7	+1 2.02	+13 9 20·27 +12 22 14·79 +12 4 34·29 +10 29 47·26 +12 25 18·21	1 7 1	—15 21 ' 49
27	o Leonis		9 34 1'51 9 39 11'83 9 59 32'05 10 18 13'28 10 25 47'21	7 7 7 7	+1 3.66	+10 29 46.65 +12 25 19.00 + 8 37 12.56 + 9 27 38.80 + 9 59 29.12	1 7 1	—15 1 2 ·86
28	44 Leonis ρ Leonis		10 18 12 93 10 25 47 13 10 49 8 75	7 7 7	+1 2.29	+ 9 27 43.06 + 9 59 27.99 + 4 49 33.85 - 2 55 25.99	7	15 5'19
29	φ Leonis ν Leonis Moon IN		11 9 53 04 11 30 7 42 11 37 29 30	7 7 7	+1 1.80	— 2 55 25 53 — 0 5 16 71	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1866. Mar. 30	η Virginis	G	h ni s 12 13 5 30 12 25 8 83 12 57 2 56 13 3 3 10	7 7 7 7	m s +1 1.60	+ ° 4 27.79 - 3 2 17.41 - 2 56 40.12 - 4 49 32.34	7 -14 53'17
31	48 Virginis Ø Virginis Moon IIN & Virginis		12 57 2'40 13 14 42'04 13 25 57'11	7 7 7 7	—1 1.69	— 2 56 38.79 — 4 49 32.09 — 6 46 36.23 	1
Apr. 1	h Virginis		13 25 57 22 13 34 37 33 14 2 31 43 14 38 37 03 14 43 30 49	7 7 7 7	—ı 2·08	— 9 28 34 59 — 8 1 39 62 —10 40 49 18 —14 53 37 91 —15 29 3 55	1 5 +14 46 09 1
5		G	16 54 3.06 17 2 43.53 17 22 51.14 17 51 38.23	7 7 7 7	—ı 4.99	—18 41 2°34 —15 33 18°08	1 5 +14 53 64
7	μ¹ Sagittarii ξ² Sagittarii π Sagittarii Moon II	G	18 5 46.51 18 49 45.28 19 1 48.79 8 57.54	7 7 7	—1 6.0 <u>6</u>	—21 5 18·97 —21 16 36·40 	
20	f Segittarii γ Geminorum Moon I 6 Canis Minoris		6 29 58·85 6 58 15·95 7 22 21·09	7 7 7	+1 9.75	 +12 16 38·38	
	f Geminorum Moon I N 29 Cancri A¹ Cancri		8 32 30.41 9 31 45.04 9 31 45.04	7	+1 7.85	+17 58 25 45 +15 48 55 97 +14 38 54 81 +13 9 20 00	1 5 —15 43°57
	29 Cancri	G	8 21 9 66 8 35 50 44 8 51 40 85 9 24 47 86 9 34 1 28	7 7 7 7	+1 5°94	+14 38 56°39 +13 9 20°82 +13 4'45'60 +10 18 3'93 +10 29 46'95	1 7 —15 29 91

Date.	Object	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1866. Apr. 23	o Leonis	CF	h m s 9 34 1.29 9 43 58.79 10 20 35.89 10 25 46.85	7 7 7	m s	+10° 29′ 46′ 25 + 9 45 4 09 +10 26 28 96 + 9 59 29 49	7 -15 17.76
24	45 Leonis	G	10 20 35'94 10 25 46'85 10 33 58'75 11 6 55'85 11 14 15'40	7 7 7 7	+1 2.89	+10 26 28·10 + 9 59 29·88 + 6 2 45·59 + 0 39 17·23 + 6 45 34·38	7 —15 7°55
28	α Virginis	i	13 25 57 27 13 44 22 00 14 5 47 54 14 11 54 39	7 7 7 7	+1 1.81	—10 27 50.64 — 9 28 32.50 — 9 6 4.21 — 9 39 2.08 —12 45 19.87	1 5 —14 45°37
Мау 1	# Libræ	-	 			16 20 0.63 19 26 9.60 16 42 21.40 17 28 43.06 16 35 20.30	7 —14 45.63
5	d Sagittarii ν Sagittarii N Moon II N α ² Capricorni ρ Capricorni		19 9 49 71 19 14 5 20 19 43 28 93 20 10 38 53 20 21 14 37	7 7 7 7	—ı 5·61	—19 11 5.68 —16 12 1.32 —15 58 29.89 —12 57 16.58 —18 15 1.84	7 —15 11.42 1
6	σ ² Capricorni ρ Capricorni Moon IIN ν Aquarii		20 10 38.74 20 21 14.37 20 36 40.26 21 2 18.70 21 16 52.83	7 7 7 7	—i 5·73		1 7 -15 23 25
20	a Cancri		8 51 10°23 9 0 30°05 9 25 47°47 9 53 8°95 10 1 15°17	7 7 7 7	+1 5.64	+12 22 15.63 +11 12 7.78 +11 8 16.28 + 8 40 56.23 +12 37 3.76	1 6 —15 32'48

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1866. May 21	a Leonis	G	h m s 10 1 15'14 10 17 30'31			+12° 37′ 3′ 81 +7° 28° 1°17	3	, " —15 18-69
	d Leonis χ Leonis		10 58 7.76	7 7		+ 4 19 57.81 + 8 3 23.39	1	
22	d Leonis	CF	10 53 39 94 10 58 7 76 11 6 53 42 11 23 29 83	7 7 7 7	+1 2'60	+ 4 19 57.20 + 8 3 24.72 + 3 33 38.64 - 2 16 5.82	1 5	—15 6·97
23	ν Leonis	G	11 23 29 80	7		- 0 5 16·45	1	
	υ Leonis Moon IN η Virginis		11 30 6.98 11 54 45.29 12 13 4.98	7 7 7	+1 1.83	- 0 5 15.64 - 0 24 18.15 + 0 4 30.62	7 1	—14 57·77
24	γ Virginis (1st Star) η Virginis γ Virginis (1st Star)	OF	12 13 5 04 12 14 54 38	7 7 7		- 0 42 58 93 + 0 4 30 88 - 0 42 56 49	1	
	Moon IN ## Virginis ## Virginis		13 18 10 59 12 41 54 26	7 7 7 7	+1 1.23	— 4 16 48·17 — 4 49 31·06 —10 27 49·39	7 1	—14 51·08
25	a Virginis	JS	13 18 10.28	7 7	_	— 4 49 31°10	1	_
	Moon IN 94 Virginis		13 29 2'02 13 59 14'79 14 5 47'57	7 7 7	+1 1.68	- 7 55 39 41 - 8 15 11 43 - 9 39 0 99	1	—14 46·70
26	94 Virginis κ Virginis MoonN	Js				- 8 15 9.27 - 8 15 9.27	1	14 44'44
	5 Libræ		 		•••	—14 53 39°22 —15 29 3°34	1	-1 67 17
June 4	ξ Aquarii	G	21 30 38 95 21 39 21 04 22 5 28 35	7 7 7	—ı 5°39	- 8 26 57 58 -11 58 40 09 - 8 8 49 13	1	—15 35 . 95
	κ Aquarii λ Aquarii		22 45 38·84 22 30 50·59	7 7		- 4 54 55°13		

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1866. June 5	к Aquarii	JS	h m s	7	m s	- 4° 54′ 52″ 33	,	, ,,
	λ Aquarii		22 45 38 84	7		- 8 17 16.20		
	Moon IIN		22 58 27 80	7	—ı 5 [.] 77	•		—15 48°58
	κ Piscium		23 20 5.23	7		+ 0 31 30.66		, ,
	20 Piscium		23 41 4.36	7		- 3 30 15,21	ı	
8	Moon II	JS	I 45 43°97	7	-ı 9.3ı			•••
21	48 Virginis	G	12 57 2.23	7		- 2 56 36.65	,	
	θ Virginis		13 3 2.91	7		- 4 49 31·69	1	
	Moon IN		13 12 53.07	7	+1 1.84	— 6 30 25 .70	7	-14 51 77
	λ Virginis		13 25 57.00	7		- 9 28 33·08	1	
	m Virginis		13 34 37 13	7		— 8 I 40°72	1	
	h Virginis	CF		_		— 9 28 33·48		
	m Virginis			7	,	- 8 1 39'09		
	Moon IN		13 34 37 14	7				
	2 Libræ		14 0 23.99	7	T1 2 11	— 9 58 6·85		—14 4 7 · 37
	5 Libræ		'	7	,		1 1	
	5 moræ		14 38 37.31	7		14 53 40.44	•	
23	2 Libræ	G	14 16 15.74	7		-11 6 7.76	1	
	5 Libres		14 38 37.40	7		-14 53 39.30	1	
	Moon IN		14 48 40.23	7	+1 2.72	—12 58 56·94	7	14 45'75
	← Libræ					-16 14 51.43	1	
	γ Libræ		15 28 4.96	7		-14 20 27.38	1	
24	 ⟨¹ Libræ	G	15 20 45.51	7		-16 14 51.00	ı	
Ì	γ Libræ		15 28 4.93	7		-14 20 25.56	1	
	Moon IN		15 38 6.41	7	+1 3'52	-15 25 28.29	l i	—14 46·50
	β¹ Scorpii		15 57 42.04	7		—19 26 8·83		
	ν Scorpii		16 4 15.80	7		—19 6 33·47		
	β¹ Scorpii	ישיי	** ** ***	_				
4 5		OF		l .		—19 26 7·83		
	y Scorpii		16 4 15.80	7	4	-19 6 34.14		,,,,,,,,,,
	29 Ophiuchi		16 28 54·27	7	4 35	-17 10 21.75	I	—14 49°16
ے ا				′				
28	o Sagittarii	CF	18 56 42.46	7		-21 55 47.98		
	Moon IIN		19 9 53.84	l	—1 5°72	-17 17 15.55		—15 6·14
	62 Sagittarii		19 34 54 52	7		-16 25 49.93	ı	
	g Sagittarii		19 50 24.10	7		-15 50 21.43	I	

Date.	Object,	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1866. June 29	6 ² Sagittarii Moon IIN	JS	h m s 19 34 54 34 20 3 33 51			—16° 25′ 50″ 25 —15° 29 ·32 ·61	t 1
July 18	Moon IN α Virginis λ Virginis		12 54 35.69 13 18 10.08 13 25 56.72	7 7 7	-	- 4 48 28.78 -10 27 46.54 - 9 28 30.95	1
19	δ Virginis λ Virginis Moon I N κ Virginis λ Virginis		13 18 10 01 13 25 56 68 13 42 26 66 14 5 47 17 14 11 53 95	7 7 7 7			7 —14 53 00
20	κ Virginis	CF	 			— 9 38 57.91 — 12 45 15.13 — 11 41 2.32 — 15 29 2.57 — 19 16 59.81	1 7 14 48·87
21	ι¹ Libræ	G	15 4 37 97 15 19 31 27 15 46 14 85 15 57 41 99	7 7 7	+1 3.56	—19 17 0.33 —14 22 53.01 —16 19 59.89 —19 26 9.94	1 414 47 ⁻ 67 1
22	β¹ Scorpii Moon I N φ Ophiuchi B.A.C. 5579	G	16 23 31.43 16 33 52.69	7 7 7 7		—19 26 9'34 —16 25 58'18 —16 18 59'94 —17 28 43°23	7 —14 49'24 1
23	B.A.C. 5579 Moon I		16 33 52.62 17 1 10.04 17 29 58.16 17 35 27.45	7 7 7 7		—17 28 42.72 —17 43 41.10 —15 18 30.24 —21 36 44.63	714 53°29
24	ξ Serpentis 58 Ophiuchi Moon IN 21 Sagittarii	G	17 29 58·21 17 35 27·61 17 53 55·84 18 17 25·76		+1 5.22		7 -14 59'41

Date.	Object,	Observer.	Observ R. A		No. of Wires.	of S	sage emi- neter.		served Dec.	No. of Wires.	Semi- diameter.
1866. July 26	d Sagittarii ρ¹ Sagittarii	JS		8 1 '09	7	m	8	_	11 2.85	1	, ,,
	Moon IN		19 41 5	0.56	7	+1	6.08	—16	15 41 '93	7	—15 15 '74
	α ² Capricorni ρ Capricorni		20 10 4 20 21 1		7				57 7 [.] 72 14 54 [.] 56	1	
27	α ³ Capricorni ρ Capricorni	C F	20 IO 4		7				57 7°36	1	
	Moon IIN		20 38 1	7.78	7	-1	5.99	—13	55 49°0 7	7	—15 24·8 4
	» Aquarii		21 2 2 21 16 5		7				54 21°59 26 41°59	1 1	
28	Aquarii18 Aquarii	G	21 2 2 21 16 5		7				54 21·64 26 41·74		
	Moon IIN		21 32 1	7 · 84	7	—ı	5.80		47 40.30	1	—15 33 [.] 75
	θ Aquarii		22 9 4 22 13 1		7		;		26 35·85	1 .	
Aug. 19	✓ Scorpii✓ Ophiuchi	G	16 4 1 16 16 1		7				6 33.03	1	
	Moon IN		16 40	7.83	7	+1	4.43		7 12.75	1	—14 50·76
	η Ophiuchi ξ Ophiuchi		17 2 4 17 13		7	:			33 13°27 57 50°34	1	
20	η Ophiuchi ξ Ophiuchi	JS	17 2 4 17 13	4·56	4				33 12·6 7 57 49·77	1	
	Moon IN		. •	0.89	4	+1	5.12	-17	56 19.93	3	—14 55°89
21	μ¹ Sagittarii	CF.							5 13 94		
	21 Sagittarii Moon IN		18 17 2 18 25 .	-		+1	5°74		36 26·21 52 37·07		—15 3·46
22	• Sagittarii	C F	18 56 4		7				55 50.66	1	
	# Sagittarii Moon IN		19 1 5		7	+1	6.11	—ı6	53 6.98 53 6.52	7	—15 13'2 2
	f Sagittarii		19 38 3		7				4 31.40	1 3	
l	57 Sagittarii		19 44 2	9.13	7			-19	22 36.08	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1866. Aug. 23	f Sagittarii 57 Sagittarii Moon I		h in s 19 38 35 94 19 44 27 97 20 13 13 77 20 40 28 65	7	#n 8 +1 6'27	—19 22 37'90 —19 22 37'93 —15 88 35'68 — 9 58 39'90	i 7	+15 24·16
25	β Aquarii		21 24 33.66 21 30 40.46 22 2 27.85 22 36 17.75 22 45 40.74	7 7 7	41 6.30	— 6 9 8:44 — 8 26 48:36 — 8 36 84:44 — 7 39 24:52 — 8 17 5:68	8	—15 46 ·50
29	ν Piscium	CF	1 34 30*67 1 47 1*95 2 5 57*04 2 21 5*25	7	—1 8 ·19	+ 4 48 47 00 + 8 52 5 39 + 8 13 14 98 + 9 51 40 96	y z	1 6 12'55
Sept. 15	β¹ Scorpii ν Scorpii Moon I η Ophiuchi	G	15 57 41 05 16 4 14 93 16 19 22 89 17 2 44 15	7	+1 3·94	 		
16	η Ophiuchi Moon I ξ Serpentis B.A.C. 6065		17 2 44 25 17 10 23 71 17 29 57 45 17 48 39 32	7 7	+1 4:57	—15 33 13 23 —15 18 29 33 —15 46 56 90	1	
17	ξ Serpentis		17 48 39.30	7 7 7		—15 18 29'49 —15 46 56'41 —17 55 14'36 —20 36 a5'1a —14 38 38'85	1 7 1	—14 55 ⁻⁸ 0
18	21 Sagittarii B. A. C. 6279 Moon I8 d Sagittarii v Sagittarii	1	 18 21 36 38 18 55 3 81 19 9 50 64 19 14 6 07		+t 5.28	-20 36 84'73 -14 38 39'26 -19 51 27'15 -19 11 2'58 -16 11 55'95	ŧ 7 1	4 -15 4 -27

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Pamage of Semi- diameter.	Observed Semi-
1866. Sept. 19	d Sagittarii υ Sagittarii	đ	li fm B 19 9 50.66 19 14 6.19 19 48 27.82 20 10 40.29 20 21 16.26	7 7 7 7	†n s ⊢t ŝ∵go	-19 11 2'92 1 -16 11 57'48 1 -16 23 21'86 3 +15 15'3 -18 57 6'02 1 -18 14 57'47 1
20	a ^b Caprisorni		 20 42 21 95 21 2 24 90 21 30 46 43	7 7	4-1 6 -21	
21	ν Aquarii	G.	21 2 20.82 21 30 40.34 21 36 43.15 26 9 49.12 28 36.65	7 9 7 9 7	4z 6'33	→11 54 21'31 1 8 26 48'36 1 10 51 11'21 7 8 26 33'24 1 11 21 20'34 1
22	## Aquarii		22 9 49°17 22 23 36°84 22 31 31°75 23 7 26°50	7 7 7 7	+1 5·64	- 8 26 31'08 1
23	φ Aquarii		23 7 26:37 23 12 36:53 23 27 2:99 23 45 9:94 0 18 35:71	7 6 7 7	+• 7'13	- 6 45 49.53 t + 2 11 33.23 t + 2 11 33.23 t + 16 8.4
24	22 Piscium	J s	23 45 9 9 90 0 18 35 69 0 25 50 38 0 41 47 64 0 56 3 10	6 7 7 7	—ı 7·85	+ a si 38.85 i + i sa 13.38 i + 2 33 50.90 5 —16 18.1 + 6 51 40.62 i + 6 51 40.62 i
26	o Pisciumgl GetiN	OF.	1 38 22.78 2 5 57.60 2 23 10.59	7 7 7	—ı д.go	+ 8 29 12.76 1 + 8 13 15.87 1 + 11 16 46.07 7 —16 26.4

Digitized by GOOGLO

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1866. Sept. 27	μ Ceti	J8	h m s	7	m s	+ 9° 33′ 0".74	I	, ,,
	λ Ceti		2 52 35.76	7		+ 8 22 28.99		
	Moon IIN		3 24 8.61	7	—I 10·70	+14 41 43.01	3	—16 24 77
1	γ Tauri		4 12 13'48	7		+15 18 8.96	1	
	« Tauri		4 20 51'07	7		+18 52 51.98	1	
28	γ Tauri	CF	4 12 13'60	7		+15 18 9.71	1	
	e Tauri		4 20 51'20	7		+18 52 52.63	1 1	
	Moon IIN		4 26 12.37	7	-1 11.19		1 - I	—16 19·83
	11 Orionis		4 56 57.96	7		+15 12 53.69	1 1	
	15 Orionis		5 2 4*94	7		+15 25 24.14	1	
Oct. 17	ξ¹ Capricorni	JS	20 4 34 97	7		12 46 56.28		
l	α ³ Capricorni		20 10 39.78	7		—12 57 8·94	1	
	Moon I		20 18 16.41	7	+x 5°34	-15 13 32.02	5	+15 13 45
	• Aquarii		20 40 28.06	7		- 9 58 41.40	1	
	μ Aquarii		20 45 28.25	7		— 9 28 39·27	I	
20	78 Aquarii	J8	22 47 38.79	7		— 7 54 33·69		
1	Moon I		22 58 47.19	7	+1 6.26	- 4 53 45.12	7	+15 58.65
	λ Piscium		23 35 16.28	7		+ 1 2 59.40	1 1	
	20 Piscium		23 41 6.82	7		- 3 29 58.22	1	
21	λ Piscium	JS	23 35 16.12	7		+ 1 2 58.26	1	4
	20 Piscium		23 41 6.70	7		— 3 29 58·80	1	
!	Moon I		23 54 20.00	7	+1 7.49	— o 23 11·36	5	+16 14 00
	d Piscium		0 13 46 01	7		+ 7 27 9.69	1	
	ð Piscium		0 41 47'74	7		+ 6 51 42.14	1	
22	d Piscium	G	0 13 45 94	7		+ 7 27 10.00	,	
	8 Piscium		0 41 47 71	7		+ 6 51 41.74		
	Moon IS		0 51 40.38	7		+ 4 16 35.78		+16 26.84
	Piscium		I 34 31'45	7		+ 4 48 47 39		· '
	o Piscium		1 38 23.14	7		+ 8 29 14.39	ıı	
23	• Piscium	JS	1 38 23.14	7		+ 8 29 13.46	. 1	
	Moon II		1 23 31.13	7	-1 10.05	+ 8 45 35.26		+16 35.71
	μ Ceti		•••			+ 9 32 59.99	1	

Digitized by Google

t the Royal Observatory, Cape of Good Hope, 1866-70. 485

μ		Observer.		16.	Δ.	No. of Wires	of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
μ	Ceti	CF		m 21	8 6.22	7	m s	+ 7° 51′ 45° 46	1	, ,,
	Ceti		2	37	46.11	7		+ 9 33 2.28	1 1	
	on IIN				22.13	1	-1 11.37	+13 14 33.90	1 1	—16 39·58
f1	'auri				32.68	7		+12 28 40.56		
λ.	Fauri			-	19.40	7		+12 6 40.78	1	
26 e T	fauri	CF	4	20	52.12	7		+18 52 52.83	1	
a 7	fauri		4	28	18.53	7		+16 14 16.63	1	
Mo	on IIN		5	3	48.24	7	—I 12·54	+18 2 46.13	7	—16 31·71
	Nauri		5	29	42.07	7		+21 3 23.11	1	
x¹	Orionis		5	46	30.85	7		+20 14 46.23	I	
Nov. 13 M	on I	G	10	۲8	34.84	7	+1 4.64			 .
• • •	Capricorni			-	31.33	1				
14 M.	юп І	C F	20	50	9.79	7	+1 4.67			
16 0 1	Aquarii	CF	22	9	48.45	5		- 8 26 36.12	1	
	Aquarii		22	23	36.10	7		-11 21 25.31	1	
M	oon I		22	33	58.02	7	+1 5.52	— 6 59 16·98	7	+15 38.04
78	Aquarii		22	47	38.38	7		- 7 54 36·12	I	
17 81	Aquarii	JS						- 7 46 26°93	1	
M	oon I8		23	27	5.31	7	+1 6.03	- 2 45 53.79	7	+15 54.36
21	Piscium		23	42	39.02	5		+ 0 20 18.99	1	
27	Piscium		23	51	52.02	7		- 4 17 36.61	1	
18 21	Piscium	CF.	23	42	39.09	,		+ 0 20 19.38		
27	Piscium		_		52.05	1		- 4 17 35.88	1	
	oon I8		0	21	51.76	7	+1 7.28	+ 1 45 28.41	5	+16 10.87
8 7	Piscium		0	41	47.69	7	1	+ 6 51 41.63		
1	Piscium				3.18			+ 7 10 26.61	1	
- 1	Piscium	G			47 • 62	1		+ 6 51 42.03		
1 1	Piecium				3.13			+ 7 10 25.11		
	oon I8				59.21	1	+1 8.88	+ 6 19 31.16	,	+16 26.09
	Piscium				23.52			+ 8 29 14.29		
ξ ¹	Ceti		2	5	28.08	7		+ 8 13 12.32	1	

Date,	Object.	Observer.	Obes R.		No. of Wires.	Pussage of Semi- diameter.	Dee.	No. of Wires.	Semi- diameter.
1866. Nov. 21	μ Ceti,,		h m	46°29	7	m s	+ 9° 33′ 0°.70	1	4 14
•	σ Arietis,,.		2 44	10.78	7		+14 31 54'51	1	
	Moon LS	ı	3 22	3.06	7	+i 13.33	+14 13 21.95	7	+16 45.38
	81 Tanri	i	4 15	16.99	7		+17 13 34.89	1	
	e Tauri		4 20	52.30	7		+18 52 53.05	•	
22	5 ¹ Tanni	JB	4 15	17.10	7		+17 13 35 61	,	
	e Tauri	1	4 20	54.19			+18 22 22.88	' 1	
	Moon II,8		4 30	0.18	7	1 13.43	+16 47 11'48	\$	+16 46 67
	115 Tauri	ı	5 19		7	į	+17 50 32.48	Ιi	
	ζ Țauri,		5 29	43.60	,		+21 3 23.10	3	
24	γ Geminorum	G	6 30	4. 45	7		+16 30 24·63		
	Moon II8		6 42	31.78	7	-1 12·69	+17 49 22.23	7	+16 31.81
	λ Geminorum		7 10	27.50	7		+16 46 30.80	1	
	68 Geminorum		7 26	1.38	7		+16 6 29·49	I	
25	λ Geminorum	OF	7 10	27.55	,		+16 46 31'48		
	68 Geminorum	1	7 26	1.22	7		+16 6 28.37		
	Moon II8	ł	7 45	59.16	7	-1 10.95	+16 18 44·69	7	+16 17:97
	⟨¹ Cancri		8 4	35.54	7		+18 2 39.15	1	
	7 Oancri		8 25	1.03	7		+20 53 19'43	1	
26	ζ Caneri	G	8 4	35'40	,		+18 2 40'00	,	
	η Cancri		8 25	1.02	7		+20 53 18.15	1	
	Moon IIS		8 45	59.73	7	-ı 8.79	+13 44 21.06	7	+ 16 2.37
	• Leonis		9 34	3.09	7		+10 29 42.42	1	
Dec. 14	Moon I	OF	23 6	45.18	7	+1 4.65	•••		
17	₫ Piscium (1st Star).	1	1 6	4 7 * 57	7		+ 6 52 15.77	1 1	
			1 6	49.04	7	į	+ 6 52 26.70		
	» Placium	:		31.52			+ 4 48 47 90		
	Moon I.,		1	7.33	1	+1 8.28	+ 8 22 26.98		+16 17 64
	e Ceti			57 '92			+ 8 13 16.02		
	A Ceti,		2 37	46.14	7	;	+ 8 33 0.31	1	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter,
1866. Dec. 19	s Tauri	G	h m s	7	m, s	+10 43 48.85		
	Moon I		3 51 29.84	7	+1 12.37	+15 28 7'80		+16 40.13
	• Tauri .,		4 29 52155	7		+18 22 22.61		
	g Tauri		4 28 18.83	7		+16 14 14.05	1	
20			4 20 52.48	7		+18 52 52.59		
	a Tauri		4 28 18 68	7		+16 14 14.86		
	M oon IS		4 57 7'44	7	+1 13.20			+16 44.68
			\$ *9 43°23	7		+21 3 22'19	. 1	
	χ¹ Orionis		5 46 31'86	7		+20 14 45.66	1	
,,	χ¹ Orionis	CF	5 46 31.90	,		+20 14 44.43	,	
~*	Moon IIN		6 6 32.89		-1 12'78	+18 44 5.48	u	—16 43°41
	γ Geminorum		6 30 3.02	ı	1 13 /6	+16 30 24.51		13 4-
	€ Geminorum		6 56 14.55			+20 45 32 43		
	,							
22	γ Geminorum	CF	6 30 3.03	7		+16 30 25.34	1	
	Geminorum		6 56 14128	7		+20 45 32 97	ı	'
	Moon II8		7 12 91,00	7	-1 12.85	十17 23 57.89		+16 36.52
	r Cancri	1	7 49 27 37	7		+16 8 24 21	1 1	
	5 Cancri		7 53 46.36	7		+16 48 59'02	X	' i
	ı Çanori,,	CF	7 49 47'29	7		+16 8 24.68		
	5 Cancri		7 53 46 111			+16 48 59:27		
	Moon IIS		\$ 16 40.78		—ı 11106	+15 19 34.82	1 1	+16 24.31
	a Cancri		8 51 13.26	l .	, ,	+12 22 5 67		
	« Cancri,,.		9 0 13.26			+11 11 24.81		!
				İ				
24	& Cancri	G	9 0 13.38	7		+11 11 56.51	,	
	Moon IIS			i	1 8.85	+12 15 3.16		+16 9.03
	π Leonis		9 23 11,69			+ 8 40 44.73	ı	
	a Leonis		10 1 17.60	7		+12 36 50.11		
1867.			_					
Jan, 14	Moon I,,	JS	2 24 18.31	7	+1 8.32	+10 33 B.23	1	+10 8.10
	μ Ceti					+ 9 32 59 35	•	
	8 Arietis,,		3 4 2.49	7		+19 13 14.16	*	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1867. Jan. 15	μ¹ Ceti	CF	h m s		m s	+ 9° 32′ 55″ 50		, ,,
	8 Arietis		3 4 2'41	7		+19 13 13.08	l i	1 - 6 - 0 - 0 0
	λ Tauris		3 23 10.06	7	+1 10.12	+13 58 54.73	•	+10 18.88
	γ Tauri		4 12 14.61	7		+12 18 5.60	1	
16	λ Tauri	G	3 53 19.87	7		+12 6 38.03	1	
	γ Tauri		4 12 14.78	7	480	+15 18 7.52	1	1 -6
	• Orionis		4 48 55.02	7	 	+16 32 15.50	1	T10 27 50
	11 Orionis		4 56 59 57	7		+12 15 20.22	ł	
17	• ² Orionis	JS	4 49 54 95	7		+13 17 56.95		
	11 Orionis		4 56 59.54	7		+15 12 49.76	1	
	Moon I		5 29 38.32	7	+1 12.83	+17 55 41.42		+16 32.89
	7 Geminorum		6 6 52.38	7		+22 32 24.06		
	μ Geminorum		6 14 56.37	7		+22 34 32.24	1	
18	η Geminorum	CF	6 6 52.44	7		+22 32 24.43	1	
	μ Geminorum		6 14 56.43	7		+22 34 35.69	1	
	Moon IN		6 35 10.42	7	+1 12.94	+18 31 14.50	1	—16 33 [.] 96
	& Geminorum		 7 12 12·18	7.		+20 45 35.33 +22 13 17.32	1	
19	€ Geminorum	JS	6 56 14.65	7		+20 45 33.20	1	
	8 Geminorum		7 12 12.51	7		+22 13 15.81		
	Moon I		7 40 7.00	7	+1 12.05	+16 38 11.35	1 -	+16 30.16
	Cancri		8 5 36.42	7		+18 2 35.19	1	
	η Cancri		100			+20 53 14.49	I	
20	,	1	8 25 2.44	7		+20 53 13.39	I	l
	Moon II8		8 45 15.51	7	-1 10.43	+14 6 14.30		+16 21.61
	k Leonis		9 24 51.13	7	}	+10 17 50.92		
	• Leonis		9 34 4 37	7		+10 29 33.00	1	
22	a Leonis			Į.		+12 36 47 21		1
ł	ρ Leonis		10 25 49 57	1		+ 9 59 14.28		1
!	Moon II8	1	10 41 17.13	1	-1 6.24			
1	χ Leonis σ Leonis	1	10 58 10.43			+ 8 3 5.93 + 6 45 19.02		1
	σ 1.60III8		11 14 17 69	7	_	T 0 45 19 02	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semidiameter.
1867. Jan. 23	χ Leonis		h m s	7	m s	+ 8 3 6.13	1 1
	Moon IIS		11 14 17 68	7	—ı 4·98	+ 6 45 18·54 + 2 25 13·88	
	π Virginis		11 54 4'29	7		+ 7 21 13.47	1
	η Virginis		12 13 6.99	7		+ 0 4 15'72	I
24	η Virginis		12 13 7.01	7		+ 0 4 15.59	
	Moon ILS		12 26 1.55	7	—I 3.84	— 1 48 50·16	5 +15 24 73
25	♦ Virginis		12 47 26 97	7			
	0 Virginia		13 3 4.21	7		•••	
	Moon II		13 15 48 12	7	—ı 3.15	•••	-
Feb. 12	λ Tauri	IF	3 53 19.56	7		+12 6 34.54	1
	Moon I8		4 3 8.65	7	+1 10.00	+15 34 47.46	4 +16 10.63
	« Tauri		4 28 18.34	7		+16 14 13.57	l I
	τ Tauri		4 34 16.88	7		+22 41 50.41	I
13	a Tauri	C F	4 28 18 34	7		+16 14 14.46	ı
	τ Tauri		4 34 16.81	7		+22 41 52.43	
	Moon I		5 4 31 '70	7	+1 11.10	+17 23 26.67	
	χ¹ Orionis		5 46 31.79	7		+20 14 46 47	1 1
	y Orioms,		2 59 59.88	7		+14 46 44.26	x
14	» Orionis	IF	5 59 59 94	7		+14 46 42.52	1
	Moon IS		6 7 25.00	7	+1 11.21	+18 0 15.25	
	γ Geminorum		6 30 3.00	7		+16 30 24.95	1 1
	ξ Geminorum		6 37 50.84	7		+13 1 59.71	I
15	γ Geminorum	JS	6 30 2.98	7		+16 30 23.87	1
	ξ Geminorum		6 37 50.82	7		+13 1 58.87	1 1
•	Moon IN		7 10 37.62	7	+1 11.42	+17 52 31.69	7 -16 18.72
	ı Cancri		7 49 27 75			+16 8 22.12	1 1
	8 Cancri		7 57 41.39	7		+13 29 28.33	I
16	r Cancri		7 49 27 67	7		+16 8 21.68	I I
1	8 Cancri		7 57 41.37	7		+13 29 27.55	
	Moon IN		8 12 53.31		+1 10.45	+15 58 14.96	
	8 Cancri		8 37 9.01			+18 38 15.88	
	а Сапсті	_	8 51 14.23	7		+12 22 0.84	1

Digitized by Google

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1867. Feb. 17	MoonS	OF	h m s 		m 8	+12 29 10.49	
21	η Virginis		12 13 7'65 12 34 56'78 12 52 46'71 13 3 5'37 13 18 12'72	7	1 3·92	0 4 12'71 0 43 18'81 3 51 44'11 4 49 47'35 	1 4 +15 24'33 1
22	& Virginis		13 18 12.75 13 43 6.02 14 5 49.43 14 11 56.17	7 7 7	—ı 3.49		7 +15 12.46
23	Moon II, 8 4 Libra		14 32 56·30 15 4 39·64 15 9 52·08		⊸ī 3.39		1
Mar. 13	Cauri		5 29 42 45 \$ 47 33 01 6 14 55 68 6 30 2 69		+1 10·97	+21 3 23'Q§ 	
14	µ Geminorum y Geminorum Moon IN \$ Geminorum f Geminorum		6 14 55.75 6 30 2.51 6 49 22.43 7 12 11.74 7 31 48.78	7 7 6 7	+1 10.13	+16 30 24'21 +18 11 6'86 +22 13 16'74 +17 58 17'99	7 —16 8·29
15	# Geminorum f Geminorum Moon I, Vancri # Cancri # Cancri		7 12 11.79 7 31 48.79 7 50 21.85 8 25 2.25 8 37 8.78		+1 9.90	+22 \$3 17.66 +17 58 17.83 +16 44 56.01 +20 53 12.50 +18 38 14.39	1 —19 2.18
16	& Canori	G	8 37 8 93 8 49 43 56 9 24 51 29 9 34 4 48	7	+1 8.67	+18 38 16'10 +14 15 22'35 +10 17 47'79 +10 29 31'59	7 16 0.68

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1867. Mar. 17	h Leonis,	G	h m s 9 24 51 22 9 34 4 49	7	m s	+10° 17' 49''23 +10° 29' 32' 59	I	
	Moon I N	1	9 47 0.39	7	+1 7.78	+10 55 35.28 +10 55 35.88	4	—15 54·57
	ρ Lqοηίs,		10 25 49 97	7		+ 9 59 11.87	1	
18	a Leonia ρ Leonia ,		10 25 50.09	7 7		+ 9 59 10.40	¥	
	Молц I		10 58 11 02 11 14 18 29	7 7 7	+1 5.95	+ 7 1 19'97 + 8 3 3'34 + 6 45 14'71	Ŧ	→15 40 90
21	Moon II,,8 94 Virginis,		13 20 20 62	7	-ı 3.40	6 1 52'93 8 15 25'39	7	+15 18'24
	# Virginia		14 5 49.92	7		6 36 19.23 2 12 72 4A		
22	94 Virginis 4 Virginis	OF.	13 59 1 7. 21	7		- 9 39 16.43 - 8 15 25.12		
	Moon II		14 10 45 84 14 38 39 86 14 43 38 18	7 7 7	—ı 3·56	- 9 44 15'05 -14 53 49'57 -15 29 13'89	1	+15 8.66
Apr. 10	a Geminerum	JS	6 6 51.42	7		+22 32 89'59		
	# Geminerum Moon IN		6 14 55.39	7	+1 11.18	+22 34 99'95 +18 26 58'91	I 5	→16 12'4 4
	Geminorum		 7 12 13·38	7		+20 45 35'03 +22 13 18'49		
11	Geminorum Geminorum	Q F	 7 12 11°28	7		+20 45 33.80 +82 13 18.78		
	Moon L		8 1 17.19 2 32 10.36	7	+1 10.10			•••
13	Ca ncri	ĮŦ	8 4 35·81 8 31 47·80	7	+1 8.78	+15 10 49 57		—15 58 -24
	4 Canori		8 51 13·82 9 0 33·71	7 7	17 7 7	+11 11 23.30	1	-3 34

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1867. Apr. 13	a Cancri	Js	h m s	7	m s	+12 22 1.57	τ , ,,
	« Cancri		9 0 33*54	7		+11 11 52.52	1
	Moon IN		9 28 52.62	7	+1 7'24	+12 7 22.72	7 -15 50.19
	π Leonis		9 53 12.29	7		+ 8 40 36.89	1
	a Leonis		10 1 18.22	7		+12 36 45.07	I
14	# Leonis	CF	9 53 12.34	7		+ 8 40 39'21	1
	a Leonis		10 1 18.31	7		+12 36 46.57	1
	Moon LN		10 23 37.28	7	+1 2.81	+ 8 26 27 94	7 -15 41.95
	d Leonis		10 53 43.30	7		1	I
	χ Leonis		10 58 11.09	7		+8 3 7.60	1
15	d Leonis	G	10 53 43.02	7		+ 4 19 39.04	ı
	χ Leonis	İ	10 58 10.92	7		+8 3 4.23	1
	Moon IN		11 16 24.32	7	+1 4.65	+ 4 22 49.61	7 -15 33.48
	Leonis	:	11 30 10.05	7		一 o 5 34·54	1
	ß Virginis		11 43 47 96	7		+ 2 30 39.01	1
16	υ Leonis	J8				- o 5 34·88	1
ŀ	β Virginis					+ 2 30 40.42	I
	Moon IN		12 7 45 00	7	+1 3.84	+ 0 10 33.85	7 -15 25.12
17	γ¹ Virginis	OF	12 34 57 24	7		- 0 43 15·76	
	38 Virginis		12 46 24 73	7		- 2 49 55°92	1
	Moon IN		12 58 13.23	7	+1 3.42		
	a Virginis					10 28 3°37	1
	A Virginis	i	13 26 0.73	7		- 9 28 50.81	1
23	B. A. O. 5954	JS				-21 49 44.03	1
	58 Ophiuchi					-21 36 49 27	1
	MoonN		•••			18 5 55.68	
	21 Sagittarii		•••			-20 36 27.87	
	28 Sagittarii					—22 31 35·85	X .
24	28 Sagittarii	CF		7		-22 31 31.10	
	Moon IIN		18 56 3.15	7	—ı 4·48	-17 44 57.90	1
	ρ¹ Sagittarii		19 13 58.67	7		—18 5 20°00	1 1
	e ² Sagittarii		19 34 55.70	7		-16 25 49.12	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1867. May 9	Moon IN	CF	h m s 8 13 8 27 8 37 7 83	7	#1 10.02 # 8	+16° 9′31′06 7	—16 10°05
10	δ CancriN Moon IN π Leonis	Js	8 37 7.88 9 11 54.84 9 11 54.84	7 7 5 7	+1 8.1d	+18 38 19 48 1 +13 18 14 67 6 + 8 40 41 66 1 +12 36 48 67 1	—15 58·33
12	ρ Leonis	G	10 25 49 50 10 42 17 03 11 0 50 35 11 23 32 65 11 30 9 88	7 7 7 7	+1 4·90	+ 9 59 13.79 1 +11 14 44.56 1 + 5 46 18.17 5 - 2 16 24.70 1	—15 35.10
13	e Leonis		11 23 32·38 11 30 9·89 11 52 4·17 12 13 7·83 12 34 57·03	7 7 5 7 6	+1 3·83	- 2 16 25 06 1 - 0 5 33 34 1 + 1 35 57 72 5 + 0 4 11 07 1 - 0 43 18 92 1	—15 24 °78
15	α Virginis Moon IN		13 18 13 45		+ı 3.∞	—10 28 5.62 I	—15 7 . 28
16	95 Virginis	G	13 59 43 10 14 21 2 58 14 43 33 90 14 59 15 12	7 7 7	+1 3.11	8 40 44 66 1 10 6 18 24 3 15 29 16 69 1 15 44 22 07 1	—·15 0'24
17	α ² Libræ		14 44 34.03 14 59 15.36 15 10 56.11 15 28 8.03	7	Ī	.—15 29 12.80 1 —15 44 20.95 1 —13 11 2.60 3 —14 20 37.21 1	—14 5 4 ·36
22	o Sagittarii # Sagittarii Moon IIN 64 Sagittarii a ² Capricorni	CF	18 56 45 94 19 1 53 16 19 28 49 72 19 57 46 74 20 10 42 06	7 7 7 7	—I 4·22	21 55 47 05 1 21 13 41 12 1 17 16 56 26 7 11 58 11 55 1 12 57 4 18 1	—14 47 '11

Date.	Object.	Observer.	Observed B.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1867.	i vi		h m s		m e	0 1 11	Z	1 04
June 10	10 Virginis	l .	12 2 53.69	6		+ 0 4 13.28		
	Moen IN		12 27 10.06	7	1	- 1 2 22.66	1 :	
	≈ Virginis		12 52 50.17	7	T1 3 30	- 3 5 46·16		-15 21 45
	θ Virginis		13 3 8.46	7		- 4 49 47 78		
	7 Hgims		15 5 5 70			4 49 4/ /0		
11	Moon i	В	13 16 42.45	5	+1 3'07	- 5 9 48-41		→15 10.2 2
17	B.A.C. 6065	OF	17 48 41.74	7		—15 46 58'33	t	
	μ¹ Sagittarii		18 5 51.33	7		-21 5 15'42		
	Moon IIN		18 20 35.04	7	-1 4'37	-18 20 20.80	7	→14 43 60
	o Sagittarii		18 56 45.48	7		-21 55 45 77	1	
	π Sagittarii		19 1 53.92	7		-21 13 39'42	1	
19	57 Sagittarii N Moon II N & Capricorni	В	19 34 57 64 19 44 34 71 20 3 \$ 62 20 13 34 65	7 7 7 8	—1 3°96	—16 26 7.51 —19 22 32,38 —16 24 40,46 —15 11 40,88	3	—14 47 ^{.8} 5
23	φ Aquarii φ Aquarii μ² Aquarii Moon IIN 21 Piscium	CF	20 21 18°59 23 11 0'93 23 22 52°23 23 42 40°52	7 7 7 7	—s 2·65		4 : 1 : 7 :	—15 19·87
24	21 Piscium		23 42 40°52 23 51 53°24 0 13 24°01 0 41 48°24 0 56 3°70	7 7 7 7	—ı 4·43	+ 0 20 26.59 - 4 17 26.23 + 0 7 15.52 + 6 51 43.99 + 7 10 28.39	1 5 1	—15 33*19
July 8	y Virginis (one mass) 38 Virginis Moon IΝ α Virginis λ Virginis		12 34 56 52 12 46 24 00 13 0 13 42 13 18 12 93 13 25 59 68	7 7 7 7	+1 3.28	— 0 43 14'58 — 2 49 52'57 — 3 34 42'85 —10 28 3'74 — 9 28 48'04	1 3 1	—15 22'42

at the Royal Observatory, Cape of Good Hope, 1866-70. 495

Date	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observ ed Dec.	Semi- diameter.
1867. July 9	a Virginis	IF	h m s 13 18 13.09	7 7	m 8	-10° 28′ 2′ 44 9° 28′ 47° 56 7° 30° 33° 18	1
	κ Virginis λ Virginis		14 5 50°34 14 11 57°09	7 9 7	T 3 34	- 9 39 13,34	1
10	κ Virginis	G.	14 5 50°83 14 11 57°67 14 39 30°30	7 7 7	+1 3'29	- 9 39 13.86 -12 45 30.42 -10 59 33.53	1 -15 0.09
	β Libræ	TE	15 20 48.03	7		- 8 53 23°11 -16 15 2°73 - 8 53 23°12	
	ζ¹ Libræ					-16 15 1.42 -13 54 39.32	1 5 —14 52.62
15	28 Sagittarii μ¹ Sagittarii Moon I N ρ Sagittarii 50 Sagittarii	C F	18 38 22.50 18 46 11.52 18 53 12.79 19 14 0.50 19 18 26.15	7 7 7 7	+1 4:37		1 —14 44 95
19	MoonN	В	•••		•••	- 9 14 18·56	3 -15 3.67
20	67 Aquarii		22 36 19 92 22 45 42 94 23 7 32 44 23 20 9 20 23 35 17 86	6 7 7 6	—ι 3' 2 0	- 7 39 10 83 - 8 16 52 56 - 5 30 42 33 + 0 31 55 98 + 1 3 9 29	1 6 —15 11.91
21	κ Piscium λ Piscium Moon N d Piscium 10 Ceti					+ 0 31 55.43 + 1 3 10.34 - 1 27 2.07 + 7 27 16.72 - 0 46 56.19	1 6 —15 21.64 1

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1867. Aug. 6	κ Virginis	JS	h m s	7	m s	- 9° 39′ 11″ 51	1	, ,,
	λ Virginis		14 11 56.67	7		-12 45 28.14	1	
	Moon IN		14 21 12.76	7	+1 3.85	- 9 34 11.30	3	—15 11·75
	a ² Libræ		14 43 33.32	7		-15 29 14.86	1 1	
	r¹ Libræ		14 59 14.70	7		—I5 44 20·00	1	
7	11		14 43 33'36	7		-15 29 14.48	1	
	¹ Libræ		14 59 14.76	7		-15 44 20.65	1	i
	Moon IN		15 11 26.95	7	+1 3.81	-12 45 44.00	5	-15 1.11
	γ Libræ		15 28 7.49	7		-14 20 35.33		
	θ Libræ		15 46 17.58	7		—16 20 8·79	I	
10	ξ Serpentis	JS	17 30 1'11	7		-15 18 32.86	,	
	Moon IN		17 43 46 21	7	+1 4.42	-18 3 4.12	1 1	—14 45 [.] 87
	μ¹ Sagittarii		18 5 51 64	7		-21 5 15.75	1 1	
	B.A.C. 6279		18 21 39.90	7		—14 38 38·88		
11	μ¹ Sagittarii	JS	18 5 51.48	6		—21 5 14·87		
	B.A.C. 6279		18 21 39.96	7		-14 38 37·84	1	
	Moon IN		18 35 16.46	7	+1 4.48	-18 to 2.30		—14 46° 0 6
	π Sagittarii		19 1 54.24	7		-21 13 40.69	1	
	ρ¹ Sagittarii		19 14 0.22	7		18 5 25.78	1	
12	π Sagittarii	G	 			-21 13 41.30	1	
	ρ¹ Sagittarii					-18 5 26.17	1	
Ì	MoonN					-17 25 1.71	3	—14 48°26
	63 Sagittarii					-13 59 52.78	1	
	α ² Capricorni					12 56 58.05	1	
13	63 Sagittarii	В	19 54 33.52	5		—13 59 52 '73	,	
	al Capricorni					-12 54 40.64		
	Moon IN		20 18 13.64	7	+1 4.11	-15 49 23.76		—14 52°43
	τ ² Capricorni		20 31 53.10	7		-15 24 48.04		
	θ Capricorni		20 58 31.08	6		-17 45 11.85	1	
14	τ² Capricorni		20 31 53.11	7		15 24 47.82	1	
	θ Capricorni		20 58 31.09	7		-17 45 13.68	1	
	Moon I N		21 9 11'29	7	+1 3.48	-13 27 4.17	4	—14 5 7 '90
	δ Capricorni		21 39 44.67	7		-16 43 23.33		
	μ Capricorni	,	21 46 5.68	7		-14 10 13.30	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1867. Aug. 15	5 Capricorni	JS	h m s	7	m s	—16° 43 ['] 23 ^{''} 79		, ,,
	μ Capricorni		21 46 5.62	7		-14 10 13,55	1 1	
	Moon IIN		22 1 47 36	7	—I 3'49	-10 23 56.77		-15 4.47
	σ Aquarii		22 23 39.29	7	3.,			-3 + 4/
	κ Aquarii		22 30 55.04	7		- 4 54 24°95	1	
17	•		23 7 28 95	7		- 6 45 34·19	1 1	
	r Piscium		23 20 9.74	7		+ 0 32 0.38		
	Moon IIN		23 42 4.09	7	—ı 3.26	- 2 48 40.08		-15 19.84
	10 Ceti		0 19 51.08	7		- 0 46 52·36	1 1	
	13 Oeti		0 28 26 95	7	ı	— 4 19 13.15	I	
18	10 Ceti	G	0 19 50.93	7		- 0 46 52.98	1	
	13 Ceti		0 28 26.84	7		- 4 19 13.77	1	
l	Moon IIN		0 32 40.50	7	-1 4.11	+ 1 23 30.23	7	—15 28·43
	e Piscium		0 56 5.27	7		+ 7 10 39.21	1	
	C Piscium		1 6 49 64	7		+ 6 52 30.00	1	
21	~	CF	2 37 47 64	7		+ 9 33 11.70	ı	
1	σ Arietis		2 44 11.53	5	_	+14 32 8.97		
l	Moon IIN		3 13 23.94	7	—I 8.02	+13 12 13.44		-15 56.42
	& Tauri		3 41 0.44	7		+10 43 59.09		
	λ Tauri		3 53 20.81	7		+12 6 48.06	I	
23	a Tauri	IF				+16 14 18.99		
	MoonN					+17 58 51.00	1	16 14'34
Sept. 5	Moon IN	J8	16 32 44.30	7	+1 4.46	-16 24 10.64	3	14 54.52
	7 Ophiuchi		17 2 47 24	7				
	ξ Ophiuchi		17 13 4.39	7		-20 57 54.31	1	
6	η Ophiuchi	IF	17 2 47 36	7		-15 33 17.66	1	
	ξ Ophiuchi		17 13 4.42	7		-20 57 53.27	ı	
	Moon IN		17 24 4'73	7	+1 4.57	17 42 42.74	5	14 49.60
	μ¹ Sagittarii		18 5 51.12	7		-21 5 14'33	1	
7	4 Sagittarii	G	17 51 42'97	7		-23 47 53.32		
	μ¹ Sagittarii		18 5 51.12	7		-21 5 14.64		
	Moon IN		18 12 33.99	7	+1 4.60	-18 10 9.83		—14 47°53
	ξ ² Sagittarii		18 49 50.47	7		-21 16 29 34		<i>1</i>
	• Sagittarii		18 56 45.57	7		-21 55 47'15	1	! }

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1867. Sept. 11	، Capricorni	IF	h m s	7	m s	_17° 23′ 35″.88		
•	γ Capricorni	l	21 32 46.19	7		-17 15 18.80	1	
	Moon IS		21 40 25 76	7	+1 3.83	-12 7 23.56		+15 5'14
	θ Aquarii		22 9 51 96	7	' ' '	- 8 26 18·77	1	' ' '
	σ Aquarii		22 23 39.63	7		11 21 5·88	I	
12	θ Aquarii			7		- 8 26 16.81		
	σ Aquarii		22 23 39.23	7		-11 21 5.41	ı	
	Moon IS		22 31 5.61	7	+1 3.24	- 8 41 57·39		+15 13.64
	φ ∆ quarii		23 7 29.08	7		- 6 45 33·8 ₂	1	
	∳² A quarii		23 11 2'53	7		— 9 54 6·45	1	
13	φ Aquarii	CF.	23 7 29 22	7		- 6 45 31.29	١,	
,	Moon IN		23 21 49.53	7	+1 3.89	- 4 16 57.42	1	
15		G	0 41 50.31	7		+ 6 51 58.19	1	
	20 Ceti		0 46 15 90	7		- 1 51 41.31	1	t
	Moon IIN		1 7 16.81	7	-1 2.12	+ 4 14 6.02	1.	-15 40.58
	Piscium		I 34 33'70	7		+ 4 49 4 33	1	
	o Piscium		1 38 25.53	7		+ 8 29 28.92	I	
16	Piscium		1 34 33 96	6		+ 4 49 3.61	ı	
	o Piscium		1 38 25.47	7		+ 8 29 25.80		1
l .	Moon IIN		2 0 51.29	6	-1 0.27	+ 8 24 14.63	ı	-15 48.12
ŀ	₹º Ceti		2 21 8.32	7		+ 7 51 57.98		
	μ Ceti		2 37 48.19	7		+ 9 33 13.92	1	
17	ξ ² Ceti	IF	2 21 8.47	7		+ 7 51 56.59	1	
	д Ceti		2 37 48.43	7		+ 9 33 13.73		
ł	Moon IIN		2 56 20.32	7	-I 7.63	+12 10 48.32	5	-15 55.10
	f Tauri		3 23 34.91	7	1	+12 28 48.27	I	
	e Tauri		3 41 1.63	7		+10 44 1.57	1	
18	f Tauri		3 23 34.87	7		+12 28 50.41	t .	
l	& Tauri		3 41 1.29	6		+10 44 1'21	1	
f	Moon IIN	,	3 53 59.64	5	-1 9.02	+15 18 4.18	1 -	16 1.03
ł	c Tauri	!	4 20 53.87	7		+18 52 59.68	1	
	a Tauri		4 28 20.14	7		+16 14 21.38	I	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1867. Sept. 19	e Tauri	G	h m s	7	m s	+18 52 57.41	, ,,
]	a Tauri		4 28 20 07	7		+16 14 21.82	! 1
	Moon IIN		4 53 45 38	6	—I 10.36	+17 30 42.43	3 -16 5.98
	(Tauri	ĺ	5 29 44 04	7		+21 3 27 96	
	χ¹ Orionis		5 46 32.44	7		+20 14 48.29	l I
20	χ¹ Orionis	OF	•••			+20 14 49.13	r
	Moon IIN		5 55 9.85	7	-1 11.04	+18 36 28.38	7 -16 9.83
Oct. 6	π Sagittarii	G	19 1 53.52	7			
	ρ¹ Sagittarii		19 13 59.83	7			
	Moon I		19 37 20.05	7	+1 4.36	•••	
7	a ² Capricorni	JВ	20 10 42 91	7		—12 56 58·51	
	ρ Capricorni		20 21 18.97	7		-18 14 45.97	1 1
	Moon I		20 28 15.34	7	+1 4.00	-15 56 42·81	
	0 Capricorni	ı	20 58 30 80		' ' '	-17 45 16.65	
	» Aquarii		21 2 23.59	7		-11 54 8.03	l i
8	θ Capricorni		20 58 30'94	7		—17 45 13·86	ı
	r Aquarii	ĺ	21 2 26.38	7		-11 54 9.05	1
	Moon IS	l	21 18 51.17	7	+1 3.87	-13 27 5.01	5 +15 1.06
	λ Capricorni		21 39 25.30	7		-11 28 18.11	1
	μ Capricorni		21 46 5.55	7		-14 10 15.36	I
9	λ Capricorni	G	21 39 25.26	7		—11 58 19·23	I
l	μ Capricorni		21 46 5.46	7		-14 10 14.91	1
}	Moon I8	İ	22 9 18:08	7	+1 3.49	-10 17 3'20	5 +15 10.34
	σ Aquarii		22 23 39.28	7		-11 21 7.98	т
	λ Aquarii		22 45 43.66	7		— 8 16 49.23	r
10	σ Aquarii	В				—11 21 3·78	ı
	λ Aquarii					8 16 48.86	1
	MoonS				<i></i>	— 6 33 24 08	
	κ Piscium					+ 0 32 4.75	
	λ Piscium					+ 1 3 16.49	
13			1 34 34 14	7		+ 4 49 6.05	ı
	Moon IIS		1 39 31.31	7	-ı 6·50	+ 6 18 15.81	6 +15 54.40
	ξ¹ Ceti		2 6 0.62	6		+ 8 13 31.14	1
	ξ ² Ceti		2 21 8.84	7		+ 7 51 59.26	1
			, i		<u> </u>		

Date.	Object.	Орвегуег.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter
1867. Oct. 14	ξ¹ Ceti	JS	h m s	7	m s	+ 8 13 31.96	1 , "
	ξ ² Ceti		2 21 8.77	7		+ 7 51 58.08	1 1
	Moon IIN		2 35 31.97	7	—I 7.91	+10 54 36.43	6 16 2.74
	o Tauri		3 17 42 79	6		+ 8 33 40.98	1
	f Tauri		3 23 35'29	7	,	+12 28 51.08	1
16	e Tauri	В	4 20 54.64	7		+18 53 0.61	I
	a Tauri		4 28 20.93	7		+16 14 22.02	1
	Moon IIN		4 34 17 75	7	-1 10.28	+17 1 7°40	7 -16 12.39
	119 Tauri		5 24 28.35	7		+18 29 29.09	1
			5 29 44 96	7		+21 3 25.09	I I
Nov. 4	Moon IS		20 57 32.13	7	+1 3.66	—14 47 3·65	5 +14 53.3
	¿ Capricorni		21 14 52.66	7		-17 23 39.66	1
	γ Capricorni		21 32 45.57	7	,	-17 15 24.67	I
9	8 Piscium	G	0 41 50.36	7		+ 6 52 0.42	
	e Piscium		0 56 5.95	7		+ 7 10 44 44	1 1
	Moon IS		1 11 11.97	7	+1 6.07		
	o Piscium		1 38 25.99	7		+ 8 29 32.82	1 1
12	f Tauri	JS	3 23 35.89	7		+12 28 51.49	
	λ Tauri		3 53 22.77	7		+12 6 49 31	1 1
	Moon IIS		4 8 4.22	7	-1 11.12	+15 34 19.47	
	a Tauri		4 28 21 37	7		+16 14 22 03	1 1
	o ² Orionis		4 48 57 44	7		+13 18 6.16	1 1
13	α Tauri	CF	4 29 21 33	7		+16 14 24.36	1
]	o² Orionis		4 48 57.56	7		+13 18 6.89	1 1
	Moon IIN		5 11 32.58		-I 12·28	+18 13 2.47	1 1
			5 29 45.69	7		+21 3 27 10	
	v Orionis		6 0 2.93	7		+14 46 49.83	1 1
14			5 29 45.64	7		+21 3 26.25	1 1
]	v Orionis		6 0 2.39	7		+14 46 48 09	
	Moon IIN		6 16 8.14	7	-I 12.29	+19 0 45 44	
	₹ Geminorum		6 37 52.98	7		+13 2 3.36	
	Geminorum		6 26 16.80	7		+20 45 30.44	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1867. Nov. 15	Geminorum		h m s 6 56 16.68 7 20 21.12 7 59 59.24 8 4 37.96	7 7 7 6	m s	+20° 45′ 32″ 13 +17 53 33 66 +21 57 36 80 +18 2 31 90	7	, " +16 22·54
16	μ ² Cancri	IF				+21 57 36.56 +16 2 55.35 +18 38 8.58 +12 21 56.42	1 6 1	+ 16 15 [,] 51
17			 			+13 38 9.12 +13 3 30.96 +18 38 9.12	1	+ 16 6.72
Dec. 2	Moon IS	JS	21 29 17.17	7 7	+1 3.10	—13 23 52°94 —14 25 32°80	1	+14 51'21
3	4 Aquarii	C F	21 59 17·25 22 16 41·56	7	+1 2.88	—14 25 32·25		+14 58.58
6	10 Ceti	IF	0 19 51.22 0 28 27.15 0 45 26.66 1 6 50.38 1 23 16.56	7 7 7 7 7	+1 4.72	- 0 46 53.41 - 4 19 14.43 + 1 49 8.75 + 6 52 35.09 + 5 27 42.70	1 6 1	+ 15 36·61
7	μ Piscium	JS	1 23 16·48 1 38 15·78 2 21 9·08	7 7 7		+ 5 27 44'11 + 6 10 21'15 + 7 51 56'69	4	+15 52'75
8	ξ¹ Ceti	Js	2 6 0.82 2 21 9.16 2 34 2.93 3 17 43.36 3 23 36.10	7 7 7 4 5	+1 8.34	+ 8 13 31.44 + 7 51 57.99 + 10 19 51.37 + 8 33 38.16 + 12 28 49.28	1 5 -	⊢ 16 8 [.] 77
- 1	• Tauri	G	3 17 43 38 3 23 35 97 3 33 20 92 4 20 55 48 4 28 21 62	7 7 7 7 7	+1 10.49	+ 8 33 38·31	7 1	-16 23·16

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1867. Dec. 10	e Tauri	CIF	h m s	; ; 7	m s	+18°53′ 1'-22	,	, ,,
	a Tauri	1	4 28 21.64	7		+16 14 23.55		
	Moon I	ï	4 36 11.52	7	+1 12.41	+16 45 36.90		+16 34.06
	119 Tauri		5 24 29.19	7	•	+18 29 28.15		
	₹ Tauri		5 29 46.33	7		+21 3 25.58	I	•
11	119 Tauri	IF	5 24 29.41	7		+18 29 29.72	I	
	Moon IIN		5 44 13*25	7	—ı 13·59	+18 53 14.28	7	—16 40°09
	μ Geminorum		6 14 59.16			+22 34 32.46		
	γ Geminorum		6 30 2.88	. 7		+16 30 24.98	1	
1868.				•				
Jan. 6	λ Tauri	В	3 23 23.01			+12 6 46.61		
	Moon I S		4 2 23.34	7	+1 10.21	+15 16 49.15	7	+16 19.89
7	« Tauri	JS	4 20 55.52	7		+18 53 0.34	ı	1
	a Tauri		4 28 21.72	7		+16 14 22.26	1	
	Moon IS		5 5 30.48	7	+1 12.72	+17 33 44.98	5	+16 33·61
	ζ Tauri		5 29 46.40	7		+21 3 26.38		
	» Orionis		6 0 3.30	7		+14 46 43.51	1	
8		G	5 29 46.38	7		+21 3 24.18	ı	
	• Orionis		6 0 3.14	7		+14 46 45.68	ı	
	Moon IS.		6 11 34.94	7	+1 13.95	+18 34 12.05		+16 43.12
	Geminorum		6 56 17.78	7		+20 45 30.83		
	λ Geminorum		7 10 31.45	7		+16 46 23.74	1	
9	€ Geminorum	IF	6 56 17 .6 7	! . 7		+20 45 29.67		
	λ Geminorum		7 10 31.53	7	! !	+16 46 23.57	l	! :
	Moon IIN	ļ	7 21 22.26	7	—I 14.04	+18 39 56.58		_16 47°06
	μ ² Cancri		8 0 0.39	7	:	+21 57 35.78		
	Cancri		8 4 39.22	7		+18 2 27.84	1	
10	Cancri	CF	8 4 39 33	7		+18 2 26.13		
	Moon II		8 27 52.05		-1 13.02	•••		
	a Cancri		8 51 16.85			+12 21 53.70		
	83 Cancri		9 11 37.33	7		+18 12 36.02	1	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1868. Jan. 12			h m s	7	m s	+13 4 14".12	1 1	, ,,
	a Leonis		10 1 21.07	7		+12 36 32.02	1 1	
	Moon IIS		10 32 24.54	7	-1 9.52	+ 9 3 32.82		+16 24.36
	χ Leonis σ Leonis		10 58 12.94			+ 8 2 49 90		
	σ Leonis		11 14 20'15	7		+ 6 45 3.71	1	
14	β Virginis	C F	11 43 49.56	7		+ 2 30 29.06	1	
	η Virginis		12 13 9'47	7		+ 0 4 1.21	1	
	Moon IIS		12 24 7.88	7	—ı 5·88	+ o 1 5.06	7	+15 52.88
16	Moon IIS	JR	74 7 9	_	_1 4.56	— 8 29 57·17	1.	+16 22:76
	a ² Libræ	•5	14 43 34.54	7		-12 56 16.03		1
				'				
31	Moon IS	CF	1 48 9.66	7	+1 4.26	+ 6 31 35.57	7	+15 28.36
Feb. 1	₹² Ceti	JS	·			+ 7 51 53.74		
	Moon IS		2 40 42 93	7	+1 6.29	+10 24 28.38		1
	ξ Tauri		3 20 1'10	3		+ 9 16 4.98	1	
2	ξ Tauri	JS	3 20 1.31	4		+ 9 16 5.38		
l	Moon I		3 36 16.41	1 '	+1 8.34	+13 49 27 38		
l	δ¹ Tauri	l	4 15 19 93	1		+17 13 42.09		
1	£ 18411		4 20 55.32	7		1.0 32 30 70	֓֟֟֝ <u>֚</u>	
3	81 Tauri	G	 4 15 20°01	7		+17 13 42.61	1	
	• Tauri		4 20 55'20	1		+18 52 59.00		
1	Moon IS		4 35 17 53	. 7	+1 10.46	+16 29 58.57	7	+16 10.97
	119 Tauri	l .	5 24 29 39	7	1	+18 29 26.80	1	
ļ			5 29 46.31	7		+21 3 24'10	1	
	119 Tauri	CF				1.996	1.	
	Γισ Lauri		5 24 29.24	1		+18 29 28.46 +21 3 26.51	1	1
Ì	Moon I.'S	1	5 37 42 51	1	+1 12:25	+18 8 19.37	ı	
	η Geminorum		6 6 55.61	7		+22 32 22.52	,	1 20 24 03
1	μ Geminorum		6 14 59 46	. 7		+22 34 31.06		
			1				1	
5	η Geminorum	1	1	7		+22 32 24.54		
	μ Geminorum	1	6 14 59.49	1		+22 34 34 36		
	Moon IS	1	6 42 42 32	1	+1 13.30			1
1	Geminorum		6 56 17.78	1		+20 45 29'47		1
1	λ Geminorum		7 10 31.48	7		+16 46 23.67	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1868. Feb. 6	€ Geminorum	В	h m s	7	m s	+20° 45′ 29".76	, ,
	λ Geminorum		7 10 (31.07)	7		+16 46 24.01	
	Moon IN		7 48 46 29	7	+1 13.33		1
	η Cancri		8 25 5.65	6		+20 53 4.18	1
	8 Canori		8 37 11.88	7		+18 38 1.62	1
7	η Cancri	JS	8 25 5.58	7		+20 53 4'18	1
	8 Cancri		8 37 12.07	7		+18 38 4.10	1
	Moon IN		8 54 10.37	7	+1 12.43	+12 30 16.09	
	e Leonis		9 34 7.46	6		+10 29 17 92	
	» Leonis		9 51 8.47	7		+13 4 13.46	I
9	ρ Leonis		10 25 52.71	7		+ 9 58 56.25	1
	l Leonis		10 42 20.12	6		+11 14 25.15	1
	Moon II8		11 0 16.94	7	—I 9.19	+ 7 2 20.67	7 +16 28.98
	v Virginis		11 39 5.49	7		+ 7 16 0.64	I
	β Virginis		11 43 50.24	7		+ 2 30 24.46	I
12	θ Virginis	G	13 3 7.87	7		- 4 50 2'21	1
	ζ Virginis		13 27 58 71	7		+ 0 4 46.12	I
	Moon IIS		13 46 47.29	7	—ı 5·57	- 6 44 3.83	4 +15 42'71
	K Virginis		14 5 51.91	7		— 9 39 28·04	
	ι Virginis		14 9 6.21	7		- 5 22 9·82	1
27	Moon I	CF	1 32 39 17	5	+1 3.91	•••	
Mar. 2	α Tauri	IF	4 28 21 04	7		+16 14 20.18	1
	Moon IS		5 13 27 42	7	+1 10.34	+17 37 41.22	7 +16 3.55
	ζ Tauri		5. 29 45.82	7		+21 3 26.50	1
	χ¹ Orionis		5 46 34.52	7		+20 14 44.76	1
4	γ Geminorum	В	6 30 5.60	7		+16 30 22.62	1
	λ Geminorum		7 10 31.18	7		+16 46 21.47	1
	Moon IN		7 18 29 40	7	+1 12.11	+18 36 43.04	
	μ ² Cancri		8 0 0.72	7		+21 57 39.85	1
	Cancri		8 4 39 47	7		+18 2 26.57	1

Date.	Object.	Орвегуег.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1868. Ma r. 5	μ² Cancri (Cancri	JS	h m s 8 0 0'44 8 4 39'39	7	m s	+21° 57' 36' 94 +18 2 26' 64	ł I	, ,,
	Moon IN		8 32 11.02 8 32 10.33	7 7	+1 11.87	'	5	—16 29·76
	α Cancri		8 51 17'11	7		+12 21 48.66		
6	8 Cancri	IF	8 37 11.87	7		+12 21 50.87	1 1	
	Moon IN		9 24 59 30	7	+1 10.88	+13 53 32.43	7	—16 32°27
	ν Leonis		9 21 8.23	7		+13 4 12.69		
	A Leonis		10 0 55.12	7		+10 38 26.45	1	
8	c Leonis	G	10 53 55.64	7		+ 6 48 26.65	i 1	
	χ Leonis		10 28 13.85	7	_	+ 8 2 47.85	1 1	
	Moon IIN	l	11 27 25.28	7	—ı 8.2ı	+ 5 25 31 79		16 23.82
	& Virginis	•	11 43 50.58			+ 2 30 21.29	ŧ I	
	η Virginis		12 13 10.26	7		+ 0 3 53.76	1	
9	ß Virginis	В	11 43 50.55	7		+ 2 30 22.31		
	Moon II		12 24 28.73	6	-1 7.42	+ 0 6 0.14		+16 13.32
	γ Virginis (one mass)		12 34 59 58	6		- 0 43 36.48		
	0 Virginis		13 3 8.35	7		— 4 5° 5°47	I	
10	γ Virginis (zst Star)	J8	12 34 59 75	7		- 0 43 35.08	1	
	θ Virginis		13 3 8.41	7		- 4 50 7.12		
	Moon II		13 19 57.69	7	-ı 6.63	- 4 34 31.58		+15 59.93
1	m Virginis		13 34 42 51	7	!	- 8 2 12·69		
	94 Virginis		13 59 19.78	7		- 8 15 40.22	1	
11	m Virginis	IF	13 34 42 50	7		— 8 2 11.89	1	
	94 Virginis		13 59 19.72	7		— 8 15 38.6 0		
	Moon II		14 14 19.38	7	-1 6.11	- 8 51 54.29	6	+15 45.10
	a ² Libræ		14 43 35'92	7		-15 29 28.92		
	8 Libra		14 53 56.33	7		— 7 59 36·o5	1	
12	a ² Libræ		14 43 35.90	7	ł	-15 29 29.11	ı	
	8 Libræ		14 53 56.39	7	l	- 7 59 35 94		
	Moon II8	i	15 7 58 94	7	-1 5·82	-12 33 15.31		+15 30.54
l	γ Libræ		15 28 9.63	7		-14 20 47.09		
] .	θ Libræ		15 46 19.59	7	İ	-16 20 18.45	I	

Date	011	er.	Observed	Wires.	Passage	Observed	of Wires.	Semi-
Date.	Object.	Observer,	R.A.	No. of	of Semi- diameter.	Dec.	No. of	diameter.
1868. Mar. 15	& Serpentis	IF	h m s	7	m s	—15° 18′ 39"·64		, ,,
	58 Ophiuchi		17 35 31,41	7		21 36 47 91	4	
	Moon IIS		17 46 41 84	7	-1 5.38	18 45 59.25	1 1	+14 55'94
	μ Sagittarii		18 5 52.28	7		-21 5 19.63	1 1	
	B.A.C. 6279		18 21 40.39	7		-14 38 45.53		
31	v Geminorum	JS	6 21 7.60	7		+20 17 27:02	1 1	
	γ Geminorum		6 30 5.34	7		+16 30 22.84	1 1	
	Moon IN		6 57 9.60	7	+1 11.13	+19 0 15.64	1 1	16 8.77
	λ Geminorum		7 10 30.48	7		+16 46 23.49	1 1	
	63 Geminorum		7 19 54.50	7		+21 42 37.76	I	
Apr. 1	λ Geminorum	IF	7 10 30.83	7		+16 46 23.67	1	
	63 Geminorum		7 19 54.40	7		+21 42 39.20	1	
	Moon IN		7 59 2.50	7	+1 10.06	+17 44 26.40	7	—16 13 ·6 6
·	8 Cancri		8 37 11.75	7		+18 38 6.34	1	
	a Cancri		8 51 16.92	7		+12 21 50.80	1	
2		В	8 37 11.66	6		+18 38 7.28		
	a Cancri		8 51 16.79	7		+12 21 52.32		
	Moon IN		9 0 14'74	7	+1 10.50	+15 16 53.67		-10 16.93
	e Leonis		9 34 7'24	7		+10 29 20.08	i i	
	r Leonis		9 21 8.16	7		+13 4 14.88	1	
3	o Leonis	CF	9 34 7'25	7		+10 29 18.15	1	
	▶ Leonis		9 51 8.32	7		+13 4 14'54	1	
	Moon IN		10 0 5.47	7	+1 9.25	+11 48 39.21	6	16 17.70
	ρ Leonis		10 25 52.72	7		+ 9 58 57.93	1	
	l Leonis		10 42 20.24	7		+11 14 27.70	1	
4	ρ Leonis	JS	10 25 52.72	7		+ 9 58 55.64	1	
	l Leonis		10 42 20.22	7		+11 14 24.19		
	Moon IN		10 58 18.86	7	+1 8.21	+ 7 35 38.91	6	16 15.86
	v Virginis		11 39 5.85	7		+ 7 16 0.16	1	
	β Virginis		11 43 50.64	7		+ 2 30 20.65	1	
6	η Virginis	IF	12 13 10.48	7	1	+0 3 53.88	1	
	γ Virginis (one mass)		12 34 59.88	7		- 0 43 35'42	1 1	
	Moon IIN		12 52 47.65	7	—ı 6·70	- 1 47 49'44		—16 3°03
	a Virginis		13 18 16.10	7	· 	-10 28 23·86		
	P Virginis		13 25 7.98	7		- 5 34 29.65	1 1	
					į.			

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Semi-diameter.
1868. Apr. 7	Moon II		h m s 13 47 35.20 14 5 53.13 14 11 59.95	7 7 7	m 8	- 6° 52′ 16′ 52′ 7 - 9 39 30°22 1 -12 45 46°56 1
8	Virginis Virginis Moon IIS Libræ		14 5 52.86 14 11 59.71 14 41 57.89 15 9 55.85 15 20 50.38	7 7 6 7	—ı 6·22	- 9 39 33 33 1 1 -12 45 48 54 1 1 +15 40 76 -1 1 -16 15 14 96 1
11	η Ophiuchi ν Serpentis Moon IIΝ μ¹ Sagittarii		17 2 49 71 17 13 25 30 17 23 59 10 18 5 53 08	7 7 7	—I 5°94	
29	η Cancri		8 25 4 22 8 35 38 55 8 41 51 21 8 51 15 92 9 0 35 84	1	+1 10.12	+20 53 9.48 1 +21 56 22.73 1 +16 20 48.18 7 —16 10.68 +12 21 53.73 1 +11 11 42.09 1
30	κ Cancri Moon IN A Leonis ρ Leonis		9 0 35 98 9 41 11 75 10 0 54 55 10 25 52 50	7 7 7 7	+1 8·97	+11 11 43.16 1 +13 12 3.13 7 -16 9.10 +10 38 27.73 1 + 9 58 58.54 1
Мау 1	A Leonis		10 0 54.67 10 25 52.41 10 38 35.74 10 58 13.50	6 7 7 7 7	+1 7.11	+10 38 26.63 1 + 9 58 56.95 1 + 9 15 55.53 6 —16 6.21 + 8 2 49.75 1 + 6 45 0.40 1
2	χ Leonis σ Leonis Moon IN β Virginis		10 58 13'42 11 14 20'86 11 34 16'69 11 43 50'56	7		+ 8 2 49 34 1 + 6 45 0 87 1 + 4 49 15 13 7 + 2 30 22 34 1
•	θ Virginis		13 18 16.53 13 18 16.53	1	+1 5.84	- 4 50 7.53 1 -10 28 23.36 1 - 4 26 59.86 5 -15 48.77

Date.	Object.	Оъвегчег.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- dismeter
1868. May 7	48 Libræ		h m 8 15 46 20'77 16 6 14'12 16 16 14'12	7 7 7 7	—ı 6.18	-16 20 20 45 -13 53 44 16 -15 27 31 57 -19 43 25 16	1 7 —15 20°9
10	φ Ophiuchi 21 Sagittarii MoonN			7		18 52 59.30 20 36 26.46 18 19 15.52	1
12	& Capricorni ***Capricorni Moon II **Aquarii	CF	 20 20 46 65 20 31 11 11 21 2 24 64	7 5 7	-1 4.01		7 14 48·36
13	θ Capricorni ν Aquarii Moon IIΝ μ Capricorni		20 58 32 11 21 2 24 68 21 20 57 08 21 46 6 32	7 7 7 7	—ı 3·27		1 7 —14 49°03
14		JS	21 46 6.28 21 59 18.73 24 44.74	7 7 6	—ı 2·73	-14 30 25.42 -14 10 9.80 -14 30 24.26 -11 6 26.59	I I
28	σ Aquarii	Js	10 1 20.76 10 22 4.92 10 53 54.93	7 7 6 7	+1 8.54	+12 36 34.73 +10 43 54.78 + 6 48 29.67	6 -16 8.33
June 1	χ Leonis MoonN κ Virginis	CF		6	i	+ 8 2 49·89 - 7 11 15·85 - 9 39 31·18	5 -15 36 05
2	λ Virginis		 14 5 53°25 14 12 0°27 14 50 17°97	7 7 7	+1 (.40	-12 45 45'70 - 9 39 30'47 -12 45 46'65 -11 7 4'06	I
	ζ¹ Libræ γ² Libræ		12 5 10.82		, ,,,	-16 15 15·71 -14 20 49·37	1

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1868. June 3	ζ¹ Libræ γ Libræ Moon I N		h m s 15 28 10.86 15 43 25.03	7 7 7	m 8	—16° 15° 16° 30 —14 20 49° 32 —14 24 31° 37	1
	ν Scorpii ψ Ophiuchi		16 4 21·85	7		—19 6 51 18 —19 43 28 35	1
5	θ Ophiuchi MoonN	JS				24 51 47°76	l 1
7	• Sagittarii π Sagittarii Moon IIN • ² Sagittarii		18 56 59.53 19 19 46.59 19 34 59.97	7 7 7 5	—ı 5.13	21 55 43.08 21 13 38.40 18 42 12.51 16 25 38.45	1 7 -14 51'72
8	f Sagittarii		19 38 41 57	7		20 4 19·27 16 25 38·03	
	f Sagittarii N Moon II N ρ Capricorni τ² Capricorni	1	19 38 41 58 20 11 33 38 20 31 55 15	7 5 7 7	—ı 4·35	-20 4 19.26 -17 26 4.44 -18 14 37.95 -15 24 43.02	7 —14 48·12
9	ρ Capricorni τ² Capricorni Moon II N γ Capricorni δ Capricorni		20 21 21 65 20 31 55 19 21 1 56 37 21 39 46 56	7 7 7 7	—ı 3.49	—18 14 37 97 —15 24 42 23 —15 21 39 71 —17 15 10 17 —16 43 14 07	1
10	γ Capricorni δ Capricorni N Moon II N θ Aquarii		21 32 47 82 21 39 46 49 21 51 0 68 22 9 53 19		—ı 2·75	—17 15 12.73 —16 43 14.64 —12 35 55.29 — 8 26 11.61 —11 20 57.62	I 5 — 14 47 79 I
11	σ Aquarii	1	22 23 40.26 22 23 40.26 22 23 6.44	7	—ı 2·27	—11 20 57 04 — 9 16 17 05 —10 19 44 03	1 7 —14 51.69

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1868. June 12	↓ ² Aquarii Moon IIN		h m s 23 12 6.24 23 26 39.34	7 6	m s	—10° 19′ 44′ 43 — 5 30 5°27	11 _
	30 Piscium		23 55 12 °05 23 58 35 °44			- 6 44 41.66 - 6 26 37.55	1
28	θ Virginis		13 18 15.89	7		4 50 4'99 	ı
	κ Virginis		13 42 8.75 14 11 59'99	7 7 7	41 5 20	- 5 43 32.65 - 9 39 29.97 -12 45 46.51	ı
30	8 Libre		14 53 57°13	7		- 7 59 33 ⁹²	1
	Moon IN 48 Libræ 51 Libræ		15 57 9.01 15 50 50.35 15 26 35.40	7 7 7	+1 5.27	-13 19 13.57 -13 53 43.55 -11 0 20.55	t
July 1	48 Libra		15 50(49·99)	1 .		—13 53 44'49 —11 0 20'84	1
	Moon I		12 50.68 19 33 28.81 19 19 19.89	7	+I 5.2	-16 5 18.61 -17 28 56.90 -15 18.61	1
6	Moon IIN	В	20 44 11.39	6	—ı 3·71	—16 18 27·92	7 —14 45-28
7	Aquarii		21 14 55.88 21 33 46.36 21 14 55.88	7	—ı 2·8 ₇	-17 23 24·16 -13 48 15·27 -14 20 15·05	3 14 44-83
8	6 Aquarii		, ,,,,,	7		8 26 6·98	1
9	Moon IIΝ λ Aquarii λ¹ Aquarii		22 45 45 43 22 58 18 47	7	<u>—1 2°20</u>	— 8 16 38 83 — 8 24 4 96	1
	Moon IIN		23 9 31.60 23 9 10 4/	7	—ı ı.82		5 -14 50.46
25	Moon IN R Virginis A Virginis		13 24 47 31 14 5 52 84 14 11 59 67	ı	+1 6.06	- 4 6 3.54 - 9 39 28.72 -12 45 45.51	1

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1868. July 26	κ Virginis	IF	h m 8	7	m s	— 9° 39′ 28′ 90	1)
	Moon IN		14 11 59.68	7	٠٠٠ - ١٠٤٥	-12 45 44 29 - 8 25 25 57	
į l	a ² Libræ		14 43 36.44	7	71 500	-15 29 31'42	1
	8 Libræ,		14 53 57.01	7		- 7 59 35.03	i i
27	a ² Libræ	G	14 43 36.42	7		—15 29 29·78	1
	8 Libræ		14 53 56.90	7		- 7 59 34°02	
	Moon IN		15 10 31.33	7	+1 5.46	-12 10 28'44	7 -15 25.07
	48 Libræ		12 20 20.08	6		-13 53 42.31	1
28	0 Libræ	CF	15 46 20.77	7		—16 20 20·69	1
	48 Libræ		12 20 20.08	7		-13 53 42.03	1
	Moon IN		16 3 9.21	7	+1 2.21	-15 12 24.67	6 -15 13.62
	ϕ Ophiuchi		16 23 37 45	7			
	B.A.C. 5579		16 33 58.74	7		-17 28 58.23	I
Aug. 9	o Piscium	G	1 38 27 54	7		+ 8 29 41.12	1
	₹ Piscium		1 46 45.33	6		+ 2 32 14.08	
	Moon IIN		2 4 45 99	7	—I 3.4	十 7 41 50.82	
į	ξ ² Ceti	ļ	2 21 10.37			+ 7 52 7.88	
	μ Ceti		2 37 50.31	7		+ 9 33 23.02	1
24	1 *	JS	15 28 10.30	7		-14 20 47 25	1
	Moon IN		15 44 48 47	7	+1 6.12	-14 11 54.76	
	β¹ Scorpii		15 57 47 66	7		-19 26 26.13	.
	ν Scorpii		16 4 21.33	7		—19 6 51·67	1
25	₿¹ Scorpii	G	15 57 47.60	7		-19 26 26.84	1
	» Scorpii		16 4 21 30	7		—19 6 50·67	
	Moon IN		16 38 21.72	7	+1 6.02	—16 44 11·77	7 -15 13.60
	η Ophiuchi		17 2 50.63	7		-15 33 23.40	I
	» Serpentis		17 13 26.34	7		-12 42 27 10	1
27	21 Sagittarii	JS	18 17 31.85	7		-20 36 23.26	1
	Moon IN		18 24 43 98		+1 5.20	-19 o 53.23	
	ξ ² Sagittarii		18 49 53.92	7		-21 16 27.71	
	o Sagittarii		18 56 49.03	7		-21 55 45.12	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed A	Semi- diameter.
1868. Aug. 28	ξ ² Sagittarii	OF	h m s 18 49 53.85	7 7	m s	-21 16 24 75 1 -21 55 43 14 1	, ,,
	Moon IS c² Sagittarii f Sagittarii		19 17 7'74 19 35 0'44 19 38 42'28	7 7 7	+1 4'94	-19 13 27 86 6 + -16 25 36 01 1	-14 49'05
29	f Sagittarii	G	19 35 0.64 19 38 42.22 20 8 37.52	7 7 7	+1 4'21	-16 25 35 94 I -20 4 19 26 I -18 2 31 36 7	-14 45'72
30	# Capricorni τ Capricorni # Capricorni	G	20 19 48·29 20 31 56·07 20 19 48·52	7		-18 38 14.90 1 -18 38 14.90 1 -18 38 14.90 1	
	τ ² Capricorni S Moon I S γ Capricorni δ Capricorni		 20 59 1°21 21 32 49°29 21 39 47°98	7 7 7	+1 3.39	-15 24 39 11 1 -16 2 31 55 4 4 -17 15 6 15 1 -16 43 9 77 1	-14 44*32
Sept. 1	σ Aquarii Moon IΝ	G	22 23 42.45 22 36 28.55	7	+1 2'00	11 20 49 15 1 9 33 21 16 4	-14 46 95
2	φ Aquarii ψ ³ Aquarii Moon IIN 30 Piscium	IF	23 26 0.31 23 11 5.29 23 17 0.31	7 7 7 7	—ı ı.66	- 6 45 15.62 1 - 9 53 50.80 1 - 5 49 43.06 7 - 6 44 32.00 1	-14 50'39
. 23	33 Piscium	IF	23 58 37·30 17 30 3·35	7		6 26 27 ·45 1	
	58 Ophiuchi Moon IS. λ Sagittarii ξ ² Sagittarii		18 49 53°35 18 49 53°35 18 49 53°35	7 7 7	+1 6.53	-21 36 50 29 1 -19 26 9 67 5 -25 29 22 04 1 -21 16 26 89 1	-15· 4 ` 35
24	λ Sagittarii ξ ² Sagittarii Moon IS ρ ¹ Sagittarii	G	18 19 51°42 18 49 53°38 18 58 34°99	7 7 7	+= 5.57	-25 29 21.80 1 -21 16 27.02 1 -19 31 29.64 7 -18 5 21.73 1	-14 55 61
	e ² Sagittarii		19 32 0,31	7		-16 25 36.76 I	

Unto.	Object.	Observer.	Observed B.A.	No. of Wires.	Passage of Semi- diameter.	Observed Society Construction C	quameter.
1868. Sept. 25	p ¹ Sagistarii	JB	h m s 19 14 3*15 19 50 41*25 29 31 \$5*80	7 7 7	m a	-18 5 22 es 1	+14 49.67
27	ν Aquarii		21 2 26.66 21 14 56.18 21 31 8.97 21 46 8.53	7 7	+1 3,0b	—11 53 56.61 1 —17 23 25.19 1 —14 24 43.53 5 —14 9 59.53 1	+14 46.06
30	26 Piscium 27 Piscium Moon IS	J8	21 59 21.14 23 41 12.23 23 54 58.25		+1 i.82	- 3 41 38.19 6	
Oct. 1	44 Piscium		0 18 41.06 0 28 30.02 0 44 45.71 1 6 53.14	7	—i 3.10	+ 6 52 51.74	+ ¹⁵ 2'57
2	ς Piacium (;st Star) μ Piscium Moon IIΝ ξ¹ Piscium		1 6 53.30 1 23 19.38 1 6 53.30 1 46 46.41	7 7 7	—1 3.96	+ 6 52 53:60 8 + 5 28 2:38 1 + 5 12 47:21 7 + 2 32 22:52 1	—E5 9·65
7	ξ ¹ Ceti		2 6 3·38 5 29 47·91 5 46 36·29	7 7 7 7		+ 8 13 48 82 1 +2; 3 28 87 1 +2; 3 28 87 1	
22	Moon II. N μ Geminorum. γ Geminorum. Moon I.		19 30 15.12 6 12 0.64 6 30 7.18	7	+ 1 €.28	+16 30 27 10 1 +22 34 31 87 1	+14 57'0I
26	β Capsicorni σ Aquarii ¬ Aquarii Moon I 8	J8	20 13 37.55 22 23 42.18 22 42 38.65 24 49 8.48	7	+1 2'12	-15 11 30 85 1 -11 20 51 18 1 -14 17 2 14 1 - 9 15 51 48 4	
	φ Aqua rii ψ ² Aquarii		23 11 2.14 23 4 31.40			- 9 53 52.88 1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1868. Oct. 30	p Piscium		h m s 1 34 37 00 1 46 46 59 2 2 22 54	5	m s	+ 4 49 21.23 + 2 32 18.52 + 7 19 17.07 + 7 52 13.20	7	+15 20.15
Nov. 2	e Tauri		4 20 58 14 4 28 24 28 4 47 53 77 5 20 13 79 5 29 48 69	7 7 7 7		+18 53 9.46 +16 14 30.93 +17 53 54.49 +15 45 36.24 +21 3 29.18	7	—15 45 [.] 91
4	y Geminorum γ Geminorum Moon IIS λ Geminorum 63 Geminorum		6 21 10°56 6 30 8°13 6 47 59°25 7 10 33°15 7 19 56°83	7	—1 10·79	+20 17 26.83 +16 30 25.41 +19 25 39.96 +16 46 23.49 +21 42 31.27	5	+15 5g·98
5	MoonS 8 Cancri	C.F	•••		***	+18 34 5 35 +18 37 59 21		+16 3·96
6	Moon II	IF	8 49 51 26	7	—ı 10.1è	+16 27 54.82	6	+16 7 ⁻⁸ 2
23	φ Aquarii		23 7 31·36 23 17 1·95		+1 1·88	- 6 45 19.77 - 7 16 28.69		•
24	30 Piscium		23 55 13.85 23 58 37.28 0 4 2.15 0 23 20.85 0 28 29.89	7	+1 1.83	6 44 34 84 6 26 29 25 3 12 45 32 4 40 50 26 4 18 55 66	7	
25	12 Ceti	IF	0 23 20'79 0 28 29'98 0 51 33'65 1 6 53'24 1 34 36'99	7 7 7 7	+1 2.20	- 4 40 57'48 - 4 18 56'06 + 1 3 12'64 + 6 52 51'76 + 4 49 19'45	7	+15 6'92

Date.	Object.	0	bserved R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1868. Nov. 26	ζ Piscium (zst Star) (h	m 8	7	m s	+ 6° 52′ 53″.03		, ,,
	r Piscium	1	34 36.93	7	ł	+ 4 49 21 90	ı	
	Moon I	1	40 24 19	7	+1 3.29	+ 5 21 55.18	1	+15 17.32
	ξ¹ Ceti	2	6 3.21	7	ļ	+ 8 13 47.80		
	ξ ² Ceti	2	21 12.01	7		+ 7 52 13.19	1	
28	λ Ceti J	2	52 42.05	7		+ 8 22 57.01	1	
	o Tauri	3	17 46 16	7		+ 8 33 52.29		
	Moon IS	1 -	25 2'14	7	+1 6.88	+13 19 5.47	1	+15 40.72
	e Tauri		41 5.60	6		+10 44 11.37	1	
	λ Tauri	3	53 25.86	7		+12 7 0:37	1	ļ
30	Moon IIN	7 5	23 58.02	1 7	-1 10·58	+19 9 6.44	7	—16 o'94
	χ ⁴ Orionis		56 8.42	7		+20 8 12.41	1	
	η Geminorum	6	6 58.47	7		+22 32 24.19	1	1
Dec. 1	χ ⁴ Orionis J	3 5	56 8.22	7		+20 8 13.41	1	
	η Geminorum	6	6 58.36	7		+22 32 25.25	1	
	Moon IIS	6	25 59.82	7	-1 11.28	+19 35 9.49	6	+16 7.90
	& Geminorum	6	56 20.23	7		+20 45 26.50		
	8 Geminorum	7	12 17.85	7		+22 13 7.77	1	
2	& Geminorum I	6	56 20.22	7		+20 45 26.87	1]
	δ Geminorum	7	12 17 . 84	7		+22 13 7.09		1
	Moon IIS	7	28 55.47	7	-I II'74	+19 12 25.01		+16 12.18
	r Cancri	7	49 33.02	7		+16 8 10.98	1	
	μ ² Cancri	8	0 3.03	7		+21 57 27.58	I	
4	α Cancri C	8	51 18.82	7		+12 21 46.30	1	
	κ Cancri	9	0 38.64	7		+11 11 37.53	1	
	Moon II	1 -	31 26.12	7	-1 9.89	+14 34 27 54		+16 13.33
	a Leonis	10	1 22.93	7		+12 36 23.95	1	
7	v Virginis J	1				+ 7 15 52 77		
	w VirginisΥ	11		6		+ 7 20 47 10	, ,	
	Moon IIS	1	30.95	7	—I 6.29	+ 1 26 37.49		+10 2·07
24	E Piscium J	1 .	46 46 47	7		+ 2 32 16.67		
	ξ¹ Ceti	1	6 3.24	7		+ 8 13 45.79		
	Moon IS		7 20.28	7	+1 3.84	+ 7 26 11 20		+15 18.20
I	ξ ² Ceti	2 :	11 11.82	7		+ 7 52 11.35	I	

Date.	Objecț.	Observer.	Qbserved B.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1868. Dec. 25	ξ ^g Ceti	CF	h m s	7	m s	+ 7 52 13"32	1	, "
	μ Ceti	l	2 37 51.87	7		+ 9 33 29 72		
	Moon I8		2 58 50.69	7	+1 5.80	+11 24 56.48	6	+15 32.18
	f Tauri		3 23 38.82	7		+12 29 3.25	1	
	s Tauri		3 41 5.74	7		+10 44 11.91	1	
27	\$ ¹ Tauri	C F	4 15 23 33	7		+17 13 52'34	ī	
	« Tauri		4 28 24.80	7	ł	+16 14 31.52	1	
	Moon IS		4 52 0.53	7	+1 10.14	+17 38 42.24	7	+16 0°92
28	^	G	5 46 38.22	7		+20 14 48.31	l i	
	Moon I		5 53 47.46	7	+1 11.88	+19 17 47 70		+16 13.30
	y Geminorum		6 30 9.27	7		+16 30 22.28	I	
29	μ Geminorum	JS	6 15 2.70	7		+22 34 34 40	ı	
	γ Geminorum		6 30 9.29	7		+16 30 22.46	1	
	Moon IIS		7 0 19.12	7	-1 12.78	+19 36 49.15	7	+16 22.56
	8 Geminorum		7 12 18.42	7	İ	+22 13 7.23	1	
	« Geminorum		7 36 32.64	7		+24 42 26.55	1	
1869. Jan. 1	ø Leonis	TO		_	ŀ	1		
	Moon IIS	Jo	9 34 9.61	ì		+10 29 7.65		1.6.00.00
	,moou 11		10 10 9 02	7	10 15	+12 21 33'17	7	710 25 59
22		CF	3 20 4.39	7		+ 9 16 19.72	1	
	Moon I		3 27 8.65	7	+1 6.00	+13 12 43.42	7	+15 29.66
	γ Tauri		4 12 20.70	7	ł	+15 18 26.78	1	
	8 ³ Țauri		4 17 55.04	7		+17 37 28.50	I	
23	γ Tauri	G	4 12 20.76	7		+15 18 25.99	1	
	3º Ţauri	1	4 17 55.07		1	+17 37 26.99		
1	Moon IS	1	4 22 16 55	4	+1 8.36	+16 17 54.75	1	+15 45 47
	Į r Orionis		4 57 5.62		!	+15 13 1.26		
	15 Orionis		5 2 12.74	7		+15 25 31.07	1	
24	țı Orionis		4 57 5 44	7		+15 13 2.58	1	
	15 Orionis		5 2 12.55	7	1	+15 25 30.25		
	Moon IS		5 21 9 94	7	+1 10.61	+18 31 9.21		+16 1·84
	χ¹ Orionis		5 46 38 17	7	ł	+20 14 48.62	ł	
	ν Geminorum		6 21 11.66	7	1	+20 17 24-13	1	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- dismeter.
1869. Jan. 25	χ¹ Orionis ν Geminorum	ĺ	h m s 5 46 38.25	7	m s	+20 14 49.57	1	
Ì	Moon IN		6 23 31.63	7	+1 18.33	+30 7 33.89	6	16 17°21
	C Geminerum		6 56 20.96	7	<u> </u>	+20 45 29'18		
	λ Geminorum		7 10 34'39	7		+16 46 20.37		
26	ζ ² Geminorum	IF	6 56 20.95	,		+20 45 28.54		
	λ Geminorum		7 10 34.28	7		+16 46 21.83		
i	Moon IS		7 28 15.29	7	+1 13.20	+19 15 15.72	2	+16 29.99
	Caneri					+18 2 18.45	1	
	d¹ Cancri		8 15 52.42	7	1	+18 44 53.55	1	
28	o ² Cancri	OF	8 50 17.02	7		+16 4 50.23		
	# Cancri		9 8 0.67	7	1	+15 28 51.97	1 1	
	Moon IIN		9 40 28 10	7	-1 12.03	+14 51 14.48	5	16 41·60
	a Leonis		10 1 24'12	7	į	+12 36 15.34	1	
ļ	ρ Leonis		10 25 55.58	7		+ 9 58 41.76	1	
20	Moon II	a	111 42 14:10	7		+ 5 13 44'74		+16 21°74
	7 Virginis	u	12 13 14.46	7	. ,	+ 9 3 39'73	1 1	1 .0 3. /4
	γ Virginis (1st Ster).		12 35 1.26	7		- 0 43 47°84	1 1	
,,	γ Virginis (:st Star).	æ	12 35 1.65	_		40 .48.50		
, ,	Moon II	ď	12 35 1.65	7	1 7·93	+ • 7 37.37 - • 43 48.12		+16 20.60
	k Virginis		12 52 54.87	7	. / 73	- 3 6 16·85		1 .0 .00
	48 Virginis		12 57 9.85	7		- 2 57 25.97	1 1	
Feb. 2	к Virginis	CIR	14 5 54.66	,		— 9 39 40°±8	,	
	· Virginis	-	14 9 8.88	7		- 5 22 23.89		
	Meon IIS		14 29 54.49	7	—ı 6·80	- 9 26 21.22		+15 52'16
	# Libræ		15 9 57 10	4		- 8 53 46.99		
10	Moon	ır				+15 5 48.70	ا د ا۔	+15 25'24
	a Tsuri					+16 14 29.63		
20	a Téuri	JB	4 28 24 32	5		+16 14 29.07		
	Moon I8		4 53 58.33	7	+1 8.48	+17 39 2'69	- 1	+15 40°12
	119 Tauri	ļ	5 24 32 18	,		+18 29 32.19	- 1	
	(Tauri		5 29 49.30	,		+21 3 89.38	- 1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1869. Feb. 25	18 Leonis	G	h m s 9 39 20.67 9 51 11.42 10 6 20.53 10 25 55.75 10 42 23.26	7 7 7 7	m s	+12 24 35 39 +13 3 47 73 + 9 58 39 29 +11 14 7 95	1 -16 45.29
26	ρ Leonis	IF	10 25 55.84 10 42 23.22 11 10 41.76 11 39 8.59 11 54 10.62	7 7 7 7 7	—I 10·64	+ 9 58 39'70 +11 14 7'31 + 7 51 45'46 + 7 15 40'46 + 7 20 35'19	7 +16 46*25
27	ν Virginis	Js	11 39 8.64 11 54 10.63 12 10 47.00 12 35 2.18 12 46 29.67	7 7 5 6 6	—z 9·56	+ 7 15 41.86 + 7 20 36.11 + 2 41 3.58 - 0 43 50.53 - 2 50 30.43	1 2 +16 40-87
Маг. 1	7º Virginis	G	13 25 10°20 13 28 43°31 14 6 27°34 14 49 40°25 14 53 59°00	7 7 7 7	—ı 8.31	- 5 34 44'22 - 4 43 42'18 - 7 35 24'62 	1 7 +16 16-15
2	Moon II8. ### Libre	J8	15 2 58·88 15 46 22·36 15 50 51·49	5 7 7	—ı 7.94	—11 59 18·34 —16 20 28·51 —17 59 18·34	x
3	 θ Librse	IF	16 16 26·36	7 7		—16 20 28.65 —13 53 52.19 —15 33 41.68 —16 20 28.65	7 +15 44.08
19	a Tauri	IF	4 28 23 78 4 34 5 90	7	+1 6.82	+16 14 28.77 +16 59 47.79	
20	Moon I	JS	5 30 10.95	7	+1 8.74	•••	
21	y Geminorum Moon I	G	9 28 56.05 6 28 56.05 6 21 11.08	7 6 6	+1 10.52	+20 17 24.64 +20 17 58.85 +22 13 4.33	7 -15 50.43

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1869. Mar. 22	8 Geminorum 63 Geminorum Moon IN. Cancri 7 Cancri	IF	h m s 7 12 18 14 7 19 58 09 7 29 47 03 8 4 42 30 8 25 8 41	7 7 7 7	m s	+22 13 7.88 +21 42 32.40 +19 54 39.76 +18 2 17.56 +20 52 56.57	1 7 1	 —16 2.00
23	ζ Cancri	G	8 4 42.35 8 25 8.40 8 31 47.75 9 8 0.57 9 11 40.81	7 7 7 7	+1 11.24	+18 2 19.74 +20 52 57.85 +18 11 17.47 +15 28 51.28 +18 15 25.84	7	—16 18·92
24	π ² Cancri	Js	 			+15 28 53.50 +18 15 25.96 +15 10 8.33 +13 3 56.43 +12 36 16.78	3	
27	10 Virginis		12 2 59 82 12 37 38 73 12 37 38 73 12 12 10 73	7	—ı 9·43	+ 2 37 56.48 + 4 2 27.68 + 0 12 40.20 - 3 6 22.36 - 2 57 33.68	1 7 1	
28	48 Virginis		 			2 57 32.84 4 33 12.92 8 15 58.88 9 39 48.21	4	—16 32·93
29	94 Virginis MoonS.	JS				— 8 15 58·98	ı	
31	49 Libræ φ Ophiuchi	IF.	15 52 59'79 16 23 39'42 16 30 49'36 16 54 12'45 16 58 23'37	7 7 7 7	—ı 8·8 ₇	—16 8 40°17 —16 19 25°13 —17 20 41°55 —18 41 18°76 —21 22 43°80	1 7 1	+±5 49°47

Date,	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1869. Apr. 1	29 Ophiuchi B.A.O. 5758	JB	h m s 16 54 12.59 16 58 23.15	4 7	tn. s	18 41 18.78 		i u
	Moon IIΝ. μ¹ Sagittarii 21 Sagittarii		17 28 17 12 18 5 56 64	6	—z 8·48	-18 53 51.22 -18 5 17.75	7	15 33.40
19	μ² Cancri		8 0 3.10	7		-20 36 25°30	,	
	(Cancri		8 4 41.76 8 9 32.13 8 37 14.37	7 7 7	+1 10.48	+18 2 18.96 +19 11 7.75 +18 2 18.96	6	—16 o·o5
21		IF	9 36 36.15 8 20 19.36	7		+16 4 49.41		
	Moon IN. Leonis		9 51 10.81 10 9 23.36	7 7	+1 9.78	+13 4 1.29	7	—16 20°22
22	l Leonis	TO	10 42 23 04	7		+11 14 9.96	1	
7.2	Moon IN. v Virginis	45	10 42 23°04 11 8 13°00 11 39 8°64	7 7 7	+1 9°23	+ 11 14 10'04 + 8 35 9'68 + 7 15 44'45	7	—16 27°31
23	ν Virginia	IF	11 39 8.65	7		十 7 20 55'58 十 7 25 44'18		
	π Virginis Modn IN γ Virginis (one mass)		11 54 10.83 12 6 20.83	7	+1 8.82	+ 7 20 37.68 + 3 29 6.43 - 0 43 54.77	7	—16 31,50
26	38 Virgilils		12 46 30.02	7	i	- 2 50 32·85	1	
30	ξ ^l LibræN		14 47 17 86 15 2 52 04	7 7	—ı 9·i8	—11 6 53°21 —11 41 36°94	1 7	 16 16·84
	o Libre		15 20 53.77 15 28 13.23	7		—14 21 1.44 —14 21 1.44		
27	C Libre;		15 20 53.79 15 28 13.48 18 1 47.68	7	1 4 ·46	—16 15 28'17 —14 21 2'23 —15 30 24'12	1	∸16 4.49
	χ Ophiuchi φ Ophiuchi :		16 19 27 40 16 19 27 80	7		—18 9 \$6'97 —16 19 27'00	1	4 47

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed book Signal Si	diameter.
1869. Apr. 28	φ Ophiuchi Moon IIN ξ Ophiuchi 58 Ophiuchi	JS	h m 8 16 23 39 93 17 0 52 81 17 13 10 44 17 35 35 89	7 6 7 7	m s		—15 50°29
29	ξ Ophiuchi	JB	•••			-20 58 9.80 1 -19 46 38.66 7 -20 56 25.11 1 -21 16 26.08 1	
30	21 Sagittarii	IF	18 17 33'90 18 49 55'75 18 56 44'58 19 14 5'82 19 38 43'71	7 7 7 7 7	—ı 8·08	-20 36 26.46 I -21 16 27.08 I -20 6 28.73 7 -18 5 21.35 I -20 4 16.62 I	15 21'33
Мау г	Moon IIΝ ρ Capricorni τ² Capricorni		19 52 3'46 20 21 23'44 20 31 56'95	6 6 7	—1 6·73	—19 19 14·61 7 —18 14 34·34 1 —15 24 40·31	
2	ρ Capricorni τ² Capricorni Moon II δ Capricorni ι Capricorni	JS	20 21 23 52 20 31 56 76 20 45 2 65 20 58 34 93 21 14 57 01	6 7 7 7	—1 5°22	-18 14 33 82 1 -15 24 36 63 1 -17 33 35 05 7 -17 45 0 00 1 -17 23 20 00 1	—14 59 [.] 09
19	α Leonis	IF	10 1 23.78 10 25 55.12 10 48 13.67	7 7 7	+1 8·50	+12 36 19 46 1 + 9 58 43 31 1 +16 26 53 17 7	—16 12·68
20	y Virginis Moen IN	J8	11 39 \$.33 11 44 4 \$.96	7	+i 7.92	+ 7 15 44 85 1 + 5 38 6 89 7	
26	ξ Ophiuchi Moon IIN μ Sagittarii 21 Sagittarii	IF.	17 13 11 17 17 31 41 13 18 5 57 53 18 17 34 59		—ı 9·57	-20 58 9.09 1 -19 19 48.85 7 -21 5 18.16 1 -20 58 9.09 1	—15 44°32

Digitized by Google

		يز	Observed	No. of Wires.	Passage	Observed	Wires	Semi-
Date.	Object.	Ž	R.A.	5	of Semi- diameter.	Dec.	6	diameter.
		Observer.		Š	diministri.		Š.	
	<u> </u>		<u>, </u>		<u>'</u>	<u> </u>	F	.
1869.	21 Sagittarii	10	h m s	_	m s	-20° 36′ 23′ 52		
May 27	Moon IIN	35		7		-20 16 30.45 -20 16 30.45		1
	d Sagittarii	ł	18 30 24.14	7	y 02	_	1	-15 31-96
l	ρ¹ Sagittarii		19 9 59 71	7		-19 10 53.00		
	ρ· oagittarii		19 14 5.82	7		-18 5 20.01	1	
28	d Sagittarii	IF	19 9 59.65	7		-19 10 51.50	1	
	ρ¹ Sagittarii			1		18 5 20.30	1	
1	Moon IIN		19 27 39.67	7	—I 7·9I	-20 0 36·20	7	-15 19.86
1	57 Sagittarii		19 44 36.55	7		-19 22 21.94	1	
1	σ Capricorni		20 11 51.31	7		-19 31 21.28		
1								
	Moon IIN	JS		6		-16 22 49·85		
30	& Capricorni	1	71 39 49.13 71 12 13.01		-1 4.82	-16 43 3'73		—14 59°68
1	μ Capricorni	1	21 46 9.78	7		-14 9 53.05 -10 43 3 73		
1	μ Capricorni		21 40 9 76	7		-14 9 53 05	١.	
1								
31	8 Capricorni	IF	21 39 49 37	7		-16 43 3.23	1	
l	μ Capricorni		21 46 9.96	7		-14 9 52.53	1	
	Moon IIN		22 5 15.09	7	—ı 3·34	-13 22 37.30	7	—14 53°05
ł	σ Aquarii	l	22 23 43.39	7		-11 20 44.54	1	
	τ ⁹ Aquarii	l	22 42 39.74	5		-14 16 54.19	I	
							li	
June 1		JS	22 23 43 23	7		-11 20 44'20	1	
	τ² Aquarii		22 42 39.65	7		-14 16 51.44	1 1	
	Moon IIN		22 53 14.91	6	—I 3.18	- 9 49 II.23	ı	—14 49°20
	♥¹ Aquarii		23 9 1.81	7		- 9 47 58.68	1	
	96 Aquarii		23 12 36.57	4		- 2 20 10.10	1	
ا	T	7 42						
16	^	II	- • •	7		+ 8 2 33.94	1 1	
	Leonis		11 17 6.12	7	ام	+11 15 0.63		
	Moon IN		11 28 9.78	7	+1 7.78	+ 7 19 50.22	7	—16 11 . 40
18	48 Virginis	IF	12 57 10.38	7		— 2 57 32·04		
 '"	Moon IN		13 18 19.41	7	+1 7:07			—16 7·67
i	94 Virginis		13 29 23.12	7	• • • • • • • • • • • • • • • • • • • •			/ •/
·	Virginis		14 9 10.43	,		- 5 22 27'31	,	
			, , == +3	1		3 -2 -7 3-		
22	B.A.C. 5579	IF	16 34 1.99	7 j		-17 29 6.13		
	Moon IN		17 4 14 79	,	+1 9.10	-18 32 59.38		—15 43°∞

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1869. June 30	Moon IIN 10 Ceti	G	h m s o 7 27.15 o 19 55.20 o 46 19.52	7 7 7	m 8	- 3 33 7'84 - 0 46 24.68 - 1 51 15.01	1
July 15	γ Virginis (one mass) 38 Virginis Moon IN	G	12 35 1'98 12 46 29'44	7	+1 7.50	- 0 43 53.82 - 2 50 29.38	1
	66 Virginis		13 17 45°03 13 25 10°22	7 7 5	71 7 20	- 1 12 3'92 - 4 28 43'91 - 5 34 44'83	1
16	P Virginis N Moon I N 2 Libre \$1 Libre	IF	13 25 10'54 13 26 55'12 14 16 24'15	7 7 7	+1 7.13	- 5 34 43 99 - 6 13 43 41 11 6 52 25 11 21 43 02	7 —16 3.27
17	2 Libree	JS	14 47 17.81	7	1	—11 6 52·47 —11 21 43·21 —10 49 1·35	x
	o ² Libræ γ Libræ		14 51 54°55 15 15 45°19 15 28 13°74	7 7 7		—14 39 51°29	1
18	Moon IΝ φ Ophiuchi B.A.C. 5579	JS	15 47 37 79 16 23 40 67 16 34 2 02	7 7 7	+1 7.92	14 42 47 64 16 19 24 58 17 29 5 64	I
19	φ Ophiuchi B.A.C. 5579 Moon I ξ Ophiuchi	G	16 23 40 52 16 34 1 99 16 44 15 73 17 13 11 47	7 7 7	+1 8.39	16 19 24 67 17 29 5 77 17 41 58 61 20 58 4 93	5 15 38.78
20	58 Ophiuchi	IF	17 35 37 24 17 13 11 46 17 35 37 12	7		-21 36 53°38 -20 58 5°05 -21 36 52°44	1
21	Moon IΝ μ¹ Sagittarii	JS	18 5 58.30	7		—19 36 48·92	6 -15 30'17
	Moon IN # Sagittarii d Sagittarii		18 38 50°52 19 10 0°52	4 7 7	+1 8.24	-20 21 47 22 -21 13 34 59 -19 10 49 44	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1869. July 23	σ Capricorni	IF	h m s		m s	-19° 31′ 16′ 70	
July 23	Capricorni		20 21 25'60	7		—18 14 27 45	
	Moon IIN		20 32 13.31	7	—ı 6'12	· .	
	# Capricorni		20 58 36.93	7		-17 44 51 °01	
	Capricorni		21 14 59.16	7		-17 23 11'32	•
	•			·			
24	θ Capricorni	JS	20 58 37 18	7		—17 44 49°70	x
	ι Capricorni		21 14 59.31	7		-17 23 10.24	1
	Moon IIN		21 24 42.52	6	-1 4.65		7 -14 58 71
	μ Capricorni		21 46 11.31	7		-14 9 45·85	r
	، Aquarii		21 59 23.82	7		-14 29 58.66	1
28	Moon II	J8	0 35 20'60	5	—I I'02		
	33 Ceti		1 3 20,60	7		+ 1 45 0.05	I .
	38 Ceti		1 8 9'27	7		- I 40 22 I4	I :
	,						
Aug. 14	e Libre	G	15 17 7'22	7		- 9 50 54·64	
	37 Libra		15 27 2.61	7		- 9 36 45°25	1
	Moon IN		15 30 37 44	7	+1 8.06	-13 37 2.30	7 -15 53.81
	θ Libræ		15 46 23.65	7	1	-16 20 31.41	1
	48 Libræ		15 50 52.91	6		—1 3 53 53 71	I
15	48 Libræ	Œ	15 50 52.83	7		—13 53 53°57	1
1	Moon IN		16 27 5.31	7	+1 8.32	-16 54 31.96	7 -15 41.99
	29 Ophiuohi		16 54 13'4"	5		-18 41 21.35	1
	ξ Ophiuchi		17 13 11.85	7		-20 58 6.76	I I
16	29 Ophiuchi	IF	16 54 13.40	7		—18 41 30 °14	1
	ξ Ophiuchi		17 13 11.23	7			1
	Moon IN		17 23 54.67	7	+1 8.40	' ' ' '	6 -15 31.01
1	58 Ophiuchi		17 35 36.99	7		-21 36 54.75	1
	μ¹ Sagittarii		18 5 57 92	7		—21 5 17·79	t
17	58 Ophiuchi	đ	17 35 36.91	7		-21 36 54.29	1
1	μ¹ Sagittarii		18 5 57.95	7		-21 5 18·06	
1	Moon IN		18 20 42'04	7	+1 8.12	20 15 28.15	l l
	• Sagittarii		18 26 23.30	7		-21 55 40.94	l l
i	π Sagitterii		19 2 0.67	7		-21 13 34'19	*

Pate.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1869. Aug. 18	o Sagittarii # Sagittarii Moon IS	IF	h m s 18 56 51·17 19 2 0·59 19 16 47·67	7 7	m s	-21° 55° 41″ 19 -21° 13° 35° 32 -20° 43° 15° 48	7	+15 12.03
20	Farestandiiiiiii	I F	19 38 45 51 19 44 37 57 20 32 38 16	7 7 7		-18 35 38.63	1	
	θ Capricorni Moon I		20 58 37 43 21 4 21 11 21 32 52 36 21 50 93	7 7 7 7	+1 4.91	-17 44 51.05 -17 29 34.26 -17 14 52.57 -16 42 57.68	6 - 1	 14 57.60
23	Moon IIN 27 Piscium 29 Piscium	js	23 32 55.67 23 55 8.93	7 7 7	—ı ı·38	- 6 41 43.20 - 4 16 42.49 - 3 45 8.29	1	—14 45 [.] 39
24	29 PisciumN	IF	23 52 0°34 23 55 9°08 	7		- 4 16 41·39 - 3 45 8·24 - 2 30 52·80	1 7 -	—14 44 °30
25	13 Ceti	G	o 46 20'90	7 7 7		- 4 18 37 04 - 1 51 8 26 - 1 51 7 48	1	
	Moon IIN μ Piscium ν Piscium		I 4 25 25 I 23 21 36 I 34 38 88	7 7 7	—I 0.81	+ 5 28 13.82 + 4 49 36.64	1	—14 45 [.] 23
27	ξ¹ Ceti	IF	2 6 5.57 2 21 13.73 2 37 10.43 3 20 6.01 3 23 40.27	7 7 7 7	—ī 2·50	+ 8 14 1.12 + 7 52 25.60 +10 2 39.10 + 9 16 31.43 +12 29 12.42	1 6 1	—14 54'11
29	48 Tauri γ Tauri Moon IIN		4 8 21.55 4 12 21.95 4 17 13.83	6	—x 5·87	+15 4 15 17 +15 18 33 32 +16 52 7 71	1	-15 13 [,] 37
Sept. 13	B.A.C. 6098 Moon I	JS	17 54 50°12 18 3 1°98 18 17 34°75 18 49 56°87	7 7	+1 8·70	-20 43 55.20 -20 9 21.07 -21 16 25.28	5 -	—15 2 8·89

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1869. Sept. 14	21 Sagittarii	IF	h m s	7	m s	-20° 36′ 25′ 20	, ,
	¿² Sagittarii		18 49 56.63	7		-21 16 25.66	
•	Moon IS		18 59 39.69	7	+1 7.88	-20 57 51.78	6 +15 16.87
	ρ¹ Sagittarii		19 14 6.16	7		-18 5 18-15	1
	/ Sagittarii		19 38 45.10	7		—20 4 13·68	1
15	ρ¹ Sagittarii	G	19 14 6.43	7		—18 5 18·44	1
	f Sagittarii		19 38 45 36	6	1 - 6.60	-20 4 14.70 -20 8 20.40	
	Moon I8		19 54 46.83	7	+1 0.08	-18 14 28·69	1 1 1
	ρ Capricorni υ Capricorni		20 21 25.26	7 7		-18 35 39.40	1)
	v Capiteorm		20 32 37 80	,		10 33 39 70	
16	ρ Capricorni	JS	20 21 25 44	7		-18 14 28.72	1
	υ Capricorni		20 32 37 81	7		-18 35 39.81	1
	Moon IS		20 47 56.24	7	+1 5.28	-18 18 59.53	6 +14 58.49
	. Capricorni		21 14 59 45	7		-17 23 11.31	1
	, Capricorni		21 32 52'33	7		17 14 54.91	I
17	، Capricorni	IF	21 14 59.50	7		—17 23 12·46	I
	γ Capricorni		21 32 52.38	7		-17 14 53.34	[] .
	Moon IS		21 38 58.44	7	+1 3.84		
	، Aquarii		21 59 24.20	7		-14 29 57.81	
	σ ^u Aquarii		22 3 39 74	7		-12 12 13.10	
18	6º Aquarii	G	22 3 39.69	4		-12 12 12.85	1 1
	Moon IS		55 58 O.15	7	+1 2.22	-12 19 48.62	
	λ Aquarii		22 45 49 31	7		- 8 16 15.71	1 1
	ψ¹ Aquarii		23 9 4.32	7		— 9 47 45°31	I
20	30 Piscium	IF	23 55 17 19	7		- 6 44 14.38	1
	Moon IIN		0 3 34.22	7	—ı 0'94	- 3 52 58.04	
	10 Ceti		0 19 56.92	7		- 0 46 14.25	
	12 Ceti		0 23 23.84	7		4 40 36.66	1
24	μ Ceti	JS	2 37 54 38	7		+ 9 33 43.76	
	λ Ceti		2 52 44.52	7		+ 8 23 12.34	
	Moon IIN		3 9 11 27	7	—ı 3·14	+12 41 51.70	
	λ Tauri		3 53 27 74	7		+12 7 10.06	1

Date.	Object.	Орветтет.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	No. of Wires.	Semi- diameter.
1869. Sept. 27	# Tauri	G	h m 8 5 11 26°46 5 29 50°94	7	m s	+21° 57' 27' 89 +21 3 32'90		, "
1	Moon II		5.46 26.80	7	1 8·19	•••		•••
	η Geminorum		6 6 59.98	7		+22 32 27 10	1	
	μ Geminorum		6 15 3.80	6		+22 34 35.68	I	
Oct. 12	Moon IS		19 36 27 72	7	+1 7.81	20 45 26°92	6	+15 17*39
	σ Capricorni		20 11 51.82	7		-19 31 19.43	1	
	ρ Capricorni		20 21 25'16	7		18 14 29°22	1	
13	σ Capricorni	IF	20 11 51.80	7		-19 31 20.90	ŀ	
1	ρ Capricorni		20 21 25.10	7		-18 14 27.80	1	
Į l	Moon IS		20 30 55.33	7	+1 6.50	-19 12 52.98	1	+15 2.80
	θ Capricorni		20 58 36.77	7	1	—17 44 54°15	1	
	ι Capricorni		21 14 58.87	7		—17 23 11·93	I	
14	6 Capricorni	G	20 58 36.89	7		-17 44 52.76		
	Capricorni		21 14 59.13	1		-17 23 13.45	1	1
	4 Aquarii		71 20 23.01 71 75 23.82	7	T1 4 55	-16 46 15.66	1	T14 50 73
	e ² Aquarii		22 3 39.47	7		-12 12 13.29	1	
	•			,				
15	، Aquarii	IF	21 59 23.92	7		-14 30 0.13	1	
	€ ² Aquarii		22 3 39.44	7		-13 13 13.32	•	
	Moon IS		22 12 29.50	7	+1 3.06	-13 36 30.88		+14 50.53
	σ Aquarii	ļ	22 23 45 13	7		-11 50 33.18	1	
	70 Aquarii		22 41 38.97	7		-11 14 29'15	1	
16	σ Aquarii	G	1	ı		—11 20 36·02	1	
	70 Aquarii		22 41 38.96	1		-11 14 31.48		
	Moon IS	•	23 0 11.21	1	+1 1.88	- 9 54 13.37	1	1
	♥ ² Aquarii,		23 11 8.17] '	[— 9 53 33 .70		1
	20 Piscium		23 41 15.13	7		— 3 ² 9 4 · 43		
18	ro Ceti	JS	0 19 57 07	7		— o 46 15·58		
	Moon I		0 32 10.34		+1 0.83	— I 30 48·97	1	+14 44'22

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter
1869. Oct. 19	33 Ceti		h m s		m s	+ 1° 45' 8".74 + 2 55 41.73 + 2 51 31.36	1
	v Piscium e Piscium					+ 4 49 39 56 + 8 30 5 20	I
30	» Piscium o Piscium Moon IIN 4 Oeti		1 34 39 81 1 38 31 70 2 6 6 22 2 37 54 75	7 7 6 7	—I I'70	+ 4 49 39.48 + 8 30 4.59 + 7 37 57.43 + 9 33 46.85	1 7 14 48·8
23	c Tauri		4 28 27 33	7		+18 53 18·8a +16 14 39·74	1 1
	Moon II		4 34 45°74 5 0 6°11 5 19 34°40	6 7 7	—ī č.80	+18 8 47.63 +20 14 34.42 +17 50 49.32	1
24	115 Tauri		5 19 34·32 5 28 46·45 6 7 0·72	7	—ı 7.35	+17 50 49'09 +20 13 50'87 +22 32 27'52	7 15 14.5
25	μ Geminorum η Geminorum	IF	6 15 4.62	7		+22 34 36.72 +22 32 25.01	t
N	Moon IIN		6 15 4.65	7	-1 8·65	+22 34 35.23 +21 17 17.27	7 -15 24'3
Nov. 16	θ CapricorniSMoon ISγ Capricorniδ Capricorni		51 36 20.34 51 3 28.30 50 38 30.38	7		-17 44 54 76 -18 2 35 97 -17 14 57 16 -16 43 0 89	6 +15 7.8
11	γ Capricorni δ Capricorni Moon IS	Ģ	21 32 51.64 21 35 50.29	7	+1 4.04	—17 14 57 29 —16 43 1 31 —15 4 4 89	
	50 Aquarii σ Aquarii		22 17 27·81 22 23 44·66	6		14 11 19'97 11 20 37'86	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1869. Nov. 12	50 Aquarii	IF	h m s	7	m s	—14° 11′ 20′ 59	1	
	σ Aquarii		22 23 44.63	7		-11 50 36.52	1	
	Moon I		22 43 46 95	7	+1 3'57	-11 50 12.36		+14 51.04
	^{k¹} Aq y arii		32 28 31.82	7		- 8 23 43 27	1	
	♥¹ Aquarii		23 9 3.64	7		— 9 47 47 [.] 95	1	
13	λ¹ Aquarii	G	22 58 23.00	7		- 8 23 45 · 91	,	
Ì	ψ¹ Aquarii		23 9 3.78	6		- 9 47 49·72	•	
	Moon L8		23 30 35.26	7	+1 1'52	- 7 28 45·38		+14 47 00
	30 Piscium		23 55 16.97	6	_	- 6 44 16·91	- 1	
	33 Pięcium		23 58 49.47	7		- 6 26 10·38		
14	30 Ріадіцт	JS	23 55 16.80	7		— 6 44 16·39	1	
	33 Piscium		23 58 40.51	7		6 26 10.97	1	
	Moon J8		0 16 18.99	7	+1 9.99	- 3 11 59.34	6	+14 45.65
	13 Qetj,		0 28 32.92	,		- 4 18 37 · Q7	1	
	20 Cetij		0 46 21.49	,		- 1 51 7.39	1	
15	13 Catj	G				- 4 18 36.84	1	
	so Ceti			l		- 1 21 8.30		1
	Моот			1		+ 1 12 19.86	5	+14 46.63
	μ Piacium					+ 5 28 29.00	3	
	» Pişcium		•			+ 4 49 39.51	1	
16	μ Piacinm		1 23 24.38	7		+ 5 28 19.12		
	» Piscium	}	1 34 99.86	7		+ 4 49 39.28		
	Maan I		1 47 49 71	,	+1 3.24		7	+14 49.68
]	ξ ¹ Ceti		2 6 6.73	7		+ 8 14 4'73	1	
	ξ ^ο Coti		2 21 14'95	7		+ 7 52 31.53	1	
17	وا Coti	JB	2 6 6.62	,		+ 8 14 5'53	1	
	ξ ^q Coti	Ī	2 21 14.87			+ 7 52 30'36		
	Megn I		2 34 59 31	[+1 2.28	+ 9 46 56.79		+14 54.47
	λ Ceti		2 52 44 87	1		+ 8 23 11 64		-
	ξ Тациі		3 20 7.16	i		+ 9 16 36.24		
10	λ Τ ημεί	IF	3 23 39.60	7		+18 7 11.17		l
	Moon II,N		4 17 25.38		-1 2.61	+17 21 35.23		—15 7°44
	a Tapri		4 28 27.70	,		+16 14 40.85	1	

Digitized by Google

Date,	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
186y. Nov. 20	m Tauri		h m 8 4 59 45 96 5 11 20 77 5 29 52 43 5 46 40 88	7 6 7 7	m s	+18 28 1'86 +19 18 16'21 +21 3 33'49 +20 14 52'31	5 +15 14'90
22	y Geminorum C ² Geminorum Moon II8 63 Geminorum g Geminorum	1	6 21 14·36 6 56 23·62 7 5 20·64 7 20 0·66 7 38 35·20	7 7 7 7	—ı 9°34	+20 17 26'07 +20 45 25'63 +21 42 26'34 +18 49 24'81	7 +15 31.39
23	Moon II	i	8 3 51.91 8 25 10.45 8 35 44.57	6 7 7	—ı 9·56	+20 4 19'76 +20 52 49'15 +21 55 59'97	I
	Moon I		23 58 48.01 0 23 23.53 0 28 32.59	7 7 7	+1 1'34	— 5 5 53°36 — 4 40 43°35 — 4 18 39°35	5 +14 48 47 1
12	13 Ceti	J8	 0 44 13 81 1 3 51 76 1 11 5 27	7 7 7	+1 1.03	- 4 18 37 91 - 0 42 9 71 + 1 45 4 17 + 2 55 40 28	
15	μ Ceti	JS	2 37 54 92 2 52 44 91 3 4 10 46 8 63	4 7 7 7	+1 3·51	+ 9 33 45'22 + 8 23 10'46 +12 3 17'99 +10 44 22'61	1 +15 0.02
17	« Tauri	IF	4 21 1'95 4 28 28'01 4 47 59'96 4 77 49'78	6 7 7 7	+1 7·03	+18 53 17'94 +16 14 40'00 +18 58 19'41 +21 49 18'08	1 7 —15 17*28 1
18		G	5 29 52°54 5 19 49°99 5 29 52°88 5 44 8°15	7 7 7	+ı 8·64	+a1 3 31.17 +a1 49 18.69 +a2 53 55.18	1
	η Geminorum μ Geminorum		6 15 6.03 6 12 6.03	7	1. 0 04	+33 34 34.33 +33 32 34.61 +30 33 33 19	1

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1869. Dec. 19	μ Geminorum Moon IIN 8 Geminorum 63 Geminorum	J8	h m s 6 15 5 95 7 12 21 51 7 20 1 33	7 7 7 5	m 8	+22 34 34 35 +21 40 39 38 +22 13 5 38 +21 42 25 93	6 -15 35.86
21	η Caneri		8 25 11.36 8 37 17.62 8 44 6.66 9 11 43.06 9 36 38.81	7 7 7 7 6	—1 9·90	+20 52 45.84 +18 37 45.20 +18 49 43.86 +18 15 17.69 +14 36 54.01	7 +15 51.60
23	\$3 Cancri		9 11 43.24 9 36 38.71 9 42 42.83 10 126.41 10 25 57.40	7 7 7 7	—1 9·12	+18 15 13.74 +14 36 54.35 +15 48 35.11 +12 36 5.35 + 9 58 29.80	1 7 +15 57.83
23	« Leonis		10 1 26.64 10 25 57.28 10 39 47.37 10 58 18.06 11 17 8.03	7 7 7 7	—ı 8·21	+12 36 6.65 + 9 58 30.37 +11 47 43.01 + 8 2 20.42 +11 14 42.23	1 7 +16 2.78
1870. Jan. 11	ξ ^a Oeti		2 21 14.62 2 29 2.91 2 43 17.12 3 20 7.51 3 23 41.82	6 5 7 7 7	+1 2'72	+ 7 52 27 89 + 5 1 20 55 + 10 16 39 82 + 9 16 33 49 + 12 29 14 64	1 7 +14 55°05
	f Tauri		3 23 41'94 3 32 10'03 3 53 28'81 4 12 23'83		+1 4·28	+12 29 15 25 +14 2 28 99 +12 7 8 91 +15 18 36 63	6 +15 2·89
13	λ Tauri	G	3 53 28.81 4 12 33'91 4 23 46'96	7 7 7	+1 6.19	+12 7 9.72 +15 18 36.24 +17 13 40.72	1

Digitized by Google

532 R.A. and Dec. of Moon's Limb and Spars, abserved

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi- diameter.
1870. Jan. 14	<i>i</i> Țauri	IF	h m s 4 43 46 47	7	m s	+18° 36′ 54″.89	Į , "
	، Tauri		4 55 19.92	7		+21 34 4.20	1
	Moon IN		5 18 30.34	7	+1 8.10	+20 7 34 41	6 -15 24'49
	χ¹ Orionis		5 46 41.29	7		+20 14 52.81	1
	χ ⁴ Orionis		5 56 13.39	7		+20 8 15.75	x
15	χ¹ Orionis	G	5 46 41 52	6		+20 14 53.08	
	Moon IN		6 16 14.70		+1 9.73	+21 27 58.54	
	← Geminorum ←		6 56 24.34	7		+20 45 24.70	1
Feb. 9	Moon I8	J8	4 0 21.03	7	+1 4.85	+15 55 54.51	5 +15 2'25
	€ Tauri		4 21 1.22	7		+18 53 19.54	1
	α Tauri		4 28 27.67	7		+16 14 38.02	I
10	€ Tauri	G	4 21 1.45	7		+18 53 18·76	1 1
	a Ta uri					+16 14 38.57	1 1
	Moon I		4 52 41.05	7	+1 6.46	+18 39 28.97	
	119 Tauri		5 24 35.65	7		+18 29 37.11	
			5 29 52.69	7		+21 3 35.75	-
11	119 Tauri	[F	5 24 35.81	7		+18 29 36.94	¥.
			\$ 29 52.63	7	ł	+41 3 32.33	i i
	Moon I		5 48 6.28	7	+1 8.621	+20 28 54 71	1 1
	μ Geminorum		6 15 5.97	7	ł	+22 34 34 28	1 3
	v Geminorum		6 21 15.11	7		+20 17 22.62	1
12	μ Geminorum	J8	6 15 6.01	7		+22 34 36.58	x
	▶ Geminorum		6 21 15.05	7	}	+20 17 24.61	1
	Moon IN		6 46 25.24	7	+1 10.18	+21 42 11.47	6 -15 40 95
	8 Geminorum		7 12 22.04	7		+22 13 4.98	
	κ Geminorum		7 36 36.39	7		+24 42 20.76	2
13	κ Geminorum	G	7 36 36.59	3		+24 42 23.58	1 1
	Moon IN		7 46 \$1.23)	+1 11.06	+21 6 4 94	1 I
	η Садсті		8 25 12.03	1	ł	+20 52 44.35	
	γ Cancri		8 35 46.34	4		+21 55 56.04	
14	η Cancri	U	•••			+20 52 46.45	
	Моор		•••			+19 6 44.63	
	= Cancri				}	+15 28 37.89	11

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed A Semi- Dec. 5
1870. Feb. 15	Moon IΝ α Leonis		h m s 9 49 21.01 10 1 27.56 10 25 58.57	7	m 8 +1 10.69	+15° 48′ 13′ 30 5 -16′ 26′ 4′ +12 35 58′ 46 1 + 9 58 23′ 12 1
16	Moon IIS σ Leonis		10 51 39 20 11 14 26 67 11 39 11 26	7	—ı 9·86	+10 50 48 96 5 +16 27 6 + 6 44 24 30 1 1 + 7 15 22 80 1
17	σ Leonis		11 50 11.52	7	—ı 9·07	+ 6 44 23 49 1 + 5 40 12 29 7 +16 30 6 + 0 3 17 81 1
18	y Virginis (one mass) η Virginis y Virginis (one mass) Moon 11S	JS	12 35 4'91 12 13 15'91 12 35 4'83 12 47 33'10	7 7 7 6	—ı 8·55	+ 0 3 18.95 1 - 0 44 13.00 1 + 0 7 19.76 5 +16 29.0
21	o ² Libræ γ Libræ	G	15 15 46.78 15 28 15.20 15 38 33.89	7 7 7	—ı 9·24	
Mar . 11	Moon I		6 19 22.79 7 12 21.24	7 7	+1 8·79	-19 7 9°37 I +22 13 7°74 I
12	Moon IΝ κ Geminorum μ ² Cancri		7 17 26.43 7 36 35.99 8 0 6.96	7 7 7	+1 10.02	+21 42 14·39 6 -15 39·2 +24 42 23·56 1 +21 57 23·22 1
14	δ Cancri ξ Cancri Moon I. N Leonis a Leonis		8 37 18·19 9 1 53·55 9 17 34·96 9 1 27·57	7	+1 10·76	+18 37 43 78 1 +22 34 5 51 1 +17 45 43 66 7 —16 11 6 +13 3 42 87 1 +12 35 56 85 1
15	Leonis		9 51 14°35 10 17 52°05	7	+1 10·43	+13 3 44.22 1 +12 35 59.89 1 +13 52 26.62 7 —16 25.75
	l Leonisχ Leonis		10 58 19.46			+11 13 50.51 1

Digitized by Google

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1870. Mar. 16	l Leonis	G	h m s	7	100. 8	+11 13 51.62		, ,,
	χ Leonis		10 58 19.48	6		+8 2 12 38	1	
	Moon IN		11 17 31.30	7	+1 9.82	+ 8 58 33.22	1	—16 36 .5 1
	v Virginis		11 39 11 53	7		+ 7 15 21 99	1	
	β Virginis		11 43 56.37	7		+ 2 29 43.88	ľ	
18	37 Virginis	IF	12 45 0'94	7		+ 3 45 43.12	1	
	48 Virginis		12 57 13.65	7		— 2 57 50°71		1
	Moon IIN		13 17 26.79	7	-1 9·28	- 2 22 43·41	1 :	—16 41 ⁻ 72
	m Virginis		13 34 48.42	7		- 8 5 21.15	1 1	
	95 Virginis		13 59 51.52	7		— 8 41 32·23	1	
20	α ⁹ Libræ	JS	14 43 42.08	7		- 15 30 0.61	1	
	ν¹ Libræ		14 59 23 34	7		-15 45 3.86		
	Moon IIS		15 15 33.26	7	-1 10.36	-13 29 28.68	7	+16 26.24
	θ Libræ		15 46 25 92	7		-16 20 43.84		
	49 Libræ		15 53 2'49	7		—16 8 52·20	1	
21	θ Libræ	IF	15 46 26.33	. 7		—16 20 43°06	ł	
	49 Libræ		15 53 2.63	7		-16 8 51.85	ı	
	Moon IIN		16 15 35.90	7	-1 10.81	-16 57 2.78	Ι'	-16 13°74
	29 Ophiuchi		16 54 15.07	7		-18 41 26.57		
	η Ophiuchi		17 2 55'42	7		—15 33 40·20	I	
Арг. 9	Moon IN	G	7 51 37.14	7	+1 9.21	+21 21 46.65	7	-15 35.07
	η Cancri		8 25 11.39	7		+20 52 48.83	1	
	γ Cancri		8 35 45.81	7		+21 55 59.29	1	
12	83 Canori					+18 15 16.28	1	
	ψ Leonis		9 36 39.22			+14 36 50.69	1	
	Moon IN		9 48 33.38	7	+1 9.24	+16 2 21.03	ı	—16 7.07
	ρ Leonis		10 25 58.45	7		+ 9 58 23.67		
	l Leonis		10 42 26.03	7		+11 13 51.81	1	
12	ρ Leonis	1	10 25 58.51	7		+ 9 58 23.83	1	
	¿ Leonis		10 42 26.09	7		+11 13 51.22		
	Moon IN		10 46 58.90		+1 9.23	+11 44 6.76	-	-16 22.46
	χ Leonis		10 58 19.41	7		+ 8 2 12.57		
	σ Leonis		11 14 26.73	7		+ 6 44 23.16	I	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1870. Apr. 13	σ Leonie		h m s 12 13 16 35 11 14 26 95 11 14 26 35	7 7 7	m 8	+ 6° 44′ 23″ 36 + 6° 30′ 18° 23 + 0° 3′ 14° 83 - 0° 44′ 13° 84	5 —16 35·15
14	γ Virginis γ Virginis (one mass) Moon I Ν θ Virginis 65 Virginis		12 13 16·36 12 43 36·54 12 13 14·37 13 16 35·96	7 7 7 7	+1 9.64	+ 0 3 15.08 - 0 44 15.27 + 0 44 51.25 - 4 50 44.28 - 4 14 41.30	7 16 43.66
16	Moon IIΝ γ Libræ	JS	14 45 9°96 15 28 16°51	7	-1 11'02	—10 37 56.88 —14 21 15.28	1
20	μ¹ Sagittarii 21 Sagittarii Moon IIN ρ¹ Sagittarii f Sagittarii	IF	18 5 59'77 18 17 37'09 18 53 42'56 19 14 8'40 19 38 46'50	7 7 7 7	—1 11·17	-21 5 20'33 -20 36 28'42 -21 41 12'71 -18 5 24'28 -20 4 12'85	7 15 50'10
May 9	a Leonis	J8	10 9 42*19 10 42 25*71 10 58 19*20	7 7 7 7	+1 8.48	+12 36 1.58 +14 22 29.71 +13 54 5.17 +11 13 52.30 + 8 2 13.96	1 7 16 0.44
10	l Leonis	IF	10 42 25.81 10 58 19.13 11 19 2.18 11 54 13.53	7 7 7 7	∔ 1 8°34	+11 13 55°14 +8 2 15°90 +9 8 56°95 +7 15 25°67 +7 20 17°67	7 —16 14.48
18	# Sagittarii N # Capricorni Capricorni	JS	19 2 3.02 19 27 34.12 20 11 54.07 20 21 17.28	7 7 7 7	—1 11.20	—21 13 35'00 —21 39 33'76 —18 14 23'17	7 -15 54'42

536 R.A. and Dec. of Moon's Limb and Stars, observed

Date.	Object.	Орветует.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Dec.	Semi Jo diamet	
1870. May 20	θ Capricorni	1F	h m s		m s	-17 44 44 ·28	. , ,,	,
may 20	Capricorni	İ		7		1		
	Moon IIN		21 12 10.38	7		-17 23 6.40 -17 36 25.21		٠,,
	8 Capricorni		21 39 52.01	7	_, / 09	-15 42 48·92		10
	. Aquarii		21 59 25.01	7		-14 29 52·10	1	
June 7	σ Leonis	G	11 14 25.27	7		+ 6 44 28.57	1	
	v Virginis		11 39 11.09	7	•	+ 7 15 27 79	1	
	Moon I		11 54 20.61		+1 7:32	+ 3 59 17 45		•07
	η Virginis		12 13 12,08			+ 0 3 19:49	1 1	·
	y Virginis (1st Star)		12 35 5.18	7		- 0 44 9.76	I	
8	η Virginis	G	12 13 15.80	7		+0 3 18'13	1	
	γ Virginis (2nd Star)		12 35 5.24	7		- o 44 14·86	1	
	Moon IN		12 49 5.23	7	+1 7.68	+ 0 28 36.42	5 -16 17	.79
	6 Virginis		13 3 14.51	7		- 4 50 42·78	1	
	Virginis		13 28 5.29	7		+ 0 4 9.05	1	
9			13 3 14.55	7		- 4 50 43.59	ì	
	Virginis		13 28 3.30	7	į	+ 0 4 9.34	1	
	Moon IN	i	13 44 53.90		+1 8.60	- 5 9 28.33	7 -16 25	·47
	R Virginis		14 5 59.11	7		→ 9 40 5·37	1	
	λ Virginis		14 12 6.13	7		→12 46 20·09	1	
10	« Virginis	JS	14 5 59.22	7	1	- 9 40 5.66	1	
	λ Virginis		14 12 6.16			-12 46 20.62		
	Moon IN		14 42 37 71	3	+1 9.97	-10 32 55.83		'21
11	l "	G	15 28 17 17	7		-14 21 15'37	1	
	Moon IN		15 42 51 70	7	+1 11.21	-15 17 23'04	7 -16 30	.99
	β¹ Scorpii	l	15 57 54.61	7	İ	-19 26 51·82	l i	
	» Scorpii		16 4 28.35	7		→19 7 1 3 97	1	
16	ρ Capricorni	İF	20 21 28.05	7		→18 14 20.4 5	1	
	v Capricorni		20 32 40.59	7		-18 35 30.03	1	
	Moon II N		20 58 20.90	7	—1 8·97	-19 2 3·23	7 -15 39	.09
	γ Capricorni		21 32 54.58	7)	→17 14 43.23		
	& Capricorni		21 39 52.86	7		-16 #± 48.33	1	

at the Royal Observatory, Cape of Good Hope, 1866-70. 537

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1870. July 13	σ Capricurni ρ Capricurni	!	h m s 20 11 55.80 20 21 28.88	7	m s	—19 [°] 31 [°] 8 [°] 91 —18 14 17·56	1	, ,,
	Moon II		20 30 43.82	, ,	-1 10:18	-20 12 48·92	1 1	-15 47.09
	θ Capricorni		20 58 40.37	7	1 10 10	-17 44 40'17	' I	15 4/ 09
	ı Caprleorni		21 15 2.35	7		-17 22 59'81	1	
15	. Aquarii	JS	21 59 26.61	7		14 29 43°95	•	
	Moon 11N		22 22 24 05	6	-1 5.73	-13 51 48.08	7 -	15 22.65
	λ Aquarii	İ	22 45 51.49	7		8 16 3·58	x	
	h¹ Aquarii		22 58 24.31	5		→ 8 23 28·23	1	
17	27 Piscium	JS	23 52 2.39	7		→ 4 16 29·02	ì	
	Moon IIN		0 1 3.84	6	-1 2.35	- 5 6 35.40	7 -	-15 1.64
	12 Ceti		0 23 25.44	7		- 4 40 24.92	1	
	13 Ceti	İ	0 28 34.58	7		- 4 18 22.38	1	
Aug. 6	,	G	16 23 43.63	7		—16 19 36·23		
	B.A.C. 5579	'	16 34 5.15	7		-17 29 14.90	1	
	Moon I		16 58 25.84	7	+1 11.17	-19 33 57.60		16 4· 7 7
	θ Ophiuchi		17 14 3 56	7		-24 51 59·88	1 1	
	58 Ophiuchi		17 35 40.46	7		-21 36 59.12	1	
8	ξ ³ Sagittarii	IF	18 50 0.65	4		-21 16 23·81	1	
	o Sagittarii		18 56 55.73	7		-21 55 39.00		
	Moon IN		19 2 3.60	7	+1 11.57	-21 58 51.53	7 -	-15 52.99
	h ⁹ Sagittarii		19 28 50.09	7		-25 9 57.14	1	
	f Sagittarii		19 38 48.92	7		—20 4 6·92	I	
10	v Capricorni	JS	20 32 41.29	7		-18 35 28.16	1	
	Moon IN		21 1 31.30	7	+1 8.61	—18 46 55·54	5 -	-15 35·86
	γ Capricerni		21 32 55.42	7		—17 14 39·85	1	
	8 Cspricorni		21 39 54.19	7		16 42 44'14	1	
11	γ Capricorai	IF	21 32 55.52	7		-17 14 39.82	1	
	8 Capricorni		21 39 54.17	7		-16 42 42.60		
	Moon IIN		21 59 7.92	7	-1 6·54		, ,	-15 26.04
	σ Aquarii		22 23 48.22	7		—II 20 17·58	1	
	τ ² Aquarii		22 42 44.69	7		-14 16 25.63	1	

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1870. Aug. 13	↓¹ Aquarii B.A.C. 8239	G	h m s 23 9 7'04 23 34 27'36	7	m s	- 9 47 29 45 1)
	Moon IIN 30 Piscium		23 40 36.30 23 40 36.30	7	—ı 2.99	1	
	33 Piscium Moon IIN	JS	0 27 52.93	6	1:02	— 2 19 13·29 7	
"	B.A.C. 221		0 41 32.44 0 7 32 33	7	93	+ 4 36 53.81 I	
16	ν Piscium ξ Piscium	J8	1 34 41°72 1 46 51°12	7		+_4 49 54 43 ¹ + 2 32 52 41 1	
	Moon IIN	l i	1 59 41.00	6 7	—ı ı·57	+ 6 56 43.29 7 + 7 52 42.19 1	—14 48 ·98
9	μ Ceti	Ta	2 37 56.33	7		-18 14 18·30 I	
Sept. 6	ρ Capricorni Moon I	Jo	20 21 28·93 20 40 58·19 20 58 40·65	7 7 7	+1 8.76	-20 17 54·19 6	+15 32 02
	Capricorni		21 15 2.76	7		—17 22 58·61 1	
7	θ Capricorni ι Capricorni Μοοη ΙS		21 36 34.82 21 15 2.85 20 58 40.28	7 7 7	+1 6.84	-17 44 39 54 1 -17 22 59 09 1 -17 22 41 45 7	
	ι Aquarii ε² Aquarii		21 59 27°37 22 3 43°04	7		-14 29 41.79 1 -12 11 56.69 1	ì
8	Moon I		22 29 14'91 22 29 14'91			—13 37 13·88 5 — 8 15 57·65 1	1
	♥¹ Aquarii		23 9 7'11	7		— 9 47 27°05 I	
9	λ Aquarii ψ ¹ Aquarii Moon IIN	IF	23 21 20'30 23 9 7'21 24 45 52'43	7 7 7	.—ı 3.33	- 8 15 57 38 1 1 - 9 47 26 70 1 - 8 47 7 27 7	
	30 Piscium 33 Piscium		23 55 19·8 ₇ 23 58 43·35	7		- 6 43 53 31 1 - 6 25 48 71 1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	Semi- diameter.
1870. Sept. 10	30 Piscium	i e	h m s 23 55 19°94 23 58 43°26	7	m s	- 6° 43′ 52″.82 - 6° 25° 49° 41	i i
	Moon IIN 12 Ceti 13 Ceti		o 9 10'21 o 23 26'49 o 28 35'69	6 7 6	—I 2·16	— 4 7 54°27 — 4 40 18°70 	1.1
15	Moon IIN	JS	3 53 30°51 4 2 55°72 4 21 3°27	7 5 7	—ı 4·07	+18 53 25.88	3 -14 48.34
16	a Tauri	IF	4 28 29·59 4 28 29·49	7 7 7		+16 14 50.21 +18 53 27.56 +16 14 48.45	1
	Moon IIN 119 Tauri (Tauri		4 53 27 17 5 24 36 98 5 29 54 00	7 7 7	—ı 5·57	+20 2 49.57 +18 29 42.10 +21 3 36.52	1
Oct. 4	θ Capricorni ι Capricorni Moon IS		20 58 40.35 21 15 2.62 21 19 42.69	7 7 7	+1 7.52	-17 44 41.50 -17 23 1.82 -18 32 47.07	7 +15 23 05
. 5	κ Capricorni 8 Capricorni κ Capricorni		21 35 26 14 21 39 54 01	7 7 5		19 27 16.72 19 27 15.42	1
	8 Capricorni	ı	21 39 53'94' 22 12 37'19 22 42 44'74 22 46 40'26	7 7 7	+1 5.52	-16 42 45°11 -15 1 33°76 -14 16 27°02 -12 18 11°34	6 +15 13.77
6	7 ³ Aquarii	G	22 42 44·82 22 46 40·36 23 2 44·88	7 7 7	+1 2.2	14 16 26.54 15 18 10.74 10 51 45.00	1
	B.A.C. 8239 B.A.C 8266		23 34 27 74 23 40 36 71	7		12 37 31.42 12 23 49.42	I
7	B.A.C. 8239 B.A.C. 8266 Moon I		23 34 27°90 23 40 36°83 23 50 40°59 0 23 26°83	7 7	+1 2.54	12 23 49°37 12 37 32°53 4 40 15°89	1 +14 58 91
	13 Ceti		0 28 35.97	7		— 4 18 15.09	1

Date.	Object.	Observer.	Observed R. A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- diameter.
1870. Aug. 13	♥¹ Aquarii	G	h m s	7	TO. 8	- 9° 47′ 29° 45		, ,,
1	B.A.C. 8239		23 34 27 36	7		-12 23 50.67		((
	Moon IIN 30 Piscium		23 40 36.20	7	I 5.99	- 7 1 39°13		—15 6·96
	33 Piecium		23 58 42.28 23 55 19.21	7		- 6 25 50·85		
	33 I MCIUM		23 30 42 70	'		- 0 25 50 05		
14	Moon IIN	J8	0 27 52.93	6	—ı 1·93	- 2 19 13.29	7	14 58·91
	B.A.C. 221		0 41 35.44	7		+ 4 36 53.81	1	
	33 Ceti		1 3 53.81	7		+ 1 45 23 31	I	
16	≠ Piscium	JS	1 34 41'72	7		+_4 49 54'43		
	ξ Piscium		1 46 51.12	7		+ 2 32 52.41		
	Moon IIN		1 59 41.00	6	—ı ı·57	+ 6 56 43.29		14 48 98
	ξ ^a Ceti		2 21 16.39	1 ′		+ 7 52 42.19		
	μ Ceti	-	2 37 56.33	7		+ 9 33 55.93	1	
Sept. 6	ρ Capricorni	JS	20 21 28 93	7		-18 14 18.30		
	Moon I		20 40 58.19		+1 8.26	-20 17 54.19	, ,	+15 32.02
	• Capricorni		20 58 40.65			-17 44 39°77	ı	
	ι Capricorni		21 15 2.76	7		—17 22 58·61	I	
7	6 Capricorni	1	20 58 40.78	7		—17 44 39°54	1	
	Capricorni		21 15 2.85	7		-17 22 59.09		
	Moon IS		21 36 34.93	7	+1 6.84	-17 22 41'45		+15 23.22
	Aquarii		21 59 27 37	7		-14 29 41 79	iI	
	<i>6</i> ª Aquarii		22 3 43'04	7		—12 11 56·69		
8	Moon I8	G	22 29 14'91	7	+1 4'94	—13 37 13·88	5	+15 15.23
	λ Aquarii		22 45 52.55	6		- 8 15 57·65		
	ψ¹ Aquarii		23 9 7.11	7		9 47 27°05	1	
9	λ Aquarii	IF	22 45 52 43	7		- 8 15 57·38	, 1	
	∳¹ Aquarii		23 9 7.21	7		— 9 47 26°70	1	
	Moon IIN		23 21 20.30	7	.—1 3,33	- 8 47 7·27		—15 7°35
	30 Piscium		23 55 19.87	7		- 6 43 53·31		
	33 Piscium		23 58 43.35	7		— 6 25 48·71	1	

Date.	Object.	Observer.	Observed R.A.	No. of Wires.	Passage of Semi- diameter.	Observed Dec.	No. of Wires.	Semi- liameter.
1870. Sept. 10	30 Piscium 33 Piscium Moon IIN		h m 8 23 55 19*94 23 58 43*26 0 9 10*21	7 7 6	m s	- 6 43 52.82 - 6 25 49.41 - 4 7 54.27	1	. "
15			3 53 30.21 0 53 30.21	7 6		- 4 40 18·70 	1	
	Moon IIN « Tauri		4 2 55.72 4 21 3.27 4 28 29.59	5 7 7	—z 4·07	+16 14 50.51	I	·14 48·34
16	• Tauri	IF	4 21 3°36 4 28 29°49 4 53 27°17 5 24 36°98 5 29 54°00	7 7 7 7	—z 5°57	+18 53 27.56 +16 14 48.45 +20 2 49.24 +18 29 42.10 +21 3 36.22	7 1	·14 53 ·2 9
Oct. 4	θ Capricorni ι CapricorniS Moon IS κ Capricorni		20 58 40·35 21 15 2·62 21 15 42·69	7 7 7 7	+1 7.52	—17 44 41°50 —17 23 1°82 —18 32 47°07 —19 27 16°72	1 7 +	15 23 05
5	8 Capricorni κ Capricorni 8 Capricorni	J8	21 39 53 94 21 35 25 96 21 39 53 94	7 5 7		-16 42 45.39	I	
6	Moon I	G	22 12 37 19 22 42 44 74 22 46 40 26 22 42 44 82	7 7 7	+1 5'25	-15 1 33°76 -14 16 27°02 -12 18 11°34 -14 16 26°54	I	15 13'77
	74 Aquarii		22 46 40 36 23 2 44 88 23 34 27 74 23 40 36 71	7 7 7	+1 3.2	-12 18 10'74 -10 51 45'00 -12 23 49'42 -17 27 31'75	1 5 1	· 15 5°75
7	B.A.C. 8239 B.A.C. 8266 Moon I	IF	23 34 27 90 23 40 36 83 23 50 40 59 0 23 26 83	7	+1 2.54	12 23 49°37 12 37 32°49 6 17 32°53 4 40 15°89	1 7 +	-14 58*91
	13 Ceti		0 28 35.97	7		- 4 18 15.09 - 4 40 12.89		

Date.	Object.	Observer.	Oliserved R.A.	No. of Wires.	Passage of Semi- diameter.	Obser ved Dec.	No. of Wires.	Setti: diameter.
1870. Oct. 10	o Piscium	G	h m 8 1 38 34 37 2 6 9 13 2 10 43 71 2 29 35 23 2 37 57 66	7 7 7 7		+ 8 30 24.22 + 8 14 21.54 + 8 19 24.23 + 11 53 7.53 + 9 34 0.65	1 4 1	—14 45 73
11	3t Arietis	IF	2 29 35 50 2 37 57 60 2 57 15 63 3 41 11 23	7 7 7 7	—ı 2·31	+11 53 8.67 + 9 34 1.62 +12 34 12.18 +12 29 31.62 +10 44 38.45	1 6 1	—14 44·19
14	l Tsuri	if	5 0 9.43 5 26 17.40 6 7 3.75 6 15 7.81	7 7 7 7	—i 6·15	+20 14 42 97 +21 35 36 37 +22 32 27 73 +22 34 38 25	5 ì	—14 51 <i>°</i> 73

RESULTS OF MERIDIAN OBSERVATIONS 1866-70. APPENDIX.

OBSERVATIONS

OF

COMET COMPARISON STARS

MADE IN THE YEARS

1861-1865.

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

SEPARATE RESULTS

0F

MERIDIAN OBSERVATIONS

OF

COMET-STARS

MADE IN THE YEARS

1861–1865,

REDUCED TO MEAN PLACE FOR YEAR OF OBSERVATION.

544 Mean R.A. and N.P.D. of Comet-Stars, observed at the

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
		21 I. 1865.		25 I. 1865.				
1865	G	h m 4	145 54 42 27	1865 June 23	G	h m s	146 35 1.81	
July 14		·				0 36 34.35		
Aug. 3	G	2·25	42°37 4 2 °47	July 7	G	34.17	1 '02 2 '32	
5 7	G	2.55	42°55	14	G	34.52	3.30	
12	G	2.32	41.59	28	G	34.59	1.36	
		e q 2125	145 \$4 43*25			a 16 14.54	146 35 1.74	
						<u> </u>	·	
		22 I. 1865.						
1865		 				26 I. 1865.		
July 28	G	0 14 18.43	146 19 20.46	1865	10	1	1	
Aug. 3	G	18.40	21.34	June 22	G	0 42 44 37	146 49 31.94	
5	G	18.74	24·80	23	•	44.66	31.33	
7	G	18.12	19.49	July 7	G	44.23	29.96	
12	G	18.42	22.96	22	G	44 ' 52	31.39	
		0 14 18.43	146 19 21.79	Aug. 3	G	44.33	33°34	
			-			Q 42 44 46	146 49 31.59	
		23 I. 1865.				· • • • • • • • • • • • • • • • • • • •		
1865 June 22	G	0 22 15.41	146 20 10.30			27 I. 1865.		
23	G	15.52	8.67	1865	ı .	l	 -	
July 7	G	15.65	10.10	June 22	G	0 55 26.74	146 53 8.87	
22	G	12.28	9'23	July 7	G	26.61	8.74	
28	G	15.43	9.55	13	G	26.69	9.24	
		0 22 15.2	146 29 9.57	14	G	26.57	8.79	
	7	0 22 15 52	140 29 9 37			8 22 \$4.62	146 53 8.91	
		24 I. 1865.						
1865						28 I. 1865.		
June 22	G	0 26 30.69	146 39 54.57	1865	1			
23	G	30.43	52.18	July 13	G	1 24 41.89	146 53 25.03	
July 7	G	30.84	52.62	14	G	41.86	26.13	
13	G	30.48	53.65	22	G	41.99	27.09	
28	G	30.48	53.76	28	G	41.98	24.54	
		0 26 30.76	146 39 53.26			1 24 41.93	146 53 25.62	

Date.	Observer.	R.A.	N.P.D.	Date-	Observer.	R. A.	N.P.D.
		29 I. 1865.		33 I. 1865—continued.			
1865 July 7	G G	1 31 50.13 50.13	146° 45 [°] 28 [°] 64 27° 49	1865 July 14 22	G G	h m s 1 47 28.48 28.58	146° 46′ 43′·64 43°50
14 22	G G	50°26	29·21			1 47 28.54	146 46 44.08
		1 31 50.55	146 45 28.50			34 I. 1865.	
	30 I. 1865.					1 57 41.26	146 53 46.46
1865	l ~	1	1	14	G	41.45	46.31
July 20	G		146 57 30.66	21	G	41.46	45.71
28	G	1 32 4.94	31.26	22	G	41.47	46.19
Ang. 3	G	4'92	32.19			1 57 41.41	146 53 46.17
7	G	4*97	32.73		<u> </u>	", ' '	. 33 . /
		1 32 4.94	146 57 31.79			35 I. 1865.	
		31 I. 1865.		1865 July 13	G	2 6 18.63	146 51 46.12
1865 July 7	G		***	14	G	18.34	46.07
July 7	G	1 40 23.71	146 47 2.21	21	G	18.21	44.85
28	G	23.89	1.08	22	G	18.26	45.64
1				28	G	18.23	43.26
Aug. 3	G	23.66	3.14		;	2 6 18.45	146 51 45.25
		1 40 23.71	146 47 2.48		<u> </u>	<u> </u>	<u> </u>
		32 I. 1865.	• !	1865		36 I. 1865.	
1865	0			July 14	G	2 13 17.30	146 52 14.19
July 22	G	1 40 52.81	146 58 13.38	21	G.	17.30	12.67
Aug. 7	G	52.73	15.24	22	G	17.36	13.21
12	G	52.65	15.19	28	G	17.33	14.30
17	G	52.72	16.49			2 13 17.32	146 52 13.59
		1 40 52.73	146 58 15.16				<u> </u>
	33 I. 1865.					37 I. 1865.	
1865	Ī ~			1865 Aug. 3	G	2 27 18.03	146 47 17.54
July 7	G	1 47 28 52	146 46 44.99	7	G-	18.10	17.48
13	G	28.57	44.17	12	G	18.78	16.71
					Ь—		C. W

Date,	Observer.	R. A.	N. P. D.	Date.	Observer.	R. A.	N.P.D.	
	37 I.	1865—contina	ued.	41 I. 1865—continued.				
1865		h m s	0 , ,,	1865		h m s	0 , ,,	
Aug. 17	G	2 27 17.92	146 47 17.92	Oct. 5	G	3 31 5.09	146° 53′ 32″ 50	
19	G	17.91	19.26	6	G	<u>5.53</u>	33.04	
		2 27 18.05	146 47 17.68			3 31 2.54	146 53 33.43	
	-	38 I. 1865.		42 I. 1865.				
1865	_	,		1865				
Aug. 17	G	3 4 30.63	146 39 33.20	Aug. 23	G	•••	146 56 25 47	
19	G	30.63	33*43	25	G	3 53 53.16	30.89	
23	G G	30.22	28.86	30	G	53.51	29.90	
25		•••	31.48	Sept. 2	G	53.59	29.62	
Sept. 2	G ~	31.05	33 42	4	G	53.16	28.89	
4	G	30.20	31.76			3 53 53.51	146 56 28.95	
		3 4 30.68	146 39 32.08				<u> </u>	
	39 I. 1865.					ı II. 1861.		
		39 21 2003.		1861	G	a 40 40400		
1865 Aug. 17	G	3 23 46 20	146 53 49.67	Ang. 18	G	3 58 49°92 49°76	119 53 48 77	
19	G	46.53	49.15	24 25	G	49 70	47.83	
23	G	46.53	49.43	26	G	49.86	48.36	
25	G	46.39	50.61					
		3 23 46.56	146 53 49.72			3 58 49.85	119 53 48.19	
	<u> </u>	40 I. 1865.	ı			2 II. 1861.		
		40 1. 1003.		1861	G	1 . 2 . 4:80	170 07 50:80	
1865 Aug. 23	G	3 30 59 49	146 46 27.53	Aug. 28		4 0 4.89	119 31 29.80	
25	G	59.75	27.76	Oct. 11	G	4.47	59'74	
	G			14	G	4.82	1	
Sept. 2	G	59.74	29°77 28°60	15	G	4°77 4°66	59°28	
1	_			21	"			
	1	3 30 59.48	146 46 28.42			4 0 4.72	119 31 59.16	
	41 I. 1865.					4 II. 1861.		
1865 Aug. 19	G	3 31 2.34	146 53 35.07	1861 Aug. 24	G	4 1 27 35	119 11 11.09	
Sept. 23	G	2.58	33.08		G	27.28		

			, capt	<i>-</i>		1000, 100	. 03. 347	
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.	
	4 I	[. 1861—contin	rued.	8 II. 1861.				
1861		h m s	1	1861		h m s	0 , ,,	
Aug. 26	G	4 1 27.18	119 11 9.67	Aug. 31	G		109 34 19'40	
-/	"			Oct. 11	G	4 21 1.05	21.52	
İ		4 1 27.28	119 11 10.34	13	G		19.50	
		** **	<u> </u>	14	G	1.43	19.34	
		3 II. 1861.				4 21 1.54	199 34 19.87	
1861 Sept. 5	G	4 1 41.07	119 3 45.05				<u>'</u>	
, ,	-			l		B.A.C. 1443.		
Oct. 1	G	41.26	47 '99	1861	G	4 32 24.88	102 24 3'11	
7	G	41.51	49.80	Aug. 24	G	24.75	, ,	
''	"		`·	26	G	24.75	3°37 3°24	
		4 1 41.18	119 3 47 93	27	G	24.76	3 54	
		5 II. 1861.		'		4 32 24 79	102 24 3.32	
1861	Τ	7				l	<u> </u>	
Aug. 24	G	4 10 6.61	114 51 25.30			B.A.C. 1465.		
25	G	6.59	24.62	1861				
26	G	6.60	24.00	Aug. 24	G	4 37 24 57	98 45 57 90	
27	G	6.29	24.26	25 26	G	24.73	56.95	
		4 10 6.60	114 51 24.55	27	G	24.73 24.78	57.00 57.00	
			!	2/	ď	4 37 24 70	98 45 57.46	
		6 II. 1861.						
1861 Aug. 24	G	4 16 49 14	111 5 7.94			10 II. 1861.		
25	G	49.25	6.14	1861 Sept. 4	G	4 39 41 92	98 53 24 25	
26	G	49'04	5*44	5	G	41.28	25.81	
27	G	49.56	2,19	Oct. 1	G		·	
		4 16 49.17	111 2 6.18	7	G	41.48	24·39	
		7 II. 1861.				4 39 41.35	98 53 24.22	
1861 Aug. 28	G	4 20 14.30	109 41 36.22			6 I. 1861.		
				1861				
Sept. 5	G	14.16	36.12	Dec. 4	W	5 56 10.41	137 9 29 97	
	-	""	34.48	10	W	10,30	29.72	
Oct. 7	G	13.97	33.96	14	W	10.36	31.06	
		4 20 14'11	109 41 35.78			5 56 10.36	137 9 29 92	

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.		
		5 I. 1861.		1 II. 1865.					
1861 Dec. 6 9	w w	h m s 5 58 44 02 44 14 44 30	136° 46′ 16" 97 17 * 10	1865 Dec. 1 14	w G G	h m s 7 59 \$5 99 15 98	93 49 27 38 27 79 26 57		
		5 58 44.15	136 46 17 27	21	G	7 59 16.03	93 49 27 77		
	3 I. 1861.				2 II. 1865.				
1861 Dec. 4 10	w w w	6 7 16·67 16·69	135 34 48·75 48·13 51·22 135 34 49·37	1865 Dec. 1 14 19 21	W G G	8 28 44°50 44°52 44°62 44°76	28°35		
		4 I. 1861.			<u> </u>	8 28 44 60 3 II. 1865.	101 35 28.81		
1861 Dec. 3	w w	9 8 9.13 9.13 9 8 9.13	135 26 21.40 20.66	1865 Dec. t 12	G	8 46 57.62 57.65 57.55	106 14 38 09 37 58 39 78		
		2 I. 1861.		19	G	57.72 8 46 \$7.64	37 · 84 106 14 38 · 32		
1861 Dec. 6	w	6 9 30·54 30·40	135 16 4·68	1861 Feb. 7	TTT	9 57 54 76 54 70	73 13 36.28		
1861		r I. 1861.		Apr. 5 6 9	C G G	55°00 54°82 54°84 54°94	36°06 34°53 34°41 34°25		
Dec. 3 4 6	W W W W	56.19 56.53 56.53	33.80 32.11 33.80			9 57 54.84 2 III. 1860.	73 13 35 36		
		6 30 56.50	131 8 32.88	1861 Feb. 7	Т	10 21 35.46	79 43 28.99		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	2 III	. 1860—contin	ued.	6 III. 1860—continued.			
1861 Feb. 8 12 Apr. 3 6	T T C G	h m 8 10 21 35 55 35 41 35 66 35 53 35 52	79° 43' 28'.73 28.29 30.59 28.30 27.05	1861 Apr. 3 5 6	C C G	10 56 7.76 7.63 7.91	90 0 2.41
		10 21 35.52	79 43 28.66			7 III. 1860.	
		3 III. 1860.		1861 Feb. 8	т	10 56 14.23	90 10 40'07
1861 Apr. 5 8 10	C C C	10 21 52.87 52.85 52.68 53.01	80 0 61°37 59°24 61°02 58°31	Apr. 8 9 10 12	G G G	14.54 14.54 14.52 14.62 14.42	43°3° 39°46 41°14 43°73
1861		4 III. 1860.			<i>`</i>	8 III. 1860.	
Apr. 3 5 6 8	G G C	2.79 2.79 2.79 2.75 10 44 2.82	86 33 7°47 7°72 5°97 6°95 86 33 7°03	1861 Feb. 7 Apr. 12	T C G C	47.63 47.73 47.71	93 10 47 72 45 69 45 02 45 59
	<u> </u>	5 III. 1860.		16	G	47.21	93 10 45.16
1861 Apr. 3 5 8	C C C C	16.19 16.31 16.10 16.40	86 55 18 80 18 21 16 30 17 01 17 35	1861 Feb. 7	T	9 III. 1860.	
		10 46 16 24 6 III. 1860.	86 55 17.53	Apr. 5 6 8	C G C	8·20 8·21	18.33 17.41 18.13
1861 Feb. 7	T	10 56 7.80	90 0 2°13	10	G C	8·11 8·26	99 2 17.97

Date.	Observer.	R.A.	N. P. D.	Date.	Observer.	R. A.	N.P.D.		
		10 III. 1860.		13 III. 1860.					
1861 Feb. 7	T	h m s	101 44 54 24	1861 Feb. 8	T	h m 8	110 18 5.00		
Apr. 5	c	27.66	59.14		C	24.99	5.16		
6	G	27 . 36	54.51	Apr. 5	G	25'14	3.86		
8	C	27.56	57 °4 7	8	С	24 92	3.33		
9	G	27.58	56.35			12 6 25.05			
,		11 33 27 50	101 44 56.58			12 0 25 05	110 18 4.34		
						14 III. 1860.			
		11 III. 1860.		1861	ı		<u> </u>		
1861				Apr. 6	G	12 11 49.72	· ·		
Feb. 8	T	11 41 36.89	104 13 56.89	9	G	49.83	56.08		
12	T	36.92	56.42	10	C	49.61	56.12		
Apr. 3	C	36.97	55.85	12	C	49.77	56.43		
5	C	36.83	55.48			12 11 49.73	112 6 56.38		
6	G	36.92	55.91			<u> </u>	L		
		11 41 36.92	104 13 56.50			15 III. 1860.			
				1861 Apr. 29	C	12 18 2.81	113 37 14.87		
		η Crateria.		May 6	С	2.77	12,11		
1861				7	G	2.81	15.45		
Feb. 7	T	11 48 56.19	106 22 36.92	8	С	2.78	16.04		
12		56.13	36.09		1	12 18 2.79	113 37 15.44		
Apr. 3	C	56.02	35.92			12 10 2 /9	113 3/ 13 44		
5	C	55.75	36.08						
6	G	56.35	35.22			16 III. 1860.			
		11 48 56.09	106 22 36.29	1861 May 9	G	12 19 36.50	114 0 20.93		
				14	G	36.32	21.26		
1		12 III. 1860.		17	C	36.5	22.74		
1861		-		18	G	36.11	22.41		
Feb. 7	T	12 4 22.46	110 23 41.71			12 19 36.53	114 0 21 91		
Apr. 3	C	22.60	44.78			<u></u>	l		
9	G	22.29	44.03			17 III. 1860.			
10	C	22.24	41.87	1861					
12	С	22.49	41.81	Apr. 12	C	12 24 30 01	115 17 48.28		
		12 4 22 48	110 23 42.84	13	G	29.79	46.39		

Date.	Observer.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.			
	17 III. 1860—continued.					21 III. 1860—continued.				
1861 Apr. 15 16	C G	h m s 12 24 29 91 29 92	115 17 48 90 47 97	1861 Apr. 16	G C	h m s 13 0 30'94 31'20	123° 13' 53' 36			
	18 III. 1860.					22 III. 1860.				
1861 Apr. 8 10 12 13	C C G C	12 28 56·23 56·29 56·26 56·26	116 39 40.85 41.61 43.17 41.13 42.61	1861 Apr. 22 25 27 29 May 5	G G C G	13 0 43 77 43 66 43 70 43 85 43 71	122 56 (8·19) 2·09 1·48 2·39			
	19 III. 1860.					B.A.C. 4478.				
1861 Feb. 7 Apr. 10 12 13	T C C G G	12 52 36·16 36·21 36·33 36·03 36·07	31.89 31.89 30.48 31.09	1865 Jan. 30 31 Feb. 2 21 Mar. 1	G CF CF CF	13 17 31 74 32 08 31 94 31 59	94 27 25 70 24 10 23 33 25 45 25 28 94 27 24 77			
1861	1	20 III. 1860.				23 III. 1860.				
Apr. 16 17 22 25 27	G G G	12 57 5 60 5 89 5 83 5 66 5 76	122 19 32 43 33 84 35 77 31 74 32 70	1861 Feb. 7 Apr. 15 16 22 25	T C G C	13 21 37°54 37°34 37°48 37°25 37°54	126 50 18·29 17·96 17·71 16·83 19·06			
1861	21 III. 1860.				1	24 III. 1860.				
Apr. 12	G C	31,12	123 13 53°28 51°41	1861 Apr. 27	G		127 16 29.13			

Date.	Observer.	R.A.	N .P.D.	Date.	Observer.	R.A.	₩.P.D.	
	24 II	I. 1860 <i>—contin</i>	rued.	28 III. 1860—continued.				
1861 May 5 6	G G	h m a 10.78 11.04	30.38 30.02	1861 May 5 6 7	G G	13 35 53.91 13 35 53.95 13 35 53.95	26·98	
25 III. 1860.						29 III. 1860.		
1861 May 8 9 14 16	C G G C	13 25 40 25 40 27 40 40 40 40 42 40 28	127 18 12·84 17·50 11·35 13·84 12·43	1861 Apr. 16 25 27 29	G G G C	13 36 44 92 44 96 45 08 45 05	7°10 4°06 6°17	
	26 III. 1860.					2 1 . 1864.		
1861 Apr. 25 27 29 May 5 16	G G G	13 29 31.31 31.47 31.37 31.37	38°05 38°56 40°02 35°01	1865 Feb. 6 14 21 24 Mar. 3	G CF G	13 38 (51·10) 51·57 51·56 51·71	97 25 55 62 57 73 55 41 55 42 56 62 97 25 56 16	
		27 III. 1860.				30 III. 1860.		
1861 May 7 9 18 22 June 3	G G G O	13 29 35.08 35.10 35.16 35.16	127 54 31.50 31.16 34.29 29.10 34.61	1861 May 8 9 14 16	G G G	13 39 53 93 54 02 54 16 53 92	24°71 25°78 25°71	
28 HI. 1860.				1861 May 6 18	C G	31 III. 1860. 13 40 19 47 19 44		

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R, A.	N.P.D.	
	õ				ට්			
	31 III. 1860—continued.				34 III. 1860—continued.			
1861 May 28					C	h m s	130 42 54.78	
31	c	13 40 19.42	6.2	May 17	G	3,32	55.64	
June 3	 C	19.70						
, valie ,	Ĭ		3.20			13 50 3.30	130 42 55.02	
		13 40 19 48	129 23 5.33			III .96.		
		3 I. 1864.				35 III. 1860.		
-96-		3 1. 1804.		1861 Apr. 25	G	13 54 16.14	130 56 41.34	
1865 Jan. 31	CF	13 43 59.60	98 39 48.67	27	G	16.02	42.99	
Feb. 3	G	59.59	49.70	29	C	16.13	41.97	
6	G	29.21	48.62	May 5	G	16.06	43.31	
14	G	59.62	49.51			13 54 16.10	130 56 42.40	
Mar. 3	G	59.65	49 . 21					
		13 43 59:59	98 39 49.08			36 III. 1860.		
		32 III. 1860.		1861 May 6	С	13 54 18.65	131 18 50.94	
1861				7	G	18.76	51.16	
Apr. 29	С	13 47 29.60	130 10 15.40	8	G G	18.23	51·45	
May 6	С	29.72	15.20	22	C	18.43	50.92	
8	C	29.87	14.40			13 54 18.62		
9	G	29.63	15.17			-5 54 .0 02	13. 10 32 14	
		13 47 29.71	130 10 15.12			4 I. 1864.		
		33 III. 1860.		1865		1		
1861	Г	<u> </u>		Jan. 30	G CF	13 56 20.01	46.24	
Apr. 25	G	13 49 8.13	130 32 21.53	, ,	İ	-		
27	G	8.12	21.26	Feb. 3	G	19.82	46.30 45.30	
May 5	G	8.19	23'22			-		
7	G	8.18	20'44	Mar. 3	G	19,91	45 44	
		13 49 8.16	130 32 21.69			13 56 19.94	100 4 45.99	
	34 III. 1860.					5 I. 1864.		
1861 May 14	3	12 50 2:25	120 42 55:24	1865 Feb. 14	G	12 56 41:02	100 27 10:30	
May 14	G	3,32	130 42 55°24 54°42	reb. 14	CF	13 56 41.93	18.30	
<u> </u>	1	, , ,	JT 4 ~	-,		1 7- 07		

Date.	Observer.	R.A.	N,P.D.	Date.	Observer.	R. A.	N.P.D.
	5 I. 1864—continued.					I. 1860—conti	rued.
1865 Feb. 20	G CF	h m s 13 56 41.89 41.77	100° 37' 20' 08 18:64	1861 May 6 16	G G	h m s 14 0 9'92 10'15	131° 56′ 8′09
		13 56 41.87	100 37 19'03	10	G.	14 0 10.00	31 26 8.11
1861	37 III. 1860.				l	6 I. 1864.	
May 17	G G	13 58 17.63	131 46 25°00 20°75	1865 Jan. 31	CF	14 1 15'42	101 11 10.54
June 3	C	17.80	22.83 25.13	Feb. 3	G G	15.73	10.11 10.43
		13 58 17.78	131 46 23.43	14 28	G CF	15°34	10.50 8.03
		38 III. 1860.				14 1 15.32	101 11 9.75
1861 May 31	С	13 59 13.50	131 36 20.25			7 I. 1864.	
June 28	G G	13.43	19.24	1865 Feb. 15	CF G	14 I 34'13	17.08
July 1	G	13.28	17.48	2 I 24	CF G	33°91	17.82
		13 59 13.57	131 36 18.78			14 1 33.92	100 55 17.54
1861	· · · · ·	39 III. 1860.				8 I. 1864.	
May 5 7	G G G	14 0 4'73 4'80 4'72	132 6 36.85 35.95 37.34	1865 Feb. 14 15	G CF G	14 3 54 45 54 59 54 49	101 48 38·31 35·75 38·19
14	G	4.63	- 37.47 132 6 36.90	21	CF	54.43	37.81
	40 III. 1860.					14 3 54 49 14 II. 1865.	101 40 37 52
1861 Apr. 29	С	14 0 10,00	131 56 7.35	1865 July 26	w	14 7 5.46	136 48 19.57

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	9 I. 1864.					13 I. 1864.	
1865 Feb. 9 20 24 25 28	G G G CF	h m s 14 7 25.71 26.01 26.27 26.17	101° 59' 62'.74 60:12 61:98 59:01 57:51	1865 Feb. 9 14 15 21	G G CF CF	h m a 14 14 36 52 36 57 36 64 36 67	103° 7' 6'.88 7'.22 3'.50 5'.09 7'.62
Mar. 3	G	25.90	101 29 60.06 29.01			14 14 36.67	103 7 6.06
	10 I. 1864.				G	14 I. 1864.	103 27 59 02
1865 Feb. 6 14 15	G G CF	33 '35 33 '35 33 '31	102 15 10°10 9°81 7°55 6°65	15 20 21	G CF	16·00 16·03	58.05 59.69 58.85 103 27 58.90
		14 7 33 21	102 15 8.23	16 II. 1865.			
1861		41 III. 1860.		1865 July 23 26	w		136 44 34 °06 33 °99
May 5 14 17 18	G G C	14 7 50°49 50°39 50°34	132 37 32°17 30°74 32°84 31°75			14 19 15 L 1864.	136 44 34.03
		14 7 50.46	132 37 31.88	1865 Feb. 3	G G	14 20 0'73 0'69	38·97
1865		12 I. 1864.		9 14 15	G G CF	0°57 0°73 0°86	38·25 39·93 (34·13)
Feb. 9	G G	14 12 14·39 14·41	103 5 7.83 7.44 7.81			14 20 0'72	104 13 39.08
21	CF CF	14.27	7°43 7°48	1865 July 26	w	17 II. 1865.	126 46 52.82
		14 12 14.45	103 5 7.60	July 26	W	14 20 17 28	136 46 53.82

Date.	Observer.	H. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	16 İ. 1864.				44 II	I. 1860—cont	inued.
1865 h m 8 0 ' " Feb. 20 G 14 22 9 15 104 24 30 74				1861		h m s	136 3 22.33
Feb. 20	G CF	14 22 9.15	29,27	May 8	G G	14 43 47 84 47 95	1
24	G	9.09	31.36	,	ď		
25	CF	9,12	30 43	Ì		14 43 47.88	136 3 50.93
28	CF	9.22	29.42			1	
		14 22 9 15		i		45 III. 1860	
		14 22 9 15	104 24 30 29	1861	1	1	1
		1 .04.		May 7	G	14 58 15.87	1
		17 I. 1864.		8	C	15.97	1 1
1865 Feb. 7	G	14 22 50.73	104 38 49.31	9	G	15.89	1
9	G	20.81	20.29	14		16.00	54.02
14	G	50.85	50.46	July 13	G	15.87	54.03
15	CF	50.94	46.98			14 58 15.92	137 8 54.50
		14 22 50.83	104 38 49 34				1
	<u> </u>	-4 5 -5				46 III. 1860	
		117 -06-		1861	,	<u>'</u>	
		42 III. 1860.		May 14	G	15 3 59.18	137 32 27 10
1861 Apr. 27	G	14 26 21'41	134 41 38.70	16	G	58.89	26.96
I	ŀ	' '		17	C	58.82	27.64
29	C	21.46	40.66	31	C	59.04	25.67
May 5	G	21.71	40.52	July 13	G	59.23	27.62
ľ			39.44			15 3 59.03	
į		14 26 21.38	134 41 39.83			15 3 39 0	13/ 32 2/ 00
	·	43 III. 1860.				47 III. 1860	
1861 May 6	С	14 36 38.10	135 17 18.64	1861 June 3	c	15 5 5.90	137 30 31.14
May 6	G	38.25	135 17 18 04	1	C	15 5 5.90	" "
7 8	C	38.14	17.07	5 28	C	5.87	1 *
و ا	G	37.93		29	G	5.98	
'							
		14 36 38.11	135 17 17 73			15 5 5.93	137 30 30 15
	44 III. 1860.					B.A.C. 5010.	
1861		<u> </u>		1861		1	
May 6	C	14 43 47.72	136 3 21.30	May 14	G	15 6 14.74	1 1
7	G	48.00	20.26	16	G	14.57	9*44

Date.	Observer.	R.A.	N.P.D.	Date.	Орвегуег.	R,A.	N.P.D.
1	В, Д. (C. 5010—conti	nued.		13 II	. 1861—contin	ued.
1861	c	h m s	137° 33′ 8′.98	1862 Feb. 27	G	h m s	44 49 59 17
May 17	C	14.28	6.99	28	G	43.47	62.03
1	G	14.62	10.09	Mar. 1	G	43*43	60.88
July 13	ď			2,4	_		
		15 6 14.60	137 33 8.84			15 18 43.67	44 49 61.31
	49 III. 1860.				-		
1861	1 ~					51 III. 1860.	
July 1	G	15 6 59.45	137 46 20.72	1861 May 16	G	15 23 42 45	138 44 27.87
3	C	59°57	21.42	22	C	42.64	31,52
5	C	59.44	21.52	June 3	С	(42.95)	29.95
8	С	59.66	22.12	28	C	42.68	30,20
		15 6 59.55	137 46 21.42	July 18	G	42.69	27.99
	<u>'</u>		1		Ì	15 23 42.62	138 44 29 51
		50 III. 186 9 .			<u> </u>		
1861 May 16	G	15 17 9.30	138 20 21 . 57			52 III. 1\$60.	
June 3	O	9.57	21.26	1861	Γ	1	1
5	C	9.46	20.24	June 5	C	15 24 22.25	138 42 27 41
7	O	9.46	20.43	29	G	22.13	27.38
July 13	G	9.67	19.78	July 1	a	22.41	29.13
l		15 17 9.49	138 20 20.88	2	G	22.30	26.66
		`		17	O	22.30	27.53
		12 II. 1861.				15 24 22 28	138 42 27 56
1862 Mar. 5	G	15 18 38 22	44 56 48.64				
Mar. 5	G	38.62	52.72				
	G	1	1 - 1			15 II. 1861.	
Apr. 2	G	38.38	48·25 48·36	1862 Mar. 5	G	15 27 1.70	45 46 32.54
1 '	Ĭ			11	G	1.87	35.44
		15 18 38.41	44 56 49.49	12	G	1.92	36.13
	13 II. 1861.			30	G	1.99	37.01
1862	1	1	1	Apr. 2	G	1.29	29.57
Feb. 26	G	15 18 43.98	44 49 63.17			15 27 1.81	45 46 34 14

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		16 II. 1861.			ı II	. 1862 <i>—conti</i> n	ued.
1862 Feb. 28	G	h m s	46° 0' 28' 78	1863	Γ.	h m s	0 , "
Mar. I	G			Apr. 16	G	30.61	59° 58′ 1"·57
1	_	53*17	30.43	20	•		1.22
Apr. 8	G G	53.40 53.19	28.78			12 39 30.28	29 28 5.11
	G						
	, 	15 29 53 34	46 0 27.65		I	alande 28863.	
				1863	T .		
		17 II. 1861.		Apr. 16	G	15 43 45°42 45°51	65 54 32·16
1862				21	CIF	45 34	30.02
Apr. 3	G	15 30 41.95	46 15 28.87	24	CF	45.61	31.13
						15 43 45.20	65 54 31.35
		18 II. 1861.)	3 13 13 3	
1862					,	Lalande 28961.	
Mar. 5	G	15 33 23 43	46 17 34.10		,	inimitue 20901.	
Apr. 2	G	23.08	36.65	1863 Apr. 25	w	15 47 36.22	71 58 32.84
3	G	23 '45	34.58	27	G	36.30	32.31
		15 33 23.32	46 17 35'01	29	W	36.54	31.89
		! 	· · · · · · · · · · · · · · · · · · ·	May 9	G	36.12	32.46
ł		19 II. 1861.				15 47 36.23	71 58 32.38
1862 Feb. 26	G	15 39 25'46				3 II. 1862.	
27	G	25.63	46 50 40.53	1863	1	· · · · · · · · · · · · · · · · · · ·	
28	G	25.26	35.89	Mar. 29	w	15 48 35.55	71 33 20.60
Mar. 1	G	25.20	37.66	Apr. 15	CF	35.66	21.39
5	G	25.48	32.85	16	G	35.29	20.21
6	G	25.65	38.97	20	G	35.23	18.89
		15 39 25.55	46 50 37.78			15 48 35.58	71 33 20:37
	1 II. 1862.					5 II. 1862.	
1863 May 29	w	15 39 30.57	59 58 2.92	1863 Apr. 28	CF	15 50 20'10	77 7 19.29
Apr. 1	w	30.41	2.38	May ti	CF	19.95	18.06
15	CF	30.42	(5.76)	12	IF	20.06	18.29

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R. A.	N.P.D.
	5 II. 1862—continued.					[. 1860—contis	rued.
1863 May 13 23	G W	h m s 15 50 20.03 20.10	77 7 17. 99 18.67 77 7 18.52	1861 July 2 9 18	G G	15 56 15.86	140 28 22.18
1861 June 3 5	C C	53 III. 1860. 15 50 21 22 21 13 21 14	140 7 48°50 44°67	1861 July 8	C	56 III. 1860.	140 23 57.08
29	G	20.94	48 · 49 45 · 60 140 7 46 · 82	11 12 15	C	26·92 27·10 26·88	57°32 59°11 59°96
1861 May 22 June 7 July 3 8	C C C G	54 III. 1860. 15 51(43°57) 44°07 43°96 44°14 43°89	140 15 12°15 13°19 11°16	1863 Mar. 29 Apr. 1 15	W W CF G	7 II. 1862. 15 57 27 80 27 82 27 81 27 68	87 19 18 06 17 48 16 78 18 20
1863 Apr. 15	CF	6 II. 1862.	82 40 4.53	20		27 70 15 57 27 76 57 III. 1860.	87 19 17 70
16 20 21 24 25	G G CF CF	17·18 17·26 17·34 17·29	6.75 5.11 7.19 2.98 5.53	June 3 5 July 1 13	C C G	15 57 43 50 43 32 43 35 43 30 15 57 43 37	140 35 53'30 54'27 56'66 52'66
	55 III. 1860.			8 II. 1862.			
1861 June 28 29	G G	15 56 15 98		1863 Apr. 1	W CF	16 2 25.65 25.28	99 32 44.60

Dațe.	Observer.	R.A.	N.P.D.	Date.	Observer.	Ŗ, A.	N.P.D.
	8 II. 1862—continued.					. 1862—contin	ued.
1863 Apr. 16 20	G G	h m 8 16 2 25 54 25 44	99 32 43 99 43 01	1863 Apr. 20	G CF	16 6 16.75 16.75	108° 28′ 49° 52 48° 88
	↓ Scorpii.				<u> </u>	13 II. 1862.	
1863 Apr. 24 27 28 May 9	CF CF G	30.84 30.86	99 42 22°11 21°71 21°12	1863 Apr. 24 27 May 8	CF G IF G	16 8 54 66 54 73 54 77	110 57 33°47 34°12 (32°18) 34°79
		16 4 30.83	99 42 21.83	June 3	G	54.76 16 8 54.72	35°52
1863 Mar. 29	w	16 5 17.56	102 49 54 75		<u> </u>	58 III. 1860.	
Apr. 29 May 11	W CF G	17.44 17.59 17.38	55.01 52.58 55.34	1861 May 24 June 3 5	C C C	16 9 43 46 43 77 43 51 43 44	141 8 28·81 30·21 28·50 32·72
	ļ	11 II. 1862.				16 9 43.22	
1863 Apr. 25	W	16 6 1.51	105 57 22.46	1861		59 III. 1860	
May 12 18 21 23 27	G W G	1.26 1.03 1.25	23°41 22°26 23'14 22'88	June 28 29 July 1	G G	28.08 28.13 28.10	30°74
		16 6 1.14	105 57 23.03			16 10 28.15	141 2 31'12
1863	12 II. 1862.					14 II. 1862.	,
Apr. 15	CF G	16 6 16·83 16·72	108 28 49·24 48·56	1863 Apr. 25 29	w w	16 11 3.48 3.45	115 25 20'94 20'74

Dato.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	් ද				8		
	14 I	I. 1862—contin	rued.			B.A.C. 5449	•
1863 May 18	G	h m s	115 25 20 44	1863 May 9	G	h m s	113 22 34.04
21	G	3.63	1	1 .	1	6.49	
1		16 11 3.65	115 25 20.86	13	G	6.32	33.22
	<u> </u>	11. 12. 3.13	, , , , ,	23		6.21	
1		60 III. 1860.		27	G	6.41	
1861	1	1	<u> </u>			16 13 6.43	113 22 34.03
July 3	C	16 11 27 71				'	'
8	G	27.71	22.92	ļ		62 IIL 1860.	
9	G	27.46	1	1861	ī	i	1
	-	16 11 27.67		July 3	1	16 14 41 67	10 15
		10 11 27 07	141 13 21'25	. 5	C	41.80	
		15 II. 1862.			G	41.87	1
1863		15 44. 1004.	1	!		16 14 41 79	33.1
Mar. 29	w	16 11 55.80	115 18 38.38			10 14 41 /9	141 12 32.42
Apr. 15	CF	55.81	37.15	ŀ			
16	G	55.65	37.36	ļ		63 III. 1860.	
20	G	22.66	36.87	1861 June 28	C	16 16 23 75	141 27 21 20
İ		16 11 55.43	115 18 37.44	29	G	\$3.81	1 ' '
	<u></u>	<u> </u>		July 1	o	23.91	81'21
		61 III. 1860.		2	G	23.76	20.68
1861 May 24	c	16 12 44 58	141 10 7.11			16 16 23.81	141 27 21.30
June 3	0	44.66	5.65				
5	0	44.65	6.19			18 II. 1862.	
7		44.74	6.43	1863 Apr. 1	w	16 16 54.58	123 14 52.08
		16 12 44.66	141 10 6.35	Apr. 1	OF	54.20	51.53
« Seornii			16	G	54.24	51 · 86	
1863		• Scorpii.		20	,G	54.56	51'33
Apr. 21	CF	16 12 51.99	115 15 37'38			16 16 54.60	123 14 51'63
24	CF	51.91	37.31)			
27 Warr an	G CE	\$1.95	38.33	19 IJ. 1862.			
May 11	CF	16 12 51.94	38.25	1863 Mar, 29	w	16 18 34.03	124 11 31.88
		1- 27	J = J 3/ 04		"	** ** 74 X1	31 00

562 Mean R.A. and N.P.D. of Comet-Stars, observed at the

Date.	Olaserver.	R. A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
	19 I	l. 1862- <i>-contir</i>	rued.			23 II. 1862.	
1863	CF	h m s	124 11 29 51	1863	w	h m s	136 6 47 13
Apr. 24	G	33.67 16 18 33.63	28.24	Apr. 25	1 _	24'34	46.32
1				28	-	24.14	47.87
May 8	IF W	(33°49)	_	May 8	IF	(24.37)	
23	"		31,35	21	1 -	24.20	46.84
		16 18 33.96	124 11 30.31		-		<u></u>
						16 31 24.26	136 6 47 05
		20 II. 1862.				24 II. 1862.	
1863 Apr. 29	w	16 20 30.36	128 12 12 92	1863 Mar. 29	w	16 33 6.21	136 14 23.05
May 9	G	29.97	12.77	Apr. 1	w	6.61	22.26
13	G	29.83	10.89	29	w	6.45	22.61
18	G G	30.30	11.36	May 13	G	6.39	19.54
27	G	30,10	13.38			16 33 6.49	136 14 21.87
		16 20 30.11	128 12 12.56		<u> </u>	33 17	-,
		XI 96-				25 II. 1862.	
		21 II. 1862.		1863 Apr. 1	w	16 38 17.00	138 48 21 75
1863 Mar. 29	w	16 23 40'11	129 3 14.48	15	1	16.84	(24.03)
1	w		, , , ,	16	G	16.83	20.55
Apr. 1	CF	40.11	14°00 11°81	20	G	16.68	21.93
16	G	39.94	13.97	24	CF	16.40	20.47
20	G	40.03	13.42	May 13	G	16.24	18.76
		16 23 40 08	129 3 13.60			16 38 16.45	138 48 20.69
		22 II. 1862.				26 II. 1862.	
L.,				1863 Apr. 21	CF	16 43 40'98	140 24 52:58
1863 Apr. 16	G	16 30 37.68	134 17 54.88	22	W	40.96	140 34 53.68 51.78
20	G	37.61	54*14	24	~-	(40.42)	
21	CF	37.2	54.23	25	W	40.87	52.59
24	CF	37 • 48	55.87	27	G	40.24	54°30
<u> </u>		16 30 37.57	134 17 54.86			16 43 40.89	140 34 52.75

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
		27 II. 1862.		30 II. 1862—continued.					
1863	TH	h m s	0 / "	1863 June 3	G	h m s	142 5 (71.61)		
May 29	W	16 44 24 39	141 0 50 83	June 3	G	16 48 32·46	53.65		
Apr. 29	W	24.18	50.22	•-	Ĭ				
May 9	G	23.87	48.83			16 48 32.54	142 5 52.09		
June 3	G	24 ' 24	(67 . 25)			31 II. 1862.			
12	G	24.31	49.65			31 11. 1002.			
		16 44 24.30	141 0 49.96	1863 Mar. 29	w	16 50 16 20	142 45 55*11		
				Apr. 1	W	16.19	53.82		
		28 II. 1862.		27	G	16.03	54.87		
1863		<u> </u>		29	W	16.03	54.67		
Apr. 1	W	16 45 47 26	141 36 28.68			16 20 16.11	142 45 54.62		
May 18	G	47 ' 42							
23	W	47 '33	29 34			A. II. 1862.			
27		47 *29	29 °53	1862 Aug. 23	CF	20 42 22'11	115 29 17.86		
June 6	G	47.50	29.41	24	G	21.42	19'44		
1		16 45 47 36	141 36 29.24	25	CF	21.96	21.05		
				29	CF	21.79	19.25		
ļ		29 II. 1862.		30	G	21.75	19.97		
1863		29 12. 1002.				20 42 21.87	115 29 19.51		
Apr. 25	w	•••	141 49 39.61		1	l	1		
28	OF	16 47 37 24	39.30			C. II. 1862.			
May 12	IF	37.01	39.92	1862	Γ	1			
13	G	37.07	38.40	Aug. 23	CF	20 49 33.91	112 0 26.19		
June 4	CF	37.13	41.29	Sept. 2	G	33.45	59.06		
8	G	37.40	40.30	4	G	33.85	59.75		
<u> </u>		16 47 37 17	141 49 39.85	8	G CF	33.92	60.47		
	<u> </u>	l " * '		9	U.F	33.69			
		30 II. 1862.				20 49 33.82	115 0 58.98		
1863	_	1				B. II. 1862.			
Apr. 16	G	16 48 32 43	_	1862	Ī ~	1 .	_		
20	G CF	32.24	52.46	Aug. 24	G CF	20 49 48.09	115 5 34.58		
21	CF	32.20 32.20	49°98	29 30	G	47.96			
	"	32 39	3. 20	30	<u> </u>	40 10	34.31		

Digitized by GOOgle

	7		,		_	1			
Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.		
	B. II	. 1862—contin	red.	F. II. 1862.					
1862	Ī_	h m s	0 1 11	1862	I _	h m s	0 , 11		
Sept. 2	G	20 49 48 11		Aug. 24	G	21 5 11.74	114 39 38.30		
4	G	48.05	31.64	30	G	11.98	40.58		
		20 49 48.06	115 5 33.78	Sept. 2	G	11.21	37 * 84		
	1	<u></u>		3	CF	11.80	38 · 14		
		D. II. 1862.			ļ	21 5 11.81	114 39 38.64		
1862	1		<u> </u>						
Aug. 29	CF	20 55 44 06	114 51 56.15			G II. 1862.			
30	G	44 . 22	54.46	1862		<u> </u>			
Sept. 2	G	44.18	53.77	Aug. 22	G	21 16 26.61	113 52 48.31		
3	OF	44.07	51.25	23	CF	27.00			
		20 55 44'13	114 51 53'91	24	G	26.74	48.97		
		75 77 -5	1-4 3- 33 9-	25	CF	26.79	46.08		
				30	G	26.79	49.01		
		¥ II. 1862.				21 16 26 79	113 52 48'09		
1862 Aug. 24	G	20 59 21'10	114 51 48.84		L				
25	OF	21.12	41.40			. T -06-			
]						2 I. 1865.			
		20 59 21.13	114 \$1 45.27	1865 May 22	G	21 40 18'47	137 30 29'10		
		_		26	G	18.53	30.24		
		E. II. 1862.		30	G	18.39	30,10		
1862	CIP			June 3	G	18.32	31.01		
Aug. 23	OF OF	21 0 29.68		, ,	~				
29 30	G	29.71 29.76	28.76			21 40 18.33	137 30 30°24		
`	-		30.45	***********					
Sept. 2	G	29'72	30.25			3 I. 1865.			
1 4	G	29.75	30.38	1865	1				
		21 0 29.72	114 45 30.00	May 22	G	21 49 11'52	138 11 12.36		
 	'		ı	30	G	11.20	10.92		
1		1 I. 1865.		June 3	G	11.49	10.24		
1865	-		<u> </u>	4	G	11.22	14.80		
May 22	G	21 3 32.95	130 48 37.09			21 49 11'52	138 11 12'21		
30	G	33.03	38.14		l .	l			
June 8	G	32.89	38.17			4 T -84-			
15	G	33.01	37.65			4 I. 1865.			
		21 3 32.97		1865 May 22	G	21 54 37 05	138 55 1,21		
<u>'</u>	<u> </u>			_	<u> </u>	1	<u>'</u>		

Date.	Орвегчег.	R. Å .	N.P.D.	Date.	Observer.	R. A.	N.P.D.			
	4 t.	i865—continu	red.		н. п	[. 1862—contin	nued.			
1865 May 28	G	h m s	138 55 1.75	1862 Oct. 25	CF	h m s	86° 36′ 45′ 28			
30	G	21 54 37 °05	2.82	27	CF	57.68	46'23			
June 3	8	37 '04	1.79	-,		22 16 57.67	86 36 45 04			
' '	ļ	21 54 37 04	138 55 1'97			•				
	1	37 37 4	-30 33 - 9/			Í. II. 1862.				
		5 1. 1865.				1. 11. 1002.				
		,		186 2 Sept. 23	G	22 17 27 97	86 52 37.65			
1865 May 22	G	22 2 0'71	139 43 36.62	24	OF	28.33	35.38			
30	G	0.78	37.71	30	G	28.13	36.35			
Júme 3	G	0.72	36.26	Oct. 2	CF	28.04	35'99			
4	G	1,10	39.28			22 17 28.12	86 52 36.34			
22	G	0'72	37.42]	<u> </u>			
		22 2 0'81	139 43 37'58	* II. 1862.						
		6 I. 1865.		1862 Aug. 24	G	22 18 0'74	86 53 35'22			
			 	25	CF	0.66	36.14			
1865 May 28	G	22 2 14'23	139 33 3'92	26	G	0.81	32.99			
June 8	G	14.48	5'27			22 18 0'74	86 53 34.80			
15	G	14.49	1.83				33 31			
21	G	14'22	5,51			L II. 1862.				
		22 2 14'36	139 33 4'06	1862		· · · · · · · · · · · · · · · · · · ·				
	<u> </u>	j	<u> </u>	Oct. 15	CF	22 18 30.39	85 57 7 08			
		7 I. 1865.		18	G	30.59	6.19			
1865	l	<u> </u>		19	G	30.39	7.12			
May 22	G	22 11 17.83	140 58 54.63	20	OF	30.31	3.85			
28	G	18.03	56.30		1	22 18 30.34	85 57 5.82			
30	G	17.81	\$5.90		1	•				
June 3	G	17.81	58.87			* II. 1862.				
		22 11 17.87	140 58 56.43	1862	1 ~					
				Oct. 3	G	11.87	85 57 40'00			
		H II. 1862.		19	G	11.69	41.22 41.80			
1862 Oct. 23	G	22 16 57.77	86 36 44.37	20	OF	11,20	38.38			
24	G	57.71	44.26			22 19 11.63	85 57 40'46			
	_	3, 7.	***			,,	-5 57 40 40			

Date.	Observer.	R.A.	N.P.D.	Date.	Observer.	R.A.	N.P.D.
		M II. 1862.			9 I.	1865—contine	ued.
1862 Sept. 9 17	CF CF G	h m s 22 19 36 11 36 04 35 74	86° 18′ 31′.63 32.86 32.58	1865 June 3 4	G G	h m s 22 33 13 52 13 80 13 90	° 142 36 18·39 17·72
Oct. 23	CF G	36°07	32°10			22 33 13.70	142 36 19.21
		22 19 35.99	86 18 32.13	ı		10 I. 1865.	
		O II. 1862.		1865 May 28	G	22 44 31.48	142 56 20.02
1862 Aug. 29	CF	22 20 52'17	85 59 42.99	June 3	G G	31,30	19°45 20°43
Sept. 2	G G	52°47 52°49	42°37 42°07	June 3	G	31'44	20'44
8	G	52.42 22 20 52.39	43°06 85 59 42°62			22 44 31.37	142 56 20*09
) 	Q II. 1862.				11 I. 1865.	
1862 Aug. 22 23 24 26	G CF G	22 22 37.62 37.68 37.72 37.74 22 22 37.69	83 53 9'21 9'13 8'94 10'04	1865 June 5 8 22 23 July 28'	G G G	22 46 25'02 (25'36) 25'08 25'13 25'09	143 18 44.66 47.06 44.25 45.38 46.54
	1	8 I. 1865.		Aug. 5	G G	25°17 24°95	44.67
1865 May 22 28	G G	22 25 3 67 3 71 3 69	141 40 48'45 49'11 48'90			22 46 25.07 12 I. 1865.	143 18 45'49
June 3	G	3.57	49.81	1865 June 8 21	G G		143 16 12 [.] 74
		9 I. 1865.		July 13 Aug. 18	G G	29°02 28°87	13.53
1865 May 28	G G	22 33 13.53	142 36 16·36 16·35	19	G	28.82	11.22

Date.	Observer.	R.A.	N.P.D.	Date.	Орветчег.	R.A.	N.P.D.			
	5				5					
		13 I. 1865.		17 I. 1865—continued.						
1865	G	h m s	0 / "	1865 June 21	G	h m s	144 45 49 67			
May 30		' ' '		22	1 _	7.31	49.83			
June 3	G	-3,	37.64			23 18 7.25				
5	1 _	16.10	36.01			-, -, -,	1 43 40 33			
ì		22 52 16'02	143 32 36'91	1						
			143 3. 30 9.	4		18 I. 1865.				
		14 I. 1865.		_1865	T					
1865	1	T	1	June 21	G	23 50 37 97	145 57 49.56			
June 1	G	22 58 33.44	143 54 41.25	22	G	38.04	48'95			
3	G	33,38	42.25	1			1			
4 5	G	33.70	43°25	July 7	G	37 °98	(40.87)			
,	"			1	G					
		22 58 33.22	143 54 41 97	Sept. 4	"	37.98	48.06			
		15 I. 1865.				23 50 38.01	145 57 48*41			
1865		1	 I							
June 22	G	23 8 48.72	144 21 49'13	Ī		19 I. 1865.				
23	G	48.75	46.20	1865	1	1	<u> </u>			
July 13	G	48.64	46.18	. June 21	G	23 54 0'99	146 2 12.62			
22	G	48.84	48.66	22	G	0.85	11.45			
28	G	48.98	48*17	23	G	1.08	7.03			
	ı	23 8 48.79	144 21 47 73	July 7	G	1,03	10.06			
				13	G	1°01	10°25			
		16 I. 1865.			Ŭ					
1865 May 30	G	23 16 15.38	144 32 50.58			23 54 0'96	146 2 10.07			
June 1	G	12,12	51.61							
3	G	12.18	52'14			20 I. 1865.				
4	G	15'25	51'24	1865	1					
		23 16 15'24	144 32 51'39	June 22	G	23 59 22.82	146 14 60'01			
<u> </u>		J == -, -+	r J- J- J7	23	G	22.88	59156			
		17 I. 1865.		July 7	G	23.04	58.69			
		,		22	G	22.86	60.30			
June 5	G	23 18 7.24	144 45 47 95	28	G	23'04	61.19			
8	G	7.21	45*87			23 59 22.93	146 14 59.95			

ROYAL OBSERVATORY, CAPE OF GOOD HOPE.

CATALOGUE

OF

MEAN RIGHT ASCENSIONS

AND

MEAN DECLINATIONS

OF

COMET-STARS

OBSERVED IN THE YEARS 1861-1865.

No.	Star.	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865°o.	Mean Date.	No. of Obs.	Mean Dec.	Annual Variation 1865 o.
	1 .96.	8	64:48		h m s	+3.040	65.28	5	55°54'42"25	+20.06
1 2	21 I. 1865 22 I. 1865	10	65.28	5	0 14 18 43	+2.945	65.29	5	-56 19 21 79	1 .
3	23 I. 1865	9	65.21	5	0 22 15'52	+2.874	65.21	5	—56 29 9·57	
4	24 l. 1865	9.2 A	65,21	5	0 26 30.76	+2.836	65.21	5	—56 39 53°26	۱.
5	25 I. 1865	8	65.2	5	0 36 34.54	+2.248	65.2	5	-56 35 1°74	
,	25 2. 1005		۰, رو	,	· 3· 3· -·	1 - 740	-5 5-	,	3-33 -74	
6	26 I. 1865	9	65.52	5	0 42 44 46	+2.691	65.2	5	56 49 31°59	+19.21
7	27 L. 1865	8	65.21	4	0 55 26.65	+2.2579	65.21	4	—56 53 8·91	+19.47
8	28 I. 1865		65.22	4	1 24 41 93	+2.330	65.22	4	-56 53 25.62	
9	29 I. 1865	8.2	65.23	4	1 31 50'22	+2.275	65.23	4	56 45 28°50	+18.47
10	30 I. 1865	8.2	65.29	3	1 32 4 94	+2.266	65.28	4	—56 57 31°79	+18.46
		,	, , ,			Ť				1
11	31 I. 1865	8	65.55	4	1 40 23'71	+2.504	65.22	4	-56 47 2°48	+18.16
12	32 I. 1865	8	65.60	4	1 40 52 73	+2.194	65.60	4	—56 58 15·16	+18.14
13	33 I. 1865	8	65.23	4	1 47 28 54	+2'148	65.23	4	56 46 44°08	+17.89
14	34 I. 1865	8	65.24	4	1 57 41 41	+2.063	65.24	4	—56 53 46°17	+17.47
15	35 I. 1865	8	65.22	5	2 6 18.45	+1.998	65.22	5	—56 51 45°25	+17.09
16	36 I. 1865	7.2	65.55	4	2 13 17 32	+1.945	65.55	4	—56 52 13·59	+16. 26
17	37 I. 1865	9	65.61	5	2 27 18 05	+1.846	65.61	5	56 47 17.68	+16.06
18	38 I. 1865	10	65.65	5	3 4 30.68	+1.605	65.65	6	56 39 32·08	+13.00
19	39 I. 1865	8	65.64	4	3 23 46.26	+1.478	65.64	4	—56 53 49 [.] 72	+12.64
20	40 I. 1865	10	65.66	4	3 30 59.78	+1.445	65.66	4	—56 46 28·42	+12.14
1										
2.1	41 I. 1865	10	65.72	4	3 31 2.54	+1.438	65.22	4	—56 53 33°43	+12'14
22	42 I. 1865	10.2	65.66	4	3 53 53 21	+1,319	65.66	5	—56 56 28 ·95	+10.48
23	1 II. 1861	7	61.64	4	3 58 49.85	+2.407	61.64	4	29 53 48·19	+10,11
24	2 II. 1861	7	61.76	5	4 0 4.72	+2.412	61.76	5	—29 31 59·16	+10.01
25	4 II. 1861	7	61.65	4	4 1 27 28	+2.422	61.65	4	—29 11 10 [.] 34	+ 9.91
26	3 II. 1861	7	61.73	3	4 1 41.18	+2.424	61.24	4	-29 3 47 93	+ 9.89
27	5 II. 1861	7	61.65	4	4 10 6.60	+2.221	61.65	4	—24 51 24·55	ļ :
28	6 II. 1861	8.2	61.65	4	4 16 49.17	+2.606	61.65	4	-21 5 6°18	
29	7 II. 1861	8	61.40	3	4 20 14'11	+2.637	61.69	4	19 41 35 28	
30	8 II. 1861	7	61.48	2	4 21 1'24	+2.639	61.75	4	—19 34 19°87	+ 8.38

_								,	
No.	Star.	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865 o.	Mean Date.	Mean Dec.	Annual. Variation 1865 o.
				l	h m s	_]	
31	B.A.C. 1443	6	61.65	4	4 32 24 79	+2.798	61.65	4 -12 24 3 32	+ 7.47
32	B.A.C. 1465	5	61.65	4	4 37 24 70	+2.878	61.65	4 - 8 45 57.46	+ 7:06
33	10 II. 1861	10	61.72	4	4 39 41.35	+2.874	61.2	4 - 8 53 24 52	+ 6.86
34	6 I. 1861	8.2	61 '94	3	5 56 10.36	+1.629	61.94	3 -47 9 29 92	+ 0.33
35	5 I. 1861	7.2	61.94	3	5 58 44.15	+1.648	61.94	3 -46 46 17 27	+ 0.10
1				1					
36	3 I. 1861	9	61.94	3	6 7 16.66	+1.202	61.94	3 -45 34 49 37	o·65
37	4 I. 1861	8.2	61.93	2	6 8 6.13	+1.714	61.93	2 -45 26 21.40	— o'72
38	2 I. 1861	9.2	61.94	2	6 9 30:47	+1.722	61.94	2 -45 16 4.68	o·84
39	1 I. 1861	10	61.93	4	6 30 56.20	+1.913	61.93	4 -41 8 32.88	- 2.71
40	1 II. 1865	9	65.95	4	7 59 16:03	+2.994	65.95	4 - 3 49 27 77	— 9:97
l						į			
41	2 II. 1865	8	65.95	4	8 28 44 60	+2.854	65.95	4 -11 35 28.81	12'12
42	3 II. 1865	9	65.94	4	8 46 57.64	+2.781	65.94	4 -16 14 38.32	-r3·35
43	1 III. 1860	9	61.19	6	9 57 54 ^{.8} 4	+3.275	61,19	6 +16 46 24.64	-17.29
44	2 III. 1860	7.2	61.18	6	10 21 35.52	+3.172	61.18	6 +10 16 31.34	—18 ·24
45	3 III. 1860	8.2	61.27	4	10 21 52.87	+3.168	61.27	4 + 9 59 0.01	-18.56
					1				
46	4 III. 1860	7	61.26	4	10 44 2.82	+3.097	61.36	4 + 3 26 52 97	—18 ·97
47	5 III. 1860 .	8	61.26	5	10 46 16.24	+3.093	61.56	5 + 3 4 42.47	—19·03
48	6 III. 1860	7	61.50	5	10 56 7.76	+3.071	61.30	5 - 0 0 2.71	-19'29
49	7 III. 1860	8	61.25	6	10 56 14.53	+3.069	61.24	5 - 0 10 41.54	-19.59
50	8 III. 1860	9	61.25	5	11 6 47.71	+3.054	61.25	5 - 3 10 45.16	-19.52
									-
51	9 III. 1860	10.2	61.54	6	11 25 8.25	+3.038	61.27	5 - 9 2 17.97	—19·83
52	10 III. 1860	10	61.53	5	11 33 27'50	+3.038	61.23	5 -11 44 56.28	19.92
53	11 III. 1860	8	61.30	5	11 41 36.92	+3.043	61.50	5 -14 13 56.20	-19.99
54	η Crateris	5.0	61.50	5.	11 48 56 09	+3.023	61.30	5 -16 22 36.29	—20 °03
55	12 III. 1860	8.2	61.53	5	12 4 22'48	+3.081	61.53	5 -20 23 42.84	—20 °05
56	13 III. 1860	7	61.55	4	12 6 25 05	+3.082	61.55	4 -20 18 4'34	20.05
57	14 III. 1860	8	61.52	4	12 11 49 73	+3.100	61.27	4 -22 6 56.38	-20°03
58	15 III. 1860	7.2	61.34	4	12 18 2.79	+3.118	61.34	4 -23 37 15 44	—19·99
59	16 III. 1860	8	61.37	4	12 19 36.53	+3.122	61.37	4 -24 021'91	—19·98
60	17 III. 1860	8	61.58	4	12 24 29 91	+3.139	61.58	4 -25 17 47.86	—19 [.] 94
<u> </u>			!						

No. 54. Some of these observations have been printed in Cape Meridian Observations, 1861.

No.	Star.	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865'o.	Mean Date.	No. of Obs.	Mean Dec.	Anntal Variation 1865 o.
61	18 III. 1860	8	61.58		h m s	8	61.58		—26°39'41"87	—19°89
61	13 III. 1860		61.54	9	12 28 56.30	十3·156 十3·156	61'24	5		
61	· · .	7	61.30	5		+3·180	61'30	5	-31 17 31 35	-19'52 -19'42
1 -	21 III. 1860	8	61.30	5	12 57 5.75	+3.300	61.70	[]	—32 19 33'30 —33 19 53'50	
	22 III. 1860	_	61.33	4	13 0 43 74	+3.508	61'32	4	—32 56 1°89	
"	22 111. 1000	,	01 32	3	15 0 73 /4	73 290	01 32	4	32 30 1 09	-9 33
66	B.A.C. 4478	5	65.13	4	13 17 31.84	+3.102	65.11	5	— 4 27 24°77	—18·92
67	23 III. 1860	8	61'26	· 5	13 21 37 43	+3.422	61.56	5	—36 50 17°97	-18.79
68	24 III. 1860	ł	61.34	4	13 25 10.88	+3'442	61.34	4	-37 16 29 87	18.68
69	25 III. 1860		61.37	5	13 25 40'28	+3.445	61.37	5	37 18 13.59	18.66
70	26 III. 1860		61.33	5	13 29 31 34	+3.468	61.33	5	-37 49 37 46	—18°54
ľ		, ,	, ,,		, , , , , ,	.,,,	, ,,	[]	37 .337 .	
71	17 III. 1860	10	61.38	5	i3 29 35.08	+3.469	61.38	5	37 54 32'13	18-53
72	≱8 III. 1860	8	61.33	4	13 35 53.91	+3.211	61.33	4	-38 53 27 96	_
73	29 III. 1860	8	61.31	4	13 36 45.00	+3.213	61.31	4	-38 47 572	-18.18
74	2 I. 1864	9	65.14	4	13 38 51.68	+3'144	65.14	5	— 7 25 56°16	-18.32
75	30 III. 1860	8	61.36	4	13 39 54'61	+3.534	61.36	4	-39 17 25 73	-18·17
'				Ì					3, 1 3.13	-
76	31 III. 1860	7.2	61.39	5	13 40 19'48	+3.538	61 '39	5	39 23 5'33	-18.15
77	3 I. 1864	9	65'11	5	13 43 59'59	+3.160	65'11	5	- 8 39 49°08	—18·03
78	32 III. 1860	7.2	61.34	4	13 47 29 71	+3.583	61.34	4	-40 10 15°12	17.88
79	33 III. 1860	8	61.33	4	13 49 8.16	+3.292	61.33	4	-40 32 21·69	17·81
80	34 III. 1860	8.2	61.37	4	13 50 3.30	+3.604	61.37	4	-40 42 55 02	17.78
81	35 III. 1860	7.2	61.32	4	13 54 16.10	+3.627	61.32	4	—40 56 42°46	-17.60
82	36 III. 1860	7*5	61.36	5	13 54 18.62	+3.635	61.36	5	-41 18 51°14	—t7·60
83	4 I. 1864	8	65.10	5	13 56 19 94	+3.186	65'10	5	—10 445°99	—r7·53
84	5 I. 1864	8	65.13	4	13 56 41.87	+3.193	65.13	4	—10 37 19 '0 3	-17.21
85	37 III. 1860	10	61.40	4	13 58 17.78	+3.662	61.40	4	—41 46 23°43	—17·43
86	38 III. 1860	9	61.48	5	13 59 13.57	+3.663	61.48	5	-41 36 18.78	—t7·39
87	39 III. 1860	8	61.35	4	14 0 4.72	+3.677	61.35	4	42 6 36·90	—17·35
88	40 III. 1860	7	61.35	4	14 0 10.00	+3.674	61.35	4	41 56 8°11	-17.35
89	6 I. 1864	7	65.11	5	14 1 15'32	+3.504	65.11	5	-11 11 9.75	-17.31
90	7 I. 1864	8.5	65.14	4	14 1 33.92	+3.501	65.14	4	—10 55 17 °54	17.30
I	<u> </u>					l	L			

No. 66. One of these observations has been printed in Cape Meridian Observations, 1865.

No.	Star.	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865'o.	Mean Date.	sq O Mean Dec	Annual Variation 1865°0.
91	8 L. 1864	8	65.13	4	h m s	+3.512	65.13	4 -11 48 37	17.19
92	14 II. 1865 .	9	65.26	1	14 7 5.46	+3.822	65.86	1 -46 48 19	1
93	9 I. 1864	9	65.12	6	14 7 26 02	+3.551	1 .	6 -12 0 0	1
94	10 I. 1864		65.13	4	14 7 33 21	+3'224		4 -12 15 8	1
95	41 III. 1860	7	61.36	4	14 7 50.46	+3'724		4 -42 37 31	-17.00
- 1	•			1					
96	12 I. \$864	7.2	65'13	5	14 12 14 45	+3'240	65'13	5 -13 5 7	90 i 9.81
97	13 I. 1864	_	65'13	5	14 14 36 67	+3'243	65.13	5 -13 7 6	6 -16.69
98	14 L 1864		65.13	4	14 17 16 10	+3.521	65.13	4 -13 27 58	—16.26
99	16 II. 1865 .	8.2			14 19 27	+3.884	65.26	2 -46 44 34	-16.46
190	15 I. 1864	7	65.11	5	14 20 0'72	+3.562	65.11	4 -14 13 39	-16·43
				1			ļ	1]	
101	17 II. 1865 .	8.2	65.26	Ţ	14 20 17 28	+3.890	65.26	I -46 46 53"	-16.41
102	16 I. 1864	9	65.12	5	14 22 9.15	+3.570	65.12	5 -14 24 30	-16.35
103	17 I. 1864	7.2	65'11	4	14 22 50.83	+3'275	65.11	4 -14 38 49	-16·28
104	42 III. 1860	7.2	61.33	4	14 26 21 38	+3.861	61.33	4 -44 41 39	16.09
105	43 III. 1860	7	61.35	4	14 36 38.11	+3.925	61.35	4 -45 17 17	73 -15.23
								1 1	
106	44 III. 1860	7.2	61.35	4	14 43 47 88	+3.885	61.35	4 -46 3 20	312.13
107	45 III. 1860	7.2	61.39	5	14 58 15.92	+4.084	61.39	5 -47 8 54	0 -14'27
108	46 III. 1860	9.2	61 '41	5	15 3 59.03	+4'124	61,41	5 -47 32 27	-13.ð1
109	47 III. 1860	9	61'46	4	15 5 5 93	+4.127	61.46	1 1	- 1
110	B.A.O. 5010	6	61.41	5	15 6 14.60	+4'134	61.41	5 -47 33 8	H -13'77
111	49 III. 1860	7.2	61.20	5	15 6 59.55	+4.146	_	5 -47 46 31	
112	50 III. 1860		61.43	5	15 17 9'49	+4.515	61.43	5 -48 20 20	-13'06
113	12 II. 1861		62.33	3	15 18 38.41	+2.049	62.53	4 +45 3 10	1
114	13 II. 1861	1	62.16	4	15 18 43.67	+2.059	62,16	4 +45 9 58	-1
115	21 IIÎ. 1860	9	61.45	4	15 23 42 62	+4.356	61.44	5 -48 44 29	1 -12.62
	52 III. 1860		61.49	5	15 24 23 28	+4*257		5 -48 42 27	
117	15 II. 1861 .		62.31	5	15 27 1.81	+2.020		5 +44 13 25	•
118	16 II. 1861 .		62.32	4	15 29 53'34	+2 049		4 +43 59 32	
119	17 II. 1861 .	•••	62.25	1	15 30 41 95	+2.050		1 +43 44 31	
120	18 II. 1861 .	···	62.33	3	15 33 23 32	+2*031	62.53	3 +43 42 24	-11'96
									•

				_		,		-		
No.	Star.	Magnitude.	Mean Date.	No. of Obe.	Mean R.A.	Annual Varia- tion 1865°o.	Mean Date.	No. of Obs.	Mean Dec.	Annual Variation 1865'o.
121	19 II. 1861 .		62'16	6	h m s	+2.048	62.17	_	+43 9 22 22	—ı"54
122	ı II. 1862	10	63.27	5	12 39 30.28	+2'438	63.27		+30 1 57.89	-11,23
123	Lalande. 28863-	8	63.30	4	15 43 45.20	+2.575	63.30		+24 5 28.65	—11.53
124	Lalande. 28961-	7	63.33	4	15 47 36.23	+2.706	63.33	1 1	+18 1 27.62	-10.04
125	3 II. 1862	9	63.58	4	15 48 35.58	+2.696	63.58		+18 26 39.63	—10°87
1			*	l .		•				
126	5 II. 1862	7	63.36	5	15 50 20'25	+2.813	63.36	5	+12 52 41.48	-10.74
127	53 III. 1860	9	61.46	4	15 50 21'11	+4.424	61.46	4	-50 7 46·82	
128	54 III. 1860	_	61.49		15 51 44.06	+4.435	61.47	5	—50 15 12·37	-10.62
129	6 II. 1862	8.2	63.30	5	15 53 17 27	+2.924	63.30	6	+ 7 19 54.65	-10.2
130	55 HII. 1860	10	61.21	5	15 56 15.86	+4.463	61.21	5	—50 28 22·18	-10.58
ł				l '					-	
131	56 1II. 1860	8.5	61.52	4	15 56 26 91	+4.460	61.2	4	—50 23 58·37	10'27
132	7 II. 1862	8.2	63.27	5	15 57 27 76	+3.012	63.27	5	+ 2 40 42'30	-10.51
133	57 III. 1860	9	61.47	4	15 57 43 37	+4 474	61.47	4	—50 35 54°22	—10°17
134	8 II. 1862	9	63.58	4	16 225.55	+3.566	63.58	4	— 9 32 43 [.] 62	— 9·83
135	↓ Scorpii	5	63.33	4	16 4 30.83	+3°271	63.33	4	9 42 21'83	— 9·67
l			ľ							
136	10 II. 1862 .	10	63.32	4	16 5 17.49	+3.338	63.32	4	—12 49 54·42	— 9·61
137	11 II. 1862 .	9	63.37	6	16 6 1'14	+3'407	63.37	5	—15 57 23°03	— 9·56
138	12 II. 1862 .	8	63.29	4	16 6 16.76	+3.464	63.29	4	—18 28 49°05	— 9 [.] 54
139	13 II. 1862 .	6.2	63'35	5	16 8 54.72	+3.524	63.35	4	20 57 34.48	— 9·33
140	58 III. 1860	8	61.42	4	16 9 43.55	+4.544	61'42	4	—51 8 30°06	— 9°25
l					,					
141	59 III. 1860	8	61.20	4	16 10 28.15	+4°541	61.20	4	—51 2 31·12	— 9·19
142	14 II. 1862 .	7.2	63.35	4	16 11 3.65	+3.636	63.35	4	—25 25 20·86	- 9 ¹ 7
143	60 III. 1860	8.2	61.21	4	16 11 27 67	+4.554	61.21	4	-51 13 21 '2 5	— 9 [,] 12
144	15 II. 1862 .	8	63.58	4	16 11 55.73	+3.634	63.58	4	-25 18 37.44	6,10
145	61 III. 1860	7	61.42	4	16 12 44 66	+4.555	61.42	4	—51 10 6·35	— 9°02
146		4	63.43	8	16 12 51'94	+3.634	63.43	8	—25 15 38°∞	— 9·03
147	B.A.C. 5449	6.2	63.37	5	16 13 6.43	+3.282	63.38	4	—23 22 34°03	— 9.01
148	62 III. 1860	8	61.21	4	16 14 41 79	+4.264	61.21	4	—51 12 32·42	— 8·86
149	63 III. 1860	7.5	61.20	4	16 16 23.81	+4.282	61.20	4	—51 27 21°30	— 8·73
150	18 II. 1862	7	63.58	4	16 16 54.60	+3.860	63.58	4	—33 14 51·63	— 8·71
			!	L!		<u> </u>	<u> </u>			

No. 146. Some of these observations have been printed in Cape Meridian Observations, 1863.

No.	Star.	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865 o.	Mean Date.	No. of Ohs.	Mean Dec.	Annual Variation 1865 o.
	VI -96-		6		h m s	8			-34°11'30'31	— % ·57
151	19 II. 1862 20 II. 1862	10	63.35	4	16 20 30.11	+3.892 +4.026	63.36	4	-34 11 30 31 -38 12 12 26	
152	20 11. 1862	8	63.30	5	16 23 40 08	+4.062	63.30	5	-39 3 13 60	
153	22 II. 1862	7	63.30	4	16 30 37.57	+4.278	63.30	4	-44 17 54·86	— 7·60
155	23 II. 1862	8	63.33	4	16 31 24'26	+4.359	63.33	4	-44 1/ 54 80 -46 6 47°05	
,,,,	25 11. 1002	"	03 33	*	10 31 24 20	1 7 339	03 33	7	40 0 4/ 05	— 7.54
156	24 II. 1862	8	63.50	4	16 33 6'49	+4.369	63.29	4	-46 14 21·87	 7'40
157	25 II. 1862	8	63.30	6	16 38 16 72	+4.203	63.30	5	-48 48 20.69	6·98
158	26 II. 1862	7	63.31	4	16 43 40 89	+4.609	63,31	5	-50 34 52°75	— 6·54
159	27 II. 1862	10	63.35	5	16 44 24 20	+4.634	63.34	4	-51 0 49 96	- 6·48
160	28 II. 1862	8	63.37	5	16 45 47 36	+4.671	63.37	4	-51 36 29°24	•
			}	1						•
161	29 II. 1862	7.2	63.38	5	16 47 37 17	+4.688	63:37	6	-51 49 39.85	— 6·21
162	30 II. 1862	9	63.34	6	16 48 32.54	+4.235	63.33	5	-52 5 52·09	— 6·13
163	31 II. 1862	8	63.58	4	16 50 16.11	+4.750	63.28	4	-52 45 54·62	— 5 .99
164	A. II. 1862	7.0	62.65	5	20 42 21 87	+3.226	62.65	5	-25 29 19°51	+13.06
165	C. II. 1862	7.2	62.67	5	20 49 33.82	+3.230	62.67	5	-25 0 58°98	+13.24
166	B. II. 1862	8	62.66	5	20 49 48 06	+3.231	62.66	4	-25 5 33.78	+13.22
167	D. II. 1862	7.2	62.67	4	20 55 44'13	+3.216	62.67	4	—24 51 53 [.] 91	+13.63
168	* II. 1862	10	62.65	2	20 59 21.13	+3.212	62.65	2	-24 51 45.27	+14.14
169	E. II. 1862	7	62.66	5	21 0 29 72	+3.204	62.67	4	—24 45 30°00	+14.53
170	1 l. 1865	6	65.42	4	21 3 32 97	+3.874	65.42	4	—40 48 37°76	+14.40
171	F. 11. 1862	11	62.66	4	21 5 11.81	+3.493	62.66	4	—24 39 38·64	+14.22
172	G. II. 1862	7.2	62.65	5	21 16 26 79	+3.457	62.65	4	-23 52 48 09	+15.18
173	2 l. 1865	8	65.41	4	21 40 18.33	+3.906	65 41	4	-47 30 30°24	+16.44
174	3 I. 1865	8	65.41	4	21 49 11.22	+3.878	65.41	4	-48 II I2·2I	+16.88
175	4 I. 1865	9	65.41	4	21 54 37 04	+3.868	65.41	4	-48 55 1.97	+17.13
	. T .0/ -						.			, ,
176	5 I. 1865	10	65'42	5	22 2 0.81	+3.847	65'42	5	-49 43 37·58	+17.46
177	6 I. 1865	9	65.44	4	22 2 14.36	+3.841	65.44	4	-49 33 4·06	+17.47
178	7 I. 1865 H II. 1862	10	65.41	4	22 11 17.87	+3.824	65.41	4	—50 58 56·43	+17.84
179 180	H II. 1862	10		4	22 16 57 67	+3.036	62.81		+ 3 23 14.96	+18.07
100	1. 11. 1802	9	62'74	4	22 17 28.12	+3.039	62.74	4	+ 3 7 23.66	+18.09
i								_		

No.	Star,	Magnitude.	Mean Date.	No. of Obs.	Mean R.A.	Annual Varia- tion 1865 o.	Mean Date.	Mean Dec.	Annual Variation 1865'o.
181 182 183 184	* II, 1862 L II. 1862 * II. 1862 M II. 1862 O II. 1862	9 9 6	62.65 62.80 62.79 62.73 62.67	3 4 4 5 4	h m s 23 18 0'74 22 18 30'34 22 19 11'63 22 19 35'99 22 20 52'39	+3°041 +3°030 +3°032 +3°034 +3°033	62.65 62.80 62.79 62.73 62.67	3 + 3 6 25 20 4 + 4 2 54 18 4 + 4 2 19 54 5 + 3 41 27 87 4 + 4 0 17 38	+18.12 +18.12 +18.13
186 187 188 189 190	Q II. 1862 18 I. 1865 9 I. 1865 10 I. 1865 11 I. 1865	9	62.64 65.41 65.41 65.41 65.52	4 4 5 4 6	22 22 37.69 22 33 13.70 22 44 31.37 22 46 25.07	+3.014 +3.751 +3.717 +3.665 +3.637	62.64 62.41 62.41 65.41	4 + 6 6 50.67 451 40 49.07 452 36 17.21 452 56 20.09 753 18 45.49	+18.89 +18.93 +18.39
191 192 193 194 195	12 I. 1865 13 I. 1865 14 I. 1865 15 I. 1865 46 I. 1865	10 8·5 9·5 10	65'57 65'42 65'44 65'52 65'42	4 4 4 5 4	22 46 28 91 22 52 16 02 22 58 33 52 23 8 48 79 23 16 15 24	+3.635 +3.597 +3.556 +3.483 +3.427	65'54 65'42 65'42 65'52 65'42	5 — 53 16 12'54 4 — 53 32 36'91 4 — 53 54 41'97 5 — 54 21 47'73 4 — 54 32 51'39	+19.69 +19.34 +19.13 +19.03
196 197 198 199	17 I. 1865 18 I. 1865 19 I. 1865 20 I. 1865	9 9'5 10 8	65'45 65'52 65'50 65'51	4 6 6 5	23 18 7'25 23 50 38'01 23 54 0'96 23 18 7'25	+3.414 +3.125 +3.125 +3.026	65.21 65.20 65.45	454 45 48.33 555 57 48.41 656 2 10.07 556 14 59.95	+19°72 +20°04 +20°05 +80°06



